



Lexington-Fayette Urban County Government Lexington, Kentucky Horra Capital of the World

| | | Horse Capital of the World | |
|---|------------------------------------|--|---|
| Division of Centra | l Purchasing | Date | of Issue: June 10, 2019 |
| | | INVITATION TO BID #66-2019 Fire Hose | |
| Bid Opening Date: Address: | June 24, 2 200 East N | Ro19 Main Street, 3 rd Floor, Room 338, Lexington, Kentucky 40507 | Time: 2:00 PM |
| Type of Bid: | Price Cont | ract | |
| Pre Bld Meeting: Address: | N/A N/A | Pre Bid Time | : N/A |
| Sealed bids will be re prevailing local time o | ceived in the n <u>6/24/201</u> | office of the Division of Central Purchasing, 200 East Main Street, Lexing. Bids must be received by the above-mentioned date and time. Mailed Division of Central Purchasing 200 East Main Street, Room 338 Lexington, KY 40507, (859) 258-3320 | gton, Kentucky, until 2:00 PN I bids should be sent to: |
| above. Bids that a nd hi | e not delive | nty Government assumes no responsibility for bids that are not addre- red to the Division of Central Purchasing by the stated time and any name and address, bid invitation number, and the name of the bid of dling and associated fees to the point of delivery located at: 219 E. Thin | date will be rejected. All bion the outside of the envelope. |
| Bid Specific | ations Met _ | Check One; Exceptions to Bid Specifications. Exceptions shall be itemized and attached to bid proposal submitted. | Proposed Delivery: |
| Procurement Card and services and also | Usage The to make pay | Lexington-Fayette Urban County Government may be using Procurement ments. Will you accept Procurement Cards? | t Cards to purchase goods |
| Suk | omitted by: | Finley Fire Equipment Co., Inc. DBA Bluegrass Fire Firm Name 5255 N St Rt 60 NW | Equipment |
| | | Address McConnelsville, OH 43756 City, State Supp | |
| Bid must b (original sign | | Signature of Authorized Company Representative - Title | Pas |
| | | April Hyams Representative's Name (Typed or printed) 859-233-0807 Area Code - Phone - Extension Fax # | - -233-1167 crastine.com |

E-Mail Address

The Affidavit in this bid must be completed before your firm can be considered for award of this contract.

| A | FF | TI | 34 | W | П |
|---|----|----|----|-----|---|
| | | - | | 9.0 | - |

| pe | Comes the Affiant,John W. Finley, and after being first duly sworn under penalty of rjury as follows: |
|------|---|
| 1. | His/her name is John W. Finley and he/she is the individual submitting the bid or is the |
| | authorized representative of Finley Fire Equipment Co., Inc. DBA Bluegrass Fire Equipment |
| | the entity submitting the bid (hereinafter referred to as "Bidder") |
| 2. | Bidder will pay all taxes and fees, which are owed to the Lexington-Fayette Urban County Government at the time the bid is submitted, prior to award of the contract and will maintain a "current" status in regard to those taxes and fees during the life of the contract. |
| 3. | Bidder will obtain a Lexington-Fayette Urban County Government business license, if applicable, prior to award of the contract. |
| 4. | Bidder has authorized the Division of Central Purchasing to verify the above-mentioned information with the Division of Revenue and to disclose to the Urban County Council that taxes and/or fees are delinquent or that a business license has not been obtained. |
| 5. | Bidder has not knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky within the past five (5) years and the award of a contract to the Bidder will not violate any provision of the campaign finance laws of the Commonwealth. |
| 6. | Bidder has not knowingly violated any provision of Chapter 25 of the Lexington-Fayette Urban County Government Code of Ordinances, known as "Ethics Act." |
| 7. | Bidder acknowledges that "knowingly" for purposes of this Affidavit means, with respect to conduct or to circumstances described by a statute or ordinance defining an offense, that a person is aware or should have been aware that his conduct is of that nature or that the circumstance exists |
| | Further, Affiant sayeth naught. |
| STA | ATE OF Ohio |
| COI | UNTY OFMorgan |
| | The foregoing instrument was subscribed, sworn to and acknowledged before me |
| by _ | John W. Finley on this the 12th |
| of _ | John W. Finley on this the |
| | My Commission expires: My Commission Expires My Commission Expires My Commission Expires NOTARY PUBLIC, STATE AT LARGE |
| Plea | ase refer to Section II. Bid Conditions, Item "U" prior to completing this form. |

I. GREEN PROCUREMENT

A. ENERGY

The Lexington-Fayette Urban County Government is committed to protecting our environment and being fiscally responsible to our citizens.

The Lexington-Fayette Urban County Government mandates the use of Energy Star compliant products if they are available in the marketplace (go to www.Energystar.gov). If these products are available, but not submitted in your pricing, your bid will be rejected as non-compliant.

ENERGY STAR is a government program that offers businesses and consumers energy-efficient solutions, making it easy to save money while protecting the environment for future generations.

Key Benefits

These products use 25 to 50% less energy Reduced energy costs without compromising quality or performance Reduced air pollution because fewer fossil fuels are burned Significant return on investment Extended product life and decreased maintenance

B. GREEN SEAL CERTIFIED PRODUCTS

The Lexington-Fayette Urban County Government is also committed to using other environmentally products that do not negatively impact our environment. Green Seal is a non-profit organization devoted to environmental standard setting, product certification, and public education.

Go to **www.Greenseal.org** to find available certified products. These products will have a reduced impact on the environment and on human health. The products to be used must be pre-approved by the LFUCG prior to commencement of any work in any LFUCG facility. If a Green Seal product is not available, the LFUCG must provide a signed waiver to use an alternate product. Please provide information on the Green Seal products being used with your bid response.

C. GREEN COMMUNITY

The Lexington-Fayette Urban County Government (LFUCG) serves as a principal, along with the University of Kentucky and Fayette County Public Schools, in the Bluegrass Partnership for a Green Community. The Purchasing Team component of the Partnership collaborates on economy of scale purchasing that promotes and enhances environmental initiatives. Specifically, when applicable, each principal is interested in obtaining best value products and/or services which promote environment initiatives via solicitations and awards from the other principals.

If your company is the successful bidder on this Invitation For Bid, do you agree to extend the same product/service pricing to the other principals of the Bluegrass Partnership for a Green Community (i.e. University of Kentucky and Fayette County Schools) if requested?

| Yes | N | 0 |
|-----|----|---|
| 162 | IN | 0 |

EQUAL OPPORTUNITY AGREEMENT

Standard Title VI Assurance

The Lexington Fayette-Urban County Government, (hereinafter referred to as the "Recipient") hereby agrees that as a condition to receiving any Federal financial assistance from the U.S. Department of Transportation, it will comply with Title VI of the Civil Rights Act of 1964, 78Stat.252, 42 U.S.C. 2000d-4 (hereinafter referred to as the "Act"), and all requirements imposed by or pursuant to Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, (49 CFR, Part 21) Nondiscrimination in Federally Assisted Program of the Department of Transportation – Effectuation of Title VI of the Civil Rights Act of 1964 (hereinafter referred to as the "Regulations") and other pertinent directives, no person in the United States shall, on the grounds of race, color, national origin, sex, age (over 40), religion, sexual orientation, gender identity, veteran status, or disability be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any program or activity for which the Recipient receives Federal financial assistance from the U.S. Department of Transportation, including the Federal Highway Administration, and hereby gives assurance that will promptly take any necessary measures to effectuate this agreement. This assurance is required by subsection 21.7(a) (1) of the Regulations.

The Law

- Title VII of the Civil Rights Act of 1964 (amended 1972) states that it is unlawful for an employer to discriminate in employment because of race, color, religion, sex, age (40-70 years) or national origin.
- Executive Order No. 11246 on Nondiscrimination under Federal contract prohibits employment discrimination by contractor and sub-contractor doing business with the Federal Government or recipients of Federal funds. This order was later amended by Executive Order No. 11375 to prohibit discrimination on the basis of sex.
- Section 503 of the Rehabilitation Act of 1973 states: The Contractor will not discriminate against any employee or applicant for employment because of physical or mental disability.
- Section 2012 of the Vietnam Era Veterans Readjustment Act of 1973 requires Affirmative Action on behalf of disabled veterans and veterans of the Vietnam Era by contractors having Federal contracts.
- Section 206(A) of Executive Order 12086, Consolidation of Contract Compliance Functions for Equal Employment Opportunity, states: The Secretary of Labor may investigate the employment practices of any Government contractor or sub-contractor to determine whether or not the contractual provisions specified in Section 202 of this order have been violated.

The Lexington-Fayette Urban County Government practices Equal Opportunity in recruiting, hiring and promoting. It is the Government's intent to affirmatively provide employment opportunities for those individuals who have previously not been allowed to enter into the mainstream of society. Because of its importance to the local Government, this policy carries the full endorsement of the Mayor, Commissioners, Directors and all supervisory personnel. In following this commitment to Equal Employment Opportunity and because the Government is the benefactor of the Federal funds, it is both against the Urban County Government policy and illegal for the Government to let contracts to companies which knowingly or unknowingly practice discrimination in their employment practices. Violation of the above mentioned ordinances may cause a contract to be canceled and the contractors may be declared ineligible for future consideration.

Please sign this statement in the appropriate space acknowledging that you have read and understand the provisions contained herein. Return this document as part of your application packet.

Bidders

I/We agree to comply with the Civil Rights Laws listed above that govern employment rights of minorities, women, veteran status, disability and age.

Finley Fire Equipment Co., Inc DBA Bluegrass Fire Equipment

Name of Business

termination shall be made by the LFUCG provided these goods or services were provided in a manner acceptable to the LFUCG. Payment for those goods and services shall not be unreasonably withheld.

- 13. Assignment of Contract: The selected bidder(s) shall not assign or subcontract any portion of the bid contract with LFUCG without the express written consent of LFUCG. Any purported assignment or subcontract in violation hereof shall be void. It is expressly acknowledged that LFUCG shall never be required or obligated to consent to any request for assignment or subcontract; and further that such refusal to consent can be for any or no reason, fully within the sole discretion of LFUCG.
- 14. No Waiver: No failure or delay by LFUCG in exercising any right, remedy, power or privilege hereunder, nor any single or partial exercise thereof, nor the exercise of any other right, remedy, power or privilege shall operate as a waiver hereof or thereof. No failure or delay by LFUCG in exercising any right, remedy, power or privilege under or in respect of this bid proposal or bid contract shall affect the rights, remedies, powers or privileges of LFUCG hereunder or shall operate as a waiver thereof.
- 15. Authority to do Business: Each bidder must be authorized to do business under the laws of the Commonwealth of Kentucky and must be in good standing and have full legal capacity to provide the goods or services specified in the bid proposal. Each bidder must have all necessary right and lawful authority to submit the bid response and enter into the bid contract for the full term hereof including any necessary corporate or other action authorizing the bidder to submit the bid response and enter into this bid contract. If requested, the bidder will provide LFUCG with a copy of a corporate resolution authorizing this action and/or a letter from an attorney confirming that the proposer is authorized to do business in the Commonwealth of Kentucky. All bid responses must be signed by a duly authorized officer, agent or employee of the bidder.
- 16. Governing Law: This bid request and bid contract shall be governed by and construed in accordance with the laws of the Commonwealth of Kentucky. In the event of any proceedings regarding this matter, the bidder agrees that the venue shall be the Fayette County Circuit Court or the U.S. District Court for the Eastern District of Kentucky, Lexington Division and that the bidder expressly consents to personal jurisdiction and venue in such Court for the limited and sole purpose of proceedings relating to these matters or any rights or obligations arising thereunder.
- 17. Ability to Meet Obligations: Bidder affirmatively states that there are no actions, suits or proceedings of any kind pending against bidder or, to the knowledge of the bidder, threatened against the bidder before or by any court, governmental body or agency or other tribunal or authority which would, if adversely determined, have a materially adverse effect on the authority or ability of bidder to perform its obligations under this bid response or bid contract, or which question the legality, validity or enforceability hereof or thereof.
- 18. Price Discrepancy: When applicable, in case of price discrepancy, unit bid price written in words will prevail followed by unit price written in numbers then total amount bid per line item.
- 19. Bidder understands and agrees that its employees, agents, or subcontractors are not employees of LFUCG for any purpose whatsoever. Bidder is an independent contractor at all times related to the bid response or bid contract.
- 20. Contractor [or Vendor or Vendor's Employees] will not appropriate or make use of the Lexington-Fayette Urban County Government (LFUCG) name or any of its trade or service marks or property (including but not limited to any logo or seal), in any promotion, endorsement, advertisement, testimonial or similar use without the prior written consent of the government. If such consent is granted LFUCG reserves the unllateral right, in its sole discretion, to immediately terminate and revoke such use for any reason whatsoever. Contractor agrees that it shall cease and desist from any unauthorized use immediately upon being notified by LFUCG.
- 21. If any term or provision of this bid contract shall be found to be illegal or unenforceable, the remainder of the contract shall remain in full force and such term or provision shall be deemed stricken.

Signature

WORKFORCE ANALYSIS FORM

Name of Organization:

Finley Eve Equip.

| Categories | Total | (l His | hite Not spani or tino) | C | pani or tino | Afri Ame (N Hisp | ck or can- erican lot panic atino | Haw Ot Pa Isla (N Hisp | ative valian nd her cific nder lot panic patino | His | lot oani or | India Alas Na (r Hisp | erican an or skan itive not panic atino | more (i Hisp | vo or e races Not anic or atino | To | otal |
|--------------------|-------|-----------|-------------------------------------|---|--------------------|---------------------------|--|---------------------------------------|---|-----|-------------------|-----------------------------------|---|--------------------|---|----|------|
| | | M | F | M | F | M | F | М | F | M | F | М | F | M | F | M | F |
| Administrators | | 1 | | | | | | | | | | | | | | | |
| Professionals | | 28 | 2 | | | 1 | | | | | | | | | | | |
| Superintendents | | | | | | | | | | | | | | | | | |
| Supervisors | | 4 | 2 | | | | | | | | | | | | | | |
| Foremen | | | | | | | | | | | | | | | | | |
| Technicians | | 20 | | | | | | | | | | | | | | | |
| Protective Service | | | | | | | | | | | | | | | | | |
| Para-Professionals | | | | | | | | | | | | | | | | | |
| Office/Clerical | | 3 | 8 | 1 | | | 1 | | | | | | | | | | |
| Skilled Craft | | | | | | | | | | | | =11120 | | | | | |
| Service/Maintenanc | | 3 | 1 | | | | | | | | | | | | | | |
| Total: | | 59 | 13 | 1 | | 1 | 1 | | | | | | | | | | |

(Name and Title)

Revised 2015-Dec-15



5255 N State Route 60 NW * McConnelsville, Ohio 43756 800-545-3280 * 740-962-4328 * Fax 740-962-5422 www.finleyfire.com

June 14, 2019

Director of the Division of Central Purchasing

Finley Fire Equipment Co., Inc. contract with All American Hose does not allow for a subcontractor to be used due to the technical expertise required for service and repair of these products.

Thank you,

Norman Mansfield

Vice President of Equipment Sales



| LFUCG MWDBE PARTICIF Bid/RFP/Quote Reference # | | M | | |
|--|------------------------------------|--|--------------------------------------|------------------------------|
| The MWDBE and/or veteran susubstitution is made or the total understood that those substitution to submit a completed form management. | value of the wo ons must be sub | ork is changed prior to or af omitted to Central Purchasi | ter the job is in pr | ogress, it is |
| MWDBE Company, Name, Address, Phone, Email | MBE WBE or DBE | Work to be Performed | Total Dollar Value of the Work | % Value of Total Contract |
| 1. | | | | |
| 2. | | | | |
| 3. | | | | |
| 4. | | | | |
| The undersigned company represent contained in this Bid/RFP/Quote. ubject to applicable Federal and Sta | Any misrepresen | tation may result in the termi | nation of the contra | mplishing the work |
| Company | | Company Represen | tative | |
| Date | | Title | | |



| LFUCG MWDBE PARTICIA Bid/RFP/Quote Reference # The MWDBE and/or veteran so substitution is made or the total understood that those substitution to submit a completed form in | ubcontractors li value of the wo | sted have agreed to particip ork is changed prior to or af omitted to Central Purchasi | ter the job is in pr | ogress, it is |
|--|-------------------------------------|--|--------------------------------------|------------------------------------|
| MWDBE Company, Name, Address, Phone, Email | MBE WBE or DBE | Work to be Performed | Total Dollar Value of the Work | % Value of Tota Contract |
| 1. | | | | |
| 2. | | | | |
| 3. | | | | |
| 4. | | | | |
| The undersigned company represent contained in this Bid/RFP/Quote. Subject to applicable Federal and Sta | Any misrepresen | tation may result in the termi | nation of the contra | mplishing the work ct and/or be |
| Сотрапу | | Company Represen | tative | |
| Date | | Title | - | |



LFUCG MWDBE SUBSTITUTION FORM Bid/RFP/Quote Reference #_____

| The substituted MWDBE and/or veteran subcontractors listed below have agreed to participate | |
|---|-------------------------|
| These substitutions were made prior to or after the job was in progress. These substitutions were | made for reasons stated |
| below and are now being submitted to Central Purchasing for approval. By the authorized signatu | |
| our company, we understand that this information will be entered into our file for this project. | Failure to submit this |
| form may cause rejection of the bid. | |

| SUBSTITUTED MWDBE Company Name, Address, Phone, Email | MWDBE Formally Contracted/Name, Address, Phone, Email | Work to Be Performed | Reason for the Substitution | Total Dollar Value of the Work | % Value of Total Contract |
|--|---|-------------------------|--------------------------------|--------------------------------------|------------------------------|
| 1. | | | | | |
| 2. | | | | | |
| 3. | | | | | |
| 4. | | | | | |

The undersigned acknowledges that any misrepresentation may result in termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and false claims.

| Company | Company Representative |
|---------|------------------------|
| Date | Title |



MWDBE QUOTE SUMMARY FORM Bid/RFP/Quote Reference

| The undersigned acknowledges that the minority and/or veter | an subcontractors listed on this form did |
|--|---|
| submit a quote to participate on this project. Failure to submit the | |

| act Contact Information (work phone Email, cell) | | Bid Packag Services to be performed | ge / Bid Date Method of Communication | Total dollars \$\$ | MBE * | Votor |
|--|----------------------------|--|---|---|---|--|
| on Information (work phone | Contacted | to be | | Total dollars \$\$ | MBE * | Vetera |
| | | penomicu | (email, phone meeting, ad, event etc) | Do Not Leave Blank (Attach Documentation) | AA HA AS NA Female | Vetera |
| | | | | | | |
| | H | | | | | |
| | | | | | | |
| nowledges that all in | formation is | accurate. Any | y misrepresentation cerning false staten | n may result in ten nents and claims. | | |
| | can) nowledges that all in | can) nowledges that all information is | nowledges that all information is accurate. Any object to applicable Federal and State laws conditions. | nowledges that all information is accurate. Any misrepresentation ubject to applicable Federal and State laws concerning false statem | nowledges that all information is accurate. Any misrepresentation may result in termibject to applicable Federal and State laws concerning false statements and claims. Company Representative | nowledges that all information is accurate. Any misrepresentation may result in termination of object to applicable Federal and State laws concerning false statements and claims. Company Representative |



LFUCG SUBCONTRACTOR MONTHLY PAYMENT REPORT

The LFUCG has a 10% goal plan adopted by city council to increase the participation of minority and women owned businesses in the procurement process. The LFUCG also has a 3% goal plan adopted by cited council to increase the participation of veteran owned businesses in the procurement process. In order to measure that goal LFUCG will track spending with MWDBE and Veteran contractors on a monthly basis. By the signature below of an authorized company representative, you certify that the information is correct, and that each of the representations set forth below is true. Any misrepresentation may result in termination of the contract and/or prosecution under applicable Federal and State laws concerning false statements and false claims. Please submit this form monthly to the Division of Central Purchasing/ 200 East Main Street / Room 338 / Lexington, KY 40507.

| Project Name/ Contract # Company Name: | | | | Work Period/ | From: | | To: |
|--|------------------------|--------------------------------|---|-----------------|---|------------------------------------|----------------------------------|
| | | | | Address: | | | |
| Federal Tax ID: | | | | Contact Person | n: | | |
| Subcontractor Vendor ID (name, address, phone, email | Description of Work | Total Subcontract Amount | % of Total Contract Awarded to Prime for this Project | this Period | Purchase Order number for subcontractor work (please attach PO) | Scheduled Project Start Date | Scheduled Project End Date |
| | | | | | | | |
| By the signature be of the representate and/or prosecution | ions set forth b | pelow is true | Any misre | presentations m | ay result in the | termination of | t, and that ea |
| Company | | | c | ompany Repre | sentative | | |
| Date | | | $\overline{\mathbf{T}}$ | itle | N-100 | - <u> </u> | |

LFUCG STATEMENT OF GOOD FAITH EFFORTS Bid/RFP/Quote #____

| By the signature below of an authorized company representative, we certify that we have utilized the following Good Faith Efforts to obtain the maximum participation by MWDBE and Veteran-Owned business enterprises on the project and can supply the appropriate documentation. |
|---|
| Advertised opportunities to participate in the contract in at least two (2) publications of general circulation media; trade and professional association publications; small and minority business or trade publications; and publications or trades targeting minority, women and disadvantaged businesses not less than fifteen (15) days prior to the deadline for submission of bids to allow MWDBE firms and Veteran-Owned businesses to participate. |
| Included documentation of advertising in the above publications with the bidders good faith efforts package |
| Attended LFUCG Central Purchasing Economic Inclusion Outreach event |
| Attended pre-bid meetings that were scheduled by LFUCG to inform MWDBEs and/or Veteran-Owned Businesses of subcontracting opportunities |
| Sponsored Economic Inclusion event to provide networking opportunities for prime contractors and MWDBE firms and Veteran-Owned businesses |
| Requested a list of MWDBE and/or Veteran subcontractors or suppliers from LFUCG and showed evidence of contacting the companies on the list(s). |
| Contacted organizations that work with MWDBE companies for assistance in finding certified MWBDE firms and Veteran-Owned businesses to work on this project. Those contacted and their responses should be a part of the bidder's good faith efforts documentation. |
| Sent written notices, by certified mail, email or facsimile, to qualified, certified MWDBEs soliciting their participation in the contract not less than seven (7) days prior to the deadline for submission of bids to allow them to participate effectively. |
| Followed up initial solicitations by contacting MWDBEs and Veteran-Owned businesses to determine their level of interest. |
| Provided the interested MWBDE firm and/or Veteran-Owned business with adequate and timely information about the plans, specifications, and requirements of the contract. |
| Selected portions of the work to be performed by MWDBE firms and/or Veteran-Owned businesses in order to increase the likelihood of meeting the contract goals. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate MWDBE and Veteran participation, even when the prime contractor may otherwise perform these work items with its own workforce |
| Negotiated in good faith with interested MWDBE firms and Veteran-Owned businesses not rejecting them as unqualified without sound reasons based on a thorough investigation of their capabilities. Any rejection should be so noted in writing with a description as to why an agreement could not be reached |

| | Veteran-Owned businesses which v | f quotations received from interested MWDBE firms and were not used due to uncompetitive pricing or were rejected as onses from firms indicating that they would not be submitting |
|----------------------------------|---|--|
| | The fact that the bidder has the abiforces will not be considered a so | I reasons why the quotations were considered unacceptable. ility and/or desire to perform the contract work with its own und reason for rejecting a MWDBE and/or Veteran-Owned provision shall be construed to require the bidder to accept sfy MWDBE and Veteran goals. |
| | Made an effort to offer ass Owned businesses to obtain the a bonding to satisfy the work requiren | sistance to or refer interested MWDBE firms and Veteran- necessary equipment, supplies, materials, insurance and/or nents of the bid proposal |
| | Made efforts to expand the beyond the usual geographic boundar | search for MWBE firms and Veteran-Owned businesses aries. |
| | Otherany other evidence the made reasonable good faith efforts to | nat the bidder submits which may show that the bidder has o include MWDBE and Veteran participation. |
| | rejection of bid. Bidders may in requirement which is subject to ap | te documentation requested in this section may be cause for include any other documentation deemed relevant to this inproval by the MBE Liaison. Documentation of Good Faith bid, if the participation Goal is not met. |
| The undersign of the contract | ed acknowledges that all information is and/or be subject to applicable Feder | s accurate. Any misrepresentations may result in termination al and State laws concerning false statements and claims. |
| Company | | Company Representative |
| Date | | Title |
| | | |

| Specifications | | dder nplies | |
|--|-----|----------------|--|
| | Yes | No | |
| Specifications for Heavy Duty Fire Hose, Large Diameter Polyester Double Jacketed Fire Hose, and Nylon Double Jacketed Fire Hose | V | | |
| **Please submit one original and one copy ** | | | |
| Scope and Classification | | | |
| I. Scope This specification covers a new and commercially produced Fire Hose to be used for Emergency Response Fire Attack, Fire Attack Water Supply and Relay Pumping Operations. | ب | / | |
| II. Classification These specifications cover the minimum requirements for Heavy Duty Fire Hose for the lengths and diameters stated. This hose is to be used by the Lexington Division of Fire and Emergency Services personnel for the purpose of fire suppression and other related functions. | | | |
| III. Applicable Documents Any manufacturer or vendor responding to this bid shall enclose in their proposal at the time of bid any documents required in these specifications. It is the responsibility of the vendor to be sure that the proposal submitted meets all requirements of these specifications. Bids which fail to comply with these requirements shall not be considered for award. | | | |
| IV. Exceptions to Specifications It is not the intent of these specifications to restrict or prevent any vendor from submitting a proposal on his product. Due to the fact that the equipment specified is to used under emergency and hazardous conditions where human life may be at risk the following must apply: Any exception(s) to these specifications indicated herein must be clearly pointed out otherwise it will be considered that items offered are in strict compliance with these specifications and the successful bidder will be held responsible for delivering Heavy Duty Fire Hose meeting these specifications. Bidders shall also indicate in the "yes/no" column if their bid complies on each item (PARAGRAPH) specified. Exceptions shall be listed and fully explained on a separate page. Exceptions shall be allowed if they are equal to or superior to that specified and provided they are listed and fully explained on a separate page. The decision as to whether any exception is approved as being equivalent shall be entirely that of the Chief of the Division of Fire. | | | |
| 3+0 | | | |
| Page 1 | | | |

•

| Specifications | | dder nplies | |
|---|-----|----------------|--|
| | Yes | No | |
| V. Information and Descriptive Literature Bidders must furnish all information requested and in the space provided on the bid form. In addition, vendors shall supply at least two (2) complete sets of sketches, descriptive literature, and complete specifications covering the products offered. Bids not meeting this requirement will be rejected. | | | |
| VI. Anti-Collusion Statement By signing this bid the bidder agrees that this proposal is made without any understanding, agreement, or connection with any other person, firm, or corporation making a bid for the same purpose, and that the bid is in all respects fair and without collusion or fraud. Sign in ink in the space provided below. Unsigned bids will be considered as incomplete and will be rejected. | | | |
| IT IS AGREED BY THE UNDERSIGNED BIDDER THAT THE SIGNING AND DELIVERY OF THIS BID REPRESENTS THE BIDDER'S ACCEPTANCE OF THE TERMS AND CONDITIONS OF THE FOREGOING SPECIFICATIONS AND PROVISIONS, AND IF AWARDED THE CONTRACT BY THIS AGENCY, WILL REPRESENT THE AGREEMENT BETWEEN THE PARTIES. | | | |
| NAME OF FIRM: Finley Fire Equipment DBA Bluegrass Fire Equipment | | | |
| SIGNED BY: (must be signed in ink by a company officer) TITLE: Vice President of Equipment Sales | | | |
| MANUFACTURER OF HEAVY DUTY FIRE HOSE | | | |
| MODEL(S) BID: All American Ponn Conquest | | | |
| DELIVERY WILL BE MADE IN 40-50 DAYS. SPECIAL NOTE: Variances or exceptions must be noted by number on the following pages and explained in full detail on the last page(s) of this specification. Vendors whose bid fails to comply with this requirement will not be accepted. | | | |
| WARRANTY 1.0 <u>Warranty and Service Requirements</u> | | | |
| 1.1 Warranty The fire hose furnished under this specification shall have a potential service life of 10 years barring mistreatment or accidental damage such as would render the hose unfit for service. The fire hose shall be warranted against defects in materials or workmanship with the defective product claim made within the first year after receipt | | | |
| | | | |
| | | | |

| Specifications | | dder aplies |
|----------------|-----|----------------|
| | Yes | No |
| | | |

1.2 Service Requirements

This agency subscribes whenever possible to a "Buy American" policy. With respect to service and the possible difficulty of obtaining replacement parts, the hose and couplings supplied under this contract shall be made in the United States.

Heavy Duty Polyester Double Jacket – 1 ¾ & 2 ½ Inch Polyurethane Extruded-Thru-the-Weave Lined Hose

2.0 Product Specification

2.1 General Conditions

The fire hose assembly supplied to this specification is a premium quality, polyester heavy weight double jacketed, polyurethane extruded-thru-the-weave lined, municipal grade fire hose manufactured to all the requirements of NFPA 1961, Standard on Fire Hose, Latest Edition. This product shall be woven, extruded, assembled, coupled and tested in the United States by a U.S. owned and operated company which shall constitute the product's country of origin

2.2 Jacket Construction:

Both the inner and outer heavy weight jackets shall be evenly, firmly, and well woven of 100% synthetic polyester yarns. Open end spun staple yarn shall be used in the warp (lengthwise) ends (yarns). Filament, ring spun, or entangled yarn will not be acceptable. The weft (filler or radial yarns) shall be made of high tenacity, low stretch filament polyester yarn, and shall be interwoven with and be completely covered by the warp ends. No weft yarn shall be visible. Both jackets shall be free from unsightly defects, dirt, knots, lumps, and irregularities of weave that might affect the serviceability of the finished product.

2.3 Protective Treatment

The outer jacket shall be completely impregnated, by a force applied mechanical process, to provide coverage on the outside and within the fabric, with a synthetic nitrile/latex (emulsified) rubber compound. The compound is fused to the jacket by a high temperature curing process cross linking the rubber coating for increased chemical, ultraviolet, moisture, abrasion, and burn resistance of the hose. The rubber compound can be colored with pigments to provide a method of color coding identification of the hose.

2.4 Lining Construction:

The lining material shall be a polyurethane compound extruded-thru-the-weave. The polyurethane must completely encapsulate all the yarns and fibers, on both sides of the reinforcement jacket, filling in the open spaces to create a very smooth water way to significantly reduce friction loss. No polyurethane applied by a hot melt process into or onto the inner surface of reinforcement fabric will be permitted, nor will the use of

| Specifications | Bidde Compli | |
|---|-----------------|----|
| | Yes | No |
| an adhesive or backing to secure a tube lining be permitted. The lining will be 100% guaranteed not to delaminate for the life of the hose. 2.5 Quality Assurance Provisions: The Manufacturer shall be committed and shall provide evidence of compliance to a Total Quality Management system designed to meet the current ISO 9001 requirements. Further, quality assurance procedures must be managed and performed by the manufacturer over the entire hose manufacturing process from procurement of premium quality raw materials, through twisting and weaving of yarns, liner and cover extrusion, jacket impregnation, hose assembly, curing/vulcanization, and coupling attachment process. The Manufacturer is defined for this specification as the one creating the hose by using all of these processes. The direct distributor who supplies the hose under this specification shall procure the hose directly from the manufacturer. The hose, coupled or un-coupled, shall not come from a third party source and be coupled, tested, and re-sold to the direct distributor. The end customer reserves the right to request documentation and perform an on sight audit of the | | |
| 2.6 Hydrostatic Testing: Every piece of coupled hose supplied under this specification shall be subjected to a Hydrostatic Proof Pressure Test by the manufacturer at the point of completion and prior to shipment per the requirements of NFPA 1961 (latest edition). A printed Proof Test Certificate of compliance will be supplied with each piece of hose passing the test that references the manufacturer of the hose, the hose identifier number, the manufacturer's part number, the test date/time, the test operator, and the specified test pressure. Elongation, Twist, Warp, Rise, and Coupling Retention will also be evaluated on all hose during the Hydrostatic Test and shall meet the requirements of NFPA 1961 (latest edition). | | |
| 2.7 Identification and Marking: Every piece of coupled hose supplied under this specification with have a unique barcode identifier number located on the coupling. This identifier number will be used by the manufacturer to record manufacturing and hydrostatic test data for the piece of hose. Further the hose identification system shall be used for capturing the hose number for maintaining an electronic hose inventory data base system for the documentation of hose records as required per the current NFPA 1962 requirements. Each piece of hose passing the hydrostatic proof test shall be indelibly marked/stenciled with manufacturer's name, the month and year of manufacture, the words "Lexington KY Fire Department" the country of origin, and the service test "words" per NFPA 1961 (latest edition). A unique identification number as prescribed by the Lexington Fire Department shall be indelibly marked/stenciled on the hose. Couplings maybe laser engraved or stamped. | | |
| Page 4 | | |

| pecifications | | der plies |
|---|-----|--------------|
| | Yes | No |
| 2.8 Couplings: Couplings shall be Red Head Brand, light weight aluminum with rocker lugs and NHT threads. All couplings shall meet or exceed NFPA 1963 (latest edition). | | |
| 3.0 Physical Hose Properties: | | |
| 3.1 Diameter: 1 ¾ inch Length, coupled on both ends: 50 feet Colors: Green, White, Blue, Tan and Yellow all with a black stripe | | _ |
| 3.2 Diameter: 1 ¾ inch Length, coupled on both ends 100 feet Color: Red with black stripe | | _ |
| 3.3 Diameter: 2 ½ inch Length: 50 feet Color: Tan with black stripe | | |
| Large Diameter (LDH) Polyester Double Jacket Fire Hose - 5 Inch | | |
| 4.0 Product Specification | | |
| 4.1 General Conditions The fire hose assembly supplied to this specification is a premium quality, all polyester double jacket, thermoplastic polyurethane (TPU) lined, municipal grade fire hose manufactured to all the requirements of NFPA 1961, Standard on Fire Hose, Latest Edition. This product shall be woven, extruded, assembled, coupled and tested in the United States by a U.S. owned and operated company which shall constitute the product's country of origin. | | |
| 4.2 Jacket Construction: Both the inner and outer jackets shall be evenly, firmly, and well woven of 100% synthetic polyester yarns. Staple polyester yarn shall be used in the warp (lengthwise) ends (yarns). Filament or entangled yarn will not be acceptable. The filler (radial yarns) shall be made of high tenacity, low stretch filament polyester thread, and shall be interwoven with and completely covered by the warp ends. Both inner and outer ackets shall be free from unsightly defects, dirt, knots, lumps, and irregularities of weave that might affect the serviceability of the finished product. | | |
| I.3 Protective Treatment: The outer jacket shall be completely impregnated, by a force applied mechanical process, to provide coverage on the outside and within the fabric, with a synthetic nitrile/latex (emulsified) rubber compound. The compound is fused to the jacket by a nigh temperature curing process cross linking the rubber for increased chemical, altraviolet, moisture, abrasion, and burn resistance of the hose. The rubber compound | | |
| | | |

| Specifications | Bic Con | |
|--|------------|----|
| | Yes | No |
| can be colored with pigments to provide a method of color coding identification of the hose. | | |
| 4.4 Lining Construction: The clear thermoplastic lining shall be a single-ply extruded tube of synthetic polyurethane that is highly resistant to ozone and oxidation. The tube shall be extruded with uniform thickness throughout the length, and the waterway of the tube and shall be smooth and free of imperfections. Liner Tensile Strength shall be 2000 PSI minimum, Liner Elongation shall be a minimum of 400%. The Adhesion between the inner jacket and lining shall exceed the UL-19 Strip Test of less than 1.0 inch separation per minute with a force of 12 pounds applied to 1-1/2 inch strip of liner. | | |
| 4.5 Quality Assurance Provisions: The Manufacturer shall be committed and shall provide evidence of compliance to a Total Quality Management system designed to meet the current ISO 9001 requirements. Further, quality assurance procedures must be managed and performed by the manufacturer over the entire hose manufacturing process from procurement of premium quality raw materials, through twisting and weaving of yarns, liner and cover extrusion, jacket impregnation, hose assembly, curing/vulcanization, and coupling attachment process. The Manufacturer is defined for this specification as the one creating the hose by using all of these processes. The direct distributor who supplies the hose under this specification shall procure the hose directly from the manufacturer. The hose, coupled or un-coupled, shall not come from a third party source and be coupled, tested, and re-sold to the direct distributor. The end customer reserves the right to request documentation and perform an on sight audit of the processes at the manufacturer to verify compliance with these provisions. | | |
| 4.6 Hydrostatic Testing: Every piece of coupled hose supplied under this specification shall be subjected to a Hydrostatic Proof Pressure Test by the manufacturer at the point of completion and prior to shipment per the requirements of NFPA 1961 (latest edition). A printed Proof Test Certificate of compliance will be supplied with each piece of hose passing the test that references the manufacturer of the hose, the hose identifier number, the manufacturer's part number, the test date/time, the test operator, and the specified test pressure. Elongation, Twist, Warp, Rise, and Coupling Retention will also be evaluated on all hose during the Hydrostatic Test and shall meet the requirements of NFPA 1961 (latest edition). | | |
| 4.7 Identification and Marking: Every piece of coupled hose supplied under this specification with have a unique barcode identifier number located on the coupling. This identifier number will be used by the manufacturer to record manufacturing and hydrostatic test data for the piece of hose. Further the hose identification system shall be used for capturing the hose number for maintaining an electronic hose inventory data base system for the documentation of hose records as required per the current NFPA 1962 requirements. Each piece of hose passing the hydrostatic proof test shall be indelibly | | |
| marked/stenciled with manufacturer's name, the month and year of manufacture, the | | |

| Specifications | | dder nplies |
|---|-----|----------------|
| | Yes | No |
| words: Lexington KY Fire Department, the country of origin, and the service test "words" per NFPA 1961 (latest edition). A unique identification number as prescribed by the Lexington Fire Department shall be indelibly marked/stenciled on the hose. Couplings maybe laser engraved or stamped. | | |
| 4.8 Couplings: Couplings will be light weight aluminum, bolt on style, 4 ½ inch with NHT Threads and Rocker Lugs. All couplings shall meet or exceed NFPA 1963 (latest edition). | | |
| 5.0 Physical Hose Properties: | | |
| Color: Tan and Yellow Diameter: 5 Inch Length: 100 Feet Couplings: 4 1/2 inch NHT Threads | | |
| Nylon Double Jacket – Poly Lined Attack Hose | | |
| 6.0 Product Specifications: | | |
| 6.1 General Conditions: The fire hose assembly supplied to this specification is a premium quality, 100% nylon double jacket, thermoplastic polyurethane (TPU) lined, municipal grade attack fire hose with a Proof Test rating of 800 PSI manufactured to all the requirements of NFPA 1961, Standard on Fire Hose, Latest Edition. This product shall be woven, extruded, assembled, coupled and tested in the United States by a U.S. owned and operated company which shall constitute the product's country of origin. | | / |
| 6.2 Jacket Construction: Both the inner and outer jackets shall be evenly, firmly, and well woven of 100% synthetic high strength, low stretch filament polyamide (nylon) yarns. The inner jacket shall be woven in a reverse twill weave pattern to provide a smooth water way. Both inner and outer jackets shall be free from unsightly defects, dirt, knots, lumps, and irregularities of weave that might affect the serviceability of the finished product. | | / |
| 6.3 Protective Treatment: The outer jacket shall be completely impregnated, by a force applied mechanical process, to provide coverage on the outside and within the fabric, with a synthetic nitrile/latex (emulsified) rubber compound. The compound is fused to the jacket by a high temperature curing process cross linking the rubber for increased chemical, ultraviolet, moisture, abrasion, and burn resistance of the hose. The rubber compound can be colored with pigments to provide a method of color coding identification of the hose. | | |
| Page 7 | | |

| Specifications | | dder nplies |
|---|-----|----------------|
| | Yes | No |
| 6.4 Lining Construction: The clear thermoplastic lining shall be a single-ply extruded tube of synthetic polyurethane that is highly resistant to ozone and oxidation. The tube shall be extruded with uniform thickness throughout the length, and the waterway of the tube and shall be smooth and free of imperfections. Liner Tensile Strength shall be 2000 PSI minimum, Liner Elongation shall be a minimum of 400%. The Adhesion between the inner jacket and lining shall exceed the UL-19 Strip Test of less than 1.0 inch separation per minute with a force of 12 pounds applied to 1-1/2 inch strip of liner. | C | |
| 6.5 Quality Assurance: The Manufacturer shall be committed and shall provide evidence of compliance to a Total Quality Management system designed to meet the current ISO 9001 requirements. Further, quality assurance procedures must be managed and performed by the manufacturer over the entire hose manufacturing process from procurement of premium quality raw materials, through twisting and weaving of yarns, liner and cover extrusion, jacket impregnation, hose assembly, curing/vulcanization, and coupling attachment process. The Manufacturer is defined for this specification as the one creating the hose by using all of these processes. The direct distributor who supplies the hose under this specification shall procure the hose directly from the manufacturer. The hose, coupled or un-coupled, shall not come from a third party source and be coupled, tested, and re-sold to the direct distributor. The end customer reserves the right to request documentation and perform an on sight audit of the processes at the manufacturer to verify compliance with these provisions. | | |
| 6.6 Hydrostatic Testing: Every piece of coupled hose supplied under this specification shall be subjected to a Hydrostatic Proof Pressure Test by the manufacturer at the point of completion and prior to shipment per the requirements of NFPA 1961 (latest edition). A printed Proof Test Certificate of compliance will be supplied with each piece of hose passing the test that references the manufacturer of the hose, the hose identifier number, the manufacturer's part number, the test date/time, the test operator, and the specified test pressure. Elongation, Twist, Warp, Rise, and Coupling Retention will also be evaluated on all hose during the Hydrostatic Test and shall meet the requirements of NFPA 1961 (latest edition). | C | |
| 6.7 Identification and Marking: Every piece of coupled hose supplied under this specification with have a unique barcode identifier number located on the coupling. This identifier number will be used by the manufacturer to record manufacturing and hydrostatic test data for the piece of hose. Further the hose identification system shall be used for capturing the hose number for maintaining an electronic hose inventory data base system for the documentation of hose records as required per the current NFPA 1962 requirements. Each piece of hose passing the hydrostatic proof test shall be indelibly marked/stenciled with manufacturer's name, the month and year of manufacture, the words :Lexington KY Fire Department, the country of origin, and the service test "words" per NFPA 1961 (latest edition). A unique identification number as prescribed | | |
| Page 8 | | |

| Specifications | | | der plies |
|---|---|-----|--------------|
| | | Yes | No |
| Couplings maybe laser | Department shall be indelibly marked/stenciled on the hose. engraved or stamped. | | |
| 6.8 Couplings: Couplings shall be Rec threads. All couplings | I Head Brand, light weight aluminum with rocker lugs and NHT shall meet or exceed NFPA 1963 (latest edition). | V | |
| 7.0 Physical Hose Pro Color: Red Diameter: 2 1/2 Inch Length: 50 Feet | pperties: | | / |
| Couplings: 2 1/2 inch N | HT Threads | | |
| 8.0 BID PRICE | | | |
| 3.1 – 1 ¾" X 50' | \$ 257° \$ 426° | | |
| 3.2 - 1 ¾" X 100' | <u>\$ 42600</u> | | |
| 3.3 - 2 ½" X 50' | \$ <u>89100</u> | | |
| 6.0 – 5" X 100' | \$ <u>8290</u> | | |
| 7.0 – 2 ½" x 50' | \$ 21500 | | |
| 8.01 Bid Price Guaran Bidder guarantees price | tee e for a period of 24 months for future purchases. | | |
| 8.02 Delivery costs inc All pricing shall include | cluded guarantee delivery. | | |
| EXCEPTIONS All exceptions shall be not taken shall be as regardless of the cost | e stated no matter how seemingly minor. Any exceptions sumed by the purchaser to be included in the proposal, to the bidder. | | |
| | EXCEPTIONS TO THESE SPECIFICATIONS SHALL BE RRED BY PARAGRAPH. | | |
| The successful bidder s years following accept | AL LIABILITY INSURANCE shall, during the performance of the contract and for three (3) ance of the product, keep in force at least the following percial general liability insurance: | | |
| | Page 9 | | |



AH 0002484

APRIL HYAMS
780 ENTERPRISE DRIVE
LEXINGTON, KY 40523
P: (859)233-0807
april.hyams@bluegrassfire.com



BILL TO:

LEXINGTON FIRE DEPT 219 EST 3RD STREET LEXINGTON, KY 40507

SHIP TO:

LEXINGTON FIRE DEPT 219 EAST 3RD STREET LEXINGTON, KY 40508 USA

| | Customer ID 40508A | | Ship Via | | Sales Rep | Terms | Date |
|--|-----------------------|-----|---------------------------|-------------------------------|---|------------------------------------|-----------------------------|
| | | | UPS GROUN | O AH N | | NET 10 | 06/19/2019 |
| | Quantity | UOM | Item # | Description | | Unit Price | Extended Price |
| | 1 | EA | SNATIT FC17X50T15NRHZ | 1 3/4" PONN CO ALL HOSE TO | NQUEST HOSE TAN, 50' BE STENCILED | \$257.00 | \$257.00 |
| | 1 | EA | SNATIT FC17X100R15NRHZ | 1.75" PONN CON | IQUEST HOSE, RED, 100' | \$426.00 | \$426.00 |
| | 1 | EA | SNATIT FC25X50T25NRHZ | 2.5" PONN CON | QUEST HOSE, TAN, 50' | \$291.00 | \$291.00 |
| | 1 | EA | SNATIT FC50X100T45NKTZ | 5" HOSE, 100', C TACH, TAN | PLED 4.5" NST KWIK | \$829.00 | \$829.00 |
| | 1 | EA | SNATIT DP25X50R25NRHZ | | CKET HOSE, RED, 50' re to be held for a period o | \$215.00 of 2 years, expiration | \$215.00 In date of June |

Thank you for allowing Finley Fire Equipment Company, Inc. dba Bluegrass Fire Equipment to Bid the following prices on the items you have requested. All Bids are subject to cancellation due to circumstances beyond our control. Prices Bid will be valid for a period of thirty (30) days, after which time they are subject to revision or withdrawal. Prices may also need to be reevaluated if the manufacturer releases a price increase. This Bid does not include any taxes which are in effect now or which may be imposed later. Shipping charges will be added, if applicable. If you have any questions, please call. We sincerely appreciate your business.

| Subtotal | \$2,018.00 |
|----------|------------|
| Tax | \$0.00 |
| Total | \$2,018.00 |