



Lexington-Fayette Urban County Government

200 E. Main St
Lexington, KY 40507

Legislation Details (With Text)

File #:	0921-16	Version:	1	Name:	Sanitary Sewer Local Limit Standards 2016
Type:	Ordinance	Status:	Approved		
File created:	8/9/2016	In control:	Urban County Council		
On agenda:	9/15/2016	Final action:	9/15/2016		
Enactment date:	9/15/2016	Enactment #:	O-156-2016		

Title: An Ordinance amending Section 16-43(7) of the Code of Ordinances of the Lexington-Fayette Urban County Government relating to sanitary sewer local limits on chemical constituent contributors to the Town Branch and West Hickman Creek Wastewater Treatment Plants, to reflect new limits approved by the Ky. Div. of Water. [Div. of Water Quality, Martin]

Sponsors:

Indexes:

Code sections:

Attachments: 1. Blue Sheet Memo, 2. 2016 Local Limits Re-evaluation Final Approval, 3. 00545482.pdf, 4. ORDINANCE - 156-2016.pdf

Date	Ver.	Action By	Action	Result
9/15/2016	1	Urban County Council	Approved	Pass
8/30/2016	1	Urban County Council	Received First Reading	
8/23/2016	1	Urban County Council Work Session	Approved and Referred to Docket	Pass

An Ordinance amending Section 16-43(7) of the Code of Ordinances of the Lexington-Fayette Urban County Government relating to sanitary sewer local limits on chemical constituent contributors to the Town Branch and West Hickman Creek Wastewater Treatment Plants, to reflect new limits approved by the Ky. Div. of Water. [Div. of Water Quality, Martin]

Authorization to amend the Code of Ordinance section 16-43(7) to reflect new sanitary sewer local limit standards as approved by the Kentucky Division of Water. Public comment and participation in the development of the new limits was facilitated by the Cabinet. The revised local limits impose no increase in cost for LFUCG. (L0921-16) (Martin/Hoskins-Squier)

Budgetary Implications: NO

Advance Document Review:

Law: No

Risk Management: No

Fully Budgeted: N/A

Account Number: N/A

This Fiscal Year Impact: \$

Annual Impact: \$

Project:

Activity:

Budget Reference:

Current Balance:

BE IT ORDAINED BY THE COUNCIL OF THE LEXINGTON-FAYETTE URBAN COUNTY GOVERNMENT:

Section 1 - That Section 16-43(7) of the Code of Ordinances be and hereby is amended to read as follows:

(7) Any water or wastes containing the following chemical constituents and/or similar objectionable or toxic substances that exceed the following limits:

TABLE INSET:

Constituents	Contributors to Town Branch WWTP (mg/l)	Contributors to West Hickman Creek WWTP (mg/l)
(a) Arsenic	0.95	1.00
(b) Cadmium	0.009	0.032
(c) Chromium, Total	2.77	2.77
(d) Chromium, Hexavalent	0.34	1.62
(e) Copper	0.42	3.38
(f) Cyanide, Total	0.18	0.86
(g) Lead	0.24	0.49
(h) Mercury	0.006	0.005
(i) Nickel	2.39	3.98
(j) Selenium	0.26	0.70
(k) Silver	0.49	0.59
(l) Zinc	3.24	4.10

All other similar objectionable or toxic substances shall be reviewed by the director, div. of sanitary sewers, prior to any discharge into the public sewer. Upon the promulgation of the Federal Categorical Pretreatment Standards for

a particular industrial subcategory, the Federal Standard, if more stringent than limitations imposed under this chapter for sources in that subcategory, shall immediately supersede the limitations imposed under this chapter.

Section 2 - That this Ordinance shall become effective on the date of its passage.

PASSED URBAN COUNTY COUNCIL:

MAYOR

ATTEST:

CLERK OF THE URBAN COUNTY COUNCIL