



17800 N. 85th St., Scottsdale, Arizona 85255 \* 480-991-0797 \* Fax 480-991-0791 \* www.taser.com

February 16, 2016

**To:** *LEXINGTON POLICE DEPARTMENT*

**Re:** **Sole Source Letter for TASER International, Inc.'s Conducted Electrical Weapons, Axon brand products, and Evidence.com Data Management Solutions**

A sole source justification exists because the following goods and services required to satisfy the agency's needs are only manufactured and available for purchase from TASER International. TASER is also the sole distributor of all TASER brand products for the agency identified in this letter.

### **TASER CEW Descriptions**

#### **X2 CEW**

- Multiple-shot CEW
- High efficiency flashlight
- Static dual LASERs (used for target acquisition)
- ARC switch enables drive-stun with or without a Smart cartridge installed
- Central Information Display (CID): Displays mission-critical data such as remaining battery energy, burst time, operating mode, and user menu to change settings and view data on a yellow-on-black display
- The Trilogy log system records information from a variety of sensors into three data logs: Event log, Pulse log, and Engineering log. Data can be downloaded using a universal serial bus (USB) data interface module connected to a personal computer (PC). Data may be transferred to Evidence.com services.
- Real-time clock with back-up battery
- Onboard self-diagnostic and system status monitoring and reporting
- Ambidextrous safety switch
- Capable of audio/video recording with optional TASER CAM HD recorder
- The trigger activates a single cycle (approximately five seconds). Holding the trigger down will continue the discharge beyond the standard cycle (except when used with an APPM or TASER CAM HD AS). The CEW cycle can be stopped by placing the safety switch in the down (SAFE) position.
- Compatible with TASER Smart cartridges only

#### **X26P CEW**

- High efficiency flashlight
- Red LASER (used for target acquisition)
- Central Information Display (CID): Displays data such as calculated remaining energy, burst time, and notifications
- The Trilogy log system records information from a variety of sensors into three data logs: Event log, Pulse log, and Engineering log. Data can be downloaded using a universal serial bus (USB) data interface module connected to a personal computer (PC). Data may be transferred to Evidence.com services.
- Real-time clock with back-up battery
- Onboard self-diagnostic and system status monitoring and reporting
- Ambidextrous safety switch
- Capable of audio/video recording with optional TASER CAM HD recorder
- The trigger activates a single cycle (approximately five seconds). Holding the trigger down will continue the discharge beyond the standard cycle (except when used with an APPM or TASER CAM HD AS). The CEW cycle can be stopped by placing the safety switch in the down (SAFE) position.
- Compatible with TASER standard series cartridges



### **Axon Signal Performance Power Magazine (SPPM)**

- Battery pack for the X2 and X26P conducted electrical weapons
- Shifting the safety switch from the down (SAFE) to the up (ARMED) positions sends a signal from the SPPM. Upon processing the signal, an Axon system equipped with Axon Signal technology transitions from the BUFFERING to EVENT mode.

### **TASER Brand CEW Model Numbers**

1. Conducted Electrical Weapons (CEWs):
  - TASER X2 Models: 22002 and 22003
  - TASER X26P Models: 11002 and 11003
2. Optional Extended Warranties for CEWs:
  - X2 - 4-year extended warranty, item number 22014
  - X26P - 2-year extended warranty, item number 11008
  - X26P - 4-year extended warranty, item number 11004
3. TASER standard cartridges (compatible with the X26P; required for this CEW to function in the probe deployment mode):
  - 15-foot Model: 34200
  - 21-foot Model: 44200
  - 21-foot non-conductive Model: 44205
  - 25-foot Model: 44203
  - 35-foot Model: 44206
4. TASER Smart cartridges (compatible with the X2; required for this CEW to function in the probe deployment mode):
  - 15-foot Model: 22150
  - 25-foot Model: 22151
  - 25-foot inert simulation Model: 22155
  - 25-foot non-conductive Model: 22157
  - 35-foot Model: 22152
5. TASER CAM HD recorder Model: 26810 (full HD video and audio) and TASER CAM HD with AS (automatic shut-down feature) Model: 26820. The TASER CAM HD is compatible with both the X26P and X2 CEWs.
  - TASER CAM HD replacement battery Model: 26764
  - TASER CAM HD Download Kit Model: 26762
  - TASER CAM HD optional 4-year extended warranty, item number 26763
6. Power Modules (Battery Packs) for X26P and X2 CEWs:
  - Performance Power Magazine (PPM) Model: 22010
  - Tactical Performance Power Magazine (TPPM) Model: 22012
  - Automatic Shut-Down Performance Power Magazine (APPM) Model: 22011
  - eXtended Performance Power Magazine (XPPM) Model: 11010
  - eXtended Automatic Shut-Down Performance Power Magazine (XAPPM) Model: 11015
  - Axon Signal Performance Power Magazine (SPPM) Model: 70116
7. TASER Dataport Download Kits:
  - Dataport Download Kit for the X2 and X26P Model: 22013
8. TASER Blast Door Repair Kit Model 44019 and TASER Blast Door Replenishment Kit Model 44023
9. Conductive Target front Model 80000 and Conductive Target back, Model 80001
10. CEW Holsters:

- Right-hand X2 holster by BLACKHAWK Model: 22501
- Left-hand X2 holster by BLACKHAWK Model: 22504
- Right-hand X26P holster by BLACKHAWK Model: 11501
- Left-hand X26P holster by BLACKHAWK Model: 11504

#### 11. TASER Simulation Suit II Model 44550

### **TASER Digital Evidence Solution Description**

#### **Axon Body 2 Video Camera**

- Video playback on mobile devices in the field via Bluetooth pairing
- Retina Low Light capability sensitive to less than 1 lux
- Audio tones and haptic (vibration) notification to alert user of usage
- Audio mute during event option
- Wi-Fi capability
- High, medium, and low quality recording available (customizable by the agency)
- Up to two-minute buffering period to record footage before pressing record button
- Multiple mounting options using holster attachment: shirt, vest, belt, and dash mounts available
- 12+ hours of battery operation per shift (even in recording mode)
- LED lights to show current battery level and operating mode
- 143-degree lens
- Includes Axon Signal technology

#### **Axon Fleet Camera**

- In-car camera with the technological advantages of the Axon Body 2 camera
- Flexible mount that enables pointing the camera in multiple directions
- Automatic transition from buffering to event mode in an emergency vehicle equipped with the Axon Signal Unit

#### **Axon Signal Unit (ASU)**

- Communications device that can be installed in emergency vehicles.
- With emergency vehicle light bar activation, or other activation triggers, the Axon Signal Unit sends a signal. Upon processing the signal, an Axon system equipped with Axon Signal technology transitions from the BUFFERING to EVENT mode.

#### **Axon Interview Solution**

- High-definition cameras and microphones for interview rooms
- Covert or overt camera installations
- Touch-screen user interface
- Motion-based activation
- Up to seven-minute pre- and post-event buffering period
- Upload to Evidence.com services

#### **Axon Flex Camera (DVR)**

- Video playback on mobile devices in the field via Bluetooth pairing
- Retina Low Light capability sensitive to less than 1 lux
- Audio tones to alert user of usage
- High, medium, and low quality recording available (customizable by the agency)
- 30-second buffering period to record footage before pressing record button
- Multiple mounting options using magnetic attachment: head, collar, shoulder, helmet, ball cap, car dash, and Oakley sunglass mounts available

#### **Axon Flex Controller**

- 12+ hours of battery operation per shift (even in recording mode)
- LED lights to show current battery level and operating mode

- Tactical beveled button design for use in pocket
- Available with Axon Signal technology

### **Axon Body Video Camera**

- Video playback on mobile devices in the field via Bluetooth pairing
- Retina Low Light capability sensitive to less than 1 lux
- Audio tones to alert user of usage
- High, medium, and low quality recording available (customizable by the agency)
- 30-second buffering period to record footage before pressing record button
- Multiple mounting options using holster attachment: shirt, vest, belt, and dash mounts available
- 12+ hours of battery operation per shift (even in recording mode)
- LED lights to show current battery level and operating mode
- Tactical beveled button design for use in pocket
- 130-degree lens

### **Axon Dock**

- Automated docking station uploads to Evidence.com services through Internet connection
- No computer necessary for secure upload to Evidence.com
- Charges and uploads simultaneously

### **Axon Dock 2**

- For use with the Axon Body 2 camera
- Automated docking station uploads to Evidence.com services through Internet connection
- No computer necessary for secure upload to Evidence.com
- Charges and uploads simultaneously

### **Evidence.com Data Management System**

- Software as a Service (SaaS) delivery model that allows agencies to manage and share digital evidence without local storage infrastructure or software needed
- SaaS model reduces security and administration by local IT staff: no local installation required
- Automatic, timely security upgrades and enhancements deployed to application without the need for any local IT staff involvement
- Securely share digital evidence with other agencies or prosecutors without creating copies or requiring the data to leave your agency's domain of control
- Controlled access to evidence based on pre-defined roles and permissions and pre-defined individuals
- Password authentication includes customizable security parameters: customizable password complexity, IP-based access restrictions, and multi-factor authentication support
- Automated category-based evidence retention policies assists with efficient database management
- Ability to recover deleted evidence within seven days of deletion
- Stores and supports all major digital file types: .mpeg, .doc, .pdf, .jpeg, etc.
- Requires NO proprietary file formats
- Ability to upload files directly from the computer to Evidence.com via an Internet browser
- Data Security: Robust Transport Layer Security (TLS) implementation for data in transit and 256-bit AES encryption for data in storage
- Security Testing: Independent security firms perform in-depth security and penetration testing
- Reliability: Fault- and disaster-tolerant infrastructure in at least four redundant data centers in both the East and West regions of the United States
- Chain-of-Custody: Audit logs automatically track all system and user activity. These logs cannot be edited or deleted, even by account administrators and IT staff
- Protection: With no on-site application, critical evidence stored in Evidence.com is protected from local malware that may penetrate agency infrastructure
- Stability: TASER International is a publicly traded company with stable finances and funding, reducing concerns of loss of application support or commercial viability

- Application and data protected by a CJIS and ISO 27001 compliant information security program
- Dedicated information security department that protects Evidence.com and data with security monitoring, centralized event log analysis and correlation, advanced threat and intrusion protection, and incident response capabilities
- Redact videos easily within the system, create tags, markers and clips, search seven fields in addition to five category-based fields, create cases for multiple evidence files

#### **Evidence.com for Prosecutors**

- All the benefits of the standard Evidence.com services
- Ability to share information during the discovery process
- Standard licenses available for free to prosecutors working with agencies already using Evidence.com services
- Unlimited storage for data collected by Axon cameras and Axon Capture

#### **Axon Capture Application**

- Free app for IOS and Android mobile devices
- Allows users to capture videos, audio recordings, and photos and upload these files to their Evidence.com account from the field
- Allows adding metadata to these files, such as: Category, Title, Case ID, and GPS data

#### **Axon View Application**

- Free app for IOS and Android mobile devices
- Allows user to view the camera feed from a paired Axon Body or Axon Flex camera in real-time
- Allows for playback of videos stored on a paired Axon Body or Axon Flex system
- Allows adding meta-data to videos, such as: Category, Title, Case ID, and GPS data

#### **TASER Professional Services**

- Dedicated implementation team
- Project management and deployment best practices aid
- Training and train-the-trainer sessions
- Integration services with other systems

#### **TASER Customer Support**

- Online and email-based support available 24/7
- Human phone-based support available Monday–Friday 7:00 AM–5:00 PM MST; support is located in Scottsdale, AZ, USA
- Library of webinars available 24/7
- Remote-location troubleshooting



## TASER Axon Brand Model Numbers

1. Axon Body 2 Camera Model: 74001
2. Axon Fleet Camera Model: 74001
3. Axon Signal Unit Model: 70112
4. Axon Body Camera Model: 73002 (Includes 73078, 73077, 73004)
5. Axon Body Camera Mounts:
  - Standard Alligator Clip Holster Model: 73075
  - Mini Alligator Clip Holster Model: 73076
  - Belt Clips Model: 73077
  - Bolted Z-Bracket Holster Model: 73078
  - VELCRO Z-Bracket Holster Model: 73079
  - Pocket Mount Holster Model: 73089
6. Axon Body camera full solution kit Model: 73066 (includes several Axon mounts and an iPod touch mobile digital device)
7. Axon Flex Kit Model: 73030 (Includes 73000, 73001, 73005, and 73004)
8. Axon Flex Controllers:
  - Axon Flex Controller Model: 73001
  - Axon Flex Controller with Axon Signal Technology Model: 70115
9. Axon Flex USB Sync Cable/Wall Charger Model: 73004
10. Axon Flex Controller Holsters:
  - Standard Uniform Clip Model: 7300
  - Mini Alligator Clip Model: 73035
  - Belt Clips Model: 73036
11. Axon Flex Camera Mounts:
  - Clip for Oakley Flak Jacket Glasses Model: 73008
  - Collar/Cap/Versatile Mount Model: 73009
  - Epaulette Mount Model: 73011
  - Helmet Mount Model: 73013
  - Low-rider Headband Medium Model: 73010
  - Low-rider Headband Large Model: 73058
  - Ballistics Vest Mount Model: 73059
  - Ratchet Collar Mount Model: 73088
  - Shoei Ratchet Helmet Mount Model: 73090
  - HJC Ratchet Helmet Mount Model: 73091
12. Axon Flex cables:
  - Straight To Right Angle 18" (45.7 cm) Model: 73022
  - Straight To Right Angle 36" (91.4 cm) Model: 73005
  - Straight To Right Angle 48" (122 cm) Model: 73023
  - Straight Angle to Right Angle 36" (91.4 cm) Coiled Model: 73067

- Straight Angle to Right Angle 48" (122 cm) Coiled Model: 73060

13. Axon Dock Models:

- Axon Dock – Individual Bay and Core for Axon Flex and Axon Body Model: 70023
- Axon Dock – 6-Bay and Core for Axon Flex and Axon Body Model: 70026
- Core (compatible with all Individual Bays and 6-Bays) Model: 70027
- Individual Bay for Axon Flex and Axon Body Model: 70028
- Wall Mount Bracket Assembly for Axon Flex and Axon Body Model: 70033
- Axon Dock 2 – Individual Bay and Core for Axon Body 2 Model 74009
- Axon Dock 2 – 6-Bay and Core for Axon Body 2 Model 74008
- Individual Bay for Axon Body 2 Model: 74011

**TASER Product Packages**

1. Officer Safety Plan: includes a CEW, Axon camera and Dock upgrade, and Evidence.com license and storage. See your Sales Representative for further details and Model numbers.
2. TASER Assurance Plan (TAP): Hardware extended warranty coverage, Spare Products, and Upgrade Models available for the X2 and X26P CEWs, and the TASER CAM HD recorder. (The TAP is available only through TASER International, Inc.)

SOLE AUTHORIZED DISTRIBUTOR FOR TASER BRAND CEW PRODUCTS	SOLE AUTHORIZED REPAIR FACILITY FOR TASER BRAND CEW PRODUCTS
<p style="text-align: center;">TASER International, Inc. 17800 N. 85<sup>th</sup> Street, Scottsdale, AZ 85255 Phone: 800-978-2737 Fax: 480-991-0791</p>	<p style="text-align: center;">TASER International, Inc. 17800 N. 85<sup>th</sup> Street, Scottsdale, AZ 85255 Phone: 800-978-2737 Fax: 480-991-0791</p>

Please contact your local TASER sales representative or call us at 1-800-978-2737 with any questions.

Sincerely,



Josh Isner  
Executive Vice President, North American Sales  
TASER International, Inc.

Android is a trademark of Google, Inc, Bluetooth is a trademark of the Bluetooth SIG, Flak Jacket is a trademark of Oakley, Inc, iPod touch is a trademark of Apple Inc., IOS is a trademark of Cisco, Shoei is a trademark of Shoei Co., Ltd., VELCRO is a trademark of Velcro Industries, B.V., and Wi-Fi is a trademark of the Wi-Fi Alliance.

▲ AXON, Axon, Axon Body, Axon Body 2, Axon Fleet, Axon Flex, Axon Interview, Axon Signal, Evidence.com, Smart, Trilogy, TASER CAM, X2, X26P, TASER and the 'Bolt within Circle' logo are trademarks of TASER International, Inc., some of which are registered in the US and other countries. For more information, visit [www.taser.com/legal](http://www.taser.com/legal). All rights reserved. © 2016 TASER International, Inc.