INVITATION TO BID

Bid Invitation Number: #73-2012

Date of Issue: 05/24/2012

Sealed bids will be received in the office of the Division of Central Purchasing, 200 East Main Street, Lexington, Kentucky, until 2:00 PM, prevailing local time on 06/7/2012. Bids must be received by the above-mentioned date and time. Mailed bids should be sent to:

Division of Central Purchasing 200 East Main Street, Rm 338 Lexington, KY 40507, (859) 258-3320

The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.

All bids must have the company name and address, bid invitation number, and the commodity/service on the outside of the envelope.

Bids are to include all shipping costs to the point of delivery located at: 219 E. Third Street, Lexington, KY

Bid Security Required: Yes XXX No Performance Bond Required: Yes XXX No Cashier Check, Certified Check, Bid Bond (Personal checks and company checks will not be acceptable).

QTY	Commodity/Service
РСТ	High Pressure Air Lifting Bag System
	See specifications
	•

ChecBid Specifications Met	k One:	Proposed Delivery:
Exceptions to Bid Speci	ications. Exceptions shall to bid proposal submitted.	45-66 days after acceptance of bid.
	Procurement Card Usag	e
Yes The Lexington-Fa	ette Urban County Government w d services and also to make payme	ill be using Procurement Cards to ents. Will you accept Procurement Cards?

Submitted by:	EMPRONEY EQUIPMENT
	Firm PO ROY 75321
	CINCINNATI, OH 45275
	City, State & Zip
Bid must be signed:	Trickel H. Bredy, Carver
(original signature)	Signature of Authorized Company Representative - Title
	Representative's Name (Typed or printed)
	859-359-4502/859-359-4503
•	Area Code - Phone - Extension Fax #
	EKRECQUES. CON
	E-Mail Address

The Affidavit in this bid must be completed before your firm can be considered for award of this contract.

AFFIDAVIT

Comes the Affiant, MAICHAGE H. RRADY, and after being first duly sworn
under penalty of perjury as follows:
1. His/her name is
Encorancy Equipment,
the entity submitting the bid (hereinafter referred to as "Bidder").
2. Bidder will pay all taxes and fees, which are owed to the Lexington-Fayette Urban County Government at the time the bid is submitted, prior to award of the contract and will maintain a "current" status in regard to those taxes and fees during the life of the contract. 3. Bidder will obtain a Lexington-Fayette Urban County Government business license, if applicable, prior to award of the contract. 4. Bidder has authorized the Division of Central Purchasing to verify the abovementioned information with the Division of Revenue and to disclose to the Urban County Council that taxes and/or fees are delinquent or that a business license has not been obtained. 5. Bidder has not knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky within the past five (5) years and the award of a contract to the Bidder will not violate any provision of the campaign finance laws of the Commonwealth. 6. Bidder has not knowingly violated any provision of Chapter 25 of the Lexington-Fayette Urban County Government Code of Ordinances, known as "Ethics Act." 7. Bidder acknowledges that "knowingly" for purposes of this Affidavit means, with respect to conduct or to circumstances described by a statute or ordinance defining an offense, that a person is aware or should have been aware that his conduct is of that nature or that the circumstance exists.
Further, Affiant sayeth naught. Thinksof H. Brady
STATE OF Kentucky
COUNTY OF Boone
The foregoing instrument was subscribed, sworn to and acknowledged before me
by Michael H. Brady on this the 14th day
of May , 2012.
by Michael H. Brody on this the 14th day of May , 2012. My Commission expires: 2/21/15
NOTADY BIRLIC STATE AT LABOR

Please refer to Section II. Bid Conditions, Item "U" prior to completing this form.

I. GREEN PROCUREMENT

A. ENERGY

The Lexington-Fayette Urban County Government is committed to protecting our environment and being fiscally responsible to our citizens.

The Lexington-Fayette Urban County Government mandates the use of Energy Star compliant products if they are available in the marketplace (go to www.Energystar.gov). If these products are available, but not submitted in your pricing, your bid will be rejected as non-compliant.

ENERGY STAR is a government program that offers businesses and consumers energy-efficient solutions, making it easy to save money while protecting the environment for future generations.

Key Benefits

These products use 25 to 50% less energy
Reduced energy costs without compromising quality or performance
Reduced air pollution because fewer fossil fuels are burned
Significant return on investment
Extended product life and decreased maintenance

B. GREEN SEAL CERTIFIED PRODUCTS

The Lexington-Fayette Urban County Government is also committed to using other environmentally friendly products that do not negatively impact our environment. Green Seal is a non-profit organization devoted to environmental standard setting, product certification, and public education.

Go to <u>www.Greenseal.org</u> to find available certified products. These products will have a reduced impact on the environment and on human health. The products to be used must be preapproved by the LFUCG prior to commencement of any work in any LFUCG facility. If a Green Seal product is not available, the LFUCG must provide a signed waiver to use an alternate product. Please provide information on the Green Seal products being used with your bid response.

C. GREEN COMMUNITY

The Lexington-Fayette Urban County Government (LFUCG) serves as a principal, along with the University of Kentucky and Fayette County Public Schools, in the Bluegrass Partnership for a Green Community. The Purchasing Team component of the Partnership collaborates on economy of scale purchasing that promotes and enhances environmental initiatives. Specifically, when applicable, each principal is interested in obtaining best value products and/or services which promote environment initiatives via solicitations and awards from the other principals.

If your company is the successful bidder on this Invitation For Bid, do you agree to extend the same product/service pricing to the other principals of the Bluegrass Partnership for a Green Community (i.e. University of Kentucky and Fayette County Schools) if requested?

Yes _	January 1	No
-------	-----------	----

÷

II. Bid Conditions

- A. No bid may be withdrawn for a period of sixty (60) days after the date and time set for opening.
- B. No bid may be altered after the date and time set for opening. In the case of obvious errors, the Division of Central Purchasing may permit the withdrawal of a bid. The decision as to whether a bid may be withdrawn shall be that of the Division of Central Purchasing.
- C. Acceptance of this proposal shall be enactment of an Ordinance by the Urban County Council.
- D. The bidder agrees that the Urban County Government reserves the right to reject <u>any</u> and <u>all</u> bids for either fiscal or technical reasons, and to award each part of the bid separately or all parts to one vendor.
- E. Minor exceptions may not eliminate the bidder. The decision as to whether any exception is minor shall be entirely that of the head of the requisitioning Department or Division and the Director of the Division of Central Purchasing. The Urban County Government may waive technicalities and informalities where such waiver would best serve the interests of the Urban County Government.
- F. Manufacturer's catalogue numbers, trade names, etc., where shown herein are for descriptive purposes and are to guide the bidder in interpreting the standard of quality, design, and performance desired, and shall not be construed to exclude proposals based on furnishing other types of materials and/or services. However, any substitution or departure proposed by the bidder must be clearly noted and described; otherwise, it will be assumed that the bidder intends to supply items specifically mentioned in this Invitation for Bids.
- G. The Urban County Government may require demonstrations of the materials proposed herein prior to acceptance of this proposal.
- H. Bids must be submitted on this form and must be signed by the bidder or his authorized representative. Unsigned bids will not be considered.
- Bids must be submitted prior to the date and time indicated for opening. Bids submitted after this time will not be considered.
- J. All bids mailed must be marked on the face of the envelope:

"Bid on #73-2012 High Pressure Air Lifting Bag System"

and addressed to:

=

Division of Central Purchasing 200 East Main Street, Room 338 Lexington, Kentucky 40507

The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.

- K. Bidder is requested to show both unit prices and lot prices. In the event of error, the unit price shall prevail.
- L. A certified check or Bid Bond in the amount of XX percent of the bid price must be attached hereto. This check must be made payable to the Lexington-Fayette Urban County Government, and will be returned when the material and/or services specified herein have been delivered in accordance with specifications. In the event of failure to perform within the time period set forth

EQUAL OPPORTUNITY AGREEMENT

The Law

- Title VII of the Civil Rights Act of 1964 (amended 1972) states that it is unlawful for an employer to discriminate in employment because of race, color, religion, sex, age (40-70 years) or national origin.
- Executive Order No. 11246 on Nondiscrimination under Federal contract prohibits employment discrimination by contractor and sub-contractor doing business with the Federal Government or recipients of Federal funds. This order was later amended by Executive Order No. 11375 to prohibit discrimination on the basis of sex.
 - Section 503 of the Rehabilitation Act of 1973 states:

The Contractor will not discriminate against any employee or applicant for employment because of physical or mental handicap.

- Section 2012 of the Vietnam Era Veterans Readjustment Act of 1973 requires Affirmative Action on behalf of disabled veterans and veterans of the Vietnam Era by contractors having Federal contracts.
- Section 206(A) of Executive Order 12086, Consolidation of Contract Compliance Functions for Equal Employment Opportunity, states:

The Secretary of Labor may investigate the employment practices of any Government contractor or sub-contractor to determine whether or not the contractual provisions specified in Section 202 of this order have been violated.

The Lexington-Fayette Urban County Government practices Equal Opportunity in recruiting, hiring and promoting. It is the Government's intent to affirmatively provide employment opportunities for those individuals who have previously not been allowed to enter into the mainstream of society. Because of its importance to the local Government, this policy carries the full endorsement of the Mayor, Commissioners, Directors and all supervisory personnel. In following this commitment to Equal Employment Opportunity and because the Government is the benefactor of the Federal funds, it is both against the Urban County Government policy and illegal for the Government to let contracts to companies which knowingly or unknowingly practice discrimination in their employment practices. Violation of the above mentioned ordinances may cause a contract to be canceled and the contractors may be declared ineligible for future consideration.

Please sign this statement in the appropriate space acknowledging that you have read and understand the provisions contained herein. Return this document as part of your application packet.

Bidders

I/We agree to comply with the Civil Rights Laws listed above that govern employment rights of minorities, women, Vietnam veterans, handicapped and aged persons.

Signature

Name of Business

Specifications		der plies
	Yes	No
SPECIFICATIONS FOR HIGH and MEDIUM PRESSURE AIRBAGS for		
RESCUE APPLICATIONS		
High Pressure Air Lifting Bag System and Accessories	***************************************	
Scope and Classification		
I. Scope		
This specification covers a new and commercially produced high-pressure air lifting bag system and accessories.	Yes	
II. Classification		
These specifications cover the minimum requirements for a high pressure Air Lifting Bag System. The system will consist of individually sized high pressure Air Lifting Bags and Accessories. This equipment is to be used by the Lexington Division of Fire and Emergency Services personnel for the purpose of rescue, extrication, forcible entry and related lifting and spreading operations.	YES	
III. Applicable Documents		
Any manufacturer or vendor responding to this bid shall enclose in their proposal at the time of bid any documents required in these specifications. It is the responsibility of the vendor to be sure that the proposal submitted mee'ts all requirements of these specifications. Bids which fail to comply with these requirements shall not be considered for award.	76-5	
IV. Materials		
The high-pressure air bags delivered under these specifications shall be standard commercial products which meet or exceed the requirements of this specification. The components and optional items shall be as represented in the manufacturer's current sales and technical data. Materials used in construction of the high pressure air bag system and accessories shall be new and not less than the quality conforming to current engineering and manufacturing practices. Materials shall be free of defects and suitable for the service intended.	16-3	
V. Training		
Three consecutive days of training shall be provided covering the use, maintenance, and limitations of the high-pressure air lifting bags and accessories covered in this specification.	465	
VI. Exceptions to Specifications		
It is not the intent of these specifications to restrict or prevent any vendor from submitting a proposal on his product. Due to the fact that the equipment specified is to used under emergency and hazardous conditions where human life may be at risk the following must apply: Any exception(s) to these specifications indicated herein must be clearly pointed out otherwise it will be considered that items offered are in strict compliance with these specifications and the successful bidder will be held responsible for delivering a high pressure airbag system meeting these specifications. Any exception taken shall be listed by	405	
number and noted on the exception sheet found at the end of these specifications.		
Page 1		

Specifications	Bidder Complies	
	Yes	N
VII. Information and Descriptive Literature Bidders must furnish all information requested and in the space provided on the bid form. In addition, vendors shall supply at least two (2) complete sets of sketches, descriptive literature, and complete specifications covering the products offered. Bids not meeting this requirement will be rejected.	45	
IT IS AGREED BY THE UNDERSIGNED BIDDER THAT THE SIGNING AND DELIVERY OF THIS BID REPRESENTS THE BIDDER'S ACCEPTANCE OF THE TERMS AND CONDITIONS OF THE FOREGOING SPECIFICATIONS AND PROVISIONS, AND IF AWARDED THE CONTRACT BY THIS AGENCY, WILL REPRESENT THE AGREEMENT BETWEEN THE PARTIES.	Yos	
NAME OF THE FIRM SIGNED BY: must be signed in ink by a company officer TITLE MANUFACTURER OF HIGH PRESSURE AIR BAG LIFTING SYSTEM and TOR ACCESSORIES MODEL(S) BID DELIVERY WILL BE MADE IN 45 GAYS.		
SPECIAL NOTE: Variances or exceptions must be noted by number on the following pages and explained in full detail on the last page(s) of this specification. Vendors whose bid fails to comply with this requirement will not be accepted.		
GENERAL CONDITIONS (WARRANTY) The following is a description of the high pressure air bag system that will meet the minimum requirements of this specification. These specifications are to be considered as minimum and are expressed as such. If the high pressure airbag system, accessories, and component parts delivered under this contract do not comply with these specifications the system will not be accepted. Any vendor failing to meet his obligations required as part of this contract may be forced to pay damages to this agency. Such damages shall not exceed the amount required to obtain a replacement high pressure airbag system and accessories meeting the requirements of this specification.		
1.00 Warranty and Service Requirements This agency subscribes whenever possible to a "Buy American" policy. With respect to service and the possible difficulty of obtaining replacement parts, the rescue system supplied under this contract shall be made in the United States.		
NOTE: ANY AND ALL EXCEPTIONS TO THESE SPECIFICATIONS SHALL BE LISTED AND BE REFERRED BY PARAGRAPH.		

:

Specifications		lder iplies
	Yes	No
1.01 Warranty The high pressure air bag system and accessories in response to these specifications shall be warranted against defects in materials and workmanship for a period of twelve months from the date of purchase. The seller agrees to replace, without charge, any parts shown to be defective under the terms of this warranty.	45	
1.02 Post Warranty The service life of the high pressure airbag system is expected to be considerably longer than the warranty period, consideration must be given to the origin of components. The successful vendor shall state the name, city, state, and country of the actual manufacturer of the following primary system components. Failure to disclose this information will be cause for rejection. 1.03 Air Lifting Bags 1.04 Pressure Regulator 1.05 Safety Control Valve 1.06 Air Fittings 1.07 Safety Relief Valves	4156	A designation of the second se
GENERAL CONDITIONS (High Pressure Air Lifting Bag) 2.00 Construction Features The high pressure air lifting bags shall be constructed of multiple plies of Neoprene and Neoprene coated Kevlar. There shall be a minimum of three plies covering the entire top and bottom surface of the Air Lifting Bag. For the purpose of centering a load, each bag shall have two yellow diagonal stripes, in the form of an "X" molded into each side of the lifting bag.	445	The state of the s
2.01 <u>Reinforcement</u> The high pressure air lifting bags shall be reinforced with an aramid fiber cord. Steel wire construction will be rejected because of its weight, susceptibility to rust and corrosion, lack of flexibility, and inherent fatigue factor associated with repeated inflation and deflation cycles.	423	ing-d-d-correct of the property of the property of the correct of
2.02 <u>Material</u> The high pressure air lifting bag shall be constructed of Neoprene. Air Bags constructed of butyl or rubber compounds, with or without neoprene covering, will not be accepted. The air bag must be able to function properly even if they come in direct contact with fuels, solvents, and other assorted hazardous chemicals. A chemical compatibility guide will be furnished with this bid.	465	
2.03 <u>Connection</u> Each high pressure air lifting bag shall be equipped with at least a 1/8" NPT female connection to which shall be attached a quick disconnect nipple capable of being replaced should it be damaged.	465	
2.04 Stacking Surface	**************************************	
Page 3		

Specifications				Bid Com	
				Yes	No
Surface". A "Stacking Surfa molded dimpled, non-skid s 2.05 Vertical Placement P High Pressure Air Lifting B shall have at a minimum two	ce" for the purpourface that will in covision ags greater than 1 o molded eyelets	se of these specification terlock with a similar simil	r surface stacked on top of it. s (35.56 cm; X 35.56 cm.) ting bag., for the purpose of	Yes	
Sertical placement, recovery 3.00 High Pressure Air Each high pressure air lifting pags will have a maximum vapacity, and lift height high Dimensions	r Lifting Bags g bag shall have a working pressure	n maximum thickness of 118 psi (8 bars) Ti	of 1 inch (2.54 cm). The ne following size, weight,		ı
3,01-6in x 6in x 5/8in	2 lbs	1.2 tons	3.0 in	1/55	
3.02-6in x 12in x5/8in	3 lbs	2.8 tons	3.5 in		
3.03-10in x 10in x 5/8 in	4 lbs	4.3 tons			
3.04-12in x 12in x 3/4in	5 lbs		5.4 in	custation/decotrem	*
	2 10\$	6.5 tons	6.4 in		
	A 11	4.6.4			
3.05-12in x 18in x 3/4in	9 lbs	10.2 tons	7.5 in	TEACOLT TEACHER	
3.05-12in x 18in x 3/4in	9 lbs 10 lbs	10.2 tons 10.8 tons	7.5 in 8.2 in		
3.05-12in x 18in x 3/4in 3.06-15in x 15in x 3/4in					
3.05-12in x 18in x 3/4in 3.06-15in x 15in x 3/4in 3.07-15in x 21in x 3/4in	10 lbs	10.8 tons	8.2 in		
3.05-12in x 18in x 3/4in 3.06-15in x 15in x 3/4in 3.07-15in x 21in x 3/4in 3.08-20in x 20in x 3/4in	10 lbs 13 lbs	10.8 tons 15.0 tons	8.2 in 9.0 in		
3.05-12in x 18in x 3/4in 3.06-15in x 15in x 3/4in 3.07-15in x 21in x 3/4in 3.08-20in x 20in x 3/4in 3.09-20in x 26in x 3/4in	10 lbs 13 lbs 16 lbs	10.8 tons 15.0 tons 20.2 tons	8.2 in 9.0 in 11.0 in		
3.05-12in x 18in x 3/4in 3.06-15in x 15in x 3/4in 3.07-15in x 21in x 3/4in 3.08-20in x 20in x 3/4in 3.09-20in x 26in x 3/4in 3.10-24in x 24in x 3/4in	10 lbs 13 lbs 16 lbs 20 lbs	10.8 tons 15.0 tons 20.2 tons 26.8 tons	8.2 in 9.0 in 11.0 in 11.7 in		
3.05-12in x 18in x 3/4in 3.06-15in x 15in x 3/4in 3.07-15in x 21in x 3/4in 3.08-20in x 20in x 3/4in 3.09-20in x 26in x 3/4in 3.10-24in x 24in x 3/4in 3.11-15in x 42in x 3/4in	10 lbs 13 lbs 16 lbs 20 lbs 22 lbs	10.8 tons 15.0 tons 20.2 tons 26.8 tons 29.9 tons	8.2 in 9.0 in 11.0 in 11.7 in 13.0 in		
3.05-12in x 18in x 3/4in 3.05-12in x 18in x 3/4in 3.06-15in x 15in x 3/4in 3.07-15in x 21in x 3/4in 3.08-20in x 20in x 3/4in 3.09-20in x 26in x 3/4in 3.10-24in x 24in x 3/4in 3.11-15in x 42in x 3/4in 3.12-28in x 28in x 3/4in 3.13-32in x 32in x 1 in	10 lbs 13 lbs 16 lbs 20 lbs 22 lbs 23 lbs	10.8 tons 15.0 tons 20.2 tons 26.8 tons 29.9 tons 31.1 tons	8.2 in 9.0 in 11.0 in 11.7 in 13.0 in 9.3 in		

t

Specifications		der plies
	Yes	No
4.00 MASTER CONTROL PACKAGE (General Conditions)		
The master control package shall contain controls, fittings, adaptors and color coded air hoses that are most commonly used in field applications. The following list items in the master control package that will be included in this bid.	415	
5.00 <u>High Pressure Regulator</u> The regulator must be capable of reducing inlet pressure of 6000psi to a working pressure of 135 psi. A single setting pressure reducer without the below listed specifications will not be accepted.	Jes	
5.01 <u>Regulator Type</u> The regulator shall be a piston type, that can be pre-set for its intended use	Yes	
5.02 <u>Regulator Inlet</u> The regulator shall have a high pressure inlet to accept both CGA346 and CGA347 air fittings	165	
5.03 <u>Regulator Outlet</u> The regulator outlet shall have a shut off valve	95	
5.04 <u>Pressure Relief Valve</u> The regulator shall have a self resetting pressure relief valve	405	
5.05 <u>Regulator Gauges</u> The regulator shall have gauges showing inlet and outlet pressures.	401	
6.00 <u>Dual Push Button Controller</u> The control mechanism is to be designed and manufactured to safely control the inflation and deflation of one or two high pressure air lifting bags.	Yes	
6.01 <u>Controls</u> Each high pressure air lifting bag shall be capable of being raised or lowered independently or simultaneously by means of a push button control	455	
6.02 <u>Controller Type</u> The controller will be of the "Deadman Style", requiring positive pressure on the push buttons during inflation or deflation.	45	
6.03 <u>Color Coding</u> Each of the four push buttons shall be color coded to denote the "Inflate" and "Deflate" function of the valve	YES	
6.04 Controller Relief Valve Each controller shall be equipped with two self-resetting relief valves to prevent	45	
Page 5		

Specifications		der plies
	Yes	No
accidental over pressurization of the high pressure air lifting bags. The relief valve will be factory set at 118 psi	405	
6.05 Controller Gauges The controller will be equipped with two multi colored operating gauges. The safe operating range, 0-11'8 psi shall be clearly identified with a green background. The unsafe operating range, over 118 psi shall have a red background. Each gauge shall be a minimum of 2 inches in diameter and be protected with a Neoprene guard.	405	
6.06 Controller Portability The controller shall be designed for maximum portability and confined space operations an adjustable carrying strap will be provided to allow maximum operator mobility.	(es	
6.07 <u>Air Inlet/Outlet</u> The controller shall be equipped with a single air inlet and two air outlets. Both the inlet and outlets shall be spring-loaded, female, quick connect couplings complete with a threaded lock ring.	4755	
7.00 HOSES All hoses shall be equipped with a quick disconnect nipple and coupling that are compatible with the entire system	US	
7.01 <u>Diameter</u> The inside diameter of the hose shall be 3/8 inch	445	
7.02 Hose Length The hose will have a minimum length of 16 feet	405	
7.03 <u>Pressures</u> The hose shall have a working pressure of 300 psi and a burst pressure of 1000 psi	905	
7.04 <u>Temperature Range</u> The usable temperature range of the hose shall be -40 F to 150 F continuous service	(1075	
7.05 Couplings Each hose shall be equipped with a brass male nipple and brass female quick-connect coupler. The female coupler must include a threaded locking ring installed to prevent accidental separation of the connector set. All couplings and nipples must be field replaceable using common hand tools. All couplings must be "closed" type that automatically stops airflow when disconnected.	455	
7.06 <u>Colors</u> A black, red, yellow, blue, and green colored hose shall be provided. Each hose will meet the length set forth in 7.02	YES	
Page 6		

Specifications		Bid Com	
		Yes	No
to remain safely inflated after it has been d	a shut-off valve with a safety relief, to allow the bag isconnected from the controller. It shall be inline shut off and should have a quick connect brass	425	
valve to use an alternative air supply. It sha	Off all be supplied with a twist lock adaptor and shut off all included a twist lock connector common to most ssors, inline shut off and air lifting bag nipple outlet.	725	
10.00 Industrial Adaptor and Shur Allows the air lifting bag system to use mo included universal quick connect, inline sh	st industrial compressed air systems. It shall	Yes	
and aluminum fittings consisting of one nig	oses, lifting bags and accessories. It shall be brass ople and two couplings.	425	
12.00 Locking Tire Chuck Shall be provided to draw air from truck tir locking chuck and nipple will be provided.	res or to inflate tires at a highway emergency. A	455	
13.00 Nipples An assortment of 6 brass replacement nipp	les shall be provided.	405	
GENERAL CONDITIONS (BID PRICE)			
14.00 <u>High Pressure Air Lifting Based</u> Bidder offers the following prices for the Especified in the above bid statement.	ags and Accessories Bid Price (ligh Pressure Air Lifting Bags and Accessories	725	
-6in x 6in x 5/8 in high pressure air bag -6in x 12in x5/8 in high pressure air bag -10in x 10in x 5/8 in high pressure air bag -12in x 12in x 3/4in high pressure air bag -12in x 18in x 3/4in high pressure air bag -15in x 15in x 3/4in high pressure air bag -15in x 21in x 3/4in high pressure air bag -20in x 20in x 3/4in high pressure air bag -20in x 26in x 3/4in high pressure air bag -24in x 24in x 3/4in high pressure air bag -15in x 42in x 3/4in high pressure air bag -15in x 42in x 3/4in high pressure air bag -28in x 28in x 3/4in high pressure air bag -32in x 32in x 1 in high pressure air bag	\$ 330 each \$ 42 each \$ 7		

Specifications				der plies
			Yes	N
-Master Cont -High Pressur -Dual Push B -Hose (black) -Hose (red) -Hose (yellow -Hose (blue) -Hose (green)	re Regulator utton Controller	\$ 2, 78 Each \$ 2, 890 Each \$ 379 Each \$ 6,19 Each \$ 75 Each \$ 75 Each \$ 75 Each \$ 75 Each \$ 75 Each		
-Twist Lock		\$ /495 each \$ 705 each \$ 95 each \$ 92 each \$ 315 each \$ 95 each		
(Service of 15.00 <u>Guara</u>	ntee of Repair	ing Bags and Accessories)	YES	
system and ac (24) hours of lifting bags ar returned to se	cessories repair or replaceme being contacted by purchaser ad accessories while on sight	representative to assess high pressure air bag lifting out needs at purchaser's location within twenty-four. Vendor will provide replacement high pressure for service call and/or while bags/accessories are st have a service area within 100 miles of Lexington,	Commission and Commis	
system and ac (24) hours of lifting bags ar returned to se Kentucky. 15.01 Service A complete v	ecessories repair or replaceme being contacted by purchaser ad accessories while on sight rvice facility. The vendor mu	nt needs at purchaser's location within twenty-four. Vendor will provide replacement high pressure for service call and/or while bags/accessories are	425	
system and ac (24) hours of lifting bags ar returned to se Kentucky. 15.01 Service A complete vand Accessor EXCEPTION All exception shall be assu	cessories repair or replaceme being contacted by purchaser and accessories while on sight rvice facility. The vendor must be Training ideo presentation on the use, with the shall be provided	ant needs at purchaser's location within twenty-four. Vendor will provide replacement high pressure for service call and/or while bags/accessories are st have a service area within 100 miles of Lexington,	455	
system and ac (24) hours of lifting bags ar returned to se Kentucky. 15.01 Service A complete vand Accessor EXCEPTION All exception shall be assu	cessories repair or replaceme being contacted by purchaser and accessories while on sight rvice facility. The vendor must represent a representation on the use, of the session of the use, of the use of t	that needs at purchaser's location within twenty-four. Vendor will provide replacement high pressure for service call and/or while bags/accessories are st have a service area within 100 miles of Lexington, care, and maintenance of the Air Lifting Bag System how seemingly minor. Any exceptions not taken	455 455	
system and ac (24) hours of lifting bags at returned to se Kentucky. 15.01 Service A complete v and Accessor EXCEPTIO All exception shall be assuthe bidder.	cessories repair or replaceme being contacted by purchaser and accessories while on sight rvice facility. The vendor must represent a representation on the use, of the session of the use, of the use of t	the needs at purchaser's location within twenty-four. Vendor will provide replacement high pressure for service call and/or while bags/accessories are st have a service area within 100 miles of Lexington, care, and maintenance of the Air Lifting Bag System how seemingly minor. Any exceptions not taken included in the proposal, regardless of the cost to GEMENT PROVISIONS AND INDEMNIFICATION	455 4KS	
system and ac (24) hours of lifting bags at returned to se Kentucky. 15.01 Service A complete v and Accessor EXCEPTIO All exception shall be assuthe bidder.	cessories repair or replacement being contacted by purchaser and accessories while on sight revice facility. The vendor must represent a representation on the use, of the shall be provided NS Is shall be stated no matter med by the purchaser to be RISK MANAC INSURANCE A	the needs at purchaser's location within twenty-four. Vendor will provide replacement high pressure for service call and/or while bags/accessories are st have a service area within 100 miles of Lexington, care, and maintenance of the Air Lifting Bag System how seemingly minor. Any exceptions not taken included in the proposal, regardless of the cost to GEMENT PROVISIONS AND INDEMNIFICATION	455 455	

ecifica	cifications		
		Com Yes	ľ
	connection with this agreement and/or the provision of goods or services and the performance or failure to perform any work required thereby.		
(2)	Vendor shall indemnify, save, hold harmless and defend the Lexington-Fayette Urban County Government and its elected and appointed officials, employees, agents, volunteers, and successors in interest (hereinafter "LFUCG") from and against all liability, damages, and losses, including but not limited to, demands, claims, obligations, causes of action, judgments, penalties, fines, liens, costs, expenses, interest, defense costs and reasonable attorney's fees that are in any way incidental to or connected with, or that arise or are alleged to have arisen, directly or indirectly, from or by Vendor's performance or breach of the agreement and/or the provision of goods or services provided that: (a) it is attributable to personal injury, bodily injury, sickness, or death, or to injury to or destruction of property (including the loss of use resulting therefrom), or to or from the negligent acts, errors or omissions or willful misconduct of the Vendor; and (b) not caused solely by the active negligence or willful misconduct of LFUCG.	485	
(3)	In the event LFUCG is alleged to be liable based upon the above, Vendor shall defend such allegations and shall bear all costs, fees and expenses of such defense, including but not limited to, all reasonable attorneys' fees and expenses, court costs, and expert witness fees and expenses, using attorneys approved in writing by LFUCG, which approval shall not be unreasonably withheld.	405	
(4)	These provisions shall in no way be limited by any financial responsibility or insurance requirements, and shall survive the termination of this agreement.	405	
<u>FINAN</u>	NCIAL RESPONSIBILITY		
comm	OOR understands and agrees that it shall, prior to final acceptance of its bid and the nencement of any work, demonstrate the ability to assure compliance with the Indemnity provisions and these other risk management provisions.	405	
INSU	RANCE REQUIREMENTS		
AAND OR C THE REQU REQU	R ATTENTION IS DIRECTED TO THE INSURANCE REQUIREMENTS BELOW, IN YOU MAY NEED TO CONFER WITH YOUR INSURANCE AGENTS, BROKERS, PARRIERS TO DETERMINE IN ADVANCE OF SUBMISSION OF A RESPONSE AVAILABILITY OF THE INSURANCE COVERAGES AND ENDORSEMENTS JIRED HEREIN. IF YOU FAIL TO COMPLY WITH THE INSURANCE JIREMENTS BELOW, YOU MAY BE DISQUALIFIED FROM AWARD OF THE TRACT.	¥3	
Regui	red Insurance Coverage		
equiva subco	OOR shall procure and maintain for the duration of this contract the following or alent insurance policies at no less than the limits shown below and cause its entractors to maintain similar insurance with limits acceptable to LFUCG in order steet LFUCG against claims for injuries to persons or damages to property which	400	
	Page 9		

ecifications		1.	der plies
		Yes	No
may arise from or in connection with the p VENDOR. The cost of such insurance shall be	included in any hid:		
Coverage	<u>Limits</u>	Mach Mos	0A
General Liability aggregate	\$1 million per occurrence, \$2 million		
(Insurance Services Office Form CG 00 01)	or \$2 million combined single limit		
Commercial Automobile Liability occurrence (Insurance Services Office Form CA 0001)	combined single, \$1 million per		Marie Control of the
Worker's Compensation	Statutory		
Employer's Liability	\$500,000.00		
The policies above shall contain the following of	conditions:	Agrica Elitina appropria	
Policy and Commercial Automobile Lia approved forms. b. The General Liability Policy shall be primaretained by LFUCG.	, P		
retained by LFUCG. c. The General Liability Policy shall include a		V	
d. VENDOR shall also provide umbrella liabi \$25,000,000 for three (3) years following policy shall be written on an occurrence coverage as the other policies.	the acceptance of the product. The	SEL	N.
e. LFUCG shall be provided at least 30 days return receipt requested, in the event any non-renewed.	advance written notice via certified mail, of the required policies are canceled or	145	(July Com
f. Said coverage shall be written by insurers form acceptable to LFUCG. Insuranc classification of no less than Excellent (A o less than VIII, as defined by the most cu deemed automatically acceptable.	e placed with insurers with a rating or A-) and a financial size category of no	455	
Renewals			
After insurance has been approved by LFUCG, must be submitted to LFUCG, and may be s	evidence of renewal of an expiring policy ubmitted on a manually signed renewal	455	,
Page 10			

ecification	ecifications		idde mpli
		Yes	
	t form. If the policy or carrier has changed, however, new evidence of state and submitted in accordance with these Insurance Requirements.	**************************************	
Deductibles a	and Self-Insured Programs		
TO LEXING MANAGEME LATER THA	END TO SUBMIT A SELF-INSURANCE PLAN IT MUST BE FORWARDED TON-FÄYETTE URBAN COUNTY GOVERNMENT, DIVISION OF RISK ENT. 200 EAST MAIN STREET, LEXINGTON, KENTUCKY 40507 NO. N A MINIMUM OF FIVE (5) WORKING DAYS PRIOR TO THE RESPONSE insurance programs, deductibles, and self-insured retentions in insurance	MA	
policies are Government' financial cap LFUCG with afforded by insurance re retentions, V Division of R	subject to separate approval by Lexington-Fayette Urban County is Division of Risk Management, upon review of evidence of VENDOR's acity to respond to claims. Any such programs or retentions must provide at least the same protection from liability and defense of suits as would be first-dollar insurance coverage. If VENDOR satisfies any portion of the equirements through deductibles, self-insurance programs, or self-insured ENDOR agrees to provide Lexington-Fayette Urban County Government, isk Management, the following data prior to the final acceptance of bid and cement of any work:	AND THE PROPERTY OF THE PROPER	er i de de la composition della composition dell
a.	Latest audited financial statement, including auditor's notes.		
b.	Any records of any self-insured trust fund plan or policy and related accounting statements.	OHERSTRING STATES OF THE STATE	
c.	Actuarial funding reports or retained losses.	THE CHAPTER OF THE PERSON NAMED IN COLUMN NAME	
d.	Risk Management Manual or a description of the self-insurance and risk management program.		
e.	A claim loss run summary for the previous five (5) years.		
f.	Self-Insured Associations will be considered.		
Verification o	of Coverage	•	
a person aut	rees to furnish LFUCG with all applicable Certificates of Insurance signed by horized by the insurer to bind coverage on its behalf prior to final award, and , shall provide LFUCG copies of all insurance policies, including all ts.	405	est and
Right to Revi	ew, Audit and Inspect		
	derstands and agrees that LFUCG may review, audit and inspect any and records and operations to insure compliance with these Insurance is.	400	
DEFAULT			

Specifications		der plies	
	Yes	No	
VENDOR understands and agrees that the failure to comply with any of these insurance, safety, or loss control provisions shall constitute default and that LFUCG may elect at its option any single remedy or penalty or any combination of remedies and penalties, as available, including but not limited to purchasing insurance and charging VENDOR for any such insurance premiums purchased, or suspending or terminating the work.	YES		
00338429			
Medium Pressure Rescue Air Cushion System and Accessories Scope and Classification			
VIII. Scope This specification covers a new and commercially produced medium pressure air lifting cushion system and accessories.	Yod		
IX. Classification These specifications cover the minimum requirements for a Medium Pressure Rescue Air Cushions System. The system will consist of individually sized medium pressure cushions and Accessories. This equipment is to be used by the Lexington Division of Fire and Emergency Services personnel for the purpose of rescue, extrication, and related lifting and spreading operations.	Yst		
X. Applicable Documents Any manufacturer or vendor responding to this bid shall enclose in their proposal at the time of bid any documents required in these specifications. It is the responsibility of the vendor to be sure that the proposal submitted meets all requirements of these specifications. Bids which fail to comply with these requirements shall not be considered for award.	402		
XI. Materials The medium pressure cushion delivered under these specifications shall be standard commercial products which meet or exceed the requirements of this specification. The components and optional items shall be as represented in the manufacturer's current sales and technical data. Materials used in construction of the medium pressure cushion system and accessories shall be new and not less than the quality conforming to current engineering and manufacturing practices. Materials shall be free of defects and suitable for the service intended.	405		
XII. Training Three consecutive days of training shall be provided covering the use, maintenance, and limitations of the medium pressure cushions and accessories covered in this specification.	401		
XIII. Exceptions to Specifications It is not the intent of these specifications to restrict or prevent any vendor from submitting a proposal on his product. Due to the fact that the equipment specified is to used under emergency and hazardous conditions where human life may be at risk the following must	Yes		
Page 12			

Specifications		
	Yes	No
apply: Any exception(s) to these specifications indicated herein must be clearly pointed out otherwise it will be considered that items offered are in strict compliance with these specifications and the successful bidder will be held responsible for delivering a medium pressure system meeting these specifications. Any exception taken shall be listed by number and noted on the exception sheet found at the end of these specifications.		*.
XIV. Information and Descriptive Literature Bidders must furnish all information requested and in the space provided on the bid form. In addition, vendors shall supply at least two (2) complete sets of sketches, descriptive literature, and complete specifications covering the products offered. Bids not meeting this requirement will be rejected.	451	
GENERAL CONDITIONS		
(WARRANTY) The following is a description of the medium pressure rescue air cushion system that will meet the minimum requirements of this specification. These specifications are to be considered as minimum and are expressed as such. If the Medium Pressure Rescue Air Cushion system, accessories, and component parts delivered under this contract do not comply with these specifications the system will not be accepted. Any vendor failing to meet his obligations required as part of this contract may be forced to pay damages to this agency. Such damages shall not exceed the amount required to obtain a replacement medium pressure rescue air cushion system and accessories meeting the requirements of this specification.	465	
16.00 Warranty and Service Requirements This agency subscribes whenever possible to a "Buy American" policy. With respect to service and the possible difficulty of obtaining replacement parts, the rescue system supplied under this contract shall be made in the United States.	US	
NOTE: ANY AND ALL EXCEPTIONS TO THESE SPECIFICATIONS SHALL BE LISTED AND BE REFERRED BY PARAGRAPH.		
The medium pressure rescue air cushion system and accessories in response to these specifications shall be warranted against defects in materials and workmanship for a period of twelve months from the date of purchase. The seller agrees to replace, without charge, any parts shown to be defective under the terms of this warranty.	Hos	
The service life of the medium pressure rescue air cushion system is expected to be considerably longer than the warranty period, consideration must be given to the origin of components. The successful vendor shall state the name, city, state, and country of the actual manufacturer of the following primary system components. Failure to disclose this information will be cause for rejection. 1.03 Rescue Air Cushion 1.04 Pressure Regulator Page 13	405	

*

Specifications		
	Com Yes	No
1.05 Safety Control Valve 1.06 Air Fittings 1.07 Safety Relief Valves FRANKIEORT, IL, USA	468	hadd de e an earn ann amh deil
GENERAL CONDITIONS (Medium Pressure Rescue Air Cushions) 17.00 Construction Features The Medium Pressure Rescue Air Cushions shall be constructed to a standard which effects a minimum burst pressure of three times working pressure, irrespective of size and capacity. The design criterion shall be corroborated and certified by an independence source. Each rescue air cushion shall have a label placed prominently on it giving the following information. -Maximum Working Pressure -Date of Manufacture -Serial Number -Manufacture's Logo -Series Identification	485	
17.01 <u>Dimension and Capacity</u> Each Rescue Air Cushion shall have a maximum load capacity of 14,758lbs. With a lifting height of 24 in. and have a package weight not to exceed 50 lbs. The diameter of each Rescue Air Cushion shall be 36 in. and only require 48 cu. ft. of air for maximum inflation. The maximum insertion space required per Rescue Air Cushion should not exceed approximately 2 in.	405	
17.02 Working Surfaces The working surface of each Medium Pressure Rescue Air Cushion in the system shall be a 3-ply Neoprene-Coated Belt with a nominal thickness of 0.2 in.	905	
17.03 <u>Sidewall</u> The sidewall construction shall be of Heavy Coated Neoprene/Kevlar Fabric. The coating shall be applied to both sides of the sidewall.	401	
17.04 Built In Reset Relief Valve Each Medium Pressure Rescue Air Cushion shall incorporate a built in reset relief valve. The relief valve shall be molded and threaded with a spring-loaded mechanism to self reset at 14.5-psi.	405	
17.05 <u>Inflation Port</u> The inflation port shall be a molded threaded fitting 1 and 1/16 in. by 12 in. The inlet nipple shall incorporate a quick connect fitting.	445	
18.00 Controller A dual controller shall be provided of inflation and deflation two rescue air cushions simultaneously and independently. The controller shall incorporate two pressure relief valves that are factory pre-set at 14.5-psi to prevent over inflation of the cushions. The dual controller	45	
Page 14		

ţ

Specifications		der plies	
	Yes	No	
shall be designed so that when the deflation valves are fully opened, the cushion will deflate slowly prevent any quick movements to heavy loads, which could cause damage or injury. 19.00 Delivery Hose The delivery hose (quantity 2) shall be in standard lengths of 20ft. with options for 40ft. and 60 ft. They shall be offered in red and blue for easy identification when working two separate Rescue Air Cushions simultaneously. They shall be constructed of 1in. bore reinforced thermoplastic with a maximum working pressure of 150-psi. at 70F. The delivery hose service temperature range shall be 14F to 150F. The system shall also consist of a 16ft. long and 3/8 in. diameter air supply hose. All hoses shall be equipped with field replaceable dual locking couplings.	45		
GENERAL CONDITIONS (Bid Price) 20.00 Medium Pressure Rescue Air Cushion System The bidder offers the following price for the Medium Pressure Rescue Air Cushion and Accessories specified in the above bid statement.	Yes		
-14 ton capacity Medium Pressure Air Cushion Kit -36 in. Aramid Reinforced Air Cushion with inflation height of 24 in. Lift at max pressure 14,761, air required 31.6 cu ft. -Dual controller equipped with gauges and 14.5 PSI safety relief valves -Air hose 1 in. dia x 20 ft. red -Air hose 1 in. dia x 20 ft. blue -Air hose 3/8 in. dia x 16 ft. black -Repair kit (tube of adhesive, assorted aramid/neoprene patches and 60 grit emory cloth) -Carrying valise (P.V.C. coated nylon, toggle fastening, carrying and reinforced webs, 2 air cushion capacity) -Piston type regulator 6000-135 PSI for CGA or CGA 346 air bottles \$ 2430 each \$ 2430 ea			
Service Training A complete video presentation on the use, care, and maintenance of the Air Lifting Bag System and Accessories shall be provided	445		
COMMERCIAL GENERAL LIABILITY INSURANCE The successful bidder shall, during the performance of the contract and for three (3) years following acceptance of the product, keep in force at least the following minimum limits of commercial general liability insurance:	45	Com	
Products/Completed Operations Aggregate \$2,000,000 Personal and Advertising Injury \$1,000,000 Each Occurrence \$1,000,000		40/1	
Coverage shall be written on a Commercial General Liability form. The policy shall be written	4	***************************************	
Page 15			

\$

#

Specifications		lder iplies
	Yes	No
on an occurrence form and shall include Contractual Liability coverage. The policy shall include owner as an additional insured as their interest may appear.	474	403
The required limits can be provided by one or more policies provided all other insurance requirements are met.	NATIONAL PROPERTY OF THE PROPE	ALIA ATT (HAR) THE PLANT AND
A carrier(s) rated "Excellent" by A.M. Bests shall provide coverage.	V	
UNBRELLA/EXCESS LIABILITY INSURANCE The successful bidder shall, during the performance of the contract and for three (3) years following acceptance of the product, keep in force at least the following minimum limits of umbrella liability insurance:	YES	
Aggregate: \$25,000,000 = \$5,000,000 Each Occurrence: \$25,000,000 = \$5,000,000	Sæa	NO
The policy shall be written on an occurrence basis and at a minimum provide the same coverage's as Bidders General Liability, Automobile Liability and Employer's Liability policies. Owner shall be included as an additional insured on the General Liability and Automobile Liability policies as their interest may appear. The required limits can be provided by one or more policies provided all other insurance requirements are met.	1/25	ACTAC
Bidder agrees to furnish owner with a current Certificate of Insurance with the coverage listed above along with its bid. The certificate shall be made out to the purchaser and be an original, no photocopies shall be accepted. The Certificate of Insurance shall provide that owner be given 30 days advance notice of cancellation, no renewal or material change in coverage	455	
•		i i i i i i i i i i i i i i i i i i i
·		-

		Table (1997)
·		
Page 16		

**

OP ID: CC



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 05/15/12

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to

The www 1032 Orla	DUCER Horton Group, Inc. v.thehortongroup.com 20 Orland Parkway nd Park, IL 60467 naef E. Zoladz		708-845-3000	00 CONTACT NAME: PHONE (A/C, No, Ext): E-MAIL ADDRESS: PRODUCER CUSTOMER ID #: PARAT-2			
INSU	Paratech Inc. 1025 Lambrecht Drive Frankfort, IL 60423			INSURER A : Travele INSURER B : INSURER C :	NAIC # 25682		
				INSURER D : INSURER E : INSURER F :			
CO	VERAGES CEF	RTIFICA	TE NUMBER:			REVISION NUMBER:	
IN CI EX	HIS IS TO CERTIFY THAT THE POLICIES IDICATED. NOTWITHSTANDING ANY RIERTIFICATE MAY BE ISSUED OR MAY KLUSIONS AND CONDITIONS OF SUCH	EQUIREN PERTAIN	MENT, TERM OR CONDITION I, THE INSURANCE AFFORD S. LIMITS SHOWN MAY HAVE	OF ANY CONTRACT ED BY THE POLICIE BEEN REDUCED BY	OR OTHER I S DESCRIBEI PAID CLAIMS	DOCUMENT WITH RESPECT T D HEREIN IS SUBJECT TO AL	O WHICH THIS
INSR LTR		INSR W		POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	X COMMERCIAL GENERAL LIABILITY	x	6307850M600	10/31/11	10/31/12	EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (Ea occurrence) \$	1,000,000 300,000
	CLAIMS-MADE X OCCUR					MED EXP (Any one person) \$	10,00
					Ì	PERSONAL & ADV INJURY \$	1,000,000
						GENERAL AGGREGATE \$	2,000,00
	GEN'L AGGREGATE LIMIT APPLIES PER:					PRODUCTS - COMP/OP AGG \$	2,000,00
	X POLICY PRO- JECT LOC					Emp Ben. s	1,000,00
	AUTOMOBILE LIABILITY					COMBINED SINGLE LIMIT \$ (Ea accident)	1,000,00
A	X ANY AUTO		8107850M600	10/31/11	10/31/12	BODILY INJURY (Per person) \$	
	ALL OWNED AUTOS			BODILY INJURY (Per accident) \$			
	SCHEDULED AUTOS				PROPERTY DAMAGE \$		
	X HIRED AUTOS					(Per accident)	
	X NON-OWNED AUTOS					\$	
						\$	
		OCCOR				EACH OCCURRENCE \$	5,000,00
Α	EXCESS LIAB CLAIMS-MADE		CUP7850M600	10/31/11	10/31/12	AGGREGATE \$	5,000,00
	DEDUCTIBLE				.0,0	\$	
	X RETENTION \$ 10,000	<u> </u>				\$	
_	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY Y/N					X WC STATU- OTH- TORY LIMITS ER	
A	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED?	N/A	UB7850M600	10/31/11	10/31/12	E.L. EACH ACCIDENT \$	1,000,00
	(Mandatory in NH)					E.L. DISEASE - EA EMPLOYEE \$	1,000,00
	DESCRIPTION OF OPERATIONS below					E.L. DISEASE - POLICY LIMIT \$	1,000,00
					<u> </u>		
Adc	CRIPTION OF OPERATIONS/LOCATIONS/VEHIC litional insured with respe	ects t	o general liabilitv	onlv when re	quired by	•	
wri Gov	tten contract on a primary vernment, its elected and a sultants, assigns, volunte	y basi appoin	s: The Lexington-Fâ ted officials, empl	yettē Urban C oyees, agents	ounty , boards,		
	RTIFICATE HOLDER	w		CANCELLATION			
	The Lexington-Fayette U	rban	LEXIN-2	SHOULD ANY OF	THE ABOVE D	DESCRIBED POLICIES BE CANCE EREOF, NOTICE WILL BE IN EXPROVISIONS.	
	County Government; Div		f	ALITHODISE SEES	TATATOT		
				AUTHORIZED REPRESE	NTATIVE		
	Risk Management			Cathy Cumm			

© 1988-2009 ACORD CORPORATION. All rights reserved.

200 E. Main St. Lexington,, KY 40507