

Bid 8-2024 On-Duty Depot On-Duty Depot, Inc. Supplier Response

Event Information

Number: Bid 8-2024

Title: Emergency Lighting and Equipment

Type: Competitive Bid

Issue Date: 1/11/2024

Deadline: 1/25/2024 02:00 PM (ET)

Notes: ONLY ONLINE BIDS WILL BE ACCEPTED FOR THIS

SOLICITATION. PRICING SHOULD BE SUBMITTED ON THE LINE ITEMS TAB ONLY. PRICING WITHIN SUBMITTALS WILL NOT BE ACCEPTED AND MAY MAKE YOUR BID NON-RESPONSIVE.

Once you have completed and uploaded your bid package, you will

need to click "yes" on the attributes tab.

Contact Information

Contact: Jessica Allinder Address: Procurement

Government Center Building

200 East Main Street Lexington 40507

Email: jallinder@lexingtonky.gov

(On-Duty De	pot Information				
,	Contact: Address:	John Noblitt 1140 Moseley St. Owensboro, KY 42303				
	Phone: Fax:	(270) 685-6423 (270) 685-6379				
	Email:	red@ondutydepot.us				
١	Web Address:	www.ondutydepot.com				
and	d bind your comp	S WILL BE ACCEPTED! By subspany and that you agree to all bide/Auction documents.				norized to represent
_	nn Wesley Noblit	t	red@ondu Email	itydepot.us		
_	gnature bmitted at 1/25/2	2024 11:23:19 AM (ET)	EMali			
		, ,				
Re	esponse At	tachments				
8-2		age Lexington Signed.pdf				
	Bid Package Sig	gned				
Bi	d Attributes	8				
1	Bid package					
	-	pleted and attached your bid page	ckage? This is a contr	actual agreemen	t and requ	ired for all bids.
	✓ YES					
Bi	d Lines					
1	PAR28D* 3.5"	EXTEND LED DRIVE/WARNIN	IG ADVISE LED COL	OR		
	Quantity: 1	UOM: Each	Unit Price:	\$160.00	Total:	\$160.00
2	PAR32HD1 AI	DAPTER KIT FOR PAR28D*				
	Quantity: 1	UOM: Each	Unit Price:	\$4.50	Total:	\$4.50
3	RBKTHD9 H-I	O REAR CRASH BAR MT FOR	LINZ			
	Quantity: 1	UOM: Each	Unit Price:	\$33.00	Total:	\$33.00
4	SA350MH SA-	-350MH SIREN SPEAKER				
	Quantity: 1	UOM: Each	Unit Price:	\$555.00	Total:	\$555.00
5	SA350MB1 SA	A350M MOUNTING KIT				
	Quantity: 1	UOM: Each	Unit Price:	\$80.00	Total:	\$80.00
6	MCRNSC* SU	JRFACE MT MICRON CHROME	E ADVISE LED COLO	R		
	Quantity: 1	UOM: Each	Unit Price:	\$103.00	Total:	\$103.00

7	LINZ6* LINZ6 LED HORIZ SYNC ADVISE LED C	OLOR			
	Quantity: 1 UOM: Each	Unit Price:	\$136.00	Total:	\$136.00
8	RBKTHD7 LINZ6 90 DEG UNDER TURN SIGNAL	L MT			
	Quantity: 1 UOM: Each	Unit Price:	\$25.00	Total:	\$25.00
9	M4B6R MOTORCYCLE BOX 6-M4 RIGHT OPE	N			
	Quantity: 1 UOM: Each	Unit Price:	\$2,765.00	Total:	\$2,765.00
1	M1BATT MOTORCYCLE GEL BATTERY				
0	Quantity: 1 UOM: Each	Unit Price:	\$295.00	Total:	\$295.00
1	MBADPT14 MB4/6 ADAPTER PLATE 14 HARLE		_		
'	Quantity: 1 UOM: Each	Unit Price:	\$89.00	Total:	\$89.00
1 2	M4B6CHRG M4B6 BATTERY CHARGER RIGHT	_			
	Quantity: 1 UOM: Each	Unit Price:	\$318.00	Total:	\$318.00
1	M4BSEP M4B OPTIONAL SEPARATION PLATE				
3	Quantity: 1 UOM: Each	Unit Price:	\$116.00	Total:	\$116.00
1 4	M08T "T" ION WINDSHIELD ARRAY BRBRB. El	ectra Glide		_	
4	Quantity: 1 UOM: Each	Unit Price:	\$611.00	Total:	\$611.00
1 5	WPA112 Replacement siren amplifier for WS-32	1		_	
3	Quantity: 1 UOM: Each	Unit Price:	\$365.00	Total:	\$365.00
1	WPA112B WPA112 siren amplifier bracket			_	
	Quantity: 1 UOM: Each	Unit Price:	\$48.00	Total:	\$48.00
1	IONBKT7 Tahoe Grill Mount for (4) ION series Lig	ghts		-	
•	Quantity: 1 UOM: Each	Unit Price:	\$26.00	Total:	\$26.00
1 8	IONBKT9 Tahoe Grill Mount for Ion series lights			_	
O	Quantity: 1 UOM: Each	Unit Price:	\$26.00	Total:	\$26.00
1 9	CEM8 8 Output expansion module			_	
3	Quantity: 1 UOM: Each	Unit Price:	\$145.00	Total:	\$145.00
2	WIONB Blue Wide angle ION series LED light				
U	Quantity: 1 UOM: Each	Unit Price:	\$98.00	Total:	\$98.00
2	WIONR Red Wide angle ION series LED light			_	
	Quantity: 1 UOM: Each	1 UOM: Each		\$98.00	
2 2	TLIR Red "T" ION series LED light			_	
_	Quantity: 1 UOM: Each	Unit Price:	\$85.00	Total:	\$85.00

2	CEM16 16 Output expansion module				
3	Quantity: 1 UOM: Each	Unit Price:	\$165.00	Total:	\$165.00
2	TLIB Blue "T" ION series LED light				
4	Quantity: 1 UOM: Each	Unit Price:	\$85.00	Total:	\$85.00
2	TLMIC White Mini "T" ION series LED light				
5	Quantity: 1 UOM: Each	Unit Price:	\$99.00	Total:	\$99.00
2	TIONMFC Chrome flange for TLMIC light				
6	Quantity: 1 UOM: Each	Unit Price:	\$15.00	Total:	\$15.00
2 7	SSFPOSI6 Headlight/Taillight flasher for Tahoe				
7	Quantity: 1 UOM: Each	Unit Price:	\$87.00	Total:	\$87.00
2	IONPEDB Black pedestal housing for ION serie	es LED light			
8	Quantity: 1 UOM: Each	Unit Price:	\$57.00	Total:	\$57.00
2	TIONBKT7 Tahoe Running board bracket				
9	Quantity: 1 UOM: Each	Unit Price:	\$26.00	Total:	\$26.00
3	LEXTAHMARK, as per specifications				
3 0 3 1	Quantity: 1 UOM: Each	Unit Price:	\$3,655.00	Total:	\$3,655.00
3	LEXTAHUNMARK, as per specifications				
1	Quantity: 1 UOM: Each	Unit Price:	\$2,695.00	Total:	\$2,695.00
3 2	IONGROM Whelen Grommet Mount				
2	Quantity: 1 UOM: Each	Unit Price:	\$8.00	Total:	\$8.00
3	WIONC Whelen ION Series Universal Mount S	uper-LED Lighthea	ads Clear		
3	Quantity: 1 UOM: Each	Unit Price:	\$113.00	Total:	\$113.00
3	WIONJ Whelen ION Series Universal Mount St	uper-LED Lighthea	ids Red/Blue		
4	Quantity: 1 UOM: Each	Unit Price:	\$113.00	Total:	\$113.00
3 5	LINZ6* Whelen LINZ6 Series Linear Super-LED	D Lightheads advis	e LED color		
3	Quantity: 1 UOM: Each	Unit Price:	\$136.00	Total:	\$136.00
3 6	IW34UFX / IW38UFX Whelen Inner Edge XLP	WeCan DUO+ for	Interceptor Utility/S	edan	
0	Quantity: 1 UOM: Each		_		No Bid
3	CANWCT3 Whelen Cantrol Siren System w/Co	C5K* cable & CAN	ICTL2 Push Button	Control	
	Quantity: 1 UOM: Each		_		No Bid
3	GB2SP3J Whelen Legacy Lightbar 54" Lexingt	UOM: Each			
0	Quantity: 1 UOM: Each	Unit Price:	\$2,635.00	Total:	\$2,635.00

3	GB8SP3J Who	elen Legacy Lightbar 48	" Lexington Spec with m	nount brackets		
9	Quantity: 1	UOM: Each	Unit Price:	\$2,635.00	Total:	\$2,635.00
4	VTX609* Whe	len Vertex Hide Away L	ED advise LED color			
0	Quantity: 1	UOM: Each	Away LED advise LED color			
4	SA315P SAK5	58 Whelen SA315P Sire	n Speaker w/SAK58 Bra	ncket		
1	Quantity: 1	UOM: Each	Unit Price:	\$180.00	Total:	\$180.00
4	SA315P SAK5					
2	Quantity: 1	UOM: Each	Unit Price:	\$180.00	Total:	\$180.00
4	SA315P SAK7	70 Whelen SA315P Sire	n speaker w/ SAK70 Bra	acket		
3	Quantity: 1	UOM: Each	Unit Price:	\$180.00	Total:	\$180.00
4	SA315P SAK6	33D Whelen SA315P Sp	eaker w/SAK63 Bracket	(Chevy Tahoe)		
4	Quantity: 1	UOM: Each	Unit Price:	\$180.00	Total:	\$180.00
4	HHS-4200 Wh	nelen Hand Held Siren S	ystem			
5	Quantity: 1	UOM: Each	Unit Price:	\$449.00	Total:	\$449.00
4	ISFW*Z w/ 6	ISSD & 6ISDE Whele	n Front Inner Edge DUO	. Advise vehicle make	e, model,	& year
0	Quantity: 1	UOM: Each	Unit Price:	\$1,380.00	Total:	\$1,380.00
4 7	ITRAYW8 w/ 4	1ISDK & 4ISDM Whe	len Rear Inner Edge DU	O. Advise vehicle ma	ke, mode	el, & year
/	Quantity: 1	UOM: Each	Unit Price:	\$1,206.00	Total:	\$1,206.00
4 MCRNT* Whelen Micron Lighthead Surface/Stud Mount Black/Chrome Solid/Split Color Red/Blue/C						
8	Quantity: 1	UOM: Each	Unit Price:	Unit Price: \$2,635.00 Total: \$2,635.00 advise LED color		
4 9	M4J M4 LED F	FLASHER BLUE/RED				
Э	Quantity: 1	UOM: Each	Unit Price:	\$188.00	Total:	\$188.00
5 0	M4FC M4 SEF	RIES FLANGE CHROMI	=		_	
U	Quantity: 1	UOM: Each	Unit Price:	\$15.00	Total:	\$15.00
5	MCRNSCJ SL	JRFACE MT MICRON F	/B CHROME		_	
'	Quantity: 1	UOM: Each	Unit Price:	\$123.00	Total:	\$123.00
5 2	PELCC PERIN	METER ENHANCEMEN	T LT CHRM			
	Quantity: 1	UOM: Each	Unit Price:	\$168.00	Total:	\$168.00
5	SPT5D BUMP	ER MT SPEAKER DRV	R TRANSIT		<u>-</u>	
3	Quantity: 1	UOM: Each	Unit Price	\$325.00	Total:	\$325.00

5 4	Percentage off all other Whelen catalog items (Line excluded from response total)				
	Quantity: 1 UOM: Percent Off			Total:	35%
5	C-VSW-1005-TAH-PM Filler Plates to be include	d with console.			
3					
	Quantity: 1 UOM: Each	### procent Off			
5 6	C-V-SW-1005-TAH-PM Filler Plates to be included with console. Tahoe Console			No Bid	
5	CUP2-1001 Internal Cupholder				
-	Quantity: 1 UOM: Each	Unit Price:	\$46.00	Total:	\$46.00
5	C-HDM-204 Side Mounted Pole				
0	Quantity: 1 UOM: Each	Unit Price:	\$162.00	Total:	\$162.00
5	C-MD-112 Tilt Swivel Device				
3	Quantity: 1 UOM: Each	Unit Price:	\$260.00	Total:	\$260.00
6	C-ARM-105 Arm Rest				
	Quantity: 1 UOM: Each	Unit Price:	\$175.00	Total:	\$175.00
6	K9-C26 Standard White K-9 transport system				
	Quantity: 1 UOM: Each	Unit Price:	\$3,750.00	Total:	\$3,750.00
6 2	K9-A-201 K9 Hot-N-Pop electronic system				.
	Quantity: 1 UOM: Each	Unit Price:	\$2,205.00	Total:	\$2,205.00
6			****		**
		Unit Price:	\$201.00	Total:	\$201.00
6			0.455.00		0.455.00
		M-204 Side Mounted Pole itity: 1 UOM: Each Unit Price: \$162.00 Total: \$162.00 -112 Tilt Swivel Device itity: 1 UOM: Each Unit Price: \$260.00 Total: \$260.00 M-105 Arm Rest itity: 1 UOM: Each Unit Price: \$175.00 Total: \$175.00 26 Standard White K-9 transport system itity: 1 UOM: Each Unit Price: \$3,750.00 Total: \$3,750.00 201 K9 Hot-N-Pop electronic system itity: 1 UOM: Each Unit Price: \$2,205.00 Total: \$2,205.00 306 K9 transport Engine Stall Sensor itity: 1 UOM: Each Unit Price: \$2,205.00 Total: \$2,205.00 102 K9 Air Circulation Fan itity: 1 UOM: Each Unit Price: \$201.00 Total: \$201.00 AN-432-2 Docking Station with Dual Pass-Through Antennas connections and power supply for Panasonic Book 54 and 55 itity: 1 UOM: Each Unit Price: \$1,021.00 Total: \$1,021.00 Intage off all other Havis catalog items included from response total)			
6 5	Tough Book 54 and 55				
	Quantity: 1 UOM: Each	Unit Price:	\$1,021.00	Total:	\$1,021.00
6	Percentage off all other Havis catalog items (Line excluded from response total)				
	Quantity: 1 UOM: Percent Off			Total:	30%

Response Total: \$32,145.50



Lexington-Fayette Urban County Government

Lexington, Kentucky Horse Capital of the World

Division of Procure	ement	Date of Issue: January 11, 2024				
	INVITATION TO E	3ID #8-20 <mark>24 E</mark> merg	ency Lighting & Equip	ment		
Bid Opening Date:	January 25, 2024	Bid Opening T	ime: 2:00 PM			
Address:	All bids must be subm	itted on line at https: <u>⊬l</u> exi	ngtonky ionwave net/			
ype of Bid:	Price Contract					
re Bid Meeting:	N/A		Pre Bid Time:	N/A		
ddress:	N/A					
			lelivery (unless otherwise specified	d in the bid documents below		
	id Specifications Met ed to bid proposal submitted.	Check One: Exceptions to Bid Specifica	tions. Exceptions shall be	Proposed Delivery: 60 days after acceptance of bid.		
services and also t	o make payments. Will you	u accept Procurement Cards?	d be completed and upload	No		
Submitted	by: On-Duty D	Pepot				
	Firm Name			_		
	1140 Mo.	seley St				
	Address					
	Owensbor City, State &	ro, KY 42303				
Bld must	be signed:	(1)				
	Signatu	re of Authorized Compa	ny Representative – Title			
		W. Noblitt ntative's Name (Typed or p	printed)	-		
	_270-31.	3-1309		_		
	Area Cod	de - Phone — Extension	Fax #			
	red@d	ondutydepot.us				

E-Mail Address

The Affidavit in this bid must be completed before your firm can be considered for award of this contract.

		AFFIDAVIT
unc	Comes the Affiant,John W. Noblitt der penalty of perjury as follows:	, and after being first duly sworn
1.	His/her name isJohn W. Noblitt	and he/she is the individual submitting the bid or is the
	authorized representative ofOn-Duty Depot	, LLC,
	the entity submitting the bid (hereinafter referred	to as "Bidder")
2.	Bidder will pay all taxes and fees, which are owed is submitted, prior to award of the contract and willife of the contract.	to the Lexington-Fayette Urban County Government at the time the bid II maintain a "current" status in regard to those taxes and fees during the
3.	Bidder will obtain a Lexington-Fayette Urban Cocontract.	unty Government business license, if applicable, prior to award of the
4.		t to verify the above-mentioned information with the Division of Revenue taxes and/or fees are delinquent or that a business license has not been
5.		the campaign finance laws of the Commonwealth of Kentucky within the the Bidder will not violate any provision of the campaign finance laws of
6.	Bidder has not knowingly violated any provision of Ordinances, known as "Ethics Act."	f Chapter 25 of the Lexington-Fayette Urban County Government Code of
7.		ses of this Affidavit means, with respect to conduct or to circumstances fense, that a person is aware or should have been aware that his conduct
	Further, Affiant sayeth naught.	John W. Noblitt
	ruttler, Athanic sayeur Haught.	JOHN W. NODIK
ST	TATE OF	KY
CC	OUNTY OF	Daviess
	The foregoing instrument was subscribed, sw	form to and acknowledged before me
Č.	16.11 STATA	1211
by	- Torner, July	on this the 23 day
of	January , 2024.	
	My Commission expires:	CINDY LEE THOMAS Notary Public Commonwealth of Kentucky Commission Number KYNP30040 My Commission Expires Jun 14, 2025
	NO	TARY PUBLIC, STATE AT LARGE

I. GREEN PROCUREMENT

A. ENERGY

The Lexington-Fayette Urban County Government is committed to protecting our environment and being fiscally responsible to our citizens.

The Lexington-Fayette Urban County Government mandates the use of Energy Star compliant products if they are available in the marketplace (go to www.Energystar.gov). If these products are available, but not submitted in your pricing, your bid will be rejected as non-compliant.

ENERGY STAR is a government program that offers businesses and consumers energy-efficient solutions, making it easy to save money while protecting the environment for future generations.

Key Benefits

These products use 25 to 50% less energy Reduced energy costs without compromising quality or performance Reduced air pollution because fewer fossil fuels are burned Significant return on investment Extended product life and decreased maintenance

B. GREEN SEAL CERTIFIED PRODUCTS

The Lexington-Fayette Urban County Government is also committed to using other environmentally friendly products that do not negatively impact our environment. Green Seal is a non-profit organization devoted to environmental standard setting, product certification, and public education.

Go to www.Greenseal.org to find available certified products. These products will have a reduced impact on the environment and on human health. The products to be used must be pre-approved by the LFUCG prior to commencement of any work in any LFUCG facility. If a Green Seal product is not available, the LFUCG must provide a signed waiver to use an alternate product. Please provide information on the Green Seal products being used with your bid response.

C. GREEN COMMUNITY

The Lexington-Fayette Urban County Government (LFUCG) serves as a principal, along with the University of Kentucky and Fayette County Public Schools, in the Bluegrass Partnership for a Green Community. The Purchasing Team component of the Partnership collaborates on economy of scale purchasing that promotes and enhances environmental initiatives. Specifically, when applicable, each principal is interested in obtaining best value products and/or services which promote environment initiatives via solicitations and awards from the other principals.

If your company is the successful bidder on this Invitation For Bid, do you agree to extend the same product/service pricing to the other principals of the Bluegrass Partnership for a Green Community (i.e. University of Kentucky and Fayette County Schools) if requested?

Yes	_X	No
Yes	_X	No

II. Bid Conditions

- No bid may be withdrawn for a period of sixty (60) days after the date and time set for opening.
- B. No bid may be altered after the date and time set for opening. In the case of obvious errors, the Division of Procurement may permit the withdrawal of a bid. The decision as to whether a bid may be withdrawn shall be that of the Division of Procurement.
- C. Acceptance of this proposal shall be enactment of an Ordinance by the Urban County Council.
- D. The bidder agrees that the Urban County Government reserves the right to reject any and all bids for either fiscal

- or technical reasons, and to award each part of the bid separately, all parts to one vendor or all parts to multiple vendors.
- E. Minor exceptions may not eliminate the bidder. The decision as to whether any exception is minor shall be entirely that of the head of the requisitioning Department or Division and the Director of the Division of Procurement. The Urban County Government may waive technicalities and informalities where such waiver would best serve the interests of the Urban County Government.
- F. Manufacturer's catalogue numbers, trade names, etc., where shown herein are for descriptive purposes and are to guide the bidder in interpreting the standard of quality, design, and performance desired, and shall not be construed to exclude proposals based on furnishing other types of materials and/or services. However, any substitution or departure proposed by the bidder must be clearly noted and described; otherwise, it will be assumed that the bidder intends to supply items specifically mentioned in this Invitation for Bids.
- G. The Urban County Government may require demonstrations of the materials proposed herein prior to acceptance of this proposal.
- H. Bids must be submitted on this form and must be signed by the bidder or his authorized representative. Unsigned bids will not be considered.
- Bids must be submitted prior to the date and time indicated for opening. Bids submitted after this time will not be considered.
- All bids mailed must be submitted in the Ion Wave online portal at https://lexingtonky.ionwave.net/
- K. Bidder is requested to show both unit prices and lot prices. In the event of error, the unit price shall prevail.
- L. A certified check or Bid Bond in the amount of XX percent of the bid price must be attached hereto. This check must be made payable to the Lexington-Fayette Urban County Government, and will be returned when the material and/or services specified herein have been delivered in accordance with specifications. In the event of failure to perform within the time period set forth in this bid, it is agreed the certified check may be cashed and the funds retained by the Lexington-Fayette Urban County Government as liquidated damages. Checks of unsuccessful bidders will be returned when the bid has been awarded.
- M. The delivery dates specified by bidder may be a factor in the determination of the successful bidder.
- N. Tabulations of bids received may be mailed to bidders. Bidders requesting tabulations must enclose a stamped, self-addressed envelope with the bid.
- O. The Lexington-Fayette Urban County Government is exempt from Kentucky Sales Tax and Federal Excise Tax on materials purchased from this bid invitation. Materials purchased by the bidder for construction projects are not tax exempt and are the sole responsibility of the bidder.
- P. All material furnished hereunder must be in full compliance with OSHA regulations.
- If more than one bid is offered by one party, or by any person or persons representing a party, all such bids shall be rejected.
- R. Signature on the face of this bid by the Bidder or his authorized representative shall be construed as acceptance of and compliance with all terms and conditions contained herein.
- S. The Entity (regardless of whether construction contractor, non-construction contractor or supplier) agrees to provide equal opportunity in employment for all qualified persons, to prohibit discrimination in employment because of race, color, religion, sex (including pregnancy, sexual orientation or gender identity), national origin, disability, age, genetic information, political affiliation, or veteran status, and to promote equal employment through a positive, continuing program from itself and each of its sub-contracting agents. This program of equal employment opportunity shall apply to every aspect of its employment policies and practices.
- T. The Kentucky Equal Employment Opportunity Act of 1978 (KRS 45.560-45.640) requires that any county, city, town, school district, water district, hospital district, or other political subdivision of the state shall include in directly

or indirectly publicly funded contracts for supplies, materials, services, or equipment hereinafter entered into the following provisions:

During the performance of this contract, the contractor agrees as follows:

- The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, age or national origin;
- (2) The contractor will state in all solicitations or advertisements for employees placed by or on behalf of the contractors that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, age or national origin;
- (3) The contractor will post notices in conspicuous places, available to employees and applicants for employment, setting forth the provisions of the non-discrimination clauses required by this section; and
- (4) The contractor will send a notice to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding advising the labor union or workers' representative of the contractor's commitments under the nondiscrimination clauses.

The Act further provides:

KRS 45.610. Hiring minorities - Information required

- (1) For the length of the contract, each contractor shall hire minorities from other sources within the drawing area, should the union with which he has collective bargaining agreements be unwilling to supply sufficient minorities to satisfy the agreed upon goals and timetable.
- (2) Each contractor shall, for the length of the contract, furnish such Information as required by KRS 45.560 to KRS 45.640 and by such rules, regulations and orders issued pursuant thereto and will permit access to all books and records pertaining to his employment practices and work sites by the contracting agency and the department for purposes of investigation to ascertain compliance with KRS 45.560 to 45.640 and such rules, regulations and orders issued pursuant thereto.

KRS 45.620. Action against contractor - Hiring of minority contractor or subcontractor

- (1) If any contractor is found by the department to have engaged in an unlawful practice under this chapter during the course of performing under a contract or subcontract covered under KRS 45.560 to 45.640, the department shall so certify to the contracting agency and such certification shall be binding upon the contracting agency unless it is reversed in the course of judicial review.
- (2) If the contractor is found to have committed an unlawful practice under KRS 45.560 to 45.640, the contracting agency may cancel or terminate the contract, conditioned upon a program for future compliance approved by the contracting agency and the department. The contracting agency may declare such a contractor ineligible to bid on further contracts with that agency until such time as the contractor complies in full with the requirements of KRS 45.560 to 45.640.
- (3) The equal employment provisions of KRS 45.560 to 45.640 may be met in part by a contractor by subcontracting to a minority contractor or subcontractor. For the provisions of KRS 45.560 to 45.640, a minority contractor or subcontractor shall mean a business that is owned and controlled by one or more persons disadvantaged by racial or ethnic circumstances.

KRS 45.630 Termination of existing employee not required, when

Any provision of KRS 45.560 to 45.640 notwithstanding, no contractor shall be required to terminate an existing employee upon proof that that employee was employed prior to the date of the contract.

KRS 45,640 Minimum skills

Nothing in KRS 45.560 to 45.640 shall require a contractor to hire anyone who falls to demonstrate the minimum skills required to perform a particular job.

It is recommended that all of the provisions above quoted to be included as special conditions in each contract.

In the case of a contract exceeding \$250,000, the contractor is required to furnish evidence that his work-force in Kentucky is representative of the available work-force in the area from which he draws employees, or to supply an Affirmative Action plan which will achieve such representation during the life of the contract.

U. Any party, firm or individual submitting a proposal pursuant to this invitation must be in compliance with the requirements of the Lexington-Fayette Urban County Government regarding taxes and fees before they can be considered for award of this invitation and must maintain a "current" status with regard to those taxes and fees throughout the term of the contract. The contractor must be in compliance with Chapter 13 from the Code of Ordinances of the Lexington-Fayette Urban County Government. The contractor must be in compliance with Ordinance 35-2000 pursuant to contractor registration with the Division of Building Inspection. If applicable, said business must have a Fayette County business license.

Pursuant to KRS 45A.343 and KRS 45A.345, the contractor shall

- (1) Reveal any final determination of a violation by the contractor within the previous five year period pursuant to KRS Chapters 136 (corporation and utility taxes), 139 (sales and use taxes), 141 (income taxes), 337 (wages and hours), 338 (occupational safety and health of employees), 341 (unemployment and compensation) and 342 (labor and human rights) that apply to the contractor; and
- (2) Be in continuous compliance with the above-mentioned KRS provisions that apply to the contractor for the duration of the contract.

A contractor's failure to reveal the above or to comply with such provisions for the duration of the contract shall be grounds for cancellation of the contract and disqualification of the contractor from eligibility for future contracts for a period of two (2) years.

V. Vendors who respond to this invitation have the right to file a notice of contention associated with the bid process or to file a notice of appeal of the recommendation made by the Director of Procurement resulting from this invitation.

Notice of contention with the bid process must be filed within 3 business days of the bid/proposal opening by (1) sending a written notice, including sufficient documentation to support contention, to the Director of the Division of Procurement or (2) submitting a written request for a meeting with the Director of Procurement to explain his/her contention with the bid process. After consulting with the Commissioner of Finance the Chief Administrative Officer and reviewing the documentation and/or hearing the vendor, the Director of Procurement shall promptly respond in writing findings as to the compliance with bid processes. If, based on this review, a bid process irregularity is deemed to have occurred the Director of Procurement will consult with the Commissioner of Finance, the Chief Administrative Officer and the Department of Law as to the appropriate remedy.

Notice of appeal of a bid recommendation must be filed within 3 business days of the bid recommendation by (1) sending a written notice, including sufficient documentation to support appeal, to the Director, Division of Procurement or (2) submitting a written request for a meeting with the Director of Procurement to explain his appeal. After reviewing the documentation and/or hearing the vendor and consulting with the Commissioner of Finance and the Chief Administrative Officer, the Director of Procurement shall in writing, affirm or withdraw the recommendation.

III. Procurement Contract Bid Conditions

- A. The terms of this agreement shall be for <u>1</u> year(s) from the date of acceptance of this contract by the Lexington-Fayette Urban County Government. This agreement may be automatically extended for an additional <u>1</u> year(s) renewal. This contract may be canceled by either party thirty (30) days after delivery by canceling party of written notice of intent to cancel to the other contracting party.
- B. Price Changes (Space Checked Applies)
- (XXX)1. Prices quoted in response to the Invitation shall be firm prices for the first 90 days of the Procurement Contract. After 90 days, prices may be subject to revision and such changes shall be based on general industry changes. Revision may be either increases or decreases and may be requested by either party. There will be no more than one (1) price adjustment per quarter. Requests for price changes shall be received in writing at least twenty (20) days prior to the effective date and are subject to written acceptance before becoming effective. Proof of the validity of a request for revision shall be responsibility of the requesting party. The Lexington-Fayette Urban County Government shall receive the benefit of any decline that the seller shall offer his other accounts.
 - () 2. No provision for price change is made herein. Prices are to be firm for the term of this contract.
 - See bid specifications.
- C. If any contract item is not available from the vendor, the Lexington-Fayette Urban County Government, at its option, may permit the item to be back-ordered or may procure the item on the open market.
- D. All invoices must bear reference to the Lexington-Fayette Urban County Government Purchasing document numbers which are being billed.
- E. This contract may be canceled by the Lexington-Fayette Urban County Government if it is determined that the Bidder has failed to perform under the terms of this agreement, such cancellation to be effective upon receipt of written notice of cancellation by the Bidder.
- F. No substitutions for articles specified herein may be made without prior approval of the Division of Procurement.

EQUAL OPPORTUNITY AGREEMENT

Standard Title VI Assurance

The Lexington Fayette-Urban County Government, (hereinafter referred to as the "Recipient") hereby agrees that as a condition to receiving any Federal financial assistance from the U.S. Department of Transportation, it will comply with Title VI of the Civil Rights Act of 1964, 78Stat.252, 42 U.S.C. 2000d-4 (hereinafter referred to as the "Act"), and all requirements imposed by or pursuant to Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, (49 CFR, Part 21) Nondiscrimination in Federally Assisted Program of the Department of Transportation – Effectuation of Title VI of the Civil Rights Act of 1964 (hereinafter referred to as the "Regulations") and other pertinent directives, no person in the United States shall, on the grounds of race, color, national origin, sex, age (over 40), religion, sexual orientation, gender identity, veteran status, or disability be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any program or activity for which the Recipient receives Federal financial assistance from the U.S. Department of Transportation, including the Federal Highway Administration, and hereby gives assurance that will promptly take any necessary measures to effectuate this agreement. This assurance is required by subsection 21.7(a) (1) of the Regulations.

The Law

- Title VII of the Civil Rights Act of 1964 (amended 1972) states that it is unlawful for an employer to discriminate in employment because of race, color, religion, sex, age (40-70 years) or national origin.
- Executive Order No. 11246 on Nondiscrimination under Federal contract prohibits employment discrimination by contractor and sub-contractor doing business with the Federal Government or recipients of Federal funds. This order was later amended by Executive Order No. 11375 to prohibit discrimination on the basis of sex.
- Section 503 of the Rehabilitation Act of 1973 states: The Contractor will not discriminate against any employee or applicant for employment because of physical or mental disability.
- Section 2012 of the Vietnam Era Veterans Readjustment Act of 1973 requires Affirmative Action on behalf of disabled veterans and veterans of the Vietnam Era by contractors having Federal contracts.
- Section 206(A) of Executive Order 12086, Consolidation of Contract Compliance Functions for Equal Employment Opportunity, states: The Secretary of Labor may investigate the employment practices of any Government contractor or sub-contractor to determine whether or not the contractual provisions specified in Section 202 of this order have been violated.

The Lexington-Fayette Urban County Government practices Equal Opportunity in recruiting, hiring and promoting. It is the Government's intent to affirmatively provide employment opportunities for those individuals who have previously not been allowed to enter into the mainstream of society. Because of its importance to the local Government, this policy carries the full endorsement of the Mayor, Commissioners, Directors and all supervisory personnel. In following this commitment to Equal Employment Opportunity and because the Government is the benefactor of the Federal funds, it is both against the Urban County Government policy and illegal for the Government to let contracts to companies which knowingly or unknowingly practice discrimination in their employment practices. Violation of the above mentioned ordinances may cause a contract to be canceled and the contractors may be declared ineligible for future consideration.

Please sign this statement in the appropriate space acknowledging that you have read and understand the provisions contained herein. Return this document as part of your application packet.

Bidders

I/We agree to comply with the Civil Right	ts Laws listed above that govern employment rights of minorities, women, veteral
status, disability and age.	
John Das Mill	_On-Duty Depot International, LLC
Signature	Name of Business

GENERAL PROVISIONS OF BID CONTRACT

By signing the below, bidder acknowledges that it understands and agrees with the following provisions related to its bid response and the provision of any goods or services to LFUCG upon selection by LFUCG pursuant to the bid request:

- 1. Bidder shall comply with all Federal, State & Local regulations concerning this type of service or good. All applicable state laws, ordinances and resolutions (including but not limited to Section 2-33 (Discrimination due to sexual orientation or gender identity) and Chapter 13 (Licenses and Regulations) of the Lexington-Fayette Urban County Government Code of Ordinances, and Resolution No. 484-17 (Minority, Women, and Veteran-Owned Businesses)) and the regulations of all authorities having jurisdiction over the project shall apply to the contract, and shall be deemed to be incorporated herein by reference.
- 2. Failure to submit ALL forms and information required by LFUCG may be grounds for disqualification.
- 3. Addenda: All addenda and IonWave Q&A, if any, must be considered by the bidder in making its response, and such addenda shall be made a part of the requirements of the bid contract. Before submitting a bid response, it is incumbent upon bidder to be informed as to whether any addenda have been issued, and the failure of the bidder to cover any such addenda may result in disqualification of that response.
- Bid Reservations: LFUCG reserves the right to reject any or all bid responses, to award in whole or part, and to
 waive minor immaterial defects in proposals. LFUCG may consider any alternative proposal that meets its basic
 needs.
- 5. Liability: LFUCG is not responsible for any cost incurred by bidder in the preparation of its response.
- 6. Changes/Alterations: Bidder may change or withdraw a proposal at any time prior to the opening; however, no oral modifications will be allowed. Only letters, or other formal written requests for modifications or corrections of a previously submitted proposal which is addressed in the same manner as the bid response, and received by LFUCG prior to the scheduled closing time for receipt of bids, will be accepted. The bid response when opened, will then be corrected in accordance with such written request(s), provided that the written request is contained in a sealed envelope which is plainly marked "modifications of bid response".
- Clarification of Submittal: LFUCG reserves the right to obtain clarification of any point in a bid or to obtain additional information from any bidder.
- 8. Bribery Clause: By his/her signature on its response, bidder certifies that no employee of his/hers, any affiliate or subcontractor, has bribed or attempted to bribe an officer or employee of the LFUCG.
- 9. Additional Information: While not necessary, the bidder may include any product brochures, software documentation, sample reports, or other documentation that may assist LFUCG in better understanding and evaluating the bid response. Additional documentation shall not serve as a substitute for other documentation which is required by the LFUCG to be submitted with the bid response.
- 10. Ambiguity, Conflict or other Errors: If a bidder discovers any ambiguity, conflict, discrepancy, omission or other error in the bid request of LFUCG, it shall immediately notify LFUCG of such error in writing and request modification or clarification of the document if allowable by the LFUCG.
- 11. Agreement to Bid Terms: In submitting its bid response, the bidder agrees that it has carefully examined the specifications and all provisions relating to LFUCG's bid request, including but not limited to the bid contract. By submission of its bid response, bidder states that it understands the meaning, intent and requirements of LFUCG's bid request and agrees to the same. The successful bidder shall warrant that it is familiar with and understands all provisions herein and shall warrant that it can comply with them. No additional compensation to bidder shall be authorized for services, expenses, or goods reasonably covered under these provisions that the bidder omits from its bid response.
- 12. Cancellation: LFUCG may unilaterally terminate the bid contract with the selected bidder(s) at any time, with or without cause, by providing at least thirty (30) days advance written notice unless a different advance written notice

period is negotiated prior to contract approval. Payment for services or goods received prior to termination shall be made by the LFUCG provided these goods or services were provided in a manner acceptable to the LFUCG. Payment for those goods and services shall not be unreasonably withheld.

- 13. Assignment of Contract: The selected bidder(s) shall not assign or subcontract any portion of the bid contract with LFUCG without the express written consent of LFUCG. Any purported assignment or subcontract in violation hereof shall be void. It is expressly acknowledged that LFUCG shall never be required or obligated to consent to any request for assignment or subcontract; and further that such refusal to consent can be for any or no reason, fully within the sole discretion of LFUCG.
- 14. No Waiver: No failure or delay by LFUCG in exercising any right, remedy, power or privilege hereunder, nor any single or partial exercise thereof, nor the exercise of any other right, remedy, power or privilege shall operate as a waiver hereof or thereof. No failure or delay by LFUCG in exercising any right, remedy, power or privilege under or in respect of this bid proposal or bid contract shall affect the rights, remedies, powers or privileges of LFUCG hereunder or shall operate as a waiver thereof.
- Authority to do Business: Each bidder must be authorized to do business under the laws of the Commonwealth of Kentucky and must be in good standing and have full legal capacity to provide the goods or services specified in the bid proposal. Each bidder must have all necessary right and lawful authority to submit the bid response and enter into the bid contract for the full term hereof including any necessary corporate or other action authorizing the bidder to submit the bid response and enter into this bid contract. If requested, the bidder will provide LFUCG with a copy of a corporate resolution authorizing this action and/or a letter from an attorney confirming that the proposer is authorized to do business in the Commonwealth of Kentucky. All bid responses must be signed by a duly authorized officer, agent or employee of the bidder.
- 16. Governing Law: This bid request and bid contract shall be governed by and construed in accordance with the laws of the Commonwealth of Kentucky. In the event of any proceedings regarding this matter, the bidder agrees that the venue shall be the Fayette County Circuit Court or the U.S. District Court for the Eastern District of Kentucky, Lexington Division and that the bidder expressly consents to personal jurisdiction and venue in such Court for the limited and sole purpose of proceedings relating to these matters or any rights or obligations arising thereunder.
- 17. Ability to Meet Obligations: Bidder affirmatively states that there are no actions, suits or proceedings of any kind pending against bidder or, to the knowledge of the bidder, threatened against the bidder before or by any court, governmental body or agency or other tribunal or authority which would, if adversely determined, have a materially adverse effect on the authority or ability of bidder to perform its obligations under this bid response or bid contract, or which question the legality, validity or enforceability hereof or thereof.
- 18. Price Discrepancy: When applicable, in case of price discrepancy, unit bid price written in words will prevail followed by unit price written in numbers then total amount bid per line item.
- Bidder understands and agrees that its employees, agents, or subcontractors are not employees of LFUCG for any purpose whatsoever. Bidder is an independent contractor at all times related to the bid response or bid contract.
- 20. Contractor [or Vendor or Vendor's Employees] will not appropriate or make use of the Lexington-Fayette Urban County Government (LFUCG) name or any of its trade or service marks or property (including but not limited to any logo or seal), in any promotion, endorsement, advertisement, testimonial or similar use without the prior written consent of the government. If such consent is granted LFUCG reserves the unilateral right, in its sole discretion, to immediately terminate and revoke such use for any reason whatsoever. Contractor agrees that it shall cease and desist from any unauthorized use immediately upon being notified by LFUCG.

21.	If any term or provision of this bid contract shall be found to be illegal or unenforceable, the remainder of the
	contract shall remain in full force and such term or provision shall be deemed stricken.

Signature

_01/23/2024

Date

WORKFORCE ANALYSIS FORM

Name of Organization: ___On-Duty Depot International, LLC_____

Categories	Total	(N Hisp	nite lot panic or ino)	Hisp o Lat	r	Afric Ame (N Hisp	ck or can- rican lot canic catino	Haw Ot Pac Isla (N Hisp	tive aiian nd her cific nder lot panic atino	Asi (N Hisp o Lati	ot anic r	Alas Na (n Hisp	an or skan	more (N Hispa	vo or races Not anic or tino	То	tal
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Administrators		2															
Professionals		2															
Superintendents																	
Supervisors		3															
Foremen																	
Technicians		8															
Protective Service																	
Para-Professionals																	
Office/Clerical																	
Skilled Craft																	
Service/Maintenance																	
Total:		15	41														

Prepared by:John W. Noblitt Sales Manager	Date:01/_23/_24
(Name and Title)	Revised 2015-Dec-15

DIRECTOR, DIVISION OF PROCUREMENT LEXINGTON-FAYETTE URBAN COUNTY GOVERNMENT 200 EAST MAIN STREET LEXINGTON, KENTUCKY 40507

NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE EQUAL EMPLOYMENT OPPORTUNITIES AND DBE CONTRACT PARTICIPATION

The Lexington-Fayette Urban County Government has set a goal that not less than ten percent (10%) of the total value of this contract be subcontracted to MBE/WBE's, and set a goal that not less than three percent (3%) of the total value of this contract be subcontracted to Veteran-Owned Small Businesses. The goal for the utilization of Certified MBE/WBE's and Veteran-Owned Small Businesses as subcontractors are recommended goals. Contractors who fail to meet such goals will be expected to provide written explanations to the Director of the Division of Procurement of efforts they have made to accomplish the recommended goals and the extent to which they are successful in accomplishing the recommended goals will be a consideration in the procurement process.

For assistance in locating MBE/WBE Subcontractors contact Sherita Miller at 859/258-3320 or by writing the address listed below:

Sherita Miller, Division of Procurement
Lexington-Fayette Urban County Government
200 East Main Street
Lexington, Kentucky 40507
smiller@lexingtonky.gov

Lexington-Fayette Urban County Government MWDBE PARTICIPATION GOALS

A. GENERAL

- The LFUCG request all potential contractors to make a concerted effort to include Minority-Owned (MBE), Woman-Owned (WBE), Disadvantaged (DBE) Business Enterprises and Veteran-Owned Small Businesses (VOSB) as subcontractors or suppliers in their bids.
- Toward that end, the LFUCG has established 10% of total procurement costs as a Goal for participation of Minority-Owned, Woman-Owned and Disadvantaged Businesses on this contract.
- It is therefore a request of each Bidder to include in its bid, the same goal (10%) for MWDBE
 participation and other requirements as outlined in this section.
- The LFUCG has also established a 3% of total procurement costs as a Goal for participation for of Veteran-Owned Businesses.
- 5) It is therefore a request of each Bidder to include in its bid, the same goal (3%) for Veteran-Owned participation and other requirements as outlined in this section.

B. PROCEDURES

- The successful bidder will be required to report to the LFUCG, the dollar amounts of all payments submitted to Minority-Owned, Woman-Owned or Veteran-Owned subcontractors and suppliers for work done or materials purchased for this contract. (See Subcontractor Monthly Payment Report)
- 2) Replacement of a Minority-Owned, Woman-Owned or Veteran-Owned subcontractor or supplier listed in the original submittal must be requested in writing and must be accompanied by documentation of Good Faith Efforts to replace the subcontractor / supplier with another MWDBE Firm; this is subject to approval by the LFUCG. (See LFUCG MWDBE Substitution Form)
- 3) For assistance in identifying qualified, certified businesses to solicit for potential contracting opportunities, bidders may contact:
 - a) The Lexington-Fayette Urban County Government, Division of Procurement (859-258-3320)
- 4) The LFUCG will make every effort to notify interested MWDBE and Veteran-Owned subcontractors and suppliers of each Bid Package, including information on the scope of work, the pre-bid meeting time and location, the bid date, and all other pertinent information regarding the project.

C. DEFINITIONS

- A Minority-Owned Business Enterprise (MBE) is defined as a business which is certified as being at least 51% owned, managed and controlled by persons of African American, Hispanic, Asian, Pacific Islander, American Indian or Alaskan Native Heritage.
- A Woman-Owned Business Enterprise (WBE) is defined as a business which is certified as being at least 51% owned, managed and controlled by one or more women.
- 3) A Disadvantaged Business (DBE) is defined as a business which is certified as being at least 51% owned, managed and controlled by a person(s) that are economically and socially disadvantaged.

- 4) A Veteran-Owned Small Business (VOSB) is defined as a business which is certified as being at least 51% owned, managed and controlled by a veteran and/or a service disabled veteran.
- 5) Good Faith Efforts are efforts that, given all relevant circumstances, a bidder or proposer actively and aggressively seeking to meet the goals, can reasonably be expected to make. In evaluating good faith efforts made toward achieving the goals, whether the bidder or proposer has performed the efforts outlined in the Obligations of Bidder for Good Faith Efforts outlined in this document will be considered, along with any other relevant factors.

D. OBLIGATION OF BIDDER FOR GOOD FAITH EFFORTS

- 1) The bidder shall make a Good Faith Effort to achieve the Participation Goal for MWDBE and Veteran-Owned subcontractors/suppliers. The failure to meet the goal shall not necessarily be cause for disqualification of the bidder; however, bidders not meeting the goal are required to furnish with their bids written documentation of their Good Faith Efforts to do so.
- 2) Award of Contract shall be conditioned upon satisfaction of the requirements set forth herein.
- The Form of Proposal includes a section entitled "MWDBE Participation Form". The applicable information must be completed and submitted as outlined below.
- Failure to submit this information as requested may be cause for rejection of bid or delay in contract award.

E. DOCUMENTATION REQUIRED FOR GOOD FAITH EFFORTS

- 1) Bidders reaching the Goal are required to submit only the MWDBE Participation Form." The form must be fully completed including names and telephone number of participating MWDBE firm(s); type of work to be performed; estimated value of the contract and value expressed as a percentage of the total Lump Sum Bid Price. The form must be signed and dated, and is to be submitted with the bid.
- 2) Bidders not reaching the Goal must submit the "MWDBE Participation Form", the "Quote Summary Form" and a written statement documenting their Good Faith Effort to do so. If bid includes no MWDBE and/or Veteran participation, bidder shall enter "None" on the subcontractor / supplier form). In addition, the bidder must submit written proof of their Good Faith Efforts to meet the Participation Goal:
 - a. Advertised opportunities to participate in the contract in at least two (2) publications of general circulation media; trade and professional association publications; small and minority business or trade publications; and publications or trades targeting minority, women and disadvantaged businesses not less than fifteen (15) days prior to the deadline for submission of bids to allow MWDBE firms and Veteran-Owned businesses to participate.
 - b. Included documentation of advertising in the above publications with the bidders good faith efforts package
 - c. Attended LFUCG Procurement Economic Inclusion Outreach event
 - d. Attended pre-bid meetings that were scheduled by LFUCG to inform MWDBEs and/or Veteran-Owned businesses of subcontracting opportunities

- e. Sponsored Economic Inclusion event to provide networking opportunities for prime contractors and MWDBE firms and Veteran-Owned businesses.
- f. Requested a list of MWDBE and/or Veteran subcontractors or suppliers from LFUCG and showed evidence of contacting the companies on the list(s).
- g. Contacted organizations that work with MWDBE companies for assistance in finding certified MWBDE firms and Veteran-Owned businesses to work on this project. Those contacted and their responses should be a part of the bidder's good faith efforts documentation.
- h. Sent written notices, by certified mail, email or facsimile, to qualified, certified MWDBEs and/or Veteran-Owned businesses soliciting their participation in the contract not less than seven (7) days prior to the deadline for submission of bids to allow them to participate effectively.
- Followed up initial solicitations by contacting MWDBEs and Veteran-Owned Businesses to determine their level of interest.
- Provided the interested MWBDE firm and/or Veteran-Owned business with adequate and timely information about the plans, specifications, and requirements of the contract.
- k. Selected portions of the work to be performed by MWDBE firms and/or Veteran-Owned businesses in order to increase the likelihood of meeting the contract goals. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate MWDBE and Veteran participation, even when the prime contractor may otherwise perform these work items with its own workforce
- Negotiated in good faith with interested MWDBE firms and Veteran-Owned businesses not rejecting them as unqualified without sound reasons based on a thorough investigation of their capabilities. Any rejection should be so noted in writing with a description as to why an agreement could not be reached.
- m. Included documentation of quotations received from interested MWDBE firms and Veteran-Owned businesses which were not used due to uncompetitive pricing or were rejected as unacceptable and/or copies of responses from firms indicating that they would not be submitting a bid.
- n. Bidder has to submit sound reasons why the quotations were considered unacceptable. The fact that the bidder has the ability and/or desire to perform the contract work with its own forces will not be considered a sound reason for rejecting a MWDBE and/or Veteran-Owned business's quote. Nothing in this provision shall be construed to require the bidder to accept unreasonable quotes in order to satisfy MWDBE and Veteran goals.
- o. Made an effort to offer assistance to or refer interested MWDBE firms and Veteran-Owned businesses to obtain the necessary equipment, supplies, materials, insurance and/or bonding to satisfy the work requirements of the bid proposal
- p. Made efforts to expand the search for MWBE firms and Veteran-Owned businesses beyond the usual geographic boundaries.

q. Other--any other evidence that the bidder submits which may show that the bidder has made reasonable good faith efforts to include MWDBE and Veteran participation.

<u>Note</u>: Failure to submit any of the documentation requested in this section may be cause for rejection of bid. Bidders may include any other documentation deemed relevant to this requirement which is subject to review by the MBE Liaison. Documentation of Good Faith Efforts must be submitted with the Bid, if the participation Goal is not met.



MINORITY BUSINESS ENTERPRISE PROGRAM

Sherita Miller, MPA
Minority Business Enterprise Liaison
Division of Procurement
Lexington-Fayette Urban County Government
200 East Main Street
Lexington, KY 40507
smiller@lexingtonky.gov
859-258-3323

OUR MISSION: The mission of the Minority Business Enterprise Program is to facilitate the full participation of minority and women owned businesses in the procurement process and to promote economic inclusion as a business imperative essential to the long term economic viability of Lexington-Fayette Urban County Government.

To that end the city council adopted and implemented Resolution 484-2017 – A Certified Minority, Women and Disadvantaged Business Enterprise ten percent (10%) minimum goal and a three (3%) minimum goal for Certified Veteran-Owned Small Businesses and Certified Service Disabled Veteran – Owned Businesses for government contracts.

The resolution states the following definitions shall be used for the purposes of reaching these goals (a full copy is available in Procurement):

Certified Disadvantaged Business Enterprise (DBE) — a business in which at least fifty-one percent (51%) is owned, managed and controlled by a person(s) who is socially and economically disadvantaged as define by 49 CFR subpart 26.

Certified Minority Business Enterprise (MBE) — a business in which at least fifty-one percent (51%) is owned, managed and controlled by an ethnic minority (i.e. African American, Asian American/Pacific Islander, Hispanic Islander, Native American/Native Alaskan Indian) as defined in federal law or regulation as it may be amended from time-to-time.

Certified Women Business Enterprise (WBE) – a business in which at least fifty-one percent (51%) is owned, managed and controlled by a woman.

Certified Veteran-Owned Small Business (VOSB) – a business in which at least fifty-one percent (51%) is owned, managed and controlled by a veteran who served on active duty with the U.S. Army, Air Force, Navy, Marines or Coast Guard.

Certified Service Disabled Veteran Owned Small Business (SDVOSB) — a business in which at least fifty-one percent (51%) is owned, managed and controlled by a disabled veteran who served on active duty with the U.S. Army, Air Force, Navy, Marines or Coast Guard.

The term "Certified" shall mean the business is appropriately certified, licensed, verified, or validated by an organization or entity recognized by the Division of Purchasing as having the appropriate credentials to make a determination as to the status of the business.

To comply with Resolution 484-2017, prime contractors and minority, women and veteran owned businesses must enroll in the new Diverse Business Management Compliance system, https://lexingtonky.diversitycompliance.com/

We have compiled the list below to help you locate certified MBE, WBE and DBE certified businesses. Below is a listing of contacts for LFUCG Certified MWDBEs and Veteran-Owned Small Businesses in (https://lexingtonky.ionwave.net)

Business	Contact	Email Address	Phone	
LFUCG	Sherita Miller	smiller@lexingtonky.gov	859-258-3323	
Commerce Lexington – Minority Business Development	Tyrone Tyra	ttyra@commercelexington.com	859-226-1625	
Tri-State Minority Supplier Diversity Council	Susan Marston	smarston@tsmsdc.com	502-365-9762	
Small Business Development Council	Shawn Rogers UK SBDC	shawn.rogers@uky.edu	859-257-7666	
Community Ventures Corporation	Phyllis Alcorn	palcorn@cvky.org	859-231-0054	
KY Transportation Cabinet (KYTC)	Melvin Bynes	Melvin.bynes2@ky.gov	502-564-3601	
KYTC Pre-Qualification	Shella Eagle	Shella.Eagle@ky.gov	502-782-4815	
Ohio River Valley Women's Business Council (WBENC)	Sheila Mixon	smixon@orvwbc.org	513-487-6537	
Kentucky MWBE Certification Program	Yvette Smith, Kentucky Finance Cabinet	Yvette.Smith@ky.gov	502-564-8099	
National Women Business Owner's Council (NWBOC)	Janet Harris-Lange	janet@nwboc.org	800-675-5066	
Small Business Administration	Robert Coffey	robertcoffey@sba.gov	502-582-5971	
LaVoz de Kentucky	Andres Cruz	lavozdeky@yahoo.com	859-621-2106	
The Key News Journal	Patrice Muhammad	production@keynewsjournal.com	859-685-8488	



LFUCG MWDBE PARTICIPA'	TION FORM
Bid/RFP/Quote Reference #	8-2024

The MWDBE and/or veteran subcontractors listed have agreed to participate on this Bid/RFP/Quote. If any substitution is made or the total value of the work is changed prior to or after the job is in progress, it is understood that those substitutions must be submitted to Procurement for approval immediately. Failure to submit a completed form may cause rejection of the bid.

MWDBE Company, Name, Address, Phone, Email	MBE WBE or DBE	Work to be Performed	Total Dollar Value of the Work	% Value of Total Contract
1.				
2.				
3.				
4.				

The undersigned company representative submits the above list of MWDBE firms to be used in accomplishing the work contained in this Bid/RFP/Quote. Any misrepresentation may result in the termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and false claims.

Company

Dard

Company Representative

Title



MWDBE Company, Name, Address, Phone, Email	MBE WBE or DBE	Work to be Performed	Total Dollar Value of the Work	% Value of Total Contract
1.				
2.				
3.				
4.				
ne undersigned company represent	tative submits th	ne above list of MWDBE firms	to be used in accor	mplishing the work

Title




LFUCG MWDBE SUBSTITUTION FORM Bid/RFP/Quote Reference #_____

The substituted MWDBE and/or veteran subcontractors listed below have agreed	to participate on this Bid/RFP/Quote. These
substitutions were made prior to or after the job was in progress. These substitut	tions were made for reasons stated below and
are now being submitted to Procurement for approval. By the authorized signa	
understand that this information will be entered into our file for this project. Failu	
of the bid.	

SUBSTITUTED MWDBE Company Name, Address, Phone, Email	MWDBE Formally Contracted/ Name, Address, Phone, Email	Work to Be Performed	Reason for the Substitution	Total Dollar Value of the Work	% Value of Total Contract
1.					
2.					
3.					
4.					

The undersigned acknowledges that any misrepresentation may result in termination of the contract and/or be subject to
applicable Federal and State laws concerning false statements and false claims.

Company	Company Representative
Date	Title



MWDBE QUOTE SUMMARY FORM Bid/RFP/Quote Reference #____8-2024_____

The undersigned	acknowledges	that the	minority	and/or veteran	subcontractors	listed on	this f	form	did
submit a quote to	participate on	this projec	ct. Failure	e to submit this fo	rm may cause rej	ection of t	he bid		


Company Name On-Duty Depot	Contact Person John W. Noblitt
Address/Phone/	Bid Package / Bid Date
Email 1140 Moseley St.	8-2024 01/11/2024
Owensboro, KY 42303	1,000,000,000
red@ondutydepot.us	

MWDBE Company Addre	Contact Person	Contact Information (work phone, Email, cell)	Date Contacted	Services to be performed	Method of Communication (email, phone meeting, ad, event etc)	Total dollars \$\$ Do Not Leave Blank (Attach Documentation)	MBE * AA HA AS NA Female	Veteran

(MBE designation / AA=African American / HA= Hispanic American/AS = Asian American/Pacific Islander/ NA= Native American)

The undersigned acknowledges that all information is accurate. Any misrepresentation may result in termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and claims.

_On-Duty Depot International, LLC	John W. Noblitt		
Company	Company Representative		
01/23/2024	Sales Manager_		
Date	Title		



LFUCG SUBCONTRACTOR MONTHLY PAYMENT REPORT

The LFUCG has a 10% goal plan adopted by city council to increase the participation of minority and women owned businesses in the procurement process. The LFUCG also has a 3% goal plan adopted by cited council to increase the participation of veteran owned businesses in the procurement process. In order to measure that goal LFUCG will track spending with MWDBE and Veteran contractors on a monthly basis. By the signature below of an authorized company representative, you certify that the information is correct, and that each of the representations set forth below is true. Any misrepresentation may result in termination of the contract and/or prosecution under applicable Federal and State laws concerning false statements and false claims. Please submit this form monthly to the Division of Procurement/ 200 East Main Street/ Lexington, KY 40507.

Project Name/ Contract # Company Name:				Work Period/ From: Address:				То:
Subcontractor Vendor ID (name, address, phone, email	Description of Work	Total Subcontract Amount	% of Total Contra Awards to Prin for this Project	ed t	Total Amount Paid for his Period	Purchase Order number for subcontractor work (please attach PO)	Scheduled Project Start Date	Scheduled Project End Date
By the signature be	forth below is tr	ue. Any misrep	resentatio	ons ma	y result in th	ne termination of	on is correct, a	nd that each
inder applicable For	ederal and State	laws concerning		1000	s and false any Repres			

following Good Faith Efforts to obtain the maximum participation by MWDBE and Veteran-Owned business enterprises on the project and can supply the appropriate documentation.
Advertised opportunities to participate in the contract in at least two (2) publications of general circulation media; trade and professional association publications; small and minority business or trade publications; and publications or trades targeting minority, women and disadvantaged businesses not less than fifteen (15) days prior to the deadline for submission of bids to allow MWDBE firms and Veteran-Owned businesses to participate.
Included documentation of advertising in the above publications with the bidders good faith efforts package
Attended LFUCG Procurement Economic Inclusion Outreach event
Attended pre-bid meetings that were scheduled by LFUCG to inform MWDBEs and/or Veteran-Owned Businesses of subcontracting opportunities
Sponsored Economic Inclusion event to provide networking opportunities for prime contractors and MWDBE firms and Veteran-Owned businesses
Requested a list of MWDBE and/or Veteran subcontractors or suppliers from LFUCG and showed evidence of contacting the companies on the list(s).
Contacted organizations that work with MWDBE companies for assistance in finding certified MWBDE firms and Veteran-Owned businesses to work on this project. Those contacted and their responses should be a part of the bidder's good faith efforts documentation. Sent written notices, by certified mail, email or facsimile, to qualified, certified MWDBEs soliciting their participation in the contract not less than seven (7) days prior to the deadline for submission of bids to allow them to participate effectively.
Followed up initial solicitations by contacting MWDBEs and Veteran-Owned businesses to determine their level of interest.
Provided the interested MWBDE firm and/or Veteran-Owned business with adequate and timely information about the plans, specifications, and requirements of the contract.
Selected portions of the work to be performed by MWDBE firms and/or Veteran-Owned businesses in order to increase the likelihood of meeting the contract goals. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate MWDBE and Veteran participation, even when the prime contractor may otherwise perform these work items with its own workforce
Negotiated in good faith with interested MWDBE firms and Veteran-Owned businesses not rejecting them as unqualified without sound reasons based on a thorough investigation of their capabilities. Any rejection should be so noted in writing with a description as to why an agreement could not be reached.
Included documentation of quotations received from interested MWDBE firms and

	Veteran-Owned businesses which were not used due to uncompetitive pricing or were rejected as unacceptable and/or copies of responses from firms indicating that they would not be submitting a bid.
	Bidder has to submit sound reasons why the quotations were considered unacceptable. The fact that the bidder has the ability and/or desire to perform the contract work with its own forces will not be considered a sound reason for rejecting a MWDBE and/or Veteran-Owned business's quote. Nothing in this provision shall be construed to require the bidder to accept unreasonable quotes in order to satisfy MWDBE and Veteran goals.
	Made an effort to offer assistance to or refer interested MWDBE firms and Veteran-Owned businesses to obtain the necessary equipment, supplies, materials, insurance and/or bonding to satisfy the work requirements of the bid proposal
	Made efforts to expand the search for MWBE firms and Veteran-Owned businesses beyond the usual geographic boundaries.
	Otherany other evidence that the bidder submits which may show that the bidder has made reasonable good faith efforts to include MWDBE and Veteran participation.
	NOTE: Failure to submit any of the documentation requested in this section may be cause for rejection of bid. Bidders may include any other documentation deemed relevant to this requirement which is subject to approval by the MBE Liaison. Documentation of Good Faith Efforts must be submitted with the Bid, if the participation Goal is not met.
	and acknowledges that all information is accurate. Any misrepresentations may result in termination act and/or be subject to applicable Federal and State laws concerning false statements and claims.
On Va	of Degot Shototo
Company	3/2 -/ Company Representative
Date	Title

AMENDMENT 1 — CERTIFICATION OF COMPLIANCE FOR EXPENDITURES USING FEDERAL FUNDS, INCLUDING THE AMERICAN RESCUE PLAN ACT

The Lexington-Fayette Urban County Government ("LFUCG") <u>may</u> use Federal funding to pay for the goods and/or services that are the subject matter of this bid. That Federal funding may include funds received by LFUCG under the American Rescue Plan Act of 2021. Expenditures using Federal funds require evidence of the contractor's compliance with Federal law. Therefore, by the signature below of an authorized company representative, you certify that the information below is understood, agreed, and correct. Any misrepresentations may result in the termination of the contract and/or prosecution under applicable Federal and State laws concerning false statements and false claims.

The bidder (hereafter "bidder," or "contractor") agrees and understands that in addition to all conditions stated within the attached bid documents, the following conditions will also apply to any Agreement entered between bidder and LFUCG, if LFUCG uses Federal funds, including but not limited to funding received by LFUCG under the American Rescue Plan Act ("ARPA"), toward payment of goods and/or services referenced in this bid. The bidder also agrees and understands that if there is a conflict between the terms included elsewhere in this Request for Proposal and the terms of this Amendment 1, then the terms of Amendment 1 shall control. The bidder further certifies that it can and will comply with these conditions, if this bid is accepted and an Agreement is executed:

- Any Agreement executed as a result of acceptance of this bid may be governed in accordance with 2 CFR Part 200
 and all other applicable Federal law and regulations and guidance issued by the U.S. Department of the Treasury.
- 2. Pursuant to 24 CFR § 85.43, any Agreement executed as a result of acceptance of this bid can be terminated if the contractor fails to comply with any term of the award. This Agreement may be terminated for convenience in accordance with 24 CFR § 85.44 upon written notice by LFUCG. Either party may terminate this Agreement with thirty (30) days written notice to the other party, in which case the Agreement shall terminate on the thirtieth day. In the event of termination, the contractor shall be entitled to that portion of total compensation due under this Agreement as the services rendered bears to the services required. However, if LFUCG suspects a breach of the terms of the Agreement and/or that the contractor is violating the terms of any applicable law governing the use of Federal funds, LFUCG may suspend the contractor's ability to receive payment by giving thirty (30) days' advance written notice. Further, either party may terminate this Agreement for cause shown with thirty (30) days written notice, which shall explain the party's cause for the termination. If the parties do not reach a settlement before the end of the 30 days, then the Agreement shall terminate on the thirtieth day. In the event of a breach, LFUCG reserves the right to pursue any and all applicable legal, equitable, and/or administrative remedies against the contractor.
- 3. The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, sexual orientation, gender identity, or national origin. The contractor will take affirmative action to ensure that applicants are employed and that employees are treated during employment without regard to their race, color, religion, sex, sexual orientation, gender identity, or national origin. Such action shall include, but not be limited to the following:
 - (1) Employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.

- (2) The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, sexual orientation, gender identity, or national origin.
- (3) The contractor will not discharge or in any other manner discriminate against any employee or applicant for employment because such employee or applicant has inquired about, discussed, or disclosed the compensation of the employee or applicant or another employee or applicant. This provision shall not apply to instances in which an employee who has access to the compensation information of other employees or applicants as a part of such employee's essential job functions discloses the compensation of such other employees or applicants to individuals who do not otherwise have access to such information, unless such disclosure is in response to a formal complaint or charge, in furtherance of an investigation, proceeding, hearing, or action, including an investigation conducted by the employer, or is consistent with the contractor's legal duty to furnish information.
- (4) The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding a notice to be provided advising the said labor union or workers' representatives of the contractor's commitments under this section and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- (5) The contractor will comply with all provisions of Executive Order 11246 of September 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- (6) The contractor will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the administering agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- (7) In the event of the contractor's noncompliance with the nondiscrimination clauses of this contract or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended in whole or in part, and the contractor may be declared ineligible for further government contracts or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.
- (8) The contractor will include the portion of the sentence immediately preceding paragraph (1) and the provisions of paragraphs (1) through (8) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The contractor will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for noncompliance,

Provided, however, that in the event a contractor becomes involved in or is threatened with litigation with a subcontractor or vendor as a result of such direction by the administering agency, the contractor may request the United States to enter into such litigation to protect the interests of the United States.

- 4. If fulfillment of the contract requires the contractor to employ mechanic's or laborers, the contractor further agrees that it can and will comply with the following:
 - (1) Overtime requirements: No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such a workweek unless such laborer or mechanic receives compensation at a rate not less than one and onehalf times the basic rate of pay for all hours worked in excess of forty hours in such a workweek.
 - (2) Violation: liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph (1) of this section, the contractor and any subcontractor responsible therefor shall be liable for Page 27 of 30

the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory) for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (1) of this section, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (1) of this section.

- (3) Withholding for unpaid wages and liquidated damages. LFUCG shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (2) of this section.
- (4) Subcontracts. The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (1) through (4) of this section and also a clause requiring the subcontractors to include these clauses in any lower-tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower-tier subcontractor with the clauses set forth in paragraphs (1) through (4) of this section.
- The contractor shall comply with all applicable standards, orders, or regulations issued pursuant to the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq.
- 6. The contractor shall report each violation to LFUCG and understands and agrees that LFUCG will, in turn, report each violation as required to assure notification to the Treasury Department and the appropriate Environmental Protection Agency Regional Office.
- 7. The contractor shall include these requirements in numerical paragraphs 5 and 6 in each subcontract exceeding \$100,000 financed in whole or in part with Federal funding.
- 8. The contractor shall comply with all applicable standards, orders, or regulations issued pursuant to the Federal Water Pollution Control Act, as amended, 33 U.S.C. § 1251 et seq.
- The contractor shall report each violation to LFUCG and understands and agrees that LFUCG will, in turn, report
 each violation as required to assure notification to the Treasury Department and the appropriate Environmental
 Protection Agency Regional Office.
- 10. The contractor shall include these requirements in numerical paragraphs 8 and 9 in each subcontract exceeding \$100,000 financed in whole or in part with Federal funds.
- 11. The contractor shall comply with all applicable standards, orders, or regulations issued pursuant to the Federal Water Pollution Control Act, as amended, 33 U.S.C. § 1251 et seq.
- 12. The contractor shall report each violation to LFUCG and understands and agrees that LFUCG will, in turn, report each violation as required to assure notification to the Treasury Department and the appropriate Environmental Protection Agency regional office.
- 13. The contractor shall include these requirements in numerical paragraphs 11 and 12 in each subcontract exceeding \$100,000 financed in whole or in part with American Rescue Plan Act funds.
- 14. The contractor shall include this language in any subcontract it executes to fulfill the terms of this bid: "the subgrantee, contractor, subcontractor, successor, transferee, and assignee shall comply with Title VI of the Civil Rights

Act of 1964, which prohibits recipients of federal financial assistance from excluding from a program or activity, denying benefits of, or otherwise discriminating against a person on the basis of race, color, or national origin (42 U.S.C. § 2000d et seq.), as implemented by the Department of the Treasury's Title VI regulations, 31 CFR Part 22, which are herein incorporated by reference and made a part of this contract (or agreement). Title VI also includes protection to persons with 'Limited English Proficiency' in any program or activity receiving federal financial assistance, 42 U.S.C. § 2000d et seq., as implemented by the Department of the Treasury's Title VI regulations, 31 CFR Part 22, and herein incorporated by reference and made a part of this contract or agreement."

- 15. Contractors who apply or bid for an award of \$100,000 or more shall file the required certification that it will not and has not used federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency. Each tier certifies to the tier above that it will not and has not used federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any federal contract, grant, or any other award covered by 31 U.S.C. § 1352. Each tier shall also disclose any lobbying with non-federal funds that takes place in connection with obtaining any federal award. Such disclosures are forwarded from tier to tier, up to the recipient. The required certification is included here:
 - a. The undersigned certifies, to the best of his or her knowledge and belief, that:
 - (1) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of an agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
 - (2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.
 - (3) The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.
 - b. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.
- 16. The contractor acknowledges and certifies that it has not been debarred or suspended and further acknowledges and agrees that it must comply with regulations regarding debarred or suspended entities in accordance with 24 CFR § 570.489(I). Funds may not be provided to excluded or disqualified persons.
- 17. The contractor agrees and certifies that to the greatest extent practicable, it will prefer the purchase, acquisition, and use of all applicable goods, products or materials produced in the United States, in conformity with 2 CFR 200.322 and/or section 70914 of Public Law No. 117-58, §§ 70901-52, also known as the Infrastructure Investment and Jobs Act, whichever is applicable.

- 18. The contractor agrees and certifies that all activities performed pursuant to any Agreement entered as a result of the contractor's bid, and all goods and services procured under that Agreement, shall comply with 2 C.F.R. § 200.216 (Prohibition on certain telecommunications and video surveillance services and equipment) and 2 C.F.R. 200 § 200..323 (Procurement of recovered materials), to the extent either section is applicable.
- 19. If this bid involves construction work for a project totaling \$10 million or more, then the contractor further agrees that all laborers and mechanics, etc., employed in the construction of the public facility project assisted with funds provided under this Agreement, whether employed by contractor, or contractor's contractors, or subcontractors, shall be paid wages complying with the Davis-Bacon Act (40 U.S.C. 3141-3144). Contractor agrees that all of contractor's contractors and subcontractors will pay laborers and mechanics the prevailing wage as determined by the Secretary of Labor and that said laborers and mechanics will be paid not less than once a week. The contractor agrees to comply with the Copeland Anti- Kick Back Act (18 U.S.C. § 874) and its implementing regulations of the U.S. Department of Labor at 29 CFR part 3 and part 5. The contractor further agrees to comply with the applicable provisions of the Contract Work Hours and Safety Standards Act (40 U.S.C. Section 327-333), and the applicable provisions of the Fair Labor Standards Act of 1938, as amended (29 U.S.C. et seq.). Contractor further agrees that it will report all suspected or reported violations of any of the laws identified in this paragraph to LFUCG.

0/22		
Affalous Inc	01/23/2024	
Signature	Date	



Lexington-Fayette Urban County Government Division of Police Bid #8-2024 Emergency Lighting & Equipment

The Lexington-Fayette Urban County Government is accepting bids to establish a price contract for Emergency Lighting and Equipment for the Division of Police Technical Services Unit, 2269 Frankfort Court, Lexington, KY 40510. Any brand or model other than what is specified will not be accepted. The successful bidder must be the Manufacturer or authorized stocking distributor for Whelen Engineering and Havis.

Emergency Lighting & Equipment Equipment List

Part Number	Description
	Motorcycle
PAR28D*	3.5" EXTEND LED DRIVE/WARNING ADVISE LED COLOR
PAR32HD1	ADAPTER KIT FOR PAR28D*
RBKTHD9	H-D REAR CRASH BAR MT FOR LINZ
SA350MH	SA-350MH SIREN SPEAKER
SA350MB1	SA350M MOUNTING KIT
MCRNSC*	SURFACE MT MICRON CHROME ADVISE LED COLOR
LINZ6*	LINZ6 LED HORIZ SYNC ADVISE LED COLOR
RBKTHD7	LINZ6 90 DEG UNDER TURN SIGNAL MT
M4B6R	MOTORCYCLE BOX 6-M4 RIGHT OPEN
M1BATT	MOTORCYCLE GEL BATTERY
MBADPT14	MB4/6 ADAPTER PLATE 14 HARLEY
M4B6CHRG	M4B6 BATTERY CHARGER RIGHT
M4BSEP	M4B OPTIONAL SEPARATION PLATE
M08T	"T" ION WINDSHIELD ARRAY BRBRB. Electra Glide
WPA112	Replacement siren amplifier for WS-321
WPA112B	WPA112 siren amplifier bracket
	Chevrolet Tahoe Marked & Unmarked
IONBKT7	Tahoe Grill Mount for (4) ION series Lights
IONBKT9	Tahoe Grill Mount
CEM8	8 Output expansion module
WIONB	Blue Wide angle ION series LED light
WIONR	Red Wide angle ION series LED light
TLIR	Red "T" ION series LED light

16 Output expansion module CEM16 Blue "T" ION series LED light TLIB TLMIC White Mini "T" ION series LED light Chrome flange for TLMIC light TIONMFC Headlight/Taillight flasher for Tahoe SSFPOSI6

IONPEDB Black pedestal housing for ION series LED light

Tahoe Running board bracket TIONBKT7

LEXTAHMARK

Marked Tahoe Package to include

1- Legacy bar--per cable spec, 1--Core siren system, 1 speaker & brackets 1--Legacy bar--per spec w/MKEZ101 mount kit, 1--C399 core, 1--CEM8

1-BS548 rear DUO inner edge.

1--CANCTL2 control head, C399K* OBD cable, 1--SA315P, & SAK70

1--01-0448144-00 mic ext kit

LEXTAHUNMARK Unmarked Tahoe Package to include:

1--BSFW54X, 1--BS548, 1--SA315P, 1--SAK70

1--C399, 1--CANCTL2, & 1--C399K* 6--ISSD, 6--ISDE, 4--ISDK, & 4 ISDM 1--01-0448144-00 mic ext kit

Misc. Lighting

Whelen Grommet Mount IONGROM

WIONC Whelen ION Series Universal Mount Super-LED Lightheads Clear

MIONI Whelen ION Series Universal Mount Super-LED Lightheads Red/Blue

LINZ6* Whelen LINZ6 Series Linear Super-LED Lightheads advise LED color

IW34UFX /

Whelen Inner Edge XLP WeCan DUO+ for Interceptor Utility/Sedan IW38UFX

CANWCT3 Whelen Cantrol Siren System w/CC5K* cable & CANCTL2 Push Button Control Head

GB2SP3J Whelen Legacy Lightbar 54" Lexington Spec with mount brackets

GB8SP3J Whelen Legacy Lightbar 48" Lexington Spec with mount brackets

VTX609* Whelen Vertex Hide Away LED advise LED color SA315P SAK58 Whelen SA315P Siren Speaker w/SAK58 Bracket SA315P SAK51 Whelen SA315P Siren speaker w/ SAK51 Bracket

SA315P SAK63D Whelen SA315P Speaker w/SAK63 Bracket (Chevy Tahoe)

HHS-4200 Whelen Hand Held Siren System

ISFW*Z w/6--

Whelen Front Inner Edge DUO. Advise vehicle make, model, & year ISSD & 6--ISDE

ITRAYW8 w/ 4--Whelen Rear Inner Edge DUO. Advise vehicle make, model, & year ISDK & 4--ISDM

Whelen Micron Lighthead Surface/Stud Mount Black/Chrome Solid/Split Color

MCRNT* Red/Blue/Clear.

Ford Transit Equipment

M4J M4 LED FLASHER BLUE/RED M4FC M4 SERIES FLANGE CHROME

MCRNSCJ SURFACE MT MICRON R/B CHROME
PELCC PERIMETER ENHANCEMENT LT CHRM
SPT5D BUMPER MT SPEAKER DRVR TRANSIT

PAR28D*-- 3.5" EXTENDED LED DRIVE/WARNING ADVISE LED COLOR

3-1/2" Round extended lens lighthead with two LINZ6 type reflectors. Interleaved lightheads offer two colors in a single lighthead with white Super-LED® driving light and warning mode offered in single warning color. 31 Scan-Lock™ flash patterns and steady-burn. 3.75" dia x 1.25 depth.

PAR32HD1-- ADAPTER KIT FOR PAR28D*

Harley Davidson® Road King® and Electra Glide® Anti-Rotation Ring Kit, Converts PAR32 to PAR36 for H-D Pursuit Lamp Housing, Lightheads Purchased Separately

RBKTHD9—HARLEY DAVIDSON REAR CRASH BAR MOUNT FOR LINZ6 LIGHT.

2014-2021 Harley-Davison® Rear (Saddle Bag) Crash Bar Mounting Kit, for use with 2—LINZ6* lightheads, Stainless Steel, Includes RFLANG2C.

SA350MH—SIREN SPEAKER

Motorcycle Siren Speaker, 100 Watts

SA350MH1—SIREN SPEAKER BRACKET

2014—2021 Harley Davidson siren speaker bracket specific for SA350MH speaker.

MCRNSC*-- SURFACE MT MICRON CHROME ADVISE LED COLOR

^{***}All Other catalog items will be requested at a percentage off list price***

25 Scan-Lock™ flash patterns, including steady-burn, directional light pattern, hard-coated lenses minimize environmental damage from sand, sun, salt, & road chemicals. Includes chrome flange. Size: 7/8"? (23mm) H x 13/16" (21mm) D x 4-1/16" (103mm) L

LINZ6*--SURFACE MOUNT HORIZONTAL LIGHTHEAD. ADVISE LED COLOR

25 Scan-Lock™ flash patterns, including steady-burn, directional light pattern, hard-coated lenses minimize environmental damage from sand, sun, salt, & road chemicals. Includes black flange. Size: 1-9/16"? (40mm) H x 1-5/8" (42mm) D x 3-7/8" (98mm) L

RBKTHD7—HARLEY DAVIDSON LINZ6 90 DEG UNDER TURN SIGNAL MOUNT

2014-20212 Harley-Davidson® Electra-Glide® Passing/Fog 90° Mount Kit for use with 1 LINZ6™. Stainless steel.

M4B6R—MOTORCYCLE BOX WITH 6—M4 SERIES LIGHTS. ADVISE LED COLOR

Whelen's Molded Touring Box is designed for maximum functionality, featuring a terminal block with fuses. 12 VDC receptacles, and a Strip-Lite™ brake/tail with amber turn lighthead. Six M4 Series Linear Super-LED® lightheads mounted on the back and sides. Curb side opening.

M1BATT-MOTORCYCLE GEL BATTERY

Motorcycle battery requires appropriate separation plate purchased separately.

MBADAPT14—M4B6R adapter plate 2014—2021 Harley Davidson

Adapter Plate for the molded touring box. 2014-2021 Road King® or Electra Glide®

M4B6CHGR—M4B6 BATTERY CHARGER

Battery Charger Includes 115 VAC Receptacle, for M4B6R System Only, Factory Installed ONLY.

M4BSEP—M4B6R SEPARATION PLATE

Substitute Separation Plate with Battery Hole for Standard Solid Plate, Includes Battery Hold Downs, for M4B6 Series

M08T—"T" ION SERIES WINDSHIELD LIGHT ARRAY. BRBRB LED COLOR

Windshield Light Array for 2014-2021 Harley-Davidson® Electra-Glide®. Requires Five SOLO™ MTLI* Lightheads.

WPA112—100W SIREN AMPLIFIER FOR HARLEY DAVIDSON

Waterproof 100--Watt Siren Amplifier. Replaces WS321 series.

WPA112B—WPA112 SIREN AMPLIFIER BRACKET

WPA112 Siren Amplifier Mounting Plate Only, Black for 2014-2021 Harley Davidson® Road King® and Electra-Glide®.

IONBKT7—TAHOE GRILL MOUNT FOR (4) ION SERIES LIGHTS

Optional Grille Mount Brackets (pair) for 2015-2019 Chevy Tahoe, Requires Four ION™ Series Lightheads Purchased Separately.

WION*--WIDE ANGLE ION SERIES LED LIGHT. ADVISE LED COLOR

The directional head assembly shall be supplied with a universal clip and universal gripper bracket as standard. The unit must be completely sealed for weather resistance and long life and durability. The unit must be designed to mount using either the included universal clip or gripper bracket, or optional bail mount bracket. The lighthead assembly shall measure a maximum 4 inches long x 1-5/16 inch protrusion, x 1 inches high with a black die cast housing. Larger units are not acceptable due to the size constraint of the mounting area. The directional head assembly shall have an ION Super-LED panel which contains a maximum of six (6) individual Super-LEDs in a straight row that have a life expectancy of at least 100,000 hours each. The unit shall draw no more than .40 amps. There must be four (4) wires exiting each unit, one for each of the following: Power, Ground, ScanLock and Synchronize. The ScanLock wire will allow a choice of flash patterns including steady burn. There shall be twenty-five (25) patterns in the single color and sixty-nine (69) patterns in the split color version to choose from. Seven (7) patterns shall have a Phase 1 and Phase 2. When using multiple lightheads, the synchronized wires are attached to alternate Phase 1 and Phase 2 patterns in each of these seven patterns. The unit will have a non-volatile memory and stay in the pattern selected. The lens must be made of clear polycarbonate and must have a smooth outer lens with built-in optics to insure maximum light output.

TLI*--"T" SERIES ION LED LIGHT. ADVISE LED COLOR

SAE Class 1 Certified. Available with SOLO™ technology and new Linear Super-LED optics. Available in Amber, Blue, Red, and/or White. SOLO models are available in single or split colors & have 25 Scan-Lock™ flash patterns, split color models have 69. Hard-coated lenses minimize environmental damage from sand, sun, salt, and road chemicals. Easily surface mounts with two screws. Includes Black flange and a 4 wire 6 inch pigtail. Size: 1" (25mm) H x .38" (9mm) D x 4.19" (122mm) L

TLMIC—WHITE MINI "T" ION SERIES LED LIGHT

SAE Class 1 Certified. Available with SOLO™ technology and new Linear Super-LED optics. Available in Amber, Blue, Red, and/or White. SOLO models are available in single or split colors & have 25 Scan-Lock™ flash patterns. Hard-coated lenses minimize environmental damage from sand, sun, salt, and road chemicals. Easily surface mounts with two screws. Includes Black flange and a 4 wire 6 inch pigtail. Size: 1.50" (3.81cm) H x .50" (1.27cm) D x 3.34" (8.48cm) L

TIONMFC—CHROME FLANGE KIT FOR MINI "T" ION SERIES LED LIGHT

Surface Mount Chrome Flange.

SSFPOSI6—HEADLIGHT/TAILLIGHT FLASHER FOR TAHOE.

100% Solid-State, Headlight and Taillight Flasher, 2 Outlet, 160 Watts Per Outlet, 7 Flash Patterns, for 2007-2019 Chevy Tahoe Police Package Vehicles, Includes Mating Plug, For Positive Switching Headlights.

IONPEDB-BLACK PEDESTAL HOUSING FOR ION SERIES LED LIGHTS.

Black Pedestal Mount Kit.

LEXTAHMARK MARKED TAHOE PACKAGE

Core siren system. The control head shall be supplied completely assembled with three programmable push button switches for progressive functions. The control head shall also have (18) push button switches that directly interface with the control head electronics and operates external equipment such as lightbars, headlight flashers. Ability to program all the lighting traffic arrows and siren functions in the vehicle All outputs shall have both short circuit and over-current protection. WeCan lightbar plugs directly into the amplifier/control module and is programmed by the COMMAND software. Three analog inputs which can be programmed for a temperature sensor, photocell. Integrated battery voltage monitor, which can be programmed to shut off certain outputs when voltage drops to protect the battery and charging system. Support for one or two 100 watt speakers. Ability to program Hands-Free operation. 161 synchronizable, variable-phase, programmable flash patterns. Over 45 programmable siren tones. Radio repeat and public address functions. Built-in On/Off time that allows for a wide delay range from milliseconds to minutes. Diagnostic LEDs for quick trouble shooting. Preconfigured programs may be modified and stored for ease of service. Easily extract a custom program and transfer to multiple vehicles. USB ports in the amplifier/control module allows easy access for programming. Power and input/output cabling with connectors come standard. System must include CC5K* OBD integration cable.

GB2SP3J lightbar. The main structure of the lightbar must be one-piece extruded aluminum bottom and two piece extruded aluminum top held on by 4 screws per side. Lightbars with plastic/polycarbonate tops are not acceptable. The lightbar shall house all electronic components. The lightbar shall measure a maximum of 1 5/8 inches high x 11 5/16 inches wide x 55 inches long excluding mounting brackets. The lightbar must have Hi/Low power control of any or all LED warning modules and must allow for individual control and switching of the LED Lightheads to accomplish the progress intensity lighting required of the department. The lightbar shall contain one (1) internal control module I/O board which shall contain all the electronics required to operate all internal lightheads. The lightbar shall have a combination of: four (4) Multi Angled corner Linear18 LED lamps [2 Blue/White / 2 Red/White]; twelve (12) Long DUO+ Modules [3 R/W, 3 B/W, 3 A/R, 3 A/B]; four (4) Short DUO+ Modules [1 R/W, 1 B/W, 1 A/R, 1 A/B]; two (2) Super-LED Flashing Alley Lights. The lightbar shall use true DUO technology, each module in the lightbar is a DUO module whether it is one color or two. Using advanced thermo design each segment can be operated independently or at the same time. Lightbars that do not allow for both segments to be flashed at the same time are unacceptable. The I/O module shall be 100% solid state with built-in reverse-polarity protection and output-short protection. They shall operate from 10-16

VDC with no degradation in flash rate, and shall operate through a temperature range of -30 degrees Celsius to 60 degrees Celsius. The lightbar shall be designed to have up to ten (10) lamps to the front, ten (10) lamps to the rear, and one (1) on each end. The lenses shall be constructed of polycarbonate with built-in spreader optics and a horizontal non-fluted strip across the center of each lens for maximum light output at the "zero" H-V point. The LED panel must be mounted within the lightbar. Systems in which the LED panel/lens assembly makes up the outside configuration of the lightbar are not acceptable. There shall be two (2) cables exiting the lightbar on the passenger side. Each cable shall be heavy duty water resistant, (1) each power and ground cable and a 2 conductor 20 gauge serial cable. The external cable shall be a minimum of 17 feet and exit the passenger side of the lightbar. The serial cable shall plug into an electronic control module which must communicate all lightbar operating functions to the lightbar. The lightbar shall have a photocell as standard feature. The photocell will automatically put the lightbar into low power mode during nighttime operation. Operating under low power during nighttime conditions enhances officer safety by not obscuring motorist vision with bright light, but instead providing them with better visibility of the vehicle and its surroundings. The standard mounting kit shall include a combination permanent mount and gutter mount. All hardware shall be stainless steel. Gutter straps must be designed for most late model vehicles.

SA315P & SAK*

The electronic speaker must utilize a multi-port reentrant design, which produces higher sound levels as well as clear sound. The siren speaker must meet or exceed SAE and California Title XIII requirements for a "Class A" speaker when used with a standard Whelen siren amplifier. The speaker must produce a minimum sound level of 120 to 122 dB at 10 feet. The speaker shall be made of a black composite material to resist fading and be of compact size, measuring no larger than 6-1/2 inches H x 6-1/2 inches W x 2-7/8 inches D with rounded corners. Larger speakers are not acceptable. The speaker shall utilize a high efficiency 100 watt driver. This will allow for a maximum sound output and clarity. Speaker driver must be easily replaceable. A speaker mounting bracket shall be supplied for most late-model vehicles.

LEXTAHUNMARK—UNMARKED TAHOE LIGHT/SIREN SYSTEM PACKAGE

Core siren system. The control head shall be supplied completely assembled with three programmable push button switches for progressive functions. The control head shall also have (18) push button switches that directly interface with the control head electronics and operates external equipment such as lightbars, headlight flashers. Ability to program all the lighting traffic arrows and siren functions in the vehicle. All outputs shall have both short circuit and over-current protection. WeCan lightbar plugs directly into the amplifier/control module and is programmed by the COMMAND software. Three analog inputs which can be programmed for a temperature sensor, photocell. Integrated battery voltage monitor, which can be programmed to shut off certain outputs when voltage drops to protect the battery and charging system. Support for one or two 100 watt speakers. Ability to program Hands-Free operation. 161 synchronizable, variable-phase, programmable flash patterns. Over 45 programmable siren tones. Radio repeat and public address functions. Built-in On/Off time that allows for a wide delay range from milliseconds to minutes. Diagnostic LEDs for quick trouble shooting. Preconfigured programs may be modified and stored for ease of service. Easily extract a custom program and transfer to multiple vehicles. USB ports in the amplifier/control module allows easy access for programming. Power and input/output cabling with connectors come standard. System must include CC5K* OBD integration cable.

SA315P & SAK*

The electronic speaker must utilize a multi-port reentrant design, which produces higher sound levels as well as clear sound. The siren speaker must meet or exceed SAE and California Title XIII requirements for a "Class A" speaker when used with a standard Whelen siren amplifier. The speaker must produce a minimum sound level of 120 to 122 dB at 10 feet. The speaker shall be made of a black composite material to resist fading and be of compact size, measuring no larger than 6-1/2 inches H x 6-1/2 inches W x 2-7/8 inches D with rounded corners. Larger speakers are not acceptable. The speaker shall utilize a high efficiency 100 watt driver. This will allow for a maximum sound output and clarity. Speaker driver must be easily replaceable. A speaker mounting bracket shall be supplied for most late-model vehicles.

ISFW*Z

The newly designed, low-profile Inner Edge FST series better utilizes vehicle contours, providing higher visibility and a custom fit. Whelen's all-new, patent pending Proclera® Silicone Optics increase clarity and have the power to punch through tints. The Inner Edge FST Series now features BroadBand Blue™ Available in Red, Amber, White, and NEW BroadBand Blue. WeCan® models are fully programmable, providing individual control of each color, and shall be DUO interleaved light modules. NEW Proclera Optic Technology features 100% silicone internal optics. Vehicle specific housing minimizes flashback to vehicle passengers. Mounts to visor anchor points. 38 Scan-Lock™ flash patterns. 17′ cable included.

ITRAYW8

The newly designed, low-profile Inner Edge RST Series better utilizes vehicle contours, providing higher visibility and a custom fit. Whelen's all-new, Proclera® Silicone Optics increase clarity and have the power to punch through tints. Mounts on the rear deck of sedans and to the rear headliner of SUVs and pickup trucks. Drop-in lighthead tray is universal, allowing for easy serviceability. Lighthead tray can be repurposed to a different vehicle by obtaining an alternate housing and mounting kit. 70 Scan-Lock™ flash patterns. Available in Red, Amber, White, and BroadBand Blue. WeCan® models are fully programmable, providing individual control of each color, and shall be DUO interleaved light modules. Proclera™ Optic Technology features 100% silicone internal optics. Vehicle specific housing minimizes flashback to vehicle passengers. 17' cable included.

IONGROM—ION SERIES GROMMET MOUNT

Grommet mount kit for Whelen ION series Super-LED lights.

WIONC—ION SERIES WHITE

The directional head assembly shall be supplied with a universal clip and universal gripper bracket as standard. The unit must be completely sealed for weather resistance and long life and durability. The unit must be designed to mount using either the included universal clip or gripper bracket, or optional bail mount bracket. The lighthead assembly shall measure a maximum 4 inches long x 1-5/16 inch protrusion, x 1 inches high with a black die cast housing. Larger units are not acceptable due to the size constraint of the mounting area. The directional head assembly shall have an ION Super-LED panel which contains a maximum of six (6) individual White Super-LEDs in a straight row that have a life expectancy of at least 100,000 hours each. The unit shall draw no more than .40 amps. There must be four (4) wires exiting each unit, one for each of the following: Power, Ground, ScanLock and Synchronize. The ScanLock wire will allow a choice of flash patterns including steady burn. There shall be twenty-five (25) patterns in the single color and sixty-nine (69) patterns in the split color version to choose from. Seven (7) patterns shall have a Phase 1 and Phase 2. When using multiple lightheads, the

synchronized wires are attached to alternate Phase 1 and Phase 2 patterns in each of these seven patterns. The unit will have a non-volatile memory and stay in the pattern selected. The lens must be made of clear polycarbonate and must have a smooth outer lens with built-in optics to insure maximum light output.

WIONJ-ION SERIES RED/BLUE SPLIT

The directional head assembly shall be supplied with a universal clip and universal gripper bracket as standard. The unit must be completely sealed for weather resistance and long life and durability. The unit must be designed to mount using either the included universal clip or gripper bracket, or optional bail mount bracket. The lighthead assembly shall measure a maximum 4 inches long x 1-5/16 inch protrusion, x 1 inches high with a black die cast housing. Larger units are not acceptable due to the size constraint of the mounting area. The directional head assembly shall have an ION Super-LED panel which contains a maximum of six (6) combination red & blue Super-LEDs in a straight row that have a life expectancy of at least 100,000 hours each. The unit shall draw no more than .40 amps. There must be four (4) wires exiting each unit, one for each of the following: Power, Ground, ScanLock and Synchronize. The ScanLock wire will allow a choice of flash patterns including steady burn. There shall be twenty-five (25) patterns in the single color and sixty-nine (69) patterns in the split color version to choose from. Seven (7) patterns shall have a Phase 1 and Phase 2. When using multiple lightheads, the synchronized wires are attached to alternate Phase 1 and Phase 2 patterns in each of these seven patterns. The unit will have a non-volatile memory and stay in the pattern selected. The lens must be made of clear polycarbonate and must have a smooth outer lens with built-in optics to insure maximum light output.

LINZ6*--SUPER LED HORIZONTAL LED LIGHT. ADVISE LED COLOR.

25 Scan-Lock™ flash patterns, including steady-burn, directional light pattern, hard-coated lenses minimize environmental damage from sand, sun, salt, & road chemicals. Includes black flange. Size: 1-9/16"? (40mm) H x 1-5/8" (42mm) D x 3-7/8" (98mm) L

ITRAYW8—INNER EDGE RST DUO SERIES. ADVISE VEHICLE MAKE, MODEL, & YEAR.

The newly designed, low-profile Inner Edge RST Series better utilizes vehicle contours, providing higher visibility and a custom fit. Whelen's all-new, Proclera® Silicone Optics increase clarity and have the power to punch through tints. Mounts on the rear deck of sedans and to the rear headliner of SUVs and pickup trucks. Drop-in lighthead tray is universal, allowing for easy serviceability. Lighthead tray can be repurposed to a different vehicle by obtaining an alternate housing and mounting kit. 70 Scan-Lock™ flash patterns. Available in Red, Amber, White, and BroadBand Blue. WeCan® models are fully programmable, providing individual control of each color, and shall be DUO interleaved light modules. Proclera™ Optic Technology features 100% silicone internal optics. Vehicle specific housing minimizes flashback to vehicle passengers. 17' cable included.

IW*UFX—INNER EDGE XLP DUO SERIES. ADVISE VEHICLE MAKE, MODEL, & YEAR.

The device shall be housed in two individual heavy duty aluminum housing with a clear outer lens for stealth look. Both units shall appear to be void of color until the Super-LED's are turned on. Each unit must be supplied with mounting brackets for ease of mounting in most late model law enforcement vehicles, one on the driver side, the other on the passenger side of the vehicle, and will be designed to fit snuggly to the windshield to prevent flash back into the passenger compartment. Each housing shall contain six (6) Super-LED panels. Each LED must be a high intensity Generation 3.5 Super-LED's (Light Emitting Diodes). Each housing must have six (6) lamps facing straight out of the housing. Each unit must use DUO technology with interleaved super LEDs. This will provide for a white override will allow the entire unit to be used as a forward-facing flood light, providing maximum visibility for officer safety. Each housing shall be made out of aluminum to provide maximum heat transfer from the LEDs. Keeping the LED's cooler allows them to run at a higher output providing a brighter light. The housing also shall be of an extra low-profile design, taking up as little windshield space as possible so as to not obstruct the drivers view.

CANWCT3—CANTROL SIREN SYSTEM TO INCLUDE CC5K* & CANCTL2

The control head shall be supplied completely assembled with three programmable push button switches for progressive functions. The control head shall also have (18) push button switches that directly interface with the control head electronics and operates external equipment such as lightbars, headlight flashers. Ability to program all the lighting traffic arrows and siren functions in the vehicle. All outputs shall have both short circuit and over-current protection. WeCan lightbar plugs directly into the amplifier/control module and is programmed by the COMMAND software. Three analog inputs which can be programmed for a temperature sensor, photocell. Integrated battery voltage monitor, which can be programmed to shut off certain outputs when voltage drops to protect the battery and charging system. Support for one or two 100 watt speakers. Ability to program Hands-Free operation. 161 synchronizable, variable-phase, programmable flash patterns. Over 45 programmable siren tones. Radio repeat and public address functions. Built-in On/Off time that allows for a wide delay range from milliseconds to minutes. Diagnostic LEDs for quick trouble shooting. Pre-configured programs may be modified and stored for ease of service. Easily extract a custom program and transfer to multiple vehicles. USB ports in the amplifier/control module allows easy access for programming. Power and input/output cabling with connectors come standard. System must include CC5K* OBD integration cable.

GB2SP3J—LEGACY SERIES LED LIGHTBAR. LEXINGTON SPECIFICATION.

GB2SP3J lightbar. The main structure of the lightbar must be one-piece extruded aluminum bottom and two piece extruded aluminum top held on by 4 screws per side. Lightbars with plastic/polycarbonate tops are not acceptable. The lightbar shall house all electronic components. The lightbar shall measure a maximum of 1 5/8 inches high x 11 5/16 inches wide x 55 inches long excluding mounting brackets. The lightbar must have Hi/Low power control of any or all LED warning modules and must allow for individual control and switching of the LED Lightheads to accomplish the progress intensity lighting required of the department. The lightbar shall contain one (1) internal control module I/O board which shall contain all the electronics required to operate all internal lightheads. The lightbar shall have a combination of: four (4) Multi Angled corner Linear18 LED lamps [2 Blue/White / 2 Red/White]; twelve (12) Long DUO+ Modules [3 R/W, 3 B/W, 3 A/R, 3 A/B]; four (4) Short DUO+ Modules [1 R/W, 1 B/W, 1 A/R, 1 A/B]; two (2) Super-LED Flashing Alley Lights. The lightbar shall use true DUO technology, each module in the lightbar is a DUO module whether it is one color or two. Using advanced thermo design each segment can be operated independently or at the same time. Lightbars that do not allow for both segments to be flashed at the same time are unacceptable. The I/O module shall be 100% solid state

with built-in reverse-polarity protection and output-short protection. They shall operate from 10-16 VDC with no degradation in flash rate, and shall operate through a temperature range of -30 degrees Celsius to 60 degrees Celsius. The lightbar shall be designed to have up to ten (10) lamps to the front, ten (10) lamps to the rear, and one (1) on each end. The lenses shall be constructed of polycarbonate with built-in spreader optics and a horizontal non-fluted strip across the center of each lens for maximum light output at the "zero" H-V point. The LED panel must be mounted within the lightbar. Systems in which the LED panel/lens assembly makes up the outside configuration of the lightbar are not acceptable. There shall be two (2) cables exiting the lightbar on the passenger side. Each cable shall be heavy duty water resistant, (1) each power and ground cable and a 2 conductor 20 gauge serial cable. The external cable shall be a minimum of 17 feet and exit the passenger side of the lightbar. The serial cable shall plug into an electronic control module which must communicate all lightbar operating functions to the lightbar. The lightbar shall have a photocell as standard feature. The photocell will automatically put the lightbar into low power mode during nighttime operation. Operating under low power during nighttime conditions enhances officer safety by not obscuring motorist vision with bright light, but instead providing them with better visibility of the vehicle and its surroundings. The standard mounting kit shall include a combination permanent mount and gutter mount. All hardware shall be stainless steel. Gutter straps must be designed for most late model vehicles.

GB8SP3J-LEGACY SERIES LED LIGHTBAR. LEXINGTON SPECIFICATION

GB8SP3J lightbar. The main structure of the lightbar must be one-piece extruded aluminum bottom and two piece extruded aluminum top held on by 4 screws per side. Lightbars with plastic/polycarbonate tops are not acceptable. The lightbar shall house all electronic components. The lightbar shall measure a maximum of 1 5/8 inches high x 11 5/16 inches wide x 48 inches long excluding mounting brackets. The lightbar must have Hi/Low power control of any or all LED warning modules and must allow for individual control and switching of the LED Lightheads to accomplish the progress intensity lighting required of the department. The lightbar shall contain one (1) internal control module I/O board which shall contain all the electronics required to operate all internal lightheads. The lightbar shall have a combination of: four (4) Multi Angled corner Linear18 LED lamps [2 Blue/White / 2 Red/White]; twelve (12) Long DUO+ Modules [3 R/W, 3 B/W, 3 A/R, 3 A/B]; four (4) Short DUO+ Modules [1 R/W, 1 B/W, 1 A/R, 1 A/B]; two (2) Super-LED Flashing Alley Lights. The lightbar shall use true DUO technology, each module in the lightbar is a DUO module whether it is one color or two. Using advanced thermo design each segment can be operated independently or at the same time. Lightbars that do not allow for both segments to be flashed at the same time are unacceptable. The I/O module shall be 100% solid state with built-in reverse-polarity protection and output-short protection. They shall operate from 10-16 VDC with no degradation in flash rate, and shall operate through a temperature range of -30 degrees Celsius to 60 degrees Celsius. The lightbar shall be designed to have up to ten (10) lamps to the front, ten (10) lamps to the rear, and one (1) on each end. The lenses shall be constructed of polycarbonate with built-in spreader optics and a horizontal non-fluted strip across the center of each lens for maximum light output at the "zero" H-V point. The LED panel must be mounted within the lightbar. Systems in which the LED panel/lens assembly makes up the outside configuration of the lightbar are not acceptable. There shall be two (2) cables exiting the lightbar on the passenger side. Each cable shall be heavy duty water resistant, (1) each power and ground cable and a 2 conductor 20 gauge serial cable. The external cable shall be a minimum of 17 feet and exit the passenger side of the lightbar. The serial cable shall plug into an electronic control module which must communicate all lightbar operating functions to the lightbar. The lightbar shall have a photocell as standard feature. The photocell will automatically put the lightbar into low power mode during nighttime operation. Operating under low power during nighttime conditions enhances officer safety by not obscuring motorist vision with bright light, but instead providing them with better visibility of the vehicle and its surroundings. The standard

mounting kit shall include a combination permanent mount and gutter mount. All hardware shall be stainless steel. Gutter straps must be designed for most late model vehicles.

VTX609*--VERTEX LED LIGHT. ADVISE LED COLOR

The lighthead must be designed with a minimum of six (6) Super-LEDs mounted to a flat board. This LED board must be mounted to an aluminum base designed for thermal heat management for long life and durability. The unit must be designed to mount into a 1" hole in a composite type headlight and taillight and, in turn, allow for easy upgrading of existing strobe Hide-A-Ways to LED. The base must be sealed to a hemispheric lens to provide weather resistance. The lens must be frosted for enhanced light output and spread. The unit must be no greater than 7/8" high by 1-1/2" diameter including the mounting flange. Units that are larger than these dimensions are not acceptable because they cover and block too much of the OEM reflector. The lamp must be available in Amber, Blue, White or Red. The unit must be supplied with a minimum of a four conductor, 22 gauge neoprene cable that is a minimum of 9' in length. This cable shall include an inline lamp driver that is completely encapsulated for moisture and vibration resistance. The four wires must allow for power, ground, Scan-Lock flash pattern, and synchronization features. There must be a minimum of 25 Scan-Lock flash patterns to choose from, including patterns that allow multiple lights to operate as a system by alternating or simultaneously flashing multiple lightheads in a sequence.

SA315P W/SAK*--SIREN SPEAKER WITH BRACKET

The electronic speaker must utilize a multi-port reentrant design, which produces higher sound levels as well as clear sound. The siren speaker must meet or exceed SAE and California Title XIII requirements for a "Class A" speaker when used with a standard Whelen siren amplifier. The speaker must produce a minimum sound level of 120 to 122 dB at 10 feet. The speaker shall be made of a black composite material to resist fading and be of compact size, measuring no larger than 6-1/2 inches H x 6-1/2 inches W x 2-7/8 inches D with rounded corners. Larger speakers are not acceptable. The speaker shall utilize a high efficiency 100 watt driver. This will allow for a maximum sound output and clarity. Speaker driver must be easily replaceable. A speaker mounting bracket shall be supplied for most late-model vehicles. Advise make, model, & year of vehicle.

HHS4200—HAND-HELD SIREN SYSTEM

Meets Class A requirements of SAE, AMECA, KKK1822, and California Title XIII when paired with one Whelen 100 watt speaker. Windows based programming software for full customization and configuration. Three control heads available. Amplifier module is Durable Black molded housing. Wail, Yelp, Piercer, Manual Siren, and Airhorn tones are preset standard. 37 total tones, including mechanical tones. Includes 20' interconnect cable. Eight 10 amp relay outputs and one 15 amp relay output. Includes WeCan® port that supports the Inner Edge® FST™ and RST™ Series, WeCan lightbars, or WeCan external amplifier. Operates one or two 100 watt speakers. Size: 7.46" (18.95cm) H, 8.49" (21.56cm) W, 2.35" (5.97cm) D

ISFW*Z-FRONT INNER EDGE DUO. ADVISE MAKE, MODEL, & YEAR OF VEHICLE.

The newly designed, low-profile Inner Edge FST series better utilizes vehicle contours, providing higher visibility and a custom fit. Whelen's all-new, patent pending Proclera® Silicone Optics increase clarity and have the power to punch through tints. The Inner Edge FST Series now features BroadBand Blue™

Available in Red, Amber, White, and NEW BroadBand Blue. WeCan® models are fully programmable, providing individual control of each color, and shall be DUO interleaved light modules. NEW Proclera Optic Technology features 100% silicone internal optics. Vehicle specific housing minimizes flashback to vehicle passengers. Mounts to visor anchor points. 38 Scan-Lock™ flash patterns. 17' cable included.

MCRNT*--MICRON SURFACE/STUD MOUNT SOLID/SPLIT COLOR. ADVISE LED COLOR.

25 Scan-Lock™ flash patterns, including steady-burn, directional light pattern, hard-coated lenses minimize environmental damage from sand, sun, salt, & road chemicals. Size: 7/8" (23mm) H x 13/16" (21mm) D x 4-1/16" (103mm) L

M4J-M4 SERIES RED/BLUE SPLIT LED

Hard-coated lenses minimize environmental damage from sand, sun, salt, and road chemicals. Surface mounts via two screws for easy installation. A variety of mounting brackets and optional Chrome or Black flanges are available. 64 Scan-Lock flash patterns. Size with flange: 3-3/8" (89mm) H x 1-3/8" (36mm) D x 5-1/2" (139mm) L.

M4FC—M4 SERIES CHROME FLANGE

Chrome flange kit for M4J.

PELCC—PERIMETER ENHANCEMENT LED LIGHT

White light is projected downward at a 40° angle to illuminate a large area. Hard-coated lenses minimize environmental damage from sand, salt, sun, and road chemicals. Fully encapsulated for moisture, vibration, and corrosion resistance. 6" pigtail connector. Size: 2-1/4" (56mm) H x 7-7/8" (201mm) W x 1-5/8" (42mm) D.

SPT5D—DRIVER SIDE BUMPER MOUNT SPEAKER

Bumper Mount Speaker for 2015-2019 Ford Transit, Driver Side.

WARRANTY

STANDARD / 2 YEAR WARRANTY--Whelen siren speakers, when used with a Whelen siren amplifier, are covered by a 2 year warranty from the date of manufacture.

SIRENS, LED PRODUCT, CONTROL HEADS AND SWITCH BOXES.
CanTrol®, LED Lightheads, I/O Boards, and Flashers: Electronic circuit boards are covered by a 5 year warranty.

HHS4200 Electronic circuit boards & PA Microphones are covered by a 2 year warranty. Warranty starts from date of manufacturer.

PRICE LIST - please log in to your lonwave account to submit pricing on the below items. Once you have completed and uploaded your bid package, you will need to click "yes" on the attributes tab.

Part Number Description

Motorcycle

PAR28D* 3.5" EXT

3.5" EXTEND LED DRIVE/WARNING ADVISE LED COLOR

PAR32HD1 ADAPTER KIT FOR PAR28D*

RBKTHD9 H-D REAR CRASH BAR MT FOR LINZ

SA350MH SA-350MH SIREN SPEAKER

SA350MB1 SA350M MOUNTING KIT

MCRNSC* SURFACE MT MICRON CHROME ADVISE LED COLOR

LINZ6 LED HORIZ SYNC ADVISE LED COLOR

RBKTHD7 LINZ6 90 DEG UNDER TURN SIGNAL MT

M4B6R MOTORCYCLE BOX 6-M4 RIGHT OPEN

M1BATT MOTORCYCLE GEL BATTERY

MBADPT14 MB4/6 ADAPTER PLATE 14 HARLEY

M4B6CHRG M4B6 BATTERY CHARGER RIGHT

M4BSEP M4B OPTIONAL SEPARATION PLATE

MOST "T" ION WINDSHIELD ARRAY BRBRB. Electra Glide

WPA112 Replacement siren amplifier for WS-321

WPA112B WPA112 siren amplifier bracket

Chevrolet Tahoe Marked & Unmarked

IONBKT7 Tahoe Grill Mount for (4) ION series Lights

IONBKT9 Tahoe Grill Mount for ION series Lights

WIONB Blue Wide angle ION series LED light

WIONR Red Wide angle ION series LED light

TLIR Red "T" ION series LED light

TLIB Blue "T" ION series LED light

TLMIC White Mini "T" ION series LED light

TIONMFC Chrome flange for TLMIC light

SSFPOSI6 Headlight/Taillight flasher for Tahoe

TIONBKT7 Tahoe Running Board Bracket

IONPEDB Black pedestal housing for ION series LED light

CEM8 8 output expansion module

CEM16 16 output expansion module

LEXTAHMARK Marked Tahoe Package to include:

1--Legacy bar--per cable spec, 1--Core siren system, 1 speaker & brackets 1--Legacy bar--per spec w/MKEZ101 mount kit, 1--C399 core, 1--CEM8 1--CANCTL2 control head, C399K* OBD cable, 1--SA315P, & SAK70

1--BS548 rear DUO inner edge. 1--01-0448144-000 mic ext kit

LEXTAHUNMARK Unmarked Tahoe Package to include:

1--BSFW54X, 1--BS548, 1--SA315P, 1--SAK70

1--C399, 1--CANCTL2, & 1--C399K* 6--ISSD, 6--ISDE, 4--ISDK, & 4 ISDM 1--01-0448144-00 mic ext kit

Misc. Lighting

IONGROM Whelen Grommet Mount

WIONC Whelen ION Series Universal Mount Super-LED Lightheads Clear

WIONJ Whelen ION Series Universal Mount Super-LED Lightheads Red/Blue

LINZ6* Whelen LINZ6 Series Linear Super-LED Lightheads advise LED color
IW34UFX / Whelen Inner Edge XLP WeCan DUO+ for Interceptor Utility/Sedan

IW38UFX

Page 15 of 17

CANWCT3 Whelen Cantrol Siren System w/CC5K* cable & CANCTL2 Push Button

Control Head

GB2SP3J Whelen Legacy Lightbar 54" Lexington Spec with mount brackets

GB8SP3J Whelen Legacy Lightbar 48" Lexington Spec with mount brackets

VTX609* Whelen Vertex Hide Away LED advise LED color

SA315P SAK58 Whelen SA315P Siren Speaker w/SAK58 Bracket

SA315P SAK51 Whelen SA315P Siren speaker w/ SAK51 Bracket

SA315P SAK70 Whelen SA315P Siren speaker w/ SAK70 Bracket

SA315P SAK63D Whelen SA315P Speaker w/SAK63 Bracket (Chevy Tahoe)

HHS-4200 Whelen Hand Held Siren System

ISFW*Z w/ 6-ISSD Whelen Front Inner Edge DUO. Advise vehicle make, model, & year

& 6-ISDE

ITRAYW8 w/ 4--ISDK & 4—ISDM Whelen Rear Inner Edge DUO. Advise vehicle make, model, & year

Whelen Micron Lighthead Surface/Stud Mount Black/Chrome

MCRNT* Solid/Split Color Red/Blue/Clear.

Ford Transit Equipment

M4 LED FLASHER BLUE/RED

M4FC M4 SERIES FLANGE CHROME

MCRNSCJ SURFACE MT MICRON R/B CHROME

PELCC PERIMETER ENHANCEMENT LT CHRM

SPT5D BUMPER MT SPEAKER DRVR TRANSIT

**** All other Whelen catalog items will be priced at a % off list price

Havis Equipment

C-VSW-1005-TAH-

PM

Tahoe Console

Filler Plates to be included with

C-EB35-T91S-1P Tait self contained radio bracket C-EB40-CCS-1P Whelen Core control head bracket

console

C-FP-15 1.5" filler panel

C-CUP-2-I

Internal Cupholder

CUP2-1001

Internal Cupholder

C-HDM-204

Side Mounted Pole

C-MD-112

Tilt Swivel Device

C-ARM-105

Arm Rest

K9-C26

Standard White K-9 transport system

K9-A-201

K9 Hot-N-Pop electronic system

K9-A-306

K9 transport Engine Stall Sensor

K9-A-102

K9 Air Circulation Fan

DS-PAN-432-2

Docking Station with Dual Pass-Through Antennas connections and power supply for

Panasonic Tough Book 54 and 55

All other Havis catalog items will be priced at a % off list price