



LEXINGTON

Lexington-Fayette Urban County Government

Lexington, Kentucky
Horse Capital of the World

Division of Central Purchasing

Date of Issue: November 2, 2017

INVITATION TO BID #70-2017 Web-Based Quartermaster Program

Bid Opening Date: November 16, 2017

Bid Opening Time: 2:00 PM

Address: 200 East Main Street, 3rd Floor, Room 338, Lexington, Kentucky 40507

Type of Bid: Price Contract

Pre Bid Meeting: N/A

Pre Bid Time: N/A

Address: N/A

Sealed bids will be received in the office of the Division of Central Purchasing, 200 East Main Street, Lexington, Kentucky, until **2:00 PM**, prevailing local time on **11/16/2017**. Bids must be received by the above-mentioned date and time. Mailed bids should be sent to:

**Division of Central Purchasing
200 East Main Street, Room 338
Lexington, KY 40507, (859) 258-3320**

The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. **Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.** All bids must be signed and have the company name and address, bid invitation number, and the name of the bid on the outside of the envelope.

Bids are to include all shipping costs to the point of delivery located at: Various

| | | |
|--|---|---|
| <input checked="" type="checkbox"/> Bid Specifications Met | Check One: <input type="checkbox"/> Exceptions to Bid Specifications. <i>Exceptions shall be itemized and attached to bid proposal submitted.</i> | Proposed Delivery: AS SPECIFIED 210 days after acceptance of bid. |
| Procurement Card Usage —The Lexington-Fayette Urban County Government may be using Procurement Cards to purchase goods and services and also to make payments. Will you accept Procurement Cards? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | |

Submitted by: GALLS, LLC
Firm Name

1340 RUSSELL CAVE RD
Address

LEXINGTON, KY 40505
City, State & Zip

Bid must be signed:
(original signature)


Signature of Authorized Company Representative – Title

MICHAEL WESSNER CEO
Representative's Name (Typed or printed)

800-876-4242 4181 877-914-2557
Area Code - Phone – Extension *Fax #*

PENMAN-JUSTIN@GALLS.COM
E-Mail Address

The Affidavit In this bid must be completed before your firm can be considered for award of this contract.

AFFIDAVIT

Comes the Affiant, MICHAEL WESSNER CEO, and after being first duly sworn under penalty of perjury as follows:

1. His/her name is MICHAEL WESSNER and he/she is the individual submitting the bid or is the authorized representative of GALLS, LLC the entity submitting the bid (hereinafter referred to as "Bidder")
2. Bidder will pay all taxes and fees, which are owed to the Lexington-Fayette Urban County Government at the time the bid is submitted, prior to award of the contract and will maintain a "current" status in regard to those taxes and fees during the life of the contract.
3. Bidder will obtain a Lexington-Fayette Urban County Government business license, if applicable, prior to award of the contract.
4. Bidder has authorized the Division of Central Purchasing to verify the above-mentioned information with the Division of Revenue and to disclose to the Urban County Council that taxes and/or fees are delinquent or that a business license has not been obtained.
5. Bidder has not knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky within the past five (5) years and the award of a contract to the Bidder will not violate any provision of the campaign finance laws of the Commonwealth.
6. Bidder has not knowingly violated any provision of Chapter 25 of the Lexington-Fayette Urban County Government Code of Ordinances, known as "Ethics Act."
7. Bidder acknowledges that "knowingly" for purposes of this Affidavit means, with respect to conduct or to circumstances described by a statute or ordinance defining an offense, that a person is aware or should have been aware that his conduct is of that nature or that the circumstance exists.

Further, Affiant sayeth naught.



STATE OF KENTUCKY

COUNTY OF FAYETTE

The foregoing instrument was subscribed, sworn to and acknowledged before me

by Michael Wessner on this the 16th day of November, 2017

My Commission expires: 5/3/18


NOTARY PUBLIC, STATE AT LARGE

Please refer to Section II. Bid Conditions, Item "U" prior to completing this form.

I. GREEN PROCUREMENT

A. ENERGY

The Lexington-Fayette Urban County Government is committed to protecting our environment and being fiscally responsible to our citizens.

The Lexington-Fayette Urban County Government mandates the use of Energy Star compliant products if they are available in the marketplace (go to www.Energystar.gov). If these products are available, but not submitted in your pricing, your bid will be rejected as non-compliant.

ENERGY STAR is a government program that offers businesses and consumers energy-efficient solutions, making it easy to save money while protecting the environment for future generations.

Key Benefits

These products use 25 to 50% less energy
Reduced energy costs without compromising quality or performance
Reduced air pollution because fewer fossil fuels are burned
Significant return on investment
Extended product life and decreased maintenance

B. GREEN SEAL CERTIFIED PRODUCTS

The Lexington-Fayette Urban County Government is also committed to using other environmentally friendly products that do not negatively impact our environment. Green Seal is a non-profit organization devoted to environmental standard setting, product certification, and public education.

Go to www.Greenseal.org to find available certified products. These products will have a reduced impact on the environment and on human health. The products to be used must be pre-approved by the LFUCG prior to commencement of any work in any LFUCG facility. If a Green Seal product is not available, the LFUCG must provide a signed waiver to use an alternate product. Please provide information on the Green Seal products being used with your bid response.

C. GREEN COMMUNITY

The Lexington-Fayette Urban County Government (LFUCG) serves as a principal, along with the University of Kentucky and Fayette County Public Schools, in the Bluegrass Partnership for a Green Community. The Purchasing Team component of the Partnership collaborates on economy of scale purchasing that promotes and enhances environmental initiatives. Specifically, when applicable, each principal is interested in obtaining best value products and/or services which promote environment initiatives via solicitations and awards from the other principals.

If your company is the successful bidder on this Invitation For Bid, do you agree to extend the same product/service pricing to the other principals of the Bluegrass Partnership for a Green Community (i.e. University of Kentucky and Fayette County Schools) if requested?

Yes No

II. Bid Conditions

- A. No bid may be withdrawn for a period of sixty (60) days after the date and time set for opening.
- B. No bid may be altered after the date and time set for opening. In the case of obvious errors, the Division of Central Purchasing may permit the withdrawal of a bid. The decision as to whether a bid may be withdrawn shall be that of the Division of Central Purchasing.
- C. Acceptance of this proposal shall be enactment of an Ordinance by the Urban County Council.
- D. The bidder agrees that the Urban County Government reserves the right to reject any and all bids for either fiscal or technical reasons, and to award each part of the bid separately or all parts to one vendor.
- E. Minor exceptions may not eliminate the bidder. The decision as to whether any exception is minor shall be entirely that of the head of the requisitioning Department or Division and the Director of the Division of Central Purchasing. The Urban County Government may waive technicalities and informalities where such waiver would best serve the interests of the Urban County Government.
- F. Manufacturer's catalogue numbers, trade names, etc., where shown herein are for descriptive purposes and are to guide the bidder in interpreting the standard of quality, design, and performance desired, and shall not be construed to exclude proposals based on furnishing other types of materials and/or services. However, any substitution or departure proposed by the bidder must be clearly noted and described; otherwise, it will be assumed that the bidder intends to supply items specifically mentioned in this Invitation for Bids.
- G. The Urban County Government may require demonstrations of the materials proposed herein prior to acceptance of this proposal.
- H. Bids must be submitted on this form and must be signed by the bidder or his authorized representative. Unsigned bids will not be considered.
- I. Bids must be submitted prior to the date and time indicated for opening. Bids submitted after this time will not be considered.
- J. All bids mailed must be marked on the face of the envelope:

"Bid on #70-2017 Web-Based Quartermaster Program"

and addressed to: Division of Central Purchasing
 200 East Main Street, Room 338
 Lexington, Kentucky 40507

The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.
- K. Bidder is requested to show both unit prices and lot prices. In the event of error, the unit price shall prevail.
- L. A certified check or Bid Bond in the amount of XX percent of the bid price must be attached hereto. This check must be made payable to the Lexington-Fayette Urban County Government, and will be returned when the material and/or services specified herein have been delivered in accordance with specifications. In the event of failure to perform within the time period set forth in this bid, it is agreed the certified check may be cashed and the funds retained by the Lexington-Fayette Urban County Government as liquidated damages. Checks of unsuccessful bidders will be returned when the bid has been awarded.
- M. The delivery dates specified by bidder may be a factor in the determination of the successful bidder.
- N. Tabulations of bids received may be mailed to bidders. Bidders requesting tabulations must enclose a stamped, self-addressed envelope with the bid.
- O. The Lexington-Fayette Urban County Government is exempt from Kentucky Sales Tax and Federal Excise Tax on materials purchased from this bid invitation. Materials purchased by the bidder for construction

projects are not tax exempt and are the sole responsibility of the bidder.

- P. All material furnished hereunder must be in full compliance with OSHA regulations.
- Q. If more than one bid is offered by one party, or by any person or persons representing a party, all such bids shall be rejected.
- R. Signature on the face of this bid by the Bidder or his authorized representative shall be construed as acceptance of and compliance with all terms and conditions contained herein.
- S. The Entity (regardless of whether construction contractor, non-construction contractor or supplier) agrees to provide equal opportunity in employment for all qualified persons, to prohibit discrimination in employment because of race, color, creed, national origin, sex or age, and to promote equal employment through a positive, continuing program from itself and each of its sub-contracting agents. This program of equal employment opportunity shall apply to every aspect of its employment policies and practices.
- T. The Kentucky Equal Employment Opportunity Act of 1978 (KRS 45.560-45.640) requires that any county, city, town, school district, water district, hospital district, or other political subdivision of the state shall include in directly or indirectly publicly funded contracts for supplies, materials, services, or equipment hereinafter entered into the following provisions:

During the performance of this contract, the contractor agrees as follows:

- (1) The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, age or national origin;*
- (2) The contractor will state in all solicitations or advertisements for employees placed by or on behalf of the contractors that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, age or national origin;*
- (3) The contractor will post notices in conspicuous places, available to employees and applicants for employment, setting forth the provisions of the non-discrimination clauses required by this section; and*
- (4) The contractor will send a notice to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding advising the labor union or workers' representative of the contractor's commitments under the nondiscrimination clauses.*

The Act further provides:

KRS 45.610. Hiring minorities - Information required

- (1) For the length of the contract, each contractor shall hire minorities from other sources within the drawing area, should the union with which he has collective bargaining agreements be unwilling to supply sufficient minorities to satisfy the agreed upon goals and timetable.*
- (2) Each contractor shall, for the length of the contract, furnish such information as required by KRS 45.560 to KRS 45.640 and by such rules, regulations and orders issued pursuant thereto and will permit access to all books and records pertaining to his employment practices and work sites by the contracting agency and the department for purposes of investigation to ascertain compliance with KRS 45.560 to 45.640 and such rules, regulations and orders issued pursuant thereto.*

KRS 45.620. Action against contractor - Hiring of minority contractor or subcontractor

- (1) If any contractor is found by the department to have engaged in an unlawful practice under this chapter during the course of performing under a contract or subcontract covered under KRS 45.560 to 45.640, the department shall so certify to the contracting agency and such certification shall be binding upon the contracting agency unless it is reversed in the course of judicial review.*
- (2) If the contractor is found to have committed an unlawful practice under KRS 45.560 to 45.640, the contracting agency may cancel or terminate the contract, conditioned upon a program for future compliance approved by the contracting agency and the department. The contracting agency may*

declare such a contractor ineligible to bid on further contracts with that agency until such time as the contractor complies in full with the requirements of KRS 45.560 to 45.640.

- (3) *The equal employment provisions of KRS 45.560 to 45.640 may be met in part by a contractor by subcontracting to a minority contractor or subcontractor. For the provisions of KRS 45.560 to 45.640, a minority contractor or subcontractor shall mean a business that is owned and controlled by one or more persons disadvantaged by racial or ethnic circumstances.*

KRS 45.630 Termination of existing employee not required, when

Any provision of KRS 45.560 to 45.640 notwithstanding, no contractor shall be required to terminate an existing employee upon proof that that employee was employed prior to the date of the contract.

KRS 45.640 Minimum skills

Nothing in KRS 45.560 to 45.640 shall require a contractor to hire anyone who fails to demonstrate the minimum skills required to perform a particular job.

It is recommended that all of the provisions above quoted to be included as special conditions in each contract. In the case of a contract exceeding \$250,000, the contractor is required to furnish evidence that his work-force in Kentucky is representative of the available work-force in the area from which he draws employees, or to supply an Affirmative Action plan which will achieve such representation during the life of the contract.

- U. Any party, firm or individual submitting a proposal pursuant to this invitation must be in compliance with the requirements of the Lexington-Fayette Urban County Government regarding taxes and fees before they can be considered for award of this invitation and must maintain a "current" status with regard to those taxes and fees throughout the term of the contract. The contractor must be in compliance with Chapter 13 from the Code of Ordinances of the Lexington-Fayette Urban County Government. The contractor must be in compliance with Ordinance 35-2000 pursuant to contractor registration with the Division of Building Inspection. If applicable, said business must have a Fayette County business license.

Pursuant to KRS 45A.343 and KRS 45A.345, the contractor shall

- (1) *Reveal any final determination of a violation by the contractor within the previous five year period pursuant to KRS Chapters 136 (corporation and utility taxes), 139 (sales and use taxes), 141 (income taxes), 337 (wages and hours), 338 (occupational safety and health of employees), 341 (unemployment and compensation) and 342 (labor and human rights) that apply to the contractor; and*
- (2) *Be in continuous compliance with the above-mentioned KRS provisions that apply to the contractor for the duration of the contract.*

A contractor's failure to reveal the above or to comply with such provisions for the duration of the contract shall be grounds for cancellation of the contract and disqualification of the contractor from eligibility for future contracts for a period of two (2) years.

- V. Vendors who respond to this invitation have the right to file a notice of contention associated with the bid process or to file a notice of appeal of the recommendation made by the Director of Central Purchasing resulting from this invitation.

Notice of contention with the bid process must be filed within 3 business days of the bid/proposal opening by (1) sending a written notice, including sufficient documentation to support contention, to the Director of the Division of Central Purchasing or (2) submitting a written request for a meeting with the Director of Central Purchasing to explain his/her contention with the bid process. After consulting with the Commissioner of Finance the Chief Administrative Officer and reviewing the documentation and/or hearing the vendor, the Director of Central Purchasing shall promptly respond in writing findings as to the compliance with bid processes. If, based on this review, a bid process irregularity is deemed to have occurred the Director of Central Purchasing will consult with the Commissioner of Finance, the Chief Administrative Officer and the Department of Law as to the appropriate remedy.

Notice of appeal of a bid recommendation must be filed within 3 business days of the bid recommendation by (1) sending a written notice, including sufficient documentation to support appeal, to the Director, Division of Central Purchasing or (2) submitting a written request for a meeting with the Director of Central Purchasing to explain his appeal. After reviewing the documentation and/or hearing the vendor and consulting with the Commissioner of Finance and the Chief Administrative Officer, the Director of Central Purchasing shall in writing, affirm or withdraw the recommendation.

III. Procurement Contract Bid Conditions

- A. The terms of this agreement shall be for 2 year(s) from the date of acceptance of this contract by the Lexington-Fayette Urban County Government. This agreement may be automatically extended for an additional (3)-1 year(s) renewal. This contract may be canceled by either party thirty (30) days after delivery by canceling party of written notice of intent to cancel to the other contracting party.
- B. Price Changes **(Space Checked Applies)**
 - () 1. Prices quoted in response to the Invitation shall be firm prices for the first 90 days of the Procurement Contract. After 90 days, prices may be subject to revision and such changes shall be based on general industry changes. Revision may be either increases or decreases and may be requested by either party. There will be no more than one (1) price adjustment per quarter. Requests for price changes shall be received in writing at least twenty (20) days prior to the effective date and are subject to written acceptance before becoming effective. Proof of the validity of a request for revision shall be responsibility of the requesting party. The Lexington-Fayette Urban County Government shall receive the benefit of any decline that the seller shall offer his other accounts.
 - () 2. No provision for price change is made herein. Prices are to be firm for the term of this contract.
 - () 3. See bid specifications.
 - (XXX) 4. Prices quoted in response to the Invitation Procurement Contract. After first (1) year, Section 2.20.2.
- C. If any contract item is not available from the vendor, the Lexington-Fayette Urban County Government, at its option, may permit the item to be back-ordered or may procure the item on the open market.
- D. All invoices must bear reference to the Lexington-Fayette Urban County Government Purchasing document numbers which are being billed.
- E. This contract may be canceled by the Lexington-Fayette Urban County Government if it is determined that the Bidder has failed to perform under the terms of this agreement, such cancellation to be effective upon receipt of written notice of cancellation by the Bidder.
- F. No substitutions for articles specified herein may be made without prior approval of the Division of Central Purchasing.

EQUAL OPPORTUNITY AGREEMENT

Standard Title VI Assurance

The Lexington Fayette-Urban County Government, (hereinafter referred to as the "Recipient") hereby agrees that as a condition to receiving any Federal financial assistance from the U.S. Department of Transportation, it will comply with Title VI of the Civil Rights Act of 1964, 78Stat.252, 42 U.S.C. 2000d-4 (hereinafter referred to as the "Act"), and all requirements imposed by or pursuant to Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, (49 CFR, Part 21) Nondiscrimination in Federally Assisted Program of the Department of Transportation – Effectuation of Title VI of the Civil Rights Act of 1964 (hereinafter referred to as the "Regulations") and other pertinent directives, no person in the United States shall, on the grounds of race, color, national origin, sex, age (over 40), religion, sexual orientation, gender identity, veteran status, or disability be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any program or activity for which the Recipient receives Federal financial assistance from the U.S. Department of Transportation, including the Federal Highway Administration, and hereby gives assurance that will promptly take any necessary measures to effectuate this agreement. This assurance is required by subsection 21.7(a) (1) of the Regulations.

The Law

- Title VII of the Civil Rights Act of 1964 (amended 1972) states that it is unlawful for an employer to discriminate in employment because of race, color, religion, sex, age (40-70 years) or national origin.
- Executive Order No. 11246 on Nondiscrimination under Federal contract prohibits employment discrimination by contractor and sub-contractor doing business with the Federal Government or recipients of Federal funds. This order was later amended by Executive Order No. 11375 to prohibit discrimination on the basis of sex.
- Section 503 of the Rehabilitation Act of 1973 states: *The Contractor will not discriminate against any employee or applicant for employment because of physical or mental disability.*
- Section 2012 of the Vietnam Era Veterans Readjustment Act of 1973 requires Affirmative Action on behalf of disabled veterans and veterans of the Vietnam Era by contractors having Federal contracts.
- Section 206(A) of Executive Order 12086, Consolidation of Contract Compliance Functions for Equal Employment Opportunity, states: *The Secretary of Labor may investigate the employment practices of any Government contractor or sub-contractor to determine whether or not the contractual provisions specified in Section 202 of this order have been violated.*

The Lexington-Fayette Urban County Government practices Equal Opportunity in recruiting, hiring and promoting. It is the Government's intent to affirmatively provide employment opportunities for those individuals who have previously not been allowed to enter into the mainstream of society. Because of its importance to the local Government, this policy carries the full endorsement of the Mayor, Commissioners, Directors and all supervisory personnel. In following this commitment to Equal Employment Opportunity and because the Government is the benefactor of the Federal funds, it is both against the Urban County Government policy and illegal for the Government to let contracts to companies which knowingly or unknowingly practice discrimination in their employment practices. Violation of the above mentioned ordinances may cause a contract to be canceled and the contractors may be declared ineligible for future consideration.

Please sign this statement in the appropriate space acknowledging that you have read and understand the provisions contained herein. Return this document as part of your application packet.

Bidders

I/We agree to comply with the Civil Rights Laws listed above that govern employment rights of minorities, women, veteran status, disability and age.

Signature



Galls, LLC
Name of Business

GENERAL PROVISIONS OF BID CONTRACT

By signing the below, bidder acknowledges that it understands and agrees with the following provisions related to its bid response and the provision of any goods or services to LFUCG upon selection by LFUCG pursuant to the bid request:

1. Bidder shall comply with all Federal, State & Local regulations concerning this type of service or good. All applicable state laws, ordinances and resolutions (including but not limited to Section 2-33 (Discrimination due to sexual orientation or gender identity) and Chapter 13 (Licenses and Regulations) of the Lexington-Fayette Urban County Government Code of Ordinances, and Resolution No. 484-17 (Minority, Women, and Veteran-Owned Businesses)) and the regulations of all authorities having jurisdiction over the project shall apply to the contract, and shall be deemed to be incorporated herein by reference.
2. Failure to submit ALL forms and information required by LFUCG may be grounds for disqualification.
3. Addenda: All addenda and IonWave Q&A, if any, must be considered by the bidder in making its response, and such addenda shall be made a part of the requirements of the bid contract. Before submitting a bid response, it is incumbent upon bidder to be informed as to whether any addenda have been issued, and the failure of the bidder to cover any such addenda may result in disqualification of that response.
4. Bid Reservations: LFUCG reserves the right to reject any or all bid responses, to award in whole or part, and to waive minor immaterial defects in proposals. LFUCG may consider any alternative proposal that meets its basic needs.
5. Liability: LFUCG is not responsible for any cost incurred by bidder in the preparation of its response.
6. Changes/Alterations: Bidder may change or withdraw a proposal at any time prior to the opening; however, no oral modifications will be allowed. Only letters, or other formal written requests for modifications or corrections of a previously submitted proposal which is addressed in the same manner as the bid response, and received by LFUCG prior to the scheduled closing time for receipt of bids, will be accepted. The bid response when opened, will then be corrected in accordance with such written request(s), provided that the written request is contained in a sealed envelope which is plainly marked "modifications of bid response".
7. Clarification of Submittal: LFUCG reserves the right to obtain clarification of any point in a bid or to obtain additional information from any bidder.
8. Bribery Clause: By his/her signature on its response, bidder certifies that no employee of his/hers, any affiliate or subcontractor, has bribed or attempted to bribe an officer or employee of the LFUCG.
9. Additional Information: While not necessary, the bidder may include any product brochures, software documentation, sample reports, or other documentation that may assist LFUCG in better understanding and evaluating the bid response. Additional documentation shall not serve as a substitute for other documentation which is required by the LFUCG to be submitted with the bid response.
10. Ambiguity, Conflict or other Errors: If a bidder discovers any ambiguity, conflict, discrepancy, omission or other error in the bid request of LFUCG, it shall immediately notify LFUCG of such error in writing and request modification or clarification of the document if allowable by the LFUCG.
11. Agreement to Bid Terms: In submitting its bid response, the bidder agrees that it has carefully examined the specifications and all provisions relating to LFUCG's bid request, including but not limited to the bid contract. By submission of its bid response, bidder states that it understands the meaning, intent and requirements of LFUCG's bid request and agrees to the same. The successful bidder shall warrant that it is familiar with and understands all provisions herein and shall warrant that it can comply with them. No additional compensation

to bidder shall be authorized for services, expenses, or goods reasonably covered under these provisions that the bidder omits from its bid response.

12. Cancellation: LFUCG may unilaterally terminate the bid contract with the selected bidder(s) at any time, with or without cause, by providing at least thirty (30) days advance written notice unless a different advance written notice period is negotiated prior to contract approval. Payment for services or goods received prior to termination shall be made by the LFUCG provided these goods or services were provided in a manner acceptable to the LFUCG. Payment for those goods and services shall not be unreasonably withheld.
13. Assignment of Contract: The selected bidder(s) shall not assign or subcontract any portion of the bid contract with LFUCG without the express written consent of LFUCG. Any purported assignment or subcontract in violation hereof shall be void. It is expressly acknowledged that LFUCG shall never be required or obligated to consent to any request for assignment or subcontract; and further that such refusal to consent can be for any or no reason, fully within the sole discretion of LFUCG.
14. No Waiver: No failure or delay by LFUCG in exercising any right, remedy, power or privilege hereunder, nor any single or partial exercise thereof, nor the exercise of any other right, remedy, power or privilege shall operate as a waiver hereof or thereof. No failure or delay by LFUCG in exercising any right, remedy, power or privilege under or in respect of this bid proposal or bid contract shall affect the rights, remedies, powers or privileges of LFUCG hereunder or shall operate as a waiver thereof.
15. Authority to do Business: Each bidder must be authorized to do business under the laws of the Commonwealth of Kentucky and must be in good standing and have full legal capacity to provide the goods or services specified in the bid proposal. Each bidder must have all necessary right and lawful authority to submit the bid response and enter into the bid contract for the full term hereof including any necessary corporate or other action authorizing the bidder to submit the bid response and enter into this bid contract. If requested, the bidder will provide LFUCG with a copy of a corporate resolution authorizing this action and/or a letter from an attorney confirming that the proposer is authorized to do business in the Commonwealth of Kentucky. All bid responses must be signed by a duly authorized officer, agent or employee of the bidder.
16. Governing Law: This bid request and bid contract shall be governed by and construed in accordance with the laws of the Commonwealth of Kentucky. In the event of any proceedings regarding this matter, the bidder agrees that the venue shall be the Fayette County Circuit Court or the U.S. District Court for the Eastern District of Kentucky, Lexington Division and that the bidder expressly consents to personal jurisdiction and venue in such Court for the limited and sole purpose of proceedings relating to these matters or any rights or obligations arising thereunder.
17. Ability to Meet Obligations: Bidder affirmatively states that there are no actions, suits or proceedings of any kind pending against bidder or, to the knowledge of the bidder, threatened against the bidder before or by any court, governmental body or agency or other tribunal or authority which would, if adversely determined, have a materially adverse effect on the authority or ability of bidder to perform its obligations under this bid response or bid contract, or which question the legality, validity or enforceability hereof or thereof.
18. Price Discrepancy: In case of price discrepancy, unit bid price written in words will prevail followed by unit price written in numbers then total amount bid per line item.
19. Bidder understands and agrees that its employees, agents, or subcontractors are not employees of LFUCG for any purpose whatsoever. Bidder is an independent contractor at all times related to the bid response or bid contract.
20. If any term or provision of this bid contract shall be found to be illegal or unenforceable, the remainder of the contract shall remain in full force and such term or provision shall be deemed stricken.



Signature

11-28-17
Date

WORKFORCE ANALYSIS FORM

Name of Organization: Galls, LLC

| Categories | Total | White (Not Hispanic or Latino) | | Hispanic or Latino | | Black or African-American (Not Hispanic or Latino) | | Native Hawaiian and Other Pacific Islander (Not Hispanic or Latino) | | Asian (Not Hispanic or Latino) | | American Indian or Alaskan Native (not Hispanic or Latino) | | Two or more races (Not Hispanic or Latino) | | Total | |
|---------------------|-------------|-----------------------------------|------------|--------------------|------------|---|------------|--|----------|-----------------------------------|-----------|---|----------|---|----------|------------|------------|
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| Administrators | 157 | 75 | 49 | 5 | 8 | 8 | 5 | 0 | 0 | 5 | 1 | 1 | 0 | 0 | 0 | 94 | 63 |
| Professionals | 61 | 28 | 25 | 0 | 1 | 2 | 3 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 30 | 31 |
| Superintendents | N/A | | | | | | | | | | | | | | | | |
| Supervisors | N/A | | | | | | | | | | | | | | | | |
| Foremen | N/A | | | | | | | | | | | | | | | | |
| Technicians | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Protective Services | N/A | | | | | | | | | | | | | | | | |
| Sales | 245 | 73 | 79 | 13 | 32 | 11 | 19 | 0 | 2 | 4 | 6 | 0 | 2 | 3 | 1 | 104 | 141 |
| Office/Clerical | 156 | 39 | 72 | 4 | 6 | 4 | 25 | 0 | 0 | 2 | 4 | 0 | 0 | 0 | 0 | 49 | 107 |
| Skilled Craft | 351 | 31 | 70 | 27 | 55 | 35 | 85 | 0 | 1 | 5 | 39 | 0 | 2 | 1 | 0 | 99 | 252 |
| Laborers & Helpers | 144 | 45 | 24 | 11 | 17 | 21 | 16 | 0 | 0 | 3 | 4 | 0 | 2 | 1 | 0 | 81 | 63 |
| Total: | 1115 | 292 | 319 | 60 | 119 | 81 | 153 | 0 | 4 | 19 | 56 | 1 | 6 | 5 | 1 | 458 | 657 |

Prepared by: Tiffany Brewer, Manager, Contract Administration Date: 11 / 28 / 2017

(Name and Title)

Revised 2015-Dec-15

**DIRECTOR, DIVISION OF CENTRAL PURCHASING
LEXINGTON-FAYETTE URBAN COUNTY GOVERNMENT
200 EAST MAIN STREET
LEXINGTON, KENTUCKY 40507**

**NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE
EQUAL EMPLOYMENT OPPORTUNITIES AND DBE CONTRACT PARTICIPATION**

The Lexington-Fayette Urban County Government has set a goal that not less than ten percent (10%) of the total value of this contract be subcontracted to MBE/WBE's, and set a goal that not less than three percent (3%) of the total value of this contract be subcontracted to Veteran-Owned Small Businesses. The goal for the utilization of Certified MBE/WBE's and Veteran-Owned Small Businesses as subcontractors are recommended goals. Contractors who fail to meet such goals will be expected to provide written explanations to the Director of the Division of Central Purchasing of efforts they have made to accomplish the recommended goals and the extent to which they are successful in accomplishing the recommended goals will be a consideration in the procurement process.

For assistance in locating MBE/WBE Subcontractors contact Sherita Miller at 859/258-3320 or by writing the address listed below:

Sherita Miller, Division of Central Purchasing
Lexington-Fayette Urban County Government
200 East Main Street – Room 338
Lexington, Kentucky 40507
smiller@lexingtonky.gov

Lexington-Fayette Urban County Government
MWDBE PARTICIPATION GOALS

A. GENERAL

- 1) The LFUCG request all potential contractors to make a concerted effort to include Minority-Owned (MBE), Woman-Owned (WBE), Disadvantaged (DBE) Business Enterprises and Veteran-Owned Small Businesses (VOSB) as subcontractors or suppliers in their bids.
- 2) Toward that end, the LFUCG has established 10% of total procurement costs as a Goal for participation of Minority-Owned, Woman-Owned and Disadvantaged Businesses on this contract.
- 3) **It is therefore a request of each Bidder to include in its bid, the same goal (10%) for MWDBE participation and other requirements as outlined in this section.**
- 4) The LFUCG has also established a 3% of total procurement costs as a Goal for participation for of Veteran-Owned Businesses.
- 5) **It is therefore a request of each Bidder to include in its bid, the same goal (3%) for Veteran-Owned participation and other requirements as outlined in this section.**

B. PROCEDURES

- 1) The successful bidder will be required to report to the LFUCG, the dollar amounts of all payments submitted to Minority-Owned, Woman-Owned or Veteran-Owned subcontractors and suppliers for work done or materials purchased for this contract. (See Subcontractor Monthly Payment Report)
- 2) Replacement of a Minority-Owned, Woman-Owned or Veteran-Owned subcontractor or supplier listed in the original submittal must be requested in writing and must be accompanied by documentation of Good Faith Efforts to replace the subcontractor / supplier with another MWDBE Firm; this is subject to approval by the LFUCG. (See LFUCG MWDBE Substitution Form)
- 3) For assistance in identifying qualified, certified businesses to solicit for potential contracting opportunities, bidders may contact:
 - a) The Lexington-Fayette Urban County Government, Division of Central Purchasing (859-258-3320)
- 4) The LFUCG will make every effort to notify interested MWDBE and Veteran-Owned subcontractors and suppliers of each Bid Package, including information on the scope of work, the pre-bid meeting time and location, the bid date, and all other pertinent information regarding the project.

C. DEFINITIONS

- 1) A Minority-Owned Business Enterprise (MBE) is defined as a business which is certified as being at least 51% owned, managed and controlled by persons of African American, Hispanic, Asian, Pacific Islander, American Indian or Alaskan Native Heritage.

- 2) A Woman-Owned Business Enterprise (WBE) is defined as a business which is certified as being at least 51% owned, managed and controlled by one or more women.
- 3) A Disadvantaged Business (DBE) is defined as a business which is certified as being at least 51% owned, managed and controlled by a person(s) that are economically and socially disadvantaged.
- 4) A Veteran-Owned Small Business (VOSB) is defined as a business which is certified as being at least 51% owned, managed and controlled by a veteran and/or a service disabled veteran.
- 5) Good Faith Efforts are efforts that, given all relevant circumstances, a bidder or proposer actively and aggressively seeking to meet the goals, can reasonably be expected to make. In evaluating good faith efforts made toward achieving the goals, whether the bidder or proposer has performed the efforts outlined in the Obligations of Bidder for Good Faith Efforts outlined in this document will be considered, along with any other relevant factors.

D. OBLIGATION OF BIDDER FOR GOOD FAITH EFFORTS

- 1) **The bidder shall make a Good Faith Effort to achieve the Participation Goal for MWDBE and Veteran-Owned subcontractors/suppliers. The failure to meet the goal shall not necessarily be cause for disqualification of the bidder; however, bidders not meeting the goal are required to furnish with their bids written documentation of their Good Faith Efforts to do so.**
- 2) Award of Contract shall be conditioned upon satisfaction of the requirements set forth herein.
- 3) The Form of Proposal includes a section entitled "MWDBE Participation Form". The applicable information must be completed and submitted as outlined below.
- 4) **Failure to submit this information as requested may be cause for rejection of bid or delay in contract award.**

E. DOCUMENTATION REQUIRED FOR GOOD FAITH EFFORTS

- 1) Bidders reaching the Goal are required to submit only the MWDBE Participation Form." The form must be fully completed including names and telephone number of participating MWDBE firm(s); type of work to be performed; estimated value of the contract and value expressed as a percentage of the total Lump Sum Bid Price. The form must be signed and dated, and is to be submitted with the bid.
- 2) Bidders not reaching the Goal must submit the "MWDBE Participation Form", the "Quote Summary Form" and a written statement documenting their Good Faith Effort to do so. If bid includes no MWDBE and/or Veteran participation, bidder shall enter "None" on the subcontractor / supplier form). In addition, the bidder must submit written proof of their Good Faith Efforts to meet the Participation Goal:
 - a. Advertised opportunities to participate in the contract in at least two (2) publications of general circulation media; trade and professional association publications; small and minority business or trade publications; and publications or trades targeting minority, women and disadvantaged businesses not less than fifteen (15) days prior to the deadline for submission

of bids to allow MWDBE firms and Veteran-Owned businesses to participate.

b. Included documentation of advertising in the above publications with the bidders good faith efforts package

c. Attended LFUCG Central Purchasing Economic Inclusion Outreach event

d. Attended pre-bid meetings that were scheduled by LFUCG to inform MWDBEs and/or Veteran-Owned businesses of subcontracting opportunities

e. Sponsored Economic Inclusion event to provide networking opportunities for prime contractors and MWDBE firms and Veteran-Owned businesses.

f. Requested a list of MWDBE and/or Veteran subcontractors or suppliers from LFUCG and showed evidence of contacting the companies on the list(s).

g. Contacted organizations that work with MWDBE companies for assistance in finding certified MWBDE firms and Veteran-Owned businesses to work on this project. Those contacted and their responses should be a part of the bidder's good faith efforts documentation.

h. Sent written notices, by certified mail, email or facsimile, to qualified, certified MWDBEs and/or Veteran-Owned businesses soliciting their participation in the contract not less than seven (7) days prior to the deadline for submission of bids to allow them to participate effectively.

i. Followed up initial solicitations by contacting MWDBEs and Veteran-Owned Businesses to determine their level of interest.

j. Provided the interested MWBDE firm and/or Veteran-Owned business with adequate and timely information about the plans, specifications, and requirements of the contract.

k. Selected portions of the work to be performed by MWDBE firms and/or Veteran-Owned businesses in order to increase the likelihood of meeting the contract goals. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate MWDBE and Veteran participation, even when the prime contractor may otherwise perform these work items with its own workforce

l. Negotiated in good faith with interested MWDBE firms and Veteran-Owned businesses not rejecting them as unqualified without sound reasons based on a thorough investigation of their capabilities. Any rejection should be so noted in writing with a description as to why an agreement could not be reached.

m. Included documentation of quotations received from interested MWDBE firms and Veteran-Owned businesses which were not used due to uncompetitive pricing or were rejected as unacceptable and/or copies of responses from firms indicating that they would not be submitting a bid.

n. Bidder has to submit sound reasons why the quotations were considered unacceptable. The fact that the bidder has the ability and/or desire to perform the contract work with its own

forces will not be considered a sound reason for rejecting a MWDBE and/or Veteran-Owned business's quote. Nothing in this provision shall be construed to require the bidder to accept unreasonable quotes in order to satisfy MWDBE and Veteran goals.

o. Made an effort to offer assistance to or refer interested MWDBE firms and Veteran-Owned businesses to obtain the necessary equipment, supplies, materials, insurance and/or bonding to satisfy the work requirements of the bid proposal

p. Made efforts to expand the search for MWBE firms and Veteran-Owned businesses beyond the usual geographic boundaries.

q. Other--any other evidence that the bidder submits which may show that the bidder has made reasonable good faith efforts to include MWDBE and Veteran participation.

Note: Failure to submit any of the documentation requested in this section may be cause for rejection of bid. Bidders may include any other documentation deemed relevant to this requirement which is subject to review by the MBE Liaison. Documentation of Good Faith Efforts must be submitted with the Bid, if the participation Goal is not met.



LEXINGTON

MINORITY BUSINESS ENTERPRISE PROGRAM

Sherita Miller, MPA
Minority Business Enterprise Liaison
Division of Central Purchasing
Lexington-Fayette Urban County Government
200 East Main Street
Lexington, KY 40507
smiller@lexingtonky.gov
859-258-3323

OUR MISSION: The mission of the Minority Business Enterprise Program is to facilitate the full participation of minority and women owned businesses in the procurement process and to promote economic inclusion as a business imperative essential to the long term economic viability of Lexington-Fayette Urban County Government.

To that end the city council adopted and implemented Resolution 484-2017 – A Certified Minority, Women and Disadvantaged Business Enterprise ten percent (10%) minimum goal and a three (3%) minimum goal for Certified Veteran-Owned Small Businesses and Certified Service Disabled Veteran – Owned Businesses for government contracts.

The resolution states the following definitions shall be used for the purposes of reaching these goals (a full copy is available in Central Purchasing):

Certified Disadvantaged Business Enterprise (DBE) – a business in which at least fifty-one percent (51%) is owned, managed and controlled by a person(s) who is socially and economically disadvantaged as defined by 49 CFR subpart 26.

Certified Minority Business Enterprise (MBE) – a business in which at least fifty-one percent (51%) is owned, managed and controlled by an ethnic minority (i.e. African American, Asian American/Pacific Islander, Hispanic Islander, Native American/Native Alaskan Indian) as defined in federal law or regulation as it may be amended from time-to-time.

Certified Women Business Enterprise (WBE) – a business in which at least fifty-one percent (51%) is owned, managed and controlled by a woman.

Certified Veteran-Owned Small Business (VOSB) – a business in which at least fifty-one percent (51%) is owned, managed and controlled by a veteran who served on active duty with the U.S. Army, Air Force, Navy, Marines or Coast Guard.

Certified Service Disabled Veteran Owned Small Business (SDVOSB) – a business in which at least fifty-one percent (51%) is owned, managed and controlled by a disabled veteran who served on active duty with the U.S. Army, Air Force, Navy, Marines or Coast Guard.

The term “Certified” shall mean the business is appropriately certified, licensed, verified, or validated by an organization or entity recognized by the Division of Purchasing as having the appropriate credentials to make a determination as to the status of the business.

We have compiled the list below to help you locate certified MBE, WBE and DBE certified businesses. Below is a listing of contacts for LFUCG Certified MWDBEs and Veteran-Owned Small Businesses in (<https://lexingtonky.ionwave.net>)

| Business | Contact | Email Address | Phone |
|---|--|--|--------------|
| LFUCG | Sherita Miller | smiller@lexingtonky.gov | 859-258-3323 |
| Commerce Lexington – Minority Business Development | Tyrone Tyra | ttyra@commercelexington.com | 859-226-1625 |
| Tri-State Minority Supplier Diversity Council | Susan Marston | smarston@tsmsdc.com | 502-365-9762 |
| Small Business Development Council | Shawn Rogers UK SBDC | shawn.rogers@uky.edu | 859-257-7666 |
| Community Ventures Corporation | Phyllis Alcorn | palcorn@cvky.org | 859-231-0054 |
| KY Transportation Cabinet (KYTC) | Melvin Bynes | Melvin.bynes2@ky.gov | 502-564-3601 |
| KYTC Pre-Qualification | Shella Eagle | Shella.Eagle@ky.gov | 502-782-4815 |
| Ohio River Valley Women’s Business Council (WBENC) | Sheila Mixon | smixon@orvwbc.org | 513-487-6537 |
| Kentucky MWBE Certification Program | Yvette Smith, Kentucky Finance Cabinet | Yvette.Smith@ky.gov | 502-564-8099 |
| National Women Business Owner’s Council (NWBOC) | Janet Harris-Lange | janet@nwbo.org | 800-675-5066 |
| Small Business Administration | Robert Coffey | robertcoffey@sba.gov | 502-582-5971 |
| LaVoz de Kentucky | Andres Cruz | lavozdeky@yahoo.com | 859-621-2106 |
| The Key News Journal | Patrice Muhammad | production@keynewsjournal.com | 859-685-8488 |



LFUCG MWDBE PARTICIPATION FORM
Bid/RFP/Quote Reference # 70-2017 Web-Based Quartermaster Program

The MWDBE and/or veteran subcontractors listed have agreed to participate on this Bid/RFP/Quote. If any substitution is made or the total value of the work is changed prior to or after the job is in progress, it is understood that those substitutions must be submitted to Central Purchasing for approval immediately. **Failure to submit a completed form may cause rejection of the bid.**

| MWDBE Company, Name, Address, Phone, Email | MBE WBE or DBE | Work to be Performed | Total Dollar Value of the Work | % Value of Total Contract |
|--|----------------|----------------------|--------------------------------|---------------------------|
| 1. None | | | | |
| 2. | | | | |
| 3. | | | | |
| 4. | | | | |

The undersigned company representative submits the above list of MWDBE firms to be used in accomplishing the work contained in this Bid/RFP/Quote. Any misrepresentation may result in the termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and false claims.

Galls, LLC
Company

11/28/2017
Date


Company Representative

CEO
Title



LEXINGTON

LFUCG MWDBE PARTICIPATION FORM

Bid/RFP/Quote Reference # 70-2017 Web Based Quartermaster Program

The MWDBE and/or veteran subcontractors listed have agreed to participate on this Bid/RFP/Quote. If any substitution is made or the total value of the work is changed prior to or after the job is in progress, it is understood that those substitutions must be submitted to Central Purchasing for approval immediately. **Failure to submit a completed form may cause rejection of the bid.**

| MWDBE Company, Name, Address, Phone, Email | MBE WBE or DBE | Work to be Performed | Total Dollar Value of the Work | % Value of Total Contract |
|--|----------------|----------------------|--------------------------------|---------------------------|
| 1. None | | | | |
| 2. | | | | |
| 3. | | | | |
| 4. | | | | |

The undersigned company representative submits the above list of MWDBE firms to be used in accomplishing the work contained in this Bid/RFP/Quote. Any misrepresentation may result in the termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and false claims.

Galls, LLC
Company

11/28/2017
Date


Company Representative
CEO
Title



LEXINGTON

LFUCG MWDBE SUBSTITUTION FORM

N/A

Bid/RFP/Quote Reference # _____

The substituted MWDBE and/or veteran subcontractors listed below have agreed to participate on this Bid/RFP/Quote. These substitutions were made prior to or after the job was in progress. These substitutions were made for reasons stated below and are now being submitted to Central Purchasing for approval. By the authorized signature of a representative of our company, we understand that this information will be entered into our file for this project. **Failure to submit this form may cause rejection of the bid.**

| SUBSTITUTED MWDBE Company Name, Address, Phone, Email | MWDBE Formally Contracted/ Name, Address, Phone, Email | Work to Be Performed | Reason for the Substitution | Total Dollar Value of the Work | % Value of Total Contract |
|---|--|----------------------|-----------------------------|--------------------------------|---------------------------|
| 1. | | | | | |
| 2. | | | | | |
| 3. | | | | | |
| 4. | | | | | |

The undersigned acknowledges that any misrepresentation may result in termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and false claims.

Company

Company Representative

Date

Title



LEXINGTON

MWDBE QUOTE SUMMARY FORM

Bid/RFP/Quote Reference # 70-2017 Web-Based Quartermaster Program

The undersigned acknowledges that the minority and/or veteran subcontractors listed on this form did submit a quote to participate on this project. Failure to submit this form may cause rejection of the bid.

| | |
|---|--|
| Company Name Galls, LLC | Contact Person Emily Love |
| Address/Phone/Email 1340 Russell Cave Road, Lexington, KY 40505 859-266-7227 est- 2162 love-emily@galls.com | Bid Package / Bid Date #70-2017 Web-Based Quartermaster Program November 29, 2017 |


| MWDBE Company Address | Contact Person | Contact Information (work phone Email, cell) | Date Contacted | Services to be performed | Method of Communication (email, phone meeting, ad, event etc) | Total dollars \$\$ Do Not Leave Blank (Attach Documentation) | MBE * AA HA AS NA Female | Veteran |
|-----------------------|----------------|--|----------------|--------------------------|---|--|---|---------|
| None | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

(MBE designation / AA=African American / HA= Hispanic American/AS = Asian American/Pacific Islander/ NA= Native American)

The undersigned acknowledges that all information is accurate. Any misrepresentation may result in termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and claims.

Galls, LLC
Company

11/28/2017
Date


Company Representative

CEO
Title



LEXINGTON

LFUCG SUBCONTRACTOR MONTHLY PAYMENT REPORT

The LFUCG has a 10% goal plan adopted by city council to increase the participation of minority and women owned businesses in the procurement process. The LFUCG also has a 3% goal plan adopted by cited council to increase the participation of veteran owned businesses in the procurement process. In order to measure that goal LFUCG will track spending with MWDBE and Veteran contractors on a monthly basis. By the signature below of an authorized company representative, you certify that the information is correct, and that each of the representations set forth below is true. Any misrepresentation may result in termination of the contract and/or prosecution under applicable Federal and State laws concerning false statements and false claims. Please submit this form monthly to the Division of Central Purchasing/ 200 East Main Street / Room 338 / Lexington, KY 40507. N/A

Bid/RFP/Quote # _____
 Total Contract Amount Awarded to Prime Contractor for this Project _____

| | |
|--------------------------|------------------------------------|
| Project Name/ Contract # | Work Period/ From: _____ To: _____ |
| Company Name: | Address: _____ |
| Federal Tax ID: | Contact Person: _____ |

| Subcontractor Vendor ID (name, address, phone, email) | Description of Work | Total Subcontract Amount | % of Total Contract Awarded to Prime for this Project | Total Amount Paid for this Period | Purchase Order number for subcontractor work (please attach PO) | Scheduled Project Start Date | Scheduled Project End Date |
|---|---------------------|--------------------------|---|-----------------------------------|---|------------------------------|----------------------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

By the signature below of an authorized company representative, you certify that the information is correct, and that each of the representations set forth below is true. Any misrepresentations may result in the termination of the contract and/or prosecution under applicable Federal and State laws concerning false statements and false claims.

Galls, LLC _____

Company

11/28/2017 _____

Date

 _____

Company Representative

CEO _____

Title

LFUCG STATEMENT OF GOOD FAITH EFFORTS

Bid/RFP/Quote # 70-2017

By the signature below of an authorized company representative, we certify that we have utilized the following Good Faith Efforts to obtain the maximum participation by MWDBE and Veteran-Owned business enterprises on the project and can supply the appropriate documentation.

Advertised opportunities to participate in the contract in at least two (2) publications of general circulation media; trade and professional association publications; small and minority business or trade publications; and publications or trades targeting minority, women and disadvantaged businesses not less than fifteen (15) days prior to the deadline for submission of bids to allow MWDBE firms and Veteran-Owned businesses to participate.

Included documentation of advertising in the above publications with the bidders good faith efforts package

Attended LFUCG Central Purchasing Economic Inclusion Outreach event

Attended pre-bid meetings that were scheduled by LFUCG to inform MWDBEs and/or Veteran-Owned Businesses of subcontracting opportunities

Sponsored Economic Inclusion event to provide networking opportunities for prime contractors and MWDBE firms and Veteran-Owned businesses

Requested a list of MWDBE and/or Veteran subcontractors or suppliers from LFUCG and showed evidence of contacting the companies on the list(s).

Contacted organizations that work with MWDBE companies for assistance in finding certified MWBDE firms and Veteran-Owned businesses to work on this project. Those contacted and their responses should be a part of the bidder's good faith efforts documentation.

Sent written notices, by certified mail, email or facsimile, to qualified, certified MWDBEs soliciting their participation in the contract not less than seven (7) days prior to the deadline for submission of bids to allow them to participate effectively.

Followed up initial solicitations by contacting MWDBEs and Veteran-Owned businesses to determine their level of interest.

Provided the interested MWBDE firm and/or Veteran-Owned business with adequate and timely information about the plans, specifications, and requirements of the contract.

Selected portions of the work to be performed by MWDBE firms and/or Veteran-Owned businesses in order to increase the likelihood of meeting the contract goals. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate MWDBE and Veteran participation, even when the prime contractor may otherwise perform these work items with its own workforce

Negotiated in good faith with interested MWDBE firms and Veteran-Owned businesses not rejecting them as unqualified without sound reasons based on a thorough investigation of their capabilities. Any rejection should be so noted in writing with a description as to why an agreement could not be reached.

_____ Included documentation of quotations received from interested MWDBE firms and Veteran-Owned businesses which were not used due to uncompetitive pricing or were rejected as unacceptable and/or copies of responses from firms indicating that they would not be submitting a bid.

_____ Bidder has to submit sound reasons why the quotations were considered unacceptable. The fact that the bidder has the ability and/or desire to perform the contract work with its own forces will not be considered a sound reason for rejecting a MWDBE and/or Veteran-Owned business's quote. Nothing in this provision shall be construed to require the bidder to accept unreasonable quotes in order to satisfy MWDBE and Veteran goals.

_____ Made an effort to offer assistance to or refer interested MWDBE firms and Veteran-Owned businesses to obtain the necessary equipment, supplies, materials, insurance and/or bonding to satisfy the work requirements of the bid proposal

_____ Made efforts to expand the search for MWBE firms and Veteran-Owned businesses beyond the usual geographic boundaries.


_____ Other--any other evidence that the bidder submits which may show that the bidder has made reasonable good faith efforts to include MWDBE and Veteran participation.

NOTE: Failure to submit any of the documentation requested in this section may be cause for rejection of bid. Bidders may include any other documentation deemed relevant to this requirement which is subject to approval by the MBE Liaison. Documentation of Good Faith Efforts must be submitted with the Bid, if the participation Goal is not met.

The undersigned acknowledges that all information is accurate. Any misrepresentations may result in termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and claims.

Galls, LLC
Company

11/28/2017
Date


Company Representative

CEO
Title



ADDENDUM #1

Bid Number: 70-2017

Date: November 13, 2017

Subject: Web-Based Quartermaster Program

Please address inquiries to:

Conni Hayes, Buyer
(859) 258-3320

TO ALL PROSPECTIVE BIDDERS:

Please be advised of the following clarifications to the above referenced bid:


- 1) Attached, please find revised specifications.
- 2) Two additional lines for Community Corrections items.
- 3) Opening date has been changed to November 29, 2017.

Todd Slatin, Director
Division of Central Purchasing

All other terms and conditions of the Bid and specifications are unchanged. This letter should be signed, attached to and become a part of your Bid.

COMPANY NAME: GALLS, LLC

ADDRESS: 1340 RUSSELL CAVE RD. LEXINGTON, KY 40505

SIGNATURE OF BIDDER: 





LEXINGTON

Lexington-Fayette Urban County Government Department of Public Safety, LFUCG DPS Bid #70-2017 Web-Based Quartermaster Program

The Lexington-Fayette Urban County Government, Department of Public Safety, which includes Community Corrections, Police and Fire, is accepting bids to establish a price contract for Web-Based Quartermaster Program per the following specifications.

Specifications for a Web-Based Quartermaster Program to provide Uniforms for the LFUCG Department of Public Safety, LFUCG DPS

I. DEFINITIONS

- 1.1 *"Apparel"* means all Uniforms, other clothing, and accessories as defined herein in Attachments I, II, III, and IV and their pricing sheets Uniform Cost Sheets, to outfit certain LFUCG DPS employees.
- 1.2 *"Actual Cost"* means actual amount paid by **SUPPLIER** as proven by original invoice and any applicable shipping costs.
- 1.3 *"LFUCG"* means the Lexington-Fayette Urban County Government.
- 1.4 *"Quartermaster Program"* means a purchasing program designed for the distribution of Apparel to certain LFUCG DPS personnel.
- 1.5 *"Cure Period"* means the period of time during which **SUPPLIER** must remedy certain defaults.
- 1.6 *"Initial term"* means July 1, 2012, through June 30, 2014.
- 1.7 *"Licensed Goods"* means Apparel manufactured by **SUPPLIER** and authorized and licensed by **LFUCG**.
- 1.8 *"Licensed Marks"* means those marks listed and shown in Attachment V, VI, & VII Licensed Marks, including, but not limited to, common-law rights, as well as any applications for registrations which may be filed by **LFUCG**, or registrations which may be issued to **LFUCG** covering such marks, whether state or federal.
- 1.9 *"Quartermaster Analyst"* means the LFUCG DPS representatives designated to monitor and administer this **CONTRACT** and act as a liaison with **SUPPLIER**.
- 1.10 *"Personnel"* means any sworn full time, permanent, paid employee who is approved to utilize the quartermaster program.
- 1.11 *"Quality"* means an acceptable level of quality to **LFUCG** and which is at least equal to comparable products manufactured and/or marketed by **SUPPLIER** and in conformity with the samples given to

LFUCG, upon which the **LFUCG** will rely in executing a **CONTRACT** with **SUPPLIER** which incorporates this provision, and the specimens of the Licensed Marks, attached hereto and incorporated herein as Attachment V, VI, & VII, Licensed Marks.

- 1.12 "*LFUCG DPS*" means the Lexington-Fayette Urban County Government Department of Public Safety.
- 1.13 "*Service Facility*" means **SUPPLIER'S** local facility approved by **LFUCG** for the Customer Service of the Quartermaster Program.
- 1.14 "*Uniform Item*" means all items as listed in Attachments I, II, III, IV and their pricing Uniforms Cost Sheets, attached hereto and incorporated herein.
- 1.15 "*SUPPLIER*" means the company that is awarded the Quartermaster Program contract.
- 1.16 "*Non-embellished goods*" are defined as items that do not require any alteration, enhancement, or modification of any kind prior to pickup at the Service Facility or shipment to the LFUCG's personnel.
- 1.17 "*Embellished goods*" are defined as items that require alteration, enhancement or modification prior to pickup at the Service Facility or shipment to the LFUCG's personnel.
- 1.18 "*Out-sized garments*" are defined as sizes that are not part of the manufacturer's normal size range and therefore are not kept in stock by the manufacturer or **SUPPLIER**. Outsized garment sizes are any sizes that are **NOT** included in the **CONTRACT** product list.
- 1.19 "*Special Order & Drop Ship items*" are defined as items that are stocked by the manufacturer but not stocked by **SUPPLIER**. These items may be shipped directly to the employees by the manufacturer instead of **SUPPLIER** or may be brought into **SUPPLIER** for embellishment prior to shipment to the employees.

II. SCOPE OF SERVICES

2.1 SUPPLIER will operate a uniform purchase program as described in this Article.

2.1.1 LFUCG is seeking a **SUPPLIER** that can provide a comprehensive service solution to provide uniforms and equipment for public safety agencies. The minimum service requirements must meet but are not limited the following:

- 1) Customer Specific Website
- 2) Storefront
- 3) Local Representation
- 4) Presentations may be required to demonstrate capabilities

Customer Specific Website

Overview

The selected SUPPLIER must provide a customer specific website as a tool to manage the uniform and equipment program. The core of the customer specific website are the following however the entire detailed specification required is listed below.

- 1) Customize approved uniform offerings in a user friendly navigable assortment
- 2) Restrict views by rank, location, or departments
- 3) Allow individuals to manage and track their dollar allotments
- 4) Allow split tender payment on orders that will exceed LFUCG allotment
- 5) Allow individuals to track orders and store sizes
- 6) Allow users to access the SUPPLIER's full product offering at a discounted rate using personal funds
- 7) Allow administrators to make allotment adjustments, access on demand reporting, and add, delete or edit users.
- 8) Allow administrators to manage departmental owned assets and provide notifications upon asset expiration.
- 9) Allow administrators to make change request self-serve through the website
- 10) Have a package ordering and order in bulk feature

Detailed Website Specification

- *Secure Online Ordering System*
 - Site is only accessible by users defined and approved by customer through unique user names and password assignment
- *Mobile Device Compatibility*
 - Site has a custom mobile experience for ease of on-the-go ordering
 - Compatible with all smart phones
 - Can be accessed from any location
- *Configurable based on Customer Uniform Program Requirements*
 - A left hand navigation must be fully customizable by product category based on the products used by LFUCG
 - Designed to support a broad range of customer uniform program requirements
 - A uniform program profile is established with each customer to be serviced through the SUPPLIER's system. This profile defines the operating parameters in which the system will govern the program, to include: employee management, allotment management, product offering, delivery requirements, and invoicing.
- *Employee Management*
 - Software provides an employee based management and tracking segment.
 - Employee information, required to properly process order and provide management reports, is warehoused in the systems data storage. This information includes: employee code, name, address (if appropriate to the program requirement), anniversary date, department, rank, assigned location, designation, and employee group.
 - Historical & distribution data is also maintained for each employee. This data is the basis for management reports, and is collected as orders are placed and distributed. Historical data includes items distributed (to the size level), along with quantities and order/shipment dates.
- *Product Offering Management*

- Product offerings for the uniform program are defined, and are assigned to the respective employee groups when a uniform program is established on the system.
- Employee Groups, or shop-by locations, typically represents a job function or physical location. Such as if a uniform program was for a police department, there may be Shop-By Location for "Patrol", "Swat", "K-9", etc. with each group having a specific uniform products assigned to them. During order placement, only products associated with the Shop-By Location the employee is assigned to are available for order. This ensures that the employee can only order those products required for his/her job function.
- Software supports alterations, such as trouser hemming, application of badges, etc. These elements are defined based on the requirements of the uniform program, and may be limited to specific styles and employee groups.
- *"Shop Full Catalog" Feature for SUPPLIER's Site*
 - Feature allows the customer to add the entire SUPPLIER's product offering to their website at a negotiated percent discount off retail.
 - Reduces the need to call for quotes on items that are needed right away
 - Keep in mind that customized VAS options are not available on these items
- *"Package Ordering" Feature*
 - Feature allows the user to create "Packages" of items that are frequently ordered at the same time (ex. "New Hire Package," "New Vehicle Package")
 - "Package" orders are bundled and shipped together by user
 - This feature reduces the number of clicks per order and reduces errors during order entry by ensuring that all needed items are ordered before processing
- *Allotment Management*
 - The system provides employee allotment management based on dollars OR units.
 - If permitted by the uniform program profile, employees may purchase uniforms in excess of their allotment amount via credit card.
 - Allotments may be renewed on the employee's anniversary date, the calendar year (each January 1), or a specific date.
 - Unused allotments may be rolled over to the new allotment year in its entirety, or a portion of the unused allotment may be rolled over, or no rollover based on the Uniform Program Profile.
 - If Allotment Management is required for the uniform program, the employee's available allotment is verified during the checkout process.
 - If the amount ordered exceeds the employee's available allotment and the program allows employee payments for amounts over the allotment via credit card, the checkout process remains active, and the employee will be prompted for credit card information during the checkout process.
 - If there is not sufficient allotment to cover the order amount and the program does not permit payment of the overage by the employee (via credit card), the checkout process will be disallowed until the order is altered to be within the employee's available allotment amount.
 - If the program has an allotment limit by product category, the payment for the amount over allotment will be forced to a credit card if credit card purchases are allowed (i.e. agency will only pay \$100 toward a footwear purchase).
 - If the program has allotment needs but also wants to allow orders paid for by the agency off of allotment, this can be accommodated along with a reason code for the

purchase and purchase comments. Approval can be required for this scenario and users will chose from a drop list of approvers (up to 3 levels of approval).

- *Controlled Uniform Order Placement*
 - The system controls uniform order placement by tying together the Employee, Product Offering, Shop-By Location and Allotment Management segments of the system, as governed by the uniform program profile.
 - The system provides a web-based method for customer uniform administrators or employees to place uniform orders. The product offering and associated optional alteration options are displayed are based on the ordering employee's employee group assignment. Any mandatory alterations, such as standard department patch are garment, are hard code in the back system to ensure no mandatory alteration is missed during order placement on the website.
 - System allows for orders to placed using a "shop-by individual" feature which provides an administrator the ability to place a large bulk uniform order and segment the order down to the individual employee level, eliminating the necessity to place a separate order for each employee.
- *Optional On-Line Order approval*
 - A customer may require all order or certain orders be approved by an Administrator prior to being processed. Software allows for approval gates to be established from shipping to order dollar amount which are defined in the Uniform Program Profile. These orders remain in a "Hold for Approval" status until released by an Administrator. Software provides information on these orders to the Administrators through system generated approval emails sent to the Administrator which allows the order to be approved through the links provided in the email, or on the Administrator's user dashboard on the website.
 - Upon order approval, the order is released to the back-office system for fulfillment. Denied orders assume a "denied" status, and are not released to the back-office system.
- *Flexible, On-Demand Management Reporting*
 - Software provides flexible, on-demand reporting with output into Excel .xls or Excel .xlsx, which allows for easy review and manipulation of the data output by the Administrators. The reporting can be sent directly to the requestors email or reviewed from the reports dashboard.
 - Available reports include:
 - Allotment Report
 - Order History Sales report
 - Itemized Sales report
 - Allotment Activity Report
 - Unit Allotment Activity Report
 - Backorder Report
 - Dropship Report
 - Within the various report offerings, the user may specify parameters such as date ranges, open or closed orders, or limit report data to a specific location or department, as applicable to the report.
- *Customer management of employees*
 - Software system allows for department Administrators to have the ability to assign new users to the website, update user profiles, Shop-By Location, etc. should the customer chose the manager their own employee access to the website.

2.2 Customer Service Facility

2.2.1 Facility Requirements

SUPPLIER will provide a customer service facility within Lexington, Kentucky that meets or exceeds all the specifications below.

2.3 Facility Operation

2.3.1 SUPPLIER'S customer service facility will be operational by an allotted time agreed upon by all divisions after award. In addition, samples to be kept at the customer service facility will be limited to one complete run of sizing samples per brand for **CONTRACT** items with LFUCG DPS having final approval. The customer service facility will facilitate the return of any items for LFUCG DPS personnel. If approved by the designated LFUCG DPS representative, additional items may be displayed in the customer service facility. The sample uniform selections, any other uniform items added to this **CONTRACT** pursuant to the terms hereof, and any items approved by the designated LFUCG DPS representative, shall be utilized for viewing only.

2.3.2 The customer service facility must be open for service and staffed for a minimum of five (5) days per week (Monday thru Saturday) excluding ten (10) **LFUCG** holidays which are approved annually by the LFUCG Council. Standard daily operating hours shall be from 9:00 a.m. to 6:00 p.m. The selected **SUPPLIER'S** staff shall be properly trained in order to provide all LFUCG DPS personnel who are customers of the location with prompt and courteous service. The customer service facility will provide a separate area dedicated to LFUCG DPS personnel.

2.3.3 The facility must maintain separate and distinct areas for the servicing of the LFUCG DPS uniformed personnel. No other individuals may be provided service in this area. **LFUCG** reserves the right to change this requirement in consultation with **SUPPLIER**.

2.3.4 On an emergency basis, as requested by the Public Safety Commissioner or designated representative, the customer service facility shall be opened for additional hours. **SUPPLIER** must provide a means such as a cell phone by which its representative may be contacted to facilitate operations in the event of an emergency.

2.4 Account Manager

SUPPLIER must employ an Account Manager dedicated to the LFUCG DPS account. The assigned Account Manager must have an in-depth knowledge of the **LFUCG'S CONTRACT** to include provisions, list of approved items as well as have access to all manufacturers providing the product. Upon request, the Account Manager or designee must be available to attend meetings to discuss **CONTRACT** or uniform issues as well as have the ability and authority to make decisions on behalf of **SUPPLIER**.

Additionally, the Account Manager or designee shall be responsible for all initial activities to include measurement and sizing of all authorized LFUCG DPS uniformed personnel as well as provide direct customer service regarding returns and/or alterations.

2.5 Inventory System and Tracking Requirements

2.5.1 System Requirements

SUPPLIER must provide a uniform tracking process. **SUPPLIER** must use a process that has proven successful by already being utilized with **SUPPLIER'S** current customer accounts. The process must have the capability to accurately track the following:

- Distribution of items;
- Maintain inventory control;
- Uniform repairs;
- Uniform replacements;
- Employee credit balances;
- Invoicing of items and services; and
- Shipping of uniform and/or accessory items.

2.5.2 In accordance with the time frames set forth below, **SUPPLIER** must provide the **LFUCG** with a secure Uniform Resource Locator (URL) for application transactions. All transactions completed using the application (whether stand alone or web-based) must initially be regularly updated on a daily basis to provide accurate updates of inventory availability, credit balance, etc., for each **LFUCG** DPS/employee user. The **LFUCG** reserves the right to access and audit the system at any time throughout the **CONTRACT** term.

2.5.2.1 **SUPPLIER** will supply the following to the **LFUCG**:

- Electronic and hard copy of sizing form – online access to the form (part numbers and pricing);
- E-mail address and account management contact information;
 - Balance verification will be via e-mail or phone;
 - Sizing information will be captured and maintained in Excel;
 - Phone ordering – **SUPPLIER** will verify identity of personnel ordering items by verifying ship to address and PIN Number.

2.5.3.2 **SUPPLIER** will have a custom website exclusive to the **LFUCG** DPS with all of the following capabilities:

- Password protected - Pin numbers for each employee;
- Sizing and balance information in customer profile with balance updated daily;
- Picture and description of each **CONTRACT** item;
- Order process in place;
- Ability for personnel to view account history and inventory;
- System will have ability to produce reports by Employees, item and date range;
- System will generate shipping confirmation;
- Account Manager and support in Lexington to accommodate phone, fax and/or email orders;
- Service Center in Lexington;

- Reporting will be produced from various systems and some processes will be manual;
- Phone ordering with identity of personnel ordering items established by verifying ship to address and PIN Number.

2.5.3.3 Where any of the above deadlines are affected by a change in the **LFUCG'S** requirements for the product list, website features or embellishments, no liquidated damages will be incurred. Additionally, the deadlines set out above will be adjusted if the **LFUCG** fails to approve any embellishment sample with two business days after receipt from the **SUPPLIER**.

2.5.4 Tracking Requirements

2.5.4.1 **SUPPLIER** must track LFUCG DPS employee credit balances and provide shipment confirmation to LFUCG DPS personnel making purchases under the agreement. **SUPPLIER** must assume responsibility for loss and damage of all uniform items from time of shipment to customer's receipt.

2.5.4.2 The **LFUCG** will not be obligated to pay for any uniform item purchases that exceed the LFUCG DPS employee credit allowance. **SUPPLIER** will provide passwords for each LFUCG DPS employee to ensure that only eligible LFUCG DPS personnel order uniform items. It shall be the employee's responsibility to protect all passwords or other security information provided to him or her and the employee shall be responsible for any misuse or failure to adequately protect his or her password. The **SUPPLIER** will be responsible if there is a breach of security in **SUPPLIER'S** computer system and passwords are illegally obtained. **LFUCG** may disallow uniform purchases for personnel who have failed to adequately protect the security of their passwords. **LFUCG** shall inform **SUPPLIER** immediately upon the termination of an employee's right to purchase uniform items under this **CONTRACT**.

2.5.4.3 The **SUPPLIER'S** tracking process must maintain information on each authorized LFUCG DPS employee including, but not limited to:

- Available credit balance;
- PIN number;
- Assigned location;
- Rank; as well as
- Initial and subsequent changes in uniform size and measurement information;
- All information must be made accessible only to the specified individual ordering and the designated LFUCG DPS administrator.

2.5.4.4 All information set forth in this Section 2.5 pertaining to LFUCG DPS employee transactions shall be tracked and maintained by **SUPPLIER** throughout the **CONTRACT** term.

2.6 Platform Use Requirements and Limitation of Warranties

2.6.1.1 Platform Use

LFUCG'S and its employee's right to access the web based portion of the Platform shall be subject to the following terms of use:

Without limiting the foregoing, in no event may **LFUCG** and its employees directly or indirectly:

1. Republish, post, upload, frame, retransmit, redistribute, or otherwise reproduce the Site or any Materials in any format to anyone in any way (other than the download to a personal computer that is inherent in viewing a web page);
2. access, attempt to access, or obtain any information regarding other users;
3. allow anyone else to use or access an account or password;
4. link to the Site without **SUPPLIER'S** prior written permission;
5. deep-link to any page or portion of the Site;
6. use any robot, spider or other data mining or other automatic device, program, or similar process or means to access, acquire, copy or monitor the Site, the Materials or any portion thereof, or in any way circumvent the navigational structure or presentation of the Site or any Materials;
7. breach or attempt to breach the security or authentication measures on the Site or any network or database connected to the Site;
8. collect any information related to any **SUPPLIER** products, pricing or other Material from the Site for the benefit of any other entity or person or share this information with any other person or entity;
9. decompile, reverse engineer, disassemble or otherwise reduce any software code for the Site to a human-readable form;
10. make any automated high-volume or other use of the Site for re-mailing, spamming or other purposes;
11. use the Site or Material in violation of any applicable law, rule or regulation;
12. use the Site to offer to sell or advertise any products or services;
13. submit any data, content or other material that contains a virus or other harmful component, or otherwise tampers with, impairs or damages the Site, the Materials or any connected network or database, or otherwise interferes with any person or entity's use or enjoyment of the Site.

2.6.1.2 LFUCG cannot and does not assure that other users are or will be complying with the foregoing rules or any other provisions of the terms of use and disclaims any liability for harm or injury resulting from any such lack of compliance.

2.6.2 LFUCG'S and its employees' rights to access and use the Platform and the **SUPPLIER'S** right to conduct any sales under this **CONTRACT** shall cease upon the expiration or termination of this **CONTRACT**.

2.6.3 The terms of use set forth in section 2.6.1 shall not infer liability upon the **LFUCG** for any unauthorized use of the website.

2.6.4 Each **LFUCG** employee shall be responsible to take the appropriate measures to protect his or her own password and private data. Each employee shall be responsible for all purchases made by the employee or person authorized by the employee in excess of its allowance. In the event **SUPPLIER**

fails to maintain security over its websites, **SUPPLIER** assumes liability for any breaches of security that would not have occurred but for **SUPPLIER'S** failure to maintain security of its websites.

2.6.5 In the event of any alleged violation(s) by **LFUCG**, or its employees, of the terms of use set forth in section 2.6.1, **SUPPLIER** shall immediately notify **LFUCG** in writing of the alleged violation(s) and provide all evidence in support of the alleged violation to the **LFUCG** to enable the **LFUCG** an opportunity to conduct an investigation regarding the alleged violation(s).

2.7 Reporting Requirements

2.7.1 Within thirty (30) days after a request, **SUPPLIER** must provide the **LFUCG** DPS Division Representative a report detailing at a minimum:

- List of all returned items
- Individual **LFUCG** DPS employee credit balances;
- Statistics showing usage of uniform items and services; to include sizing, quantity, and style information
- Provide information on order entry, shipping and receiving of customer orders to include employee name and address
- Provide information on backorders and incomplete orders
- Inventory levels;
- Item prices;
- Repairs and alterations performed for each employee
- Up to date billing and monthly invoice summary
- All information must be made accessible only to the specified individual ordering and the designated **LFUCG** DPS administrator

2.7.2 All reports as described in the agreement will be provided to the **LFUCG** at no additional charge.

2.8 Customer Support Requirements

2.8.1 **SUPPLIER** must establish a local or toll-free telephone inquiry line in addition to an e-mail address throughout the life of the agreement to handle program inquiries and requests for supplies during emergencies. In case of emergency, a designated employee of **SUPPLIER** must be available to open and operate the Customer Service Facility and must be available at all times by either cell phone or other means designated in the agreement.

2.8.2 **SUPPLIER** will, with assistance from **LFUCG** DPS, develop a standard operating manual setting out a general design and standard operating procedure that is mutually agreeable to both parties. The manual shall serve as a point of reference and guide for the **LFUCG** DPS and **SUPPLIER'S** personnel to review operations requirements and functional relationships. An electronic version of the manual will also be posted online for use by **LFUCG** DPS employees.

2.9 Warranty

2.9.1 SUPPLIER warrants that for a period of one (1) year after acceptance and delivery of each uniform item, the uniform item and its component parts shall be free from defects in material and workmanship and shall perform to standard or exceed specifications set out in the agreement. If the manufacturer's warranty for any uniform item is in excess of one (1) year, then that specified warranty period shall apply to that covered uniform item. Delivery will commence upon receipt by an employee of an authorized uniform item. Warranty will be null and void if the end user neglects, abuses or alters the item(s), or does not follow care instructions.

SUPPLIER must repair, or at the **LFUCG'S** option, replace any defective uniform item at no additional charge. If a disagreement exists between the **LFUCG** and **SUPPLIER** as to whether a uniform item is defective, the **LFUCG** DPS Administrators will designate a third party to determine whether the uniform item is defective. **SUPPLIER** shall provide and bear all costs required to meet its obligations under this warranty.

SUPPLIER warrants that for a period of one year after acceptance of repairs, embroidery and tailoring, that the repair, embroidery and tailoring to the uniform item or its component parts will be free from defects in material and workmanship, and that the uniform item will perform in its intended use.

2.10 Order Processing and Delivery Requirements

2.10.1 SUPPLIER must process and deliver orders within the time frames below:

| Type of Item | Days to Leave Facility | Days to Receive Order |
|----------------------------------|------------------------|-----------------------|
| -Non-Embellished Goods | 2 business days | 5 business days |
| -Embellished Goods | 7 business days | 10 business days |
| -Out-sized garments | case by case basis | case by case basis |
| -Special order & drop ship items | 42 business days | |

The order processing and delivery time frame should be expressed as the time between the online submittal of an order and the time the uniform item is delivered to the employee who placed the order. The timeframes noted above will not be in effect should the **LFUCG** become late on payables of a correct invoice to **SUPPLIER**.

2.11 Inventory Changes

2.11.1 Subject to the requirements of this Section 2.12.1, the **LFUCG** may add, modify, substitute or delete uniform items from the list of items available for purchase as set out in this **CONTRACT**, upon thirty (30) days written notice to **SUPPLIER**. Additional uniform items may be added to the pricing schedule with price not to exceed the average of three published retail price lists for each added uniform item, as determined by the **LFUCG**. With respect to items that contain an **LFUCG** DPS logo, if the **LFUCG** chooses to change specifications on any such item or to substitute/delete any such item, the **LFUCG** agrees to purchase **SUPPLIER'S** remaining inventory and work in process (once completed) of the items so changed, substituted and/or deleted at the **CONTRACT** price currently in effect under this **CONTRACT**.

2.12 Quality Control

2.12.1 **SUPPLIER** shall establish a Quality Control Program as set forth below to ensure quality of embellishment performed on uniform items by **SUPPLIER** hereunder. The program shall include:

1. Outbound audit of goods that **SUPPLIER** has embellished
2. A checklist for use in reviewing embellishment quality.
3. Inspection Reports regarding embellishment quality must be signed and include details regarding results of each inspection. Each report shall be made available to the **LFUCG** upon twenty-four (24) hours written request.
4. **SUPPLIER** shall be responsible for the quality of all embellishment work performed to ensure compliance with the quality requirements of this agreement. **SUPPLIER** shall be responsible for correcting all deficiencies in its embellishment operations within four business (4) days after written notification from the **LFUCG** that a quality issue has arisen. In advance of the written notice, the **LFUCG** should make every attempt possible to contact the **SUPPLIER** and verbally describe any non-compliance issues.

2.13 Balance of Inventory

2.13.1 **SUPPLIER** must purchase all remaining marked uniform items in inventory that are new, unused and free of defects in workmanship from the **LFUCG'S** current **SUPPLIER** at such current **SUPPLIER'S** purchase price not to exceed \$200,000 as verified by invoice. **LFUCG** **DPS** will provide **SUPPLIER** with current **CONTRACT** price for each item and agrees to purchase all such goods at **CONTRACT** prices on a FIFO (first in, first out) basis. Marked uniform items are defined as uniform items held in inventory by the current **SUPPLIER** to which there is an **LFUCG** **DPS** logo affixed, including any item that is embroidered, printed, or bearing an **LFUCG** **DPS** mark. **SUPPLIER** may sell them at full **CONTRACT** price or discount them, on either a cash basis outside the program or through the credit balance program. **SUPPLIER** will receive detailed information (line item list, qty, costs, etc.) regarding the incumbent's inventory prior to the purchase of this inventory. **SUPPLIER** will be allowed to conduct a quality audit on the goods prior to purchase or shipment to ensure that the goods shipped will be of first quality, re-saleable condition.

2.14 Price Schedule

2.14.1 Attachment I II III and IV attached hereto contains the initial unit cost for each Uniform Item, type of repair, shipping, and alterations. Embroidery, Screen Print and Heat Press applications are included in the price of each applicable item.

2.14.2 The **LFUCG** or its personnel will not be required to order any quantity of items or repairs and alterations, but **SUPPLIER** will be required to provide all such items, repairs or alterations as requested.

2.14.3 LFUCG DPS personnel will be charged the unit price for each uniform item or service set out in the agreement. The unit price shall include the item's cost to **SUPPLIER**, profit, insurance liability, performance bond, and all other costs associated with complying with the terms of the agreement.

2.14.4 Standard shipping costs will be available per published rate by the Quartermaster program and the individual employee will be responsible for paying the difference for expedited shipping costs at their own expense.

2.14.5 Any item to be returned can be dropped off at **SUPPLIER'S** local facility.

2.14.6 If the **SUPPLIER** has a published price or special offer for the general public lower than the price listed in this **CONTRACT**, **SUPPLIER** will offer that same price or special offer for the same time period as published.

2.15 Invoicing and Payment

2.15.1 **SUPPLIER** must invoice the **LFUCG** on a monthly basis. Invoices must be submitted by the 10th of the following month. Invoices indicating a price higher than the approved **CONTRACT** price will be corrected by the **LFUCG** and paid at the approved **CONTRACT** price as set forth in the agreement. **SUPPLIER** will be required to resubmit a corrected invoice. **SUPPLIER** will provide three documents/spreadsheets every month in order for the **LFUCG** to process payment. The first document is an invoice with the monthly grand total split out by LFUCG Division within LFUCG DPS. This invoice will be submitted to Finance for payment. The second spreadsheet required will have an itemized list of all orders processed for the month. This monthly invoice will contain the following information: PIN, First and Last name of employee, Description of item, unique item number, unit cost for each item, quantity, order total, address shipped to, and the courier's tracking number if applicable. The last required spreadsheet will have all items purchased by individual, with unit cost only. This spreadsheet requires all previous listed information without order totals, addresses or employee numbers. This spreadsheet is used to verify all **CONTRACT** prices through an Access database.

2.15.2 The **LFUCG** will make payments to **SUPPLIER** within thirty (30) days following receipt of a properly prepared invoice and verification that items were delivered to the LFUCG DPS employee/employee and submitted to the LFUCG DPS Division Representative. Payment is deemed to be made on the date a payment check is mailed.

2.16 Termination

2.16.1 Any remaining inventory (or work in process, once completed) of items marked with an LFUCG DPS logo that are new, unused and free of defects in workmanship shall be purchased by the **LFUCG** at **SUPPLIER'S** actual cost at the end of the term of this **CONTRACT**, unless prior to the expiration of the agreement, the **LFUCG** terminates the agreement. If the **LFUCG** terminates the agreement for, any reason it will purchase from **SUPPLIER**, at actual cost, any remaining inventory (or work in process, if completed within 30 days after **CONTRACT** expiration) of items marked with the LFUCG DPS logo that are new, unused and free from defects in workmanship. All product cost information provided to

LFUCG by SUPPLIER shall be considered confidential information of SUPPLIER and may not be disclosed to any third party without SUPPLIER'S written permission.

2.18 Initial Department Wide Sizing.

2.18.1 Sizing of LFUCG DPS personnel must be 95% completed by June 22, 2012 provided that LFUCG takes responsibility for scheduling and makes all personnel available for the sizing exercise. Sizing must be done at a location approved by LFUCG. Sizing will be completed prior to July 1, 2012.

2.18.2 SUPPLIER shall furnish a variety of Apparel in industry standard sizes which includes, but is not limited to: even and odd waist size pants with finished lengths fit, shirt neck half sizes with even and odd sized sleeve lengths, hats in one-eighth sized increments, half and full shoe sizes in all widths, even and odd sized jackets and coats, and even sized belts. If special requests are made for sizes outside the manufacturer's normal size range and the manufacturer agrees to produce the item(s) requested, longer lead times and/or additional charges may apply. SUPPLIER must submit documentation that reflects any longer lead time and/or additional charges. SUPPLIER shall make the standard manufacturing sizes, including, but not limited to, Outsizes, of the Apparel to meet the needs of the LFUCG DPS. SUPPLIER shall provide female sizes when available.

2.19 Minimum Inventory Requirements.

2.19.1 SUPPLIER shall provide inventory of each item of Apparel in industry standard sizes to meet the agreed upon time stated in Section 2.10.1 for all items including, but not limited to, items to be replaced at employee's expense. SUPPLIER will provide inventory balances at any given time to LFUCG for all CONTRACT items with one week notification.

2.19.2 The turn-around time for outsized special order Uniform items, shall be handled on a case by case basis.

2.19.3 Failure to maintain the inventory requirements or failure to provide the Apparel within the established turn-around times will be considered a default subject to the provisions of section 2.10. LFUCG furthers reserves the right to obtain items of Apparel from other sources if SUPPLIER does not provide the minimum inventory level requirements or established turn-around times set forth in this section.

2.20 TERM OF CONTRACT

2.20.1 After LFUCG Council approval of the CONTRACT, the agreement shall become effective. LFUCG may renew the agreement at its sole discretion for up to three (3) additional one-year terms. An election by LFUCG not to renew the agreement shall require 30 day notification by the LFUCG to SUPPLIER.

2.20.2 Second and subsequent years CONTRACT prices for all apparel items, repairs, embroidery and alterations shall be reviewed and any individual price changes mutually agreed upon by both parties with proven documentation evidencing the price change; provided that SUPPLIER shall be entitled to

increase prices to an amount not to exceed the average percentage increase in the total Consumer Price Index for all Urban Consumers (all items less energy and food) for the twelve month period most recently ended. LFUCG agrees that in the event SUPPLIER experiences a cost increases in excess of 5% for any item(s) that the LFUCG will accept a corresponding price increase(s) only if SUPPLIER can provide proof of said increase(s). Notwithstanding the foregoing, any cost increase in excess of 5% for any item resulting in a new price, must be mutually agreed upon by both parties

2.21 Liquidated Damages

2.21.1 If SUPPLIER fails in any given month to meet the delivery performance requirements 15% of the time (85% fill rate) as outlined in Section 2.10, then SUPPLIER may be subject to fixed and liquidated damages for such month only in the amount of \$3000.

2.21.2 If SUPPLIER fails to complete alterations and repair services within the established time frames, SUPPLIER will be subject to fixed and liquidated damages of fifty dollars (\$50.00) per calendar day that the SUPPLIER fails to complete the required work.

2.21.3 If SUPPLIER fails to meet the established time frames for the website ordering system required by the agreement as stated in Section 2.5.3.1, SUPPLIER will be subject to fixed and liquidated damages of one thousand dollars (\$1,000.00) per day, for each calendar day late provided that LFUCG DPS does not make additional changes to products, product embellishments, web requirements, or delay the embellished sample approval process.

2.21.4 SUPPLIER will be subject to fixed and liquidated damages of two hundred and fifty dollars (\$250.00) per hour after the web ordering system fails in the aggregate to maintain uptime reliability rate of ninety-five percent (95%) in a given month.

2.21.5 SUPPLIER will be subject to fixed and liquidated damages of one thousand five hundred dollars (\$1,500.00) per day, for each day it fails to maintain the operating hours and the personnel at the customer service facility as required by the agreement.

2.21.6 Notwithstanding the foregoing, SUPPLIER shall not be required to pay any liquidated damages for failing to meet the requirements above should the reason for SUPPLIER'S failure be due to circumstances beyond SUPPLIER'S reasonable control, including acts of God, acts of government, flood, fire, earthquakes, civil unrest, acts of terror, strikes or other labor problems (excluding those involving SUPPLIER'S employees), or service disruptions involving hardware, software or power systems not within SUPPLIER'S possession or reasonable control.

III. GENERAL ASSURANCES

3.1 SUPPLIER agrees to submit a minimum of three (3) references from current Public Safety Departments of 500 employees or more where the SUPPLIER services a Quartermaster Program.

- 3.2 SUPPLIER** covenants and agrees to perform all services described in this **CONTRACT** in a good and workmanlike manner to ensure accuracy and timeliness.
- 3.3 SUPPLIER** agrees to have in its employ, at all times and at its own expense, a sufficient number of capable and qualified personnel to maintain and service the Quartermaster System. Personnel employed by **SUPPLIER** shall neither be employees of nor have any contractual relationship with **LFUCG**. **SUPPLIER** warrants and certifies that **SUPPLIER** and any other person designated to provide service hereunder has the requisite training, license and/or certification to provide said services.
- 3.4 SUPPLIER** agrees to assign an Account Manager that is responsible for the task administration and work performance for this **CONTRACT**.
- 3.5 SUPPLIER** shall pay, on or before their respective due dates, to the appropriate collecting authority, all Federal, State, and local taxes and fees, that are now or may hereafter be levied upon its property, or upon **SUPPLIER**, or upon the business conducted on its property, or upon any of **SUPPLIER'S** property used in connection therewith; and shall maintain in current status all Federal, State, and local licenses and permits, required for the operation of the business conducted by **SUPPLIER**.

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- LINE ITEM # 1 ELBECO DISTINCTION POLY/WOOL LONG SLEEVE SHIRT - NAVY
840N
- *NO SUBSTITUTIONS
-
- ELBECO STYLE 840N
- Distinction Male Long Sleeve Shirt
-
- Fabric Burlington 5324-KSS 5.5 oz./sq.yd, 9.5 oz./lin.yd, 75% Polyester/25% Worsted Wool (long-staple), 2-ply tropical weave with 5% stretch and soft hand. Color: Midnight navy 915H.
-
- Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample. Shirts to have permanent sewn in military creases.
-
- Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
-
- All sewing shall be with dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched ¼" from edge. The pockets and flaps shall be single stitched on the edge. Pockets and pocket flaps to be die creased to give uniform shape and size.
-
- Collar: The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". The stand shall fasten with one button and one horizontal buttonhole.
-
- The leaf shall be made of three pieces; two pieces of self cloth and one whole dacron lining, which is to be fused to the top collar. Innerstand and inner yoke to be made of a matching satin of proper pre-shrunk finish for additional comfort.
-
- Permanent collar stays to be secured to the bottom ply. The collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide.
-
- Sleeves: To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two buttons. Cuffs will accommodate removable metal buttons. There is to be a single stitch ¼" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 7/8" wide and the bottom facing to finish about 3/8" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

Lexington-Fayette Urban County Government
Division of Community Corrections

-
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
-
- Flex Vent: Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 3 ¼" wide x 10 ¼" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.
-
- Dual Comm Access Openings: Access opening measuring 1-1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Pouch style openings are clean-finished, neatly concealed and reinforced for durability. These opening are used to thread communication wires under the front of the shirt to keep them out of the way.
-
- Front: The left front shall have a 1-1/2" top center extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart. The 2nd, 3rd, 4th and 5th buttons are sewn on the top center and are not functional.
-
- The right front shall have a button piece, 7/8" wide stitched the full length. The 1st and 6th buttons are securely attached to the button piece, corresponding to the buttonholes in the center front.
-
- Zipper: A 14" nylon zipper shall be sewn to the fronts and shall be positioned 1-1/2" below the first front button and shall replace the 2nd, 3rd, 4th, and 5th front buttons, which are to be sewn on the top center. The neck button, 1st front button and bottom button are to be functional.
-
- Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt and an inner piece of matching satin. Yoke is to be topstitched along the edge.
-
- Pockets: There are two double entry chest pockets with mitred corners to finish 5-5/8" wide and 6" long. The side entry forms a utility pocket closed with Velcro. The left chest pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box pleat stitched from top to bottom to prevent spreading.
-
- Flaps: To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately ¼" above top pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap. Flaps will accommodate removable metal buttons.
-
- Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

Lexington-Fayette Urban County Government
Division of Community Corrections

-
- **Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.
-
- **Shoulder Straps:** The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.
-
- There shall be a small buttonhole in the yoke for the insertion of a removable metal button. There shall also be a protective piece sewn under yoke to protect the wearer from the metal toggle.
-
- **Permanent Creases:**
- Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
-
- **Interlining:** Top center to be lined with pellon. Flaps to be EZ Crease. Cuffs to be M-37 H'Press. Collar to be 250BC Dacron. Bands to be Staflex.
-
- **UPC Identification:** A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.
-
- **Labels:** Woven label with brand and content to be sewn in yoke, with size label sewn next to it. Care label to be sewn in bottom hem.
-
- **Buttons:** All buttons shall be made from melamine material for durability and are 20L black.
-
- **Pressing and Packing:** Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.
-
- **Code of Conduct:** All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing

**Lexington-Fayette Urban County Government
Division of Community Corrections**

companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

•

| | | | | | | | | | | | |
|-----|------------|------|-----|------|-----|------|-----|------|-----|------|-----|
| • | Neck Size: | 14.5 | 15 | 15.5 | 16 | 16.5 | 17 | 17.5 | 18 | 18.5 | |
| 19 | 20 | 22 | | | | | | | | | |
| • | Chest: | 40½ | 42½ | 44½ | 46½ | 48½ | 50½ | 52½ | 54½ | 56½ | 58½ |
| 62½ | 70½ | | | | | | | | | | |
| • | Waist: | 37½ | 39½ | 41½ | 43½ | 45½ | 48½ | 51 | 53½ | 56 | 58½ |
| 62½ | 70½ | | | | | | | | | | |
| • | Bk Length: | 32¾ | 32½ | 32¾ | 33 | 33¼ | 33¾ | 34¾ | 35 | 35¾ | |
| 36¾ | 37 | 37¼ | | | | | | | | | |


•

• **GARMENT CUSTOMIZATION:**

- Each Class A uniform shirt will have gold department patches on each sleeve, each shirt will be prepped for gold metal KY commonwealth buttons. Each employee will have the option to add approved rockers to their uniforms. Each employee can add hashmarks to the left sleeve to show years served. See below photo for reference:

•

Lexington-Fayette Urban County Government
Division of Community Corrections



- LINE ITEM # 2 ELBECO DISTINCTION POLY/WOOL SHORT SLEEVE SHIRT - NAVY
- 8840N
- *NO SUBSTITUTIONS
-
- ELBECO STYLE 8840N
- Male Distinction Short Sleeve Shirt
-
- Fabric: Burlington 5324-KSS 5.5 oz./sq.yd, 9.5 oz./lin.yd, 75% Polyester/25% Worsted Wool (long-staple), 2-ply tropical weave with 5% stretch and soft hand. Color: Midnight navy 915H.
-
- Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample. Shirts to have permanent sewn in military creases.
-

Lexington-Fayette Urban County Government
Division of Community Corrections

- Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
-
- All sewing shall be with dacron core thread to match shirt fabric. The collar is to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge. Pockets and pocket flaps to be die creased to give uniform shape and size.
-
- Collar: Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of 250 denier Dacron lining. Innerstand and inner yoke to be made of a matching satin of proper pre-shrunk finish for comfort.
-
- Permanent collar stays to be secured to the bottom ply. The collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide.
-
- Sleeves: Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:
-

| Size | Finished Length |
|--------------------|-----------------|
| 14-1/2 | 9-1/2" |
| 15, 15-1/2 and 16 | 10" |
| 16-1/2 thru 18-1/2 | 10-1/2" |
| 19 thru 20 | 11" |

-
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
-
- Flex Vent: Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 3 1/4" wide x 10 1/4" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort,
-
- Dual Comm Access Openings: Access opening measuring 1-1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Pouch style openings are clean-finished, neatly concealed and reinforced for durability. These opening are used to thread communication wires under the front of the shirt to keep them out of the way.
-
- Front: The front shall have a facing 3" in width extending from neckline to the bottom of shirt proved by a turnunder of material. The left front shall also have a lined false top center 1-1/2" wide finished, running full

Lexington-Fayette Urban County Government
Division of Community Corrections

length of the shirt a with two rows of stitching 7/8" apart. The center front shall contain seven vertical buttonholes placed 3/4" from edge, first at neck, second 2-1/2" down, balance 3-1/2" apart. The 3rd, 4th, 5th and 6th buttons are sewn on the top center and are not functional.

-
- The right front shall have a button piece, 7/8" wide stitched the full length. The 1st and 6th buttons are securely attached to the button piece, corresponding to the buttonholes in the center front.
-
- Zipper: A 14" nylon zipper shall be sewn to the fronts and shall be positioned 1-1/2" below the first front button and shall replace the 3rd, 4th, 5th and 6th front buttons, which are to be sewn on the top center. The neck button, 1st front button and bottom button are to be functional.
-
- Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt and an inner piece of matching satin. Yoke is to be topstitched along the edge.
-
- Pockets: There are two double entry chest pockets with mitred corners to finish 5-5/8" wide and 6" long. The side entry forms a utility pocket closed with Velcro. The left chest pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box pleat stitched from top to bottom to prevent spreading.
-
- Flaps: To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap. Flaps will accommodate removable metal buttons.
-
- Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
-
- Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.
-
- Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.
-
- There shall be a small buttonhole in the yoke for the insertion of a removable metal button. There shall also be a protective piece sewn under yoke to protect the wearer from the metal toggle.
-

Lexington-Fayette Urban County Government
Division of Community Corrections

- Permanent Creases: Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back: middle crease on center back line; side back creases spaced equally from center crease.
-
- Interlining: Top center to be lined with pella. Flaps to be EZ Crease. Collar to be 250BC Dacron.
-
- UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.
-
- Labels: Woven label with brand and content to be sewn in yoke, with size label sewn next to it. Care label to be sewn in bottom hem.
-
- Buttons: All buttons shall be made from melamine material for durability and must match fabric.
-
- Pressing and Packing:
- Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.
-
- Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.
-
- Neck Size: 14.5 15 15.5 16 16.5 17 17.5 18 18.5 19 20
22
- Chest: 40½ 42½ 44½ 46½ 48½ 50½ 52½ 54½ 56½ 58½ 62½
70½
- Waist: 37½ 39½ 41½ 43½ 45½ 48½ 51 53½ 56 58½ 62½
70½
- Bk Length: 32¾ 32½ 32¼ 33 33¼ 33¼ 34¾ 35 35¼ 36¼ 37
37¼
-
-
-

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- GARMENT CUSTOMIZATION:
- Each Class A uniform shirt will have gold department patches on each sleeve, each shirt will be prepped for gold metal KY commonwealth buttons. Each employee will have the option to add approved rockers to their uniforms. Each employee can add hashmarks to the left sleeve to show years served. See below photo for reference:



- LINE ITEM # 3 ELBECO DISTINCTION POLY/WOOL LADIES CHOICE SHORT SLEEVE SHIRT - NAVY 9840LCN
- *NO SUBSTITUTIONS
- ELBECO STYLE 9840LCN
- Distinction Female Short Sleeve Shirt
- Fabric: Burlington 5324-KSS 5.5 oz./sq. yd, 9.5 oz./lin. yd, 75% Polyester / 25% Worsted Wool (long-staple), 2-ply tropical weave with 5% stretch and soft hand. Color: Midnight Navy 915H.

Lexington-Fayette Urban County Government
Division of Community Corrections

- Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit. Shirts to have permanent sewn in military creases.
-
- Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
-
- All sewing shall be with dacron core thread to match shirt fabric. The collar is to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge. Pockets and pocket flaps to be die creased to give uniform shape and size.
-
- Collar: Convertible collar shall be one piece and to measure 3-1/8" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of 250 denier Dacron lining. Innerstand and inner yoke to be made of a matching satin of proper pre-shrunk finish for comfort.
-
- Permanent collar stays to be secured to the bottom ply. The collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide.
-
- Sleeves: Sleeves are to be straight and whole and have a 1" hem. The finish shall be 9-1/2" long from shoulder seam.
-
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
-
- Front: The front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The right front shall also have a lined false top center 1-1/2" wide finished, running full length of the shirt with two rows of stitching 7/8" apart. The center front shall contain seven vertical buttonholes placed 3/4" from edge, first at neck, second 2-1/2" down, balance 3-1/2" apart. The 3rd, 4th, 5th and 6th buttons are sewn on the top center and are not functional.
-
- The left front shall have a button piece, 7/8" wide stitched the full length. The 1st and 6th buttons are securely attached to the button piece, corresponding to the buttonholes in the center front.
-
- Zipper: A 14" nylon zipper shall be sewn to the fronts and shall be positioned 1-1/2" below the first front button and shall replace the 3rd, 4th, 5th and 6th front buttons, which are to be sewn on the top center. The neck button, 1st front button and bottom button are to be functional.
-

Lexington-Fayette Urban County Government
Division of Community Corrections

- Flex Vent: Patent pending Flex Vent is made from 92% Polyester/8% Spandex mesh. Diamond shaped mesh measuring 2½" wide x 8" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.
-
- Dual Comm Access Openings: Access opening measuring 1-1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Pouch style openings are clean-finished, neatly concealed and reinforced for durability. These opening are used to thread communication wires under the front of the shirt to keep them out of the way.
-
- Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin.
-
- Pockets: To have two double entry chest pockets with mitered corners to finish 5" wide and 5-1/2" long. The side entry forms a utility pocket closed with Velcro. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.
-
- Flaps: To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. The top stitching and the setting of the flaps shall be done with two rows of stitching. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non functional matching button and buttonhole sewn on the flap. Shall be made to accommodate removable metal buttons.
-
- Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
-
- Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.
-
- Shoulder Straps:
 - The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8".
 -
 - Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.
 -
 - There shall be a small buttonhole in the yoke for the insertion of a removable metal button. There shall also be a protective piece sewn under yoke to protect the wearer from the metal toggle.

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Permanent Creases:
 - Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back: middle crease on center back line; side back creases spaced equally from center crease.
 -
 - Interlining: Top center to be lined with Pellon. Flaps to be EZ Crease. Collar to be 250BC Dacron.
 -
 - UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.
 -
 - Labels: Woven label with brand and content to be sewn in yoke, with size label sewn next to it. Care label to be sewn in bottom hem.
 -
 - Buttons: All buttons shall be made from melamine material for durability and must match fabric.
 -
 - Pressing and Packing: Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.
 -
 - Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

- Finished Dimensions

| | | | | | | | | | | |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| • Size: | 30 | 32 | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48 |
| • Bust: | 38½ | 39½ | 41 | 42½ | 44 | 45½ | 47½ | 49½ | 51½ | 53½ |
| • Waist: | 35½ | 36½ | 38 | 39½ | 41 | 42½ | 44½ | 46½ | 48½ | 50½ |
| • Back: | 27½ | 27½ | 28½ | 28½ | 28½ | 28½ | 28½ | 28½ | 29 | 29 |
| • Sleeve length: | 9½ | 9½ | 9½ | 9½ | 9½ | 9½ | 9½ | 9½ | 9½ | 9½ |

- GARMENT CUSTOMIZATION:

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Each Class A uniform shirt will have gold department patches on each sleeve. each shirt will be prepped for gold metal KY commonwealth buttons. Each employee will have the option to add approved rockers to their uniforms. Each employee can add hashmarks to the left sleeve to show years served. See below photo for reference:



- LINE ITEM # 4 ELBECO DISTINCTION POLY/WOOL LADIES CHOICE LONG SLEEVE SHIRT - NAVY 9340LCN

- ***NO SUBSTITUTIONS**

- ELBECO STYLE 9340LCN

- Distinction Female Long Sleeve Shirt

- Fabric: Burlington 5324-KSS 5.5oz./sq. yd, 9.5 oz./lin. yd, 75% Polyester / 25% Worsted Wool (long-staple), 2-ply tropical weave with 5% stretch and soft hand. Color: Midnight navy.

- Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit. Shirts to have permanent sewn in military creases.

Lexington-Fayette Urban County Government
Division of Community Corrections

- Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
-
- All sewing shall be with dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched ¼" from edge. The pockets and flaps shall be single stitched on the edge. Pockets and pocket flaps to be die creased to give uniform shape and size.
-
- Collar: The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". The stand shall fasten with one button. There shall be one horizontal buttonhole.
-
- The leaf shall be made of three pieces; two pieces of self cloth and one whole dacron lining, which is to be fused to the top collar. Innerstand and inner yoke to be made of a matching satin of proper pre-shrunk finish for additional comfort.
-
- Permanent collar stays to be secured to the bottom ply. The collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide.
-
- Sleeves: To be straight and whole. The cuffs are to be 2-5/8" in width and to fasten with two buttons. There is to be a single stitch ¼" from top of cuff. Shall be made to accommodate removable metal buttons.
-
- The sleeve opening shall measure 3-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.
-
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
-
- Flex Vent: Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 2½" wide x 8" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.
-
- Dual Comm Access Openings: Access opening measuring 1-1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Pouch style openings are clean-finished, neatly concealed and reinforced for durability. These opening are used to thread communication wires under the front of the shirt to keep them out of the way.
-

Lexington-Fayette Urban County Government
Division of Community Corrections

- Front: The right front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart. The 2nd, 3rd, 4th and 5th buttons are sewn on the top center and are not functional.
-
- The left front shall have a button stand, 7/8" wide double stitched the full length. The 1st and 6th buttons are securely attached to the button piece, corresponding to the buttonholes in the center front.
-
- Zipper: A 14" nylon zipper shall be sewn to the fronts and shall be positioned 1-1/2" below the first front button and shall replace the 2nd, 3rd, 4th and 5th front buttons, which are to be sewn on the top center. The neck button, 1st front button and bottom button are to be functional.
-
- Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin.
-
- Pockets: There are two double entry chest with mitered corners to finish 5" wide and 5-1/2" long. The side entry forms a utility pocket closed with Velcro. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.
-
- Flaps: To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap. Flaps will be made to accommodate removable metal buttons.
-
- Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
-
- Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.
-
- Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.
-
- There shall be a small buttonhole in the yoke for the insertion of a removable metal button. There shall also be a protective piece sewn under yoke to protect the wearer from the metal toggle.

**Lexington-Fayette Urban County Government
Division of Community Corrections**

-
- Permanent Creases: Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back: middle crease on center back line; side back creases spaced equally from center crease.
-
- Interlining: Top center to be lined with pellow. Flaps to be EZ Crease. Cuffs to be M-37 H'Press. Collar to be 250BC Dacron. Bands to be Staflex.
-
- UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.
-
- Labels: Woven label with brand and content to be sewn in yoke, with size label sewn next to it. Care label to be sewn in bottom hem.
-
- Buttons: All buttons shall be made from melamine material for durability and are 20L black.
-
- Pressing and Packing: Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.
-
- Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

-
-
- Finished Dimensions

| | | | | | | | | | | |
|----------|-----|-----|----|-----|----|-----|-----|-----|-----|-----|
| • Size: | 30 | 32 | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48 |
| • Bust: | 38½ | 39½ | 41 | 42½ | 44 | 45½ | 47½ | 49½ | 51½ | 53½ |
| • Waist: | 35½ | 36½ | 38 | 39½ | 41 | 42½ | 44½ | 46½ | 48½ | 50½ |

**Lexington-Fayette Urban County Government
Division of Community Corrections**

•

• Back: 27½ 27½ 28½ 28½ 28½ 28½ 28½ 28½ 29 29

•

• Sleeve length: 30 30 31 32 32 33 33 33 34 34

• GARMENT CUSTOMIZATION:

• Each Class A uniform shirt will have gold department patches on each sleeve. each shirt will be prepped for gold metal KY commonwealth buttons. Each employee will have the option to add approved rockers to their uniforms. Each employee can add hashmarks to the left sleeve to show years served. See below photo for reference:

•



•

• LINE ITEM # 5 ELBECO DISTINCTION FOUR POCKET TROUSERS - NAVY
E494RN

• *NO SUBSTITUTIONS

•

• ELBECO STYLE E494RN

• Male Distinction Trouser - Midnight Navy

•

• Fabric: Burlington 2030 74% Polyester/25% worsted wool (long-staple)/ 1% Lycra serge weave, weighing 7.6oz. /sq. yd, 13oz. /linear yd., with 17% engineered stretch for increased range of movement for maximum comfort. Color: Midnight navy.

Lexington-Fayette Urban County Government
Division of Community Corrections

-
- Style: Shall be made on a with the Essential Fit uniform pattern, having a plain front with a covert waistband, quarter top front pockets, ¾" belt loops, and two back pockets.
-
- Pockets: The quarter top front pocket opening will be a minimum 6½" and be 6" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. There is a tandem stitch along the front pocket facing to give additional stability and strength to the pocket. The left front pocket will have a security pocket set in the pocket bag, closed with a 7" invisible zipper. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide.
-
- The back pockets will have a minimum opening of 6" and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The watch pocket, located approximately 2½" to the front of the right side seam at the waistband, shall have an approximate opening of 3" and shall be 3" deep. The front pockets and watch pocket shall each have straight bartacks and each back pocket shall have triangular bartacks.
-
- Waistband: The Covert waistband contains a hidden elastic extension, providing up to three inches of additional stretch. The front of the outer waistband tapers through the covert opening at the top of the front pocket opening. The 1¼" wide elastic extends from the end of the taper through the waistband behind the side seam. All stress points will be bartacked.
-
- The inner waistband shall be a Duty Fit waistband, which provides additional stretch to the wearer's exact size while providing permanent recovery memory. The Duty Fit waistband will be continuous on the inside of the waistband so as to provide additional support and recovery to the waistband extension. There are no split openings in the inside curtain.
-
- The inside waistband shall be made with black poly/spandex/nylon/latex with 50% stretch. There is a ½" exposed gripper track in the center for shirt retention. The waistband measures 2½" and is attached with a rocap machine. Knit elastic banrol stiffener measuring 1" shall be sewn into the entire waistband to provide additional support.
-
- Belt Loops: There should be a minimum of 5 lined loops on waist sizes 30 and below, 7 lined loops on waist sizes 31 through 48, and 9 lined loops on waist sizes 50 and over. Each loop is to be ¾" wide of double thickness, with stitching on the face side ¼" from each edge. Except for the back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1¼" belt.
-
- Inner Fly/Crotch: The right fly and front crotch linings shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining sewn to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper and continue centered on the join seam across the inseam and end 1" onto the backseam. A separate French fly made of the outer fabric shall be sewn to the inside right fly.

Lexington-Fayette Urban County Government
Division of Community Corrections

-
- There shall be a triple stitch crotch reinforcement to prevent seam failure in the crotch and inseam area. The crotch shall be secured with two rows of stitching. One row is to be on the inside of the trouser, then turned and an additional row to be sewn on the outside of trouser.
-
- **Zipper:** The trousers shall be closed with a gun metal memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.
-
- **Creasing:** The front and back crease in the trouser legs must incorporate a permanent modified silicone crease produce by the Creaset™ System.
-
- **Pocketing:** All pocketing shall be black 65% Polyester/35% Cotton with a minimum thread count of 70 x 48, weight is 4.3oz. /sq. yd.
-
- **Seaming:** The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine.
-
- **Labels:** There shall be a woven brand label sewn-in the left hip pocket bag. A woven size label shall be sewn next to the main label, with a care and content label sewn below that label. An outside waistband label shall be marked with lot number, size, fiber content, cut number and UPC Identification.
-
- **Finishing & Pressing:** All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jet clip attached to the top fly of the finished trouser.
-
- **UPC Identification:** A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.
-
- **Code of Conduct:** All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.
-

**Lexington-Fayette Urban County Government
Division of Community Corrections**

•

•

•

• **Finished Measurements:**

| | | | | | | | | | |
|-------------------|----------|---------|---------|---------|---------|---------|---------|----------|----------|
| • SIZE | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
| • Waist relaxed | 28-1/2 | 29-1/2 | 30-1/2 | 31-1/2 | 32-1/2 | 33-1/2 | 34-1/2 | 35-1/2 | 36-1/2 |
| • Waist stretched | 31-1/2 | 32-1/2 | 33-1/2 | 34-1/2 | 35-1/2 | 36-1/2 | 37-1/2 | 38-1/2 | 39-1/2 |
| • Seat | 38-15/16 | 39-3/4 | 40-5/8 | 41-7/16 | 42-5/16 | 43-3/16 | 44-1/16 | 45 | 45-15/16 |
| • Front Rise | 9-5/16 | 9-7/16 | 9-5/8 | 9-3/4 | 9-7/8 | 10 | 10-3/16 | 10-5/16 | 10-1/2 |
| • Back Rise | 14-7/8 | 15 | 15-1/8 | 15-1/4 | 15-3/8 | 15-1/2 | 15-5/8 | 15-13/16 | 16 |
| • Inseam | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 |

•

| | | | | | | | | | |
|-------------------|----------|----------|----------|---------|---------|---------|---------|---------|----------|
| • SIZE | 37 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 |
| • Waist relaxed | 37-1/2 | 38-1/2 | 40-1/2 | 42-1/2 | 44-1/2 | 46-1/2 | 48-1/2 | 50-1/2 | 52-1/2 |
| • Waist stretched | 40-1/2 | 41-1/2 | 43-1/2 | 45-1/2 | 47-1/2 | 49-1/2 | 51-1/2 | 53-1/2 | 55-1/2 |
| • Seat | 46-11/16 | 47-7/16 | 49 | 50-9/16 | 52-3/16 | 53-3/4 | 55-7/16 | 57-1/16 | 58-3/4 |
| • Front Rise | 10-11/16 | 10-13/16 | | 11-3/16 | 11-1/2 | 11-7/8 | 12-1/4 | 12-9/16 | 12-15/16 |
| | 13-1/4 | | | | | | | | |
| • Back Rise | 16-3/16 | 16-5/16 | 16-11/16 | | 17-1/16 | 17-3/8 | 17-3/4 | 18-1/8 | 18-7/16 |
| | | | | | | | | | 18-13/16 |
| • Inseam | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 |

•

•

• **LINE ITEM # 6 ELBECO DISTINCTION LADIES CHOICE 4 POCKET TROUSERS - NAVY E9444LC**

• ***NO SUBSTITUTIONS**

•

• ELBECO STYLE E9494LCN

• Female Distinction Trouser

•

• Fabric: Burlington 2030 7.6oz./sq. yd, 13oz./linear yd., 74% Polyester/25% worsted wool (long-staple)/ 1% lycra serge weave with 17% engineered stretch for increased range of movement for maximum comfort. Color: Midnight navy.

•

Lexington-Fayette Urban County Government
Division of Community Corrections

- Style: Shall be made with the Ladies Choice pattern, featuring a contour waistband with elastic side panels, shortened rise, and reshaped hip and seat. Trousers have a plain front with quarter top front pockets, a watch pocket, ¾" belt loops, and two back pockets.
-
- Pockets: The front pocket opening will be a minimum 6" and be 6" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. There shall be a tandem stitch along the front pocket facing to give additional stability and strength to the pocket. The left front pocket will have a security pocket set in the pocket bag, closed with a 7" invisible zipper. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide.
-
- The back pockets will have a minimum opening of 5" on size 8 and below, and 5½" on size 10 and above, and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The watch pocket, located approximately 2½" to the front of the right side seam at the waistband, shall have an approximate opening of 3" and shall be 3" deep. The front pockets and watch pocket shall each have a straight bartack and each back pocket shall be bartacked with a triangular machine.
-
- Waistband: Must be Ladies Choice construction for superior comfort and performance. The curtain, attached with a rocap machine, shall be made of black, bias-cut, cotton blended twill and ½" shirt retention strip. Inside the waistband shall be two pieces of breathable non-woven stretch canvas for support. Waistband will also be fused for additional support.
-
- The finished waistband shall be 2" wide and shall be closed with a crush-proof hook and eye, the eye being bartacked for stability. There shall be 4" elastic sewn into each side of the waistband for superior fit. The finished waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain. No alternative waistband will be acceptable.
-
- Inside Trim: The right fly shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining fused to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper.
-
- Belt Loops: There should be a minimum of 5 belt loops on waist sizes 8 and below, and a minimum of 7 on all sizes 10 and above. Each loop is to be ¾" wide of double thickness, with stitching on the face side ½" from each edge. Except for the back loop, which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1½" belt.
-
- Zipper: The trousers shall be closed with a gun metal memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.
-

Lexington-Fayette Urban County Government
Division of Community Corrections

- Creasing: The front and back crease in the trouser legs must incorporate a permanent modified silicone crease produce by the Creaset™ System.
-
- Pocketing: All pocketing shall be black 65% Polyester/35% Cotton with a minimum thread count of 70 x 48, weight is 4.3oz. /sq. yd.
-
- Seaming: The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine. The outside trouser leg seam shall be seam busted.
-
- Labels: There shall be a woven brand label sewn-in the left hip pocket bag. A woven size label shall be sewn next to the main label, with a care and content label sewn below that label. An outside waistband label shall be marked with lot number, size, fiber content, cut number and UPC Identification..
-
- Finishing & Pressing: All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.
-
- UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.
-
- Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department.
-
- This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.
-

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- LINE ITEM # 7 LFUCG COMMUNITY CORRECTIONS ARM PATCH - GOLD



Q196264 ES2180370

-
- LINE ITEM # 8 ELBECO TEK3 SHORT SLEEVE SHIRT - MIDNIGHT NAVY
G9220NP

- *NO SUBSTITUTIONS

- Tek3

- Male Short Sleeve Shirt – G934 – Midnight Navy

-
- Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

-
- Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

-
- Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.

-
- Fabric: Elbeco Tek3 65% Polyester/35% Combed Cotton two ply vat dyed twill weave, weighing 7oz. per square yard with 6-8% engineered filling stretch. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability.

-
- Creasing: Pockets and pocket flaps to be die creased to give uniform shape and size.

Lexington-Fayette Urban County Government
Division of Community Corrections

- Collar: Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of Dacron lining.
-
- The collar shall be made with permanent collar stays. Collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide and be attached to the bottom ply of the collar.
-
- The collar is to be single stitched 1/4" from edge. On the edge stitching will be cause for rejection.
-
- Sleeves: Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

| • Size | Finished Length |
|---------------------------|-----------------|
| • 14 and 14-1/2 | 9-1/2" |
| • 15, 15-1/2 and 16 | 10" |
| • 16-1/2" through 18-1/2" | 10-1/2" |
| • 19 and up | 11" |
-
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
-
- Flex Vent: Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 3 1/4" wide x 10 1/4" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.
-
-
- Front: The front shall have a facing 3" in width extending from neckline to the bottom of shirt provided by a turn under of material. The left front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges.
-
- The center front shall contain seven vertical buttonholes placed 3/4" from edge. The first button will be placed at the neck, second placed 2 1/2" down, with the balance 3 1/2" apart.
-
- Back: There is to be a yoke composed of a double ply of the same material as the basic shirt properly secured for strength. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
-
- Dual Comm Access Openings: Access opening measuring 1-1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Pouch style openings are clean-finished, neatly concealed and reinforced for

Lexington-Fayette Urban County Government
Division of Community Corrections

durability. These opening are used to thread communication wires under the front of the shirt to keep them out of the way.

-
- Pockets: There are two double entry chest pockets with mitered corners to finish 5-5/8" wide and 6" long. The side entry forms a utility pocket closed with Velcro. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.
-
- Flaps: To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.
-
- The pockets and flaps shall be single stitched on the edge. Off the edge stitching will be cause for rejection.
-
- Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
-
- Badge Tab: There shall be a loose badge tab attached to the UPC tag for optional use. The tab will have two metal eyelets 1-1/4" apart.
-
- Mic Tab: There shall be a loose mic tab measuring 3/4" wide x 3" length set in the right from pocket.
-
- Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.
-
- Shoulder straps must be top stitched on the edge. Off the edge stitching will be cause for rejection.
-
- Permanent Creases: Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
-
- Interlining: Top center to be lined with V01083-85. Flaps to be E-Z crease. Cuffs to be 37 durapress. Collar to be Dacron 250.
-
- UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an

Lexington-Fayette Urban County Government
Division of Community Corrections

inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

-
- **Labels:** Brand woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.
-
- **Buttons:** All buttons shall be made from Melamine material for durability and must match fabric.
-
- **Pressing and Packing:** Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.
-
- **Code of Conduct:** All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

-
- **Finished Dimensions**

| | | | | | | | | |
|-------------------------|-----------------|--------|--------|--------|--------|--------|--------|-----|
| • Neck Size: | XS | S | M | L | XL | 2XL | 3XL | 4XL |
| • Chest: | 37 | 41 | 45 | 49 | 53 | 57 | 61 | 65 |
| • Waist: | 32 | 36 | 40 | 44 | 49 | 54 | 59 | 65 |
| • Back Length: | 32 | 32-5/8 | 32-7/8 | 33-3/8 | 34-7/8 | 35-7/8 | 36-7/8 | 37 |
| • Sleeve Length: | 9-1/2 all sizes | | | | | | | |

-
-
-
-
-

- **GARMENT CUSTOMIZATION:**
- Each shirt will receive department specific patches on the sleeves, badge patch on the chest and 1 inch twill name strip on the right chest. The name strip will display the employee's first initial and last name in block caps using silver thread to match the patches. See the below photo for reference:
-

**Lexington-Fayette Urban County Government
Division of Community Corrections**



Lexington-Fayette Urban County Government
Division of Community Corrections



Date: 02/24/09

Size: 2 825x3 125

| |
|-----------------|
| APPROVED BY |
| CAR: |
| CUSTOMER: |
| QUANTITY ORDER: |
| DATE ORDERED: |

Fabric Color:



•
•
•
• LINE ITEM # 9 ELBECO TEK 3 LONG SLEEVE SHIRT - MIDNIGHT NAVY
G920NP

• *NO SUBSTITUTIONS

• ELBECO TEK3

• Male Long Sleeve Shirt – G924 – Midnight Navy

• Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Lexington-Fayette Urban County Government
Division of Community Corrections

- Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.
-
- Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.
-
- Fabric: Elbeco Tek3 65% Polyester/35% Combed Cotton two ply vat dyed twill weave, weighing 7oz. per square yard with 6-8% engineered filling stretch. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability.
-
- Creasing: Pockets and pocket flaps to be die creased to give uniform shape and size.
-
- Collar: Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of Dacron lining. The collar is to be single stitched 1/4" from edge. On the edge stitching will be cause for rejection.
-
- The collar shall be made with permanent collar stays. Collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide and be attached to the bottom ply of the collar.
-
- Sleeves: To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two button adjustable cuff. There is to be a single stitch 7/16" from top of cuff.
-
- The continuous sleeve opening shall measure 4-7/8" from top of cuff. The facing for this opening is to be 1-1/4" wide. Button is to be placed on sleeve opening with corresponding buttonhole.
-
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
-
- Flex Vent: Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 3 1/4" wide x 10 1/4" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.
-
- Front: The front shall have a facing 3" in width extending from neckline to the bottom of shirt provided by a turn under of material. The left front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges.

Lexington-Fayette Urban County Government
Division of Community Corrections

-
- The center front shall contain seven vertical buttonholes placed 3/4" from edge. The first button will be placed at the neck, second placed 2 1/2" down, with the balance 3 1/2" apart.
-
- Back: There is to be a yoke composed of a double ply of the same material as the basic shirt properly secured for strength. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
-
- Dual Comm Access Openings: Access opening measuring 1-1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Pouch style openings are clean-finished, neatly concealed and reinforced for durability. These opening are used to thread communication wires under the front of the shirt to keep them out of the way.
-
- Pockets: There are two double entry chest pockets with mitered corners to finish 5-5/8" wide and 6" long. The side entry forms a utility pocket closed with Velcro. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.
-
- Flaps: To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.
-
- The pockets and flaps shall be single stitched on the edge. Off the edge stitching will be cause for rejection.
-
- Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
-
- Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.
-
- Shoulder straps must be top stitched on the edge. Off the edge stitching will be cause for rejection.
-
- Badge Tab: There shall be a loose badge tab attached to the UPC tag for optional use. The tab will have two metal eyelets 1-1/4" apart.
-
- Mic Tab: There shall be a loose mic tab measuring 3/4" wide x 3" length set in the right from pocket.
-

Lexington-Fayette Urban County Government
Division of Community Corrections

- Permanent Creases: Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back: middle crease on center back line; side back creases spaced equally from center crease.
-
- Interlining: Top center to be lined with V01083-85. Flaps to be E-Z crease. Cuffs to be 37 durapress. Collar to be Dacron 250.
-
- UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.
-
- Labels: Brand woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.
-
- Buttons: All buttons shall be made from Melamine material for durability and must match fabric.
-
- Pressing and Packing: Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.
-
- Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

- Finished Dimensions

- Neck Size: 13/13½ 14/14½ 15/15½ 16/16½ 17/17½ 18/18½ 19/20 21/22
- Chest: 37 41 45 49 53 57 63 71
 - Waist: 32 36 40 44 49 54 63 71
 - Back Length: 32 32-5/8 32-7/8 33-3/8 34-7/8 35-7/8 36-7/8 37
- Sleeve Length: Combination Sleeve: 32/33 is 33
 - 34/35 is 35
 - 36/37 is 37

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- GARMENT CUSTOMIZATION:
- Each shirt will receive department specific patches on the sleeves, badge patch on the chest and 1 inch twill name strip on the right chest. The name strip will display the employee's first initial and last name in block caps using silver thread to match the patches. See the below photo for reference:



Lexington-Fayette Urban County Government
Division of Community Corrections



LINE ITEM # 10 ELBECO WOMEN'S TEK 3 SHORT SLEEVE - MIDNIGHT NAVY
G954LC

*NO SUBSTITUTIONS

Tek3

Male Short Sleeve Shirt - G934 - Midnight Navy

Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

**Lexington-Fayette Urban County Government
Division of Community Corrections**

-
- Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.
-
- Fabric: Elbeco Tek3 65% Polyester/35% Combed Cotton two ply vat dyed twill weave, weighing 7oz. per square yard with 6-8% engineered filling stretch. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability.
-
- Creasing: Pockets and pocket flaps to be die creased to give uniform shape and size.
-
- Collar: Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of Dacron lining.
-
- The collar shall be made with permanent collar stays. Collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide and be attached to the bottom ply of the collar.
-
- The collar is to be single stitched 1/4" from edge. On the edge stitching will be cause for rejection.
-
- Sleeves: Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:
-

| Size | Finished Length |
|-------------------------|-----------------|
| 14 and 14-1/2 | 9-1/2" |
| 15, 15-1/2 and 16 | 10" |
| 16-1/2" through 18-1/2" | 10-1/2" |
| 19 and up | 11" |

-
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
-
- Flex Vent: Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 3 1/4" wide x 10 1/4" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.

Lexington-Fayette Urban County Government
Division of Community Corrections

-
- Front: The front shall have a facing 3" in width extending from neckline to the bottom of shirt provided by a turn under of material. The left front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges.
-
- The center front shall contain seven vertical buttonholes placed 3/4" from edge. The first button will be placed at the neck, second placed 2 1/2" down, with the balance 3 1/2" apart.
-
- Back: There is to be a yoke composed of a double ply of the same material as the basic shirt properly secured for strength. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
-
- Dual Comm Access Openings: Access opening measuring 1-1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Pouch style openings are clean-finished, neatly concealed and reinforced for durability. These opening are used to thread communication wires under the front of the shirt to keep them out of the way.
-
- Pockets: There are two double entry chest pockets with mitered corners to finish 5-5/8" wide and 6" long. The side entry forms a utility pocket closed with Velcro. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.
-
- Flaps: To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.
-
- The pockets and flaps shall be single stitched on the edge. Off the edge stitching will be cause for rejection.
-
- Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
-
- Badge Tab: There shall be a loose badge tab attached to the UPC tag for optional use. The tab will have two metal eyelets 1-1/4" apart.
-
- Mic Tab: There shall be a loose mic tab measuring 3/4" wide x 3" length set in the right from pocket.
-
- Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps

**Lexington-Fayette Urban County Government
Division of Community Corrections**

shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

-
- Shoulder straps must be top stitched on the edge. Off the edge stitching will be cause for rejection.
-
- Permanent Creases: Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
-
- Interlining: Top center to be lined with V01083-85. Flaps to be E-Z crease. Cuffs to be 37 durapress. Collar to be Dacron 250.
-
- UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.
-
- Labels: Brand woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.
-
- Buttons: All buttons shall be made from Melamine material for durability and must match fabric.
-
- Pressing and Packing: Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.
-
- Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

•

• Finished Dimensions

| | | | | | | | | |
|----------------|----|----|--------|--------|--------|--------|--------|-----------|
| • Neck Size: | XS | S | M | L | XL | 2XL | 3XL | 4XL |
| • Chest: | 37 | 41 | 45 | 49 | 53 | 57 | 61 | 65 |
| • Waist: | 32 | 36 | 40 | 44 | 49 | 54 | 59 | 65 |
| • Back Length: | | 32 | 32-5/8 | 32-7/8 | 33-3/8 | 34-7/8 | 35-7/8 | 36-7/8 37 |

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Sleeve Length: 9-1/2 all sizes

-
-
-
-
-

- **GARMENT CUSTOMIZATION:**

- Each shirt will receive department specific patches on the sleeves, badge patch on the chest and 1 inch twill name strip on the right chest. The name strip will display the employee's first initial and last name in block caps using silver thread to match the patches. See the below photo for reference:

-



-

Lexington-Fayette Urban County Government
Division of Community Corrections

-
- Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.
-
- Fabric: Elbeco Tek3 65% Polyester/35% Combed Cotton two ply vat dyed twill weave, weighing 7oz. per square yard with 6-8% engineered filling stretch. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability.
-
- Creasing: Pockets and pocket flaps to be die creased to give uniform shape and size.
-
- Collar: Convertible collar shall be one piece and to measure 3-1/8" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of fusing. The collar is to be single stitched 1/4" from edge. On the edge stitching will be cause for rejection.
-
- The collar shall be made with permanent collar stays. Collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide and be attached to the bottom ply of the collar.
-
- Sleeves: To be straight and whole with two pleats at the cuff. The cuffs are to be 2-5/8" in width and to fasten with two button adjustable cuff. There is to be a 1/4" topstitch around the cuff.
-
- The continuous sleeve opening shall measure 3-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on bottom facing of sleeve opening with corresponding buttonhole on top facing.
-
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
-
- Flex Vent: Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 3 1/4" wide x 10 1/4" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.
-
- Front: The front shall have a facing 3" in width extending from neckline to the bottom of shirt provided by a turn under of material. The right front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges.
-

Lexington-Fayette Urban County Government
Division of Community Corrections

- The center front shall contain seven vertical buttonholes placed 3/4" from edge. The first button will be placed at the neck, second placed 2½" down, with the balance 3½" apart.
-
- Back: There is to be a yoke composed of a double ply of the same material as the basic shirt properly secured for strength. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
-
- Dual Comm Access Openings: Access opening measuring 1-1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Pouch style openings are clean-finished, neatly concealed and reinforced for durability. These opening are used to thread communication wires under the front of the shirt to keep them out of the way.
-
- Pockets: There are two double entry chest pockets with mitered corners to finish 5" wide and 5½". The side entry forms a utility pocket closed with Velcro. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.
-
- Flaps: To have two scalloped flaps to finish 5-1/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.
-
- The pockets and flaps shall be single stitched on the edge. Off the edge stitching will be cause for rejection.
-
- Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
-
- Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.
-
- Shoulder straps must be top stitched on the edge. Off the edge stitching will be cause for rejection.
-
- Badge Tab: There shall be a loose badge tab attached to the UPC tag for optional use. The tab will have two metal eyelets 1-1/4" apart.
-
- Mic Tab: There shall be a loose mic tab measuring ¾" wide x 3" length set in the right from pocket.
-

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Permanent Creases: Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
-
- Interlining: Top center to be lined with V01083-85. Flaps to be E-Z crease. Cuffs to be 37 durapress. Collar to be Dacron 250.
-
- UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.
-
- Labels: Brand woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.
-
- Buttons: All buttons shall be made from Melamine material for durability and must match fabric.
-
- Pressing and Packing: Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.
-
- Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

- Finished Dimensions

| | | | | | | | | | | |
|---|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| • | Size: | 30 | 32 | 34 | 36 | 38 | 40 | 42 | 44 | 46 |
| • | Bust: | 38½ | 39½ | 41 | 42½ | 44 | 45½ | 47½ | 49½ | 51½ |
| • | Waist: | 35½ | 36½ | 38 | 39½ | 41 | 42½ | 44½ | 46½ | 48½ |
| • | Back: | 27½ | 27½ | 28½ | 28½ | 28½ | 28½ | 28½ | 29 | 29 |
| • | Sleeve length: | 30 | 30 | 31 | 32 | 32 | 33 | 33 | 34 | 34 |

-

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- GARMENT CUSTOMIZATION:
- Each shirt will receive department specific patches on the sleeves, badge patch on the chest and 1 inch twill name strip on the right chest. The name strip will display the employee's first initial and last name in block caps using silver thread to match the patches. See the below photo for reference:



**Lexington-Fayette Urban County Government
Division of Community Corrections**



Date: 02/24/09

Size: 2.825x3.125



Fabric Color:



LINE ITEM # 12 ELBECO MEN'S TEK 3 CARGO PANTS E620RN

LINE ITEM # 13 ELBECO LADIES CHOICE TEK 3 CARGO PANTS
EL05=E9620LCN

***NO SUBSTITUTIONS**

STYLE E2854LC

FEMALE TEK3 CARGO POCKET TROUSER – MIDNIGHT NAVY

Fabric: Elbeco Tek3 65% Polyester/35% Combed Cotton two ply vat dyed twill weave, weighing 7oz. per square yard with 6-8% engineered filling stretch. A continuous dyeing process enhances the color retention of

Lexington-Fayette Urban County Government Division of Community Corrections

the fabric. Fabric must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability.
Color: Midnight Navy.

-
- Style: Shall be made with the Ladies Choice pattern, featuring a contour waistband with elastic side panels, shortened rise, and reshaped hip and seat. Trousers have a plain front with quarter top front pockets, two back pockets, two rear SAP pockets and two double entry cargo pockets positioned on each leg outseam.
-
- Pockets:
 - Front/Back: The front pocket opening will be a minimum 6½" and be 6" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self-material finishing no less than 1¼" wide. The back pockets will have a minimum opening of 5" on sizes 8 and below and 5½" on sizes 10 and above and will be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. Both pockets shall have a tab and button. The front pockets shall each have a straight bartack and each back pocket shall be bartacked with a triangular bartack.
 -
 - Sap: There shall be two SAP pockets, located 5¼" below each hip pocket. The pockets shall be 2" from the side seam with a minimum opening of 3½" and a minimum depth of 8". Pocketing material to be the same as side and hip pockets. Pockets shall be constructed using the double welt method on a Reece PW machine.
 -
 - Side: There shall be two double entry side pockets sewn to each outside leg seam. The pocket is centered 9½" below the bottom of the waistband on sizes 8 and below, and 10½" on sizes 10 and above the pocket shall be constructed of shell fabric with the top edge bound with a poly/cotton black binding. The pocket shall measure 7" wide and 8½" long and feature an inverted center pleat measuring one inch in width and edge stitched for stability. A 3M reflective stripe transfer 1" x 6" will be heat sealed to the top edge of the pocket. Two 1" x 1" soft Velcro strips will be sewn on top of the ends of the reflective tape so that a minimum of 4" of tape is visible.
 -
 - There shall be a knife/PDA pocket sewn on the outside of the cargo pocket from the pleat towards the rear of the trouser. This pocket has a lined hem and Velcro closure.
 -
 - A two-compartment internal utility pocket and tunnel will be set in the back of each cargo pocket. One compartment measures 3½" x 4½" with a finished bottom. The other compartment measures 2-3/8" x 6" deep and is open at the bottom to accommodate flashlights of different lengths. A PDA/utility pocket measuring 4½" x 4½" is set inside the front of each cargo pocket.
 -
 - The pocket flap measures 7" wide x 2-3/4" deep and is made of two plies of shell fabric and one ply of interlining. The top edge of the flap shall be sewn across the top of the outer pocket with its sides secured to the pocket with two hard velcro strips sewn to the inner ply of flap to align with the soft Velcro strips sewn to the pocket. There shall be a zipper sewn behind the inner pocket and to the trouser leg, positioned one inch below the top of the flap to create a concealed pocket.

Lexington-Fayette Urban County Government
Division of Community Corrections

-
- **Pocketing:** All pocketing shall be black 65% polyester/35% cotton with a minimum thread
- **Count to 68 X 54.** the weight shall be 2.60 yards/lb.
-
- **Inside Trim:** The right fly lining shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining sewn to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper.
-
- There shall be a triple strength crotch reinforcement to prevent seam failure in the crotch and inseam area. The crotch shall be secured with two rows of stitching. One row is to be on the inside of the trouser, then turned and an additional row to be sewn on the outside of trouser.
-
- **Waistband:** Must be Ladies Choice construction for superior comfort and performance. The curtain, attached with a rocap machine, shall be made of black, bias-cut, cotton blended twill and shall have ½" shirt retention strip. Inside the waistband shall be two pieces of breathable non-woven stretch canvas for support. Waistband will also be fused for additional support. The finished waistband shall be 2" wide and shall be closed with a crush-proof hook and eye, the eye being bartacked for stability. There shall be 4" elastic sewn into each side of the waistband for superior fit. The finished waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain. No alternative waistband will be acceptable.
-
- **Belt Loops:** There should be a minimum of 5 lined belt loops on sizes 8 and below and a minimum of 7 lined loops on all sizes 10 and above. Each loop is to be ¾" wide of double thickness, with stitching on a face side ¼" from each edge. Except for the back loop, which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1½" belt.
-
- **Zippers:** The trousers shall be closed with a gun metal zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser. Additional zippers shall be sewn behind each side pocket flap per specification.
-
- **Creasing:** The front and back crease in both trouser legs must be applied via a pneumatically controlled application of Creaset™ silicone sealant, specially formulated for technologically enhanced fabrics, so as to give permanency to the creases for the life of the garment.
-
- **Seaming:** The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine.
-

Lexington-Fayette Urban County Government
Division of Community Corrections


- Labels: There shall be a brand woven label sewn-in the left hip pocket bag. A woven size label shall be sewn next to the main label, with a care and content label sewn below that label. An outside waistband label shall be marked with lot number, size, fiber content, cut number and UPC Identification.

- Finishing & Pressing: All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.

- Code of Conduct:

- All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

- LINE ITEM # 14 LFUCG COMMUNITY CORRECTIONS ARM PATCH - SILVER
Q159363 ES1845333



Colors May Vary See Company Thread & Fabric Chart For Actual Colors

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- LINE ITEM # 15 LFUCG COMMUNITY CORRECTION BADGE PATCH - SILVER
Q159362 HC1845332



- LINE ITEM # 16 1 INCH TWILL NAMESTRIP - NON APPLIED 7999 NAV

- 1 INCH NAMESTRIP/STRIPING

- LINE ITEM # 17 5.11 TACTICAL POLO 71182

• *NO SUBSTITUTIONS

- 6 oz 100% cotton jersey
- Fade, shrink and wrinkle-resistant
- Smooth fabric surface is perfect for heat press and embroidery
- No-roll collar keeps you looking crisp
- Three-button placket, rib trim on cuffs
- Durable melamine buttons won't melt, burn or crack
- Bartacking at major stress points
- Pen/pencil pocket on left sleeve
- Integrated mic loops at the shoulders and chest

- LINE ITEM # 18 5.11 TACTICAL MEN'S SNAG FREE SHORT SLEEVE
PERFORMANCE POLO 71049

• *NO SUBSTITUTIONS

- 6.7 oz, 100% jersey-knit polyester

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Professional appearance, lasting comfort
- Moisture wicking, quick drying, antimicrobial
- Snag-, rip- and wrinkle- resistant SmartWeave® fabric
- Dual pen pockets at left sleeve
- Traditional three-button placket
- Melamine buttons won't burn, crack or melt
- Bartacking at major stress points for durability
- Accepts embroidery and silk-screening
- No roll collar with flexible collar stays
- Integrated mic loops at the shoulders and chest
- Machine wash and dry
- Imported
- Each shirt will receive a department logo on the left chest:



- Each shirt will need the option of right chest monogramming of the employees first initial and last name.
 - The embroidery thread must match the color of the left chest logo (silver or gold)
 - The monogramming must include the employees first initial and last name

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- The text should be mixed caps (Upper and Lower case) and .47 inches tall.

• LINE ITEM # 19 5.11 TACTICAL MEN'S SNAG FREE LONG SLEEVE PERFORMANCE
POLO 72049

- ***NO SUBSTITUTIONS**
- 6.7 oz, 100% jersey-knit polyester Smartweave® construction
- Antimicrobial fabric prevents odor-causing bacteria
- Surface has a slight sheen that doesn't pill so it stays smooth, day after day
- No roll collar with flexible collar stays
- Traditional three button placket
- Melamine buttons won't burn, crack, or melt
- Bartacking at major stress points
- Accepts embroidery and silkscreening
- Gusseted sleeves for greater range of motion
- Mic clips on shoulders and a mic clip on the bottom of placket
- Dual pen pockets on left sleeve
- Snag, rip, fade, shrink and wrinkle-resistant
- Machine wash and dry
- Imported
- Each shirt will receive a department logo on the left chest:



Lexington-Fayette Urban County Government
Division of Community Corrections



- Each shirt will need the option of right chest monogramming of the employees first initial and last name.
 - The embroidery thread must match the color of the left chest logo (silver or gold)
 - The monogramming must include the employees first initial and last name
 - The text should be mixed caps (Upper and Lower case) and .47 inches tall.

•

• LINE ITEM # 20 5.11 TACTICAL WOMEN'S SNAG - FREE PERFORMANCE POLO
61165

• *NO SUBSTITUTIONS

- 6.7 oz 100% polyester
- Wicks away moisture to keep you dry
- Designed to fit a woman's body for a comfortable and flattering fit
- Anti-microbial to prevents odor-causing bacteria
- Surface has a slight sheen that doesn't pull so it stays smooth, day after day
- Gusseted sleeves for greater range of motion
- No-roll collar with collar stays
- Three-button placket
- Bartacking at major seams and stress points
- Pen pocket at the sleeve
- Mic loops at the shoulders and chest
- Durable melamine buttons
- Fade, shrink and wrinkle-resistant
- Machine wash and dry
- Imported
- Each shirt will receive a department logo on the left chest:

Lexington-Fayette Urban County Government
Division of Community Corrections



- Each shirt will need the option of right chest monogramming of the employees first initial and last name.
 - The embroidery thread must match the color of the left check logo (silver or gold)
 - The monogramming must include
- LINE ITEM # 21 5.11 TACLITE PRO PANTS 74273
 - 6.14 oz ripstop, 65% polyester/35% cotton fabric
 - Fade and wrinkle-resistant
 - Teflon finish repels moisture, stains and dirt
 - Patented straps and trademark slash pockets
 - Welded pocket added to right side, parallel to magazine pocket
 - YKK zipper & Prym snaps
 - Diamond gusset added to the crotch for outstanding durability and flexibility
 - Double thick seat and knees
 - Machine wash and dry
 - Imported

LINE ITEM # 22 TRU SPEC 24/7 RIP STOP PANTS 1061082

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- 6.5 oz, 65% polyester, 35% cotton ripstop fabric
- Comfort-fit slider waistband
- Engineered dimensional fit
- Teflon® coated to protect against stains
- Machine wash and dry
- Imported
- Extra-deep front pockets
- 2 knife/accessory pockets
- Expandable back pockets with hook-and-loop closure
- 2 cargo pockets with hook-and-loop closure and bellowed side gussets that contain 2 internal magazine compartments
- Cell phone/magazine pocket on outside of cargo pockets
- Double-reinforced knee with built-in (inside) kneepad pockets
- TRU-SPEC® original PRYM snap with brass YKK® zipper
- 1½" belt loops with 2½" wide openings

• LINE ITEM # 23 5.11 TACTICAL TACLITE PRO WOMEN'S RIPSTOP PANTS 64360

- 6.14 oz ripstop, 65% polyester/35% cotton fabric
- Fade and wrinkle-resistant
- Teflon finish repels moisture, stains and dirt
- Patented straps and trademark slash pockets
- Welded pocket added to right side, parallel to magazine pocket
- YKK zipper & Prym snaps
- Diamond gusset added to the crotch for outstanding durability and flexibility
- Double thick seat and knees
- Machine wash and dry

• LINE ITEM # 24 TRU SPEC WOMEN'S 24/7 CLASSIC PANT 1193002

- Teflon®-coated
- 65% polyester/35% cotton ripstop
- Comfort fit slider waistband
- Customized Tru-Spec® original PRYM snap and YKK® brass zipper
- Extra deep front pockets with covered zipper vertical side seam pockets, 2 knife accessory pockets with stiff fusing inner lining, vertical hidden zipper thigh pockets
- Hidden seam pockets are deep enough to easily & safely carry pistol mags

LINE ITEM # 25 HEXARMOR HIGH-PERFORMANCE SEARCH AND DUTY GLOVE 4045

- AirMesh™ breathable back

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Provides high cut-resistant (ISEA/CE Level 5) and needle stick protection on fingertips and part of the palm
- Tested with 25 gauge needles (modified ASTM 1342-05 test)
- SuperFabric[®] material; double layer on fingertips
- Airprene wrist band and Velcro[®] closure
- Machine washable

LINE ITEM # 26 HEXARMOR THREE LAYER GLOVE 4041

- Spandex back for flexibility
- Triple-layer SuperFabric[®] material on palm
- ISEA Level 5 cut-resistance, with more than 5000 grams, 9 times the medium weight of DuPont[™] KEVLAR[®]
- Hook and loop closure for secure fit
- Machine washable



LINE ITEM # 27 FLYING CROSS FLEECE LINED QUARTER ZIP COMMANDO SWEATER F1 740 10

***NO SUBSTITUTIONS**

SWEATER SPECIFICATIONS

Flying Cross by Fechheimer Item: F1 740 86

FABRIC:

Content: 30 % Polyester / 33% Wool / 37% Acrylic

Weave: Rib Knit with bonded micro fleece

Color: Navy

DESIGN:

The sweater is a pullover type with a quarter-zip styling with a 1/4" double welt covered #3 reverse coil zipper, set-in long sleeves with shoulder patches, elbow patches. Optional nameplate, badge tabs and epaulets.

CLOTH SHOULDER PATCHES AND ELBOW PATCHES:

Lexington-Fayette Urban County Government
Division of Community Corrections

The cloth used for making the shoulder patches, elbow patches, epaulets, nameplate and badge tabs shall be a matching cloth out of Stretch Woven Ripstop.

ELBOW PATCHES:

Sleeves shall have elbow patches sewn into the underarm seam and double needle ¼" stitching throughout the rest of the elbow patch. The elbow patch shall measure 15 ¼" long for sizes X-Small – Large and 16 ½" long for sizes X-Large through 4XL. The elbow patch shall measure 3 ½" wide at sleeve bottom.

BADGE, NAMEPLATE AND EPAULETS:

The badge tab will measure 3" x 4 3/8" and have metal eyelets spaced 1 ¼ " apart. The nameplate will measure 1 1/8 " x 2 ¼" and have metal eyelets spaced 1 ¼ " apart. The epaulets will measure 2" wide at raw edge and 1 ½" at pointed edge. There shall be a ¾" x ¾" piece of Velcro hook sewn to the epaulet approximately ½" from epaulet point with a ¾" x ¾" piece of Velcro loop attached to the Velcro hook.

FINISHING & PACKAGING:

Sweaters shall be constructed in a first class manner with patches, thread used throughout. All exposed inside edges must be serged and/or fold over elastic hem and all loose threads to be thoroughly trimmed. Sweaters to be individually bagged in clear plastic bags. A polybag containing the epaulets, badge tab and nameplate shall be attached Flying Cross label.

LABELS:

There shall be permanently affixed Flying Cross and size label sewn into the neck seam and there shall be a care/content label sewn into the side seam on the wearer`s left side.

CARE:


Washable.

SIZE RANGE:

XS – 4XL

•

Lexington-Fayette Urban County Government
Division of Community Corrections




LINE ITEM # 28 GALLS COMMANDO V NECK ACRYLIC SWEATER SW667

70% Acrylic/30% Wool

Lexington-Fayette Urban County Government Division of Community Corrections

- Color-matched fabric shoulder and elbow patches
- Shoulder epaulets
- Turn-back cuffs
- Long sleeves
- Machine wash and dry
- Includes sew-on badge tab and name strip kit
- Each sweater will receive a badge patch, department patches on each sleeve and a 1" inch navy twill namestrip with the employees name in ½ inch black caps lettering in silver thread to match the patches.



Lexington-Fayette Urban County Government
Division of Community Corrections



• LINE ITEM # 29 PORT & COMPANY ESSENTIAL T SHIRT PC61

- 6.1-ounce, 100% soft spun cotton

LINE ITEM # 30 5.11 TACTICAL UTILI-T SHIRTS (PACKAGE OF 3) 40016

- 4.5 oz, ringspun cotton fabric
- Moisture-wicking fabric
- Crew neck
- 1" no-roll high-density collar
- Tapered shoulder design
- Extended length
- Double-stitching
- Tagless label
- Accepts embroidery and silk-screening
- LINE ITEM # 31 LFUCG COMMUNITY CORRECTIONS SCREEN PRINTED T SHIRT PC61
- 6.1-ounce, 100% soft spun cotton
- Include department screen print
- FRONT

GALLS L100396



Lexington-Fayette Urban County Government
Division of Community Corrections

- BACK

•

GALLS L100397



LEXINGTON, KENTUCKY

•

•

• LINE ITEM # 32 5.11 TACTICAL DOUBLE DUTY JACKET - DARK NAVY 48096

- 100% nylon exterior shell
- 100% polyester interior lining
- Water-resistant fabric with zip-out liner for adjustable warmth
- 5.11 Hidden Document Pockets
- Backup Belt System™ chest pockets
- Hidden handwarmer pockets
- Hook-and-loop storm cuffs
- Above the belt, Ike length jacket for easy access to your duty belt
- Badge tab delivered, unattached, with jacket
- Underarm zippers

• LINE ITEM # 33 5.11 TACTICAL SIGNATURE DUTY JACKET -DARK NAVY 48103

- 100% nylon exterior shell
- Waterproof and blood-borne pathogen-resistant
- Zip-out, Blood-borne pathogen resistant*, quilted liner
- Removable hood for easy stow away
- Hidden Document Pockets
- Backup Belt System front pockets
- Bi-swing back for ease of movement
- Back pull-down ID panel
- Zipping side seams
- Hidden handwarmer pockets

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Badge tab kit included
- Underarm zippers for ventilation
- Elasticized hem
- Hook and loop storm cuffs
- Ike length
- LINE ITEM # 34 NEESE 48" PVC VINYL RAINCOAT - BLACK 1650C BLK
- Waterproof vinyl outer with sealed seams
- Snap front and sleeve closure
- Convenient pass through pockets
- Detachable, snap-on hood
- Ventilated back and underarms
- Non-corrosive snaps
- LINE ITEM # 35 GALLS AGENT LTC G-TAC JACKET - BLACK JX778 BLK
- 100% polyester soft-shell fabric
- Water resistant
- Front zipper closure
- Two zippered slash pockets
- Zippered vertical chest pocket
- Adjustable hook-and-loop cuffs
- 10" side zippers with snap tabs designed for concealed carry
- Vented caped back
- LINE ITEM # 36 ELBECO TEK3 HAT - MIDNIGHT NAVY CAP 24 MDNV
- 65% polyester, 35% cotton twill
- NANO-TEX technology repels fluids and keeps you dry while maintaining natural breathability
- Plain front and subdued logo at rear
- Adjustable back strap
- LINE ITEM # 37 5.11 TACTICAL UNIFORM HAT, ONE SIZE, DARK NAVY 89260
- 5.78-oz, 65% polyester/35% cotton twill
- Teflon finish resists stains and water penetration
- One size fits most
- LINE ITEM # 38 FLEECE WATCH CAP - PLAIN - DARK NAVY 89250 724
- Polyester fleece is warm when wet, won't absorb water and doesn't pill up
- LINE ITEM # 39 FLEXFIT PERFORMANCE CAP - DARK NAVY 6580 DKNV
- 97% polyester/3% spandex

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Lightweight, serge polypun fabric has the look and feel of wool
- Mid-profile cap, 3/4" crown with six eyelets
- Permacurv PE visor with 8 rows of stitching
- Fused hard buckram front panels
- Hypoallergenic, moisture-wicking ability and superior drying with matching under-visor
- **LINE ITEM # 40 NAMEPLATE 2 1/2" X 5/8" - GOLD NT017 GLD PLSH CB**
- 2 1/2" Length, 5/8" Height
- Available in pin, clutch, or magnetic back (see photos below)
- Choose between a brushed (matte look), polished (shiny, smooth) finish
- Gold or Silver
- Personalization will be sent as it is input and is **case sensitive**
- Up to 20 characters including spaces
- **LINE ITEM # 41 GALLS UNIVERSAL LEATHER BADGE HOLDER - BLACK 71301-0002**
- 4"H x 2-1/4"W
- Cover has Hook & Loop closure
- Black
- **LINE ITEM # 42 GALLS DIE CUT LEATHER BADGE WALLET 79610 DIE CUT**
- This classic wallet includes sections for a badge, ID, money and photos. Holds ID's 2-3/4" x 4".
-
- **LINE ITEM # 43 PERFECT FIT BI FOLD WALLET WITH CC SLOTS AND ID WINDOW 107 BLK CSTM**
- Holds ID size up to 2-3/4" x 3-1/2" and badge width up to 2-7/8"
- 6 credit card slots
- Money compartment
- Flipping ID window conceals badge until you're ready to show it
- Suede flap protects badge finish and ID
- Super double polished soft 18 gauge plastic reduces scratching, cracking and discoloration
- Over 1,400 badge cuts for a Perfect Fit
- Ships from factory within three business days
- Genuine black leather
- Made in USA
- **LINE ITEM # 44 BLACKINTON SMALL OAK LEAF INSIGNIA PAIR - GOLD A982-3 GP**
- Dimensions

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Width : 11/16"
- Height : 3/4"
-

• LINE ITEM # 45 BLACKINTON SMALL SEGEANT CHEVRON - GOLD J59 GO

- Measures 3/4"H x 3/4"W
- Clutchback attachment
- Available in silver or gold finish
- Sold as a pair

LINE ITEM # 46 BLACKINTON SMALL LIEUTENANT BARS - GOLD J61 GO

- Measures 3/4"H x 1/4"W
- Clutchback attachment
- Available in silver or gold finish
- Sold as a pair

• LINE ITEM # 47 BLACKINTON SMALL CAPTAIN BARS - GOLD J63 GO

- Measures 3/4"H x 3/4"W
- Clutchback attachment
- Available in silver or gold finish
- Sold as a pair

• LINE ITEM # 48 LFUCG HASHMARKS - 1 G12126\

- Navy fabric with gold thread embroidered hash marks, merrowed edge.



**EG0759
LFUCG 1 HASHMARK**

-
-

• LINE ITEM # 49 LFUCG HASHMARKS - 2 G12226

- Navy fabric with gold thread embroidered hash marks, merrowed edge.

Lexington-Fayette Urban County Government
Division of Community Corrections



EG0760
LFUCG 2 HASHMARKS

.

• LINE ITEM # 50 LFUCG HASHMARKS - 3 G12326

- Navy fabric with gold thread embroidered hash marks, merrowed edge.



EG0761
LFUCG 3 HASHMARKS

.

.

.

.

.

• LINE ITEM # 51 LFUCG HASHMARKS - 4 G12426

- Navy fabric with gold thread embroidered hash marks, merrowed edge.



EG0762
LFUCG 4 HASHMARKS

.

• LINE ITEM # 52 LFUCG HASHMARKS - 5 G12526

- Navy fabric with gold thread embroidered hash marks, merrowed edge.

Lexington-Fayette Urban County Government
Division of Community Corrections



EG0788
LFUCG 5 HASHMARKS

.

• LINE ITEM # 53 LFUCG HASHMARKS - 6 G30534

- Navy fabric with gold thread embroidered hash marks, merrowed edge.



EN6954
AC3811380 LFUCG
CORRECTIONS 6 HASH MARKS

.

.

• LINE ITEM # 54 LFUCG HASHMARKS - 7 G30535

- Navy fabric with gold thread embroidered hash marks, merrowed edge.



EG2120
AC3811380 LFUCG
CORRECTIONS 7 HASH MARKS

.

.

• LINE ITEM # 55 LFUCG HASHMARKS - 8 G30536

- Navy fabric with gold thread embroidered hash marks, merrowed edge.

Lexington-Fayette Urban County Government
Division of Community Corrections



EG2121

AC3811380 LFUCG
CORRECTIONS 8 HASH MARKS

-
-

LINE ITEM # 56 LFUCG HASHMARKS - 9 G24074

- Navy fabric with gold thread embroidered hash marks, merrowed edge.



EG2126

AC3811380 LFUCG
CORRECTIONS 9 HASHMARK

-
-

LINE ITEM # 57 REEVES SERVING SINCE BAR WITH BLUE LETTERS - GOLD
YSLE GLD

- 2 inches by 5/8 inches gold serving since with Blue lettering

-

LINE ITEM # 58 HERO'S PRIDE TRADITIONAL WHISTLE CHAIN VALUE PACK -
GOLD GA4020G

- Includes firm clasp for secure whistle attachment. Measures 20" in length.
Come three per pack. Available in gold-tone or silver-tone.

-

LINE ITEM # 59 EISEMAN LUDMAR SOFT SHOULD EPAULETS (PAIRS)

- Made in USA
- 4-1/4"H x 1-7/8"W x 2-1/4"D
- Sold in Pairs

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Capt, Corporal, Major
- LINE ITEM # 60 EMBROIDERED COLLAR INSIGNIA EMBLEMS - BLACK / GOLD, BLACK / SILVER
 - Emblems available with gold or silver stitching. 1" x 1". Made in USA. Sold in pairs.
 - Eagle, Double Bars, Single Bar, Oak Leaf
 -
- LINE ITEM # 61 CLIP ON TIE WITH BUTTON HOLE - BLACK 90010 BLK
 - 100% polyester
 - Pre-tied
 - Tropical weave
 - Comes with three buttonholes to keep ties straight
 - Slide small end of tie through the loop and button to the shirt
 - Made in USA
- LINE ITEM # 62 GALLS BREAKAWAY TIE - BLACK 90111 BLK
 - 100% polyester
 - Pre-tied
 - Hook and loop fasteners
 - 3" wide with permanent knots
 - Comes with three buttonholes to keep ties straight
 - Slide small end of tie through the loop and button to the shirt
 - Made in USA
- LINE ITEM # 63 OAK LEAF INSIGNIA LT COL & MAJ - BLACK / SILVER PE1055ALL
 - EMBROIDERED MAJOR OAK LEAVES COLLAR INSIGNIA
 - 1 inch x 1 inch
 -
- LINE ITEM # 64 SMALL CORPORAL CHEVRON - PAIR - GOLD A7011 GP
 - Dimensions
 - Width : 3/4"
 - Height : 1/2"
 -
- LINE ITEM # 65 MAGLIT MINI MAGLITE PRO LED FLASHLIGHT SP201H
 - CLASSIC SIMPLICITY – Twist the head to turn on, turn off, and focus
 - MODERN POWER – Next-generation LED for a whole new level of brightness

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- 226 lumens
- Length: 6.607" (167.8 mm)
- Barrel Diameter: .709" (18 mm)
- Head Diameter: 1" (25.4 mm)
- Weight with batteries: 4.15 oz. (117.75 g)
- Powered by 2 AA alkaline batteries
- **LINE ITEM # 66 SAFARILAND SAFARILAMINATE BUCKLELESS OUTER DUTY BELT 94-4**
- Safarilaminate construction
- Hook lining attaches to loop of inner trouser belt for a Buckleless™ System
- Hidden brass hook and a hook-and-loop closure on both ends
- 2-1/4"W
- **LINE ITEM # 67 SAFARILAND SAFARILAMINATE BUCKLELESS INNER DUTY BELT - 1.5" 99-4**
- Safarilaminate construction
- Loop lined for use with Safariland outer duty belts
- Hook and loop closure
- Reversible
- 1-1/2"W
- **LINE ITEM # 68 SAFARILAND STANDARD CUFF CASE WITH SNAP - HIDDEN SNAP 90-4HS**
- Safarilaminate™ construction
- Fits standard sized chain or hinged cuffs
- Fits up to 2-1/4" belts
- **LINE ITEM # 69 SAFARILAND STANDARD CUFF CASE WITH SNAP - SILVER 90-4**
- Safarilaminate™ construction
- Fits standard sized chain or hinged cuffs
- Fits up to 2-1/4" belts
- **LINE ITEM # 70 SAFARILAND #77 DOUBLE MAGAZINE HOLDER - HIDDEN SNAP 77-83-4HS**
- Safarilaminate construction
- Vertical and horizontal belt slots for a regular or low-profile position
- Tension screw to adjust the magazine retention
- Fits up to 2-1/4" belts
- **LINE ITEM # 71 SAFARILAND #77 DOUBLE MAGAZINE HOLDER - SILVER 90-4**
- Safarilaminate construction

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Vertical and horizontal belt slots for a regular or low-profile position
- Tension screw to adjust the magazine retention
- Fits up to 2-1/4" belts
- LINE ITEM # 72 SAFARILAND MKIII DEFENSE SPRAY CASE - HIDDEN SNAP 38-4-4HS
- Safarilaminated construction
- Fits up to 2-1/4" belts
- LINE ITEM # 73 SAFARILAND MKIII DEFENSE SPRAY CASE - SILVER 90-4
- Safarilaminated construction
- Fits up to 2-1/4" belts
- LINE ITEM # 74 SAFARILAND SAFARILAMINATE TWO SNAP BELT KEETERS - HIDDEN SNAP 62-4-4HS
- Safarilaminated construction
- 3/4 "wide keepers with two snaps
- Secures Sam Browne belt to Garrison belt
- Fits up to 2-1/4" belts
- Pack of four
- LINE ITEM # 75 SAFARILAND SAFARILAMINATE TWO SNAP BELT KEETERS - NICKEL 65-4-4
- Safarilaminated construction
- 3/4 "wide keepers with two snaps
- Secures Sam Browne belt to Garrison belt
- Fits up to 2-1/4" belts
- Pack of four
- LINE ITEM # 76 GLOVE POUCH WITH VELCRO CLOSURE 33-4V
- Durable thin membrane Safarilaminated™
- VELCRO® brand closure
- Holds one pair latex gloves
- Fits up to 2-1/4" belts
- Measures 3"H x 4"W
- LINE ITEM # 77 SAFARILAND QUICK KIT 1-2 (1) QLS 19 AND (1) QLS 22 QUICK-KIT1-2
- The QLS (Quick Locking System) allows the user to mount almost any Safariland holster or accessory in the right position to meet the preference of the user and to handle any mission requirement.
- Passes a Level I Retention™ Pull Test

Lexington-Fayette Urban County Government
Division of Community Corrections

- Allows for quick removal and installation between attachment points such as a belt loop, tactical leg shroud, or even a MOLLE Looped vest (with use of MLS 16).
- Mounting system allows the user to rearrange gear quickly and easily without the need for tools.
- Allows holstered weapons and accessories to be removed without removal of apparel such as a vest, leg shroud or belt.
-
- **LINE ITEM # 78 SAFARILAND 6360 ALS/SLS LEVER III MID-RIDE RETENTION HOLSTER 6360-83-81/82**
- SafarilaminatTM construction
- Unique design locks into the ejection port and is operated by your thumb once the Self Locking System (SLS) is released
- Hood Guard helps protect the SLS from impact and premature release especially in an attempted takeaway
- ALS secures weapon when holstered
- Slim, compact design rides close to body
- Smooth, straight up draw when all releases are activated
-
-
- **LINE ITEM # 79 SAFARILAND ALS/SLS 6360 LEVER III MID RISE DUTY HOLSTER 6360-83-131/132**
- SafarilaminatTM construction
- Unique design locks into the ejection port and is operated by your thumb once the Self Locking System (SLS) is released
- Hood Guard helps protect the SLS from impact and premature release especially in an attempted takeaway
- ALS secures weapon when holstered
- Slim, compact design rides close to body
- Smooth, straight up draw when all releases are activated
- **LINE ITEM # 80 SAFARILAND FLASHLIGHT CARRIER 306-1-4**
- Leather
- Fits up to 2-1/4" belts
- 5-1/2" high
- Half-sheath design offers full protection
- **LINE ITEM # 81 UNCLE MIKES MINI FLASHLIGHT HOLDER 88671**
- Cordura® nylon construction
- Water-resistant, wear-resistant and abrasion-resistant

Lexington-Fayette Urban County Government
Division of Community Corrections

- Fits most AA mini flashlights
- Fits belts up to 2-1/4"W
-
-
- **LINE ITEM # 82 UNCLE MIKES SINGLE CUFF CASE 88781**
- A wide selection of accessories so you can carry the equipment just right
- Multi-layer laminates combined with Kodra® nylon make accessories abrasion resistant and lightweight
- **LINE ITEM # 83 UNCLE MIKES NYLON MARK III DEFENSE SPRAY CASE 88771**
- Cordura® nylon construction
- Wear-resistant, abrasion-resistant and water-resistant
- No-glare snap
- Fits up to a 2-1/4" belt
- **LINE ITEM #84 UNCLE MIKES NYLON ULTRA DUTY BELT 87731**
- Made of two layers of tough 2" nylon webbing for added durability and easy care with padded edge for comfort
- Four-layer laminate construction for rigidity and comfort
- 2"W
- Triple retention buckle reduces the possibility of accidental opening
- Wear-resistant and abrasion-resistant
- Precision stitched edging
- **LINE ITEM # 85 UNCLE MIKES NYLON BELT KEEPERS (SET OF 4) 88651**
- Cordura® Nylon construction
- Water-resistant, wear-resistant and abrasion-resistant
- Fits belts up to 2"W
- No-glare snap
- Package of 4
- **LINE ITEM # 86 UNCLE MIKES CORDURA DOUBLE LATEX GLOVE CARRIER 88961**
- Holds two pairs of latex gloves
- Cordura nylon construction is water-resistant, wear-resistant and abrasion-resistant
- Fits belts up to 2-1/4"W
-
- **LINE ITEM # 87 GALLS MOLDED NYLON TROUSER BELT SHG050 BLK**
- Molded nylon

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Fade- and scratch-resistant material
- Weatherproof
- Hook-and-loop lined and reversible
- Hook-and-loop loop closure
- Interlocks with duty belt for added stability
- 1-1/2" W
- Hand washable

LINE ITEM # 88 UNCLE MIKES CORDURA DIVIDED DOUBLE MAG CASE 88367

- Cordura® nylon construction is water-resistant, wear-resistant and abrasion-resistant
 - Over-the-top black snap closures
 - Fits belts up to 2-1/4" W
 - Can be carried vertically or horizontally
 - Fits All Staggered Magazines Except: Glock .45, 10mm & H&K .45
- Fits All Staggered Magazines Except: Glock .45, 10mm & H&K .45.

• **LINE ITEM # 89 5.11 TACTICAL TDU BELT - 1.75" WIDE 59552 019**

- Web belt has non-metallic, low-profile buckle
- Imported
- Plastic Buckle

• **LINE ITEM # 90 PEERLESS STANDARD HANDCUFFS 700C**

- Nickel plated steel construction
- Heat-treated steel chain
- 19 locking positions
- Double lock system
- Inner perimeter measures 5-3/4" to 7-7/8"
- Includes two keys
- 10 oz
- Purchase and possession of restraints by persons under 18 years of age is prohibited.

• **LINE ITEM # 91 SMITH & WESSON MODEL 100 NICKEL FINISHED HANDCUFF 350103**

- Fabricated from the finest quality carbon steel.
- Double lock engaging pin for security
- Heat-treated chain
- Heat treated internal lockworks
- Smooth ratchets for swift cuffing and double locks to prevent tampering

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Inner perimeter range of 5¾" - 8"
- Weighs 10 oz.
- 23 locking positions
- Comes with two keys
- Includes Smith & Wesson's lifetime warranty
- LINE ITEM # 92 ZAK TOOL TACTICAL KEY RING HOLDER - 2 PACK ZT-54-55

- Comes in a set of two.
- Contains one holder that fits up to a 2" belt and one that fits up to a 1 ¼" belt
- Fits 1-1¾"W belt loops
- Black
- Made in the USA

- LINE ITEM # 93 UNCLE MIKES ULTRA INNER DUTY BELT WITH VELCRO 87821

Made of tough 1 1/2-inch nylon web with hook-and-loop adjustment. Ultra Inner Belt includes hook-and-loop liner to complete a keeperless system.

- LINE ITEM # 94 UNCLE MIKES KODRA ULTRA DUTY BELT WITH VELCRO LINING 87781

- Quality nylon, built to last
- Deluxe 2" wide ballistic weave fabric that will adjust to your body type and flex with every move for comfort
- PRO-3 triple retention quick release buckle
- Hook-and-loop liner to complete a keeperless system

- LINE ITEM # 95 SAFARILAND ALS/SLS LEVER III MID RIDE DUTY HOLSTER 6360-283-131/132

- Slim, compact design rides close to body
- Smooth, straight up draw when all releases are activated
- ALS secures weapon when holstered
- Hood guard is standard
- Fits Glock 17, 22 or Sig P220, P226, P228, P229

- LINE ITEM # 96 TOMMIE COPPER WOMEN'S GRADUATED COMPRESSION SOCK 1701WR-0101

- 30% PRO+IONIC™ Copper-Nylon, 62% Nylon, 8% Spandex
- Copper infusion increases oxygen transportation and blood circulation
- 4D graduated stretch compression
- Cools and pulls moisture away from the body
- Permanent and natural antibacterial and anti-odor technology

Lexington-Fayette Urban County Government
Division of Community Corrections

- Ergonomic comfort for full range of motion
- LINE ITEM # 97 SUPERFEET MEN'S TRIM-TO-FIT BLUE INSOLES 2412 BLU
- Medium-profile insole with the shape that can fit into most footwear while providing intermediate support
- Fits most types of low and medium-volume footwear, even some without removable factory insoles
- Heel Cup: helps position the heel to naturally absorb impact
- Biomechanical shape: the medium-profile shape puts biomechanical support under your foot, but takes up less space in the shoe
- Antimicrobial coating: all natural coating that inhibits the growth of odor-causing bacteria
- Stabilizer Cap: the rails reinforce the narrow cap to provide structure and support
- High-Density Foam: closed-cell foam supports and cushions the foot for long lasting comfort
- Blue
- Imported
- LINE ITEM # 98 SUPERFEET MEN'S TRIM-TO-FIT ORANGE INSOLES 7410
ORG
- High-profile insole that offers a deep and narrow heel cup for maximum support
- Fits all types of medium and high-volume footwear with removable insoles like athletic shoes and boots
- Deep heel cup: features a deep, narrow heel cup that helps support the foot during high-impact activities and long distances
- Biomechanical shape: the slim, contoured shape helps stabilize and support the foot, which can help reduce stress on feet, ankles and knees
- Organic, odor-control coating: all natural coating that eliminates odor-causing bacteria
- Reinforced stabilizer cap: the base of the insole that supports the rearfoot and provides structure and stability to the foam layer
- Responsive full-length foam: closed-cell foam supports and cushions the foot for long-lasting comfort
- High-impact foam forefoot: provides greater shock absorption during high-impact activities like walking, running, or playing on hard, unforgiving surfaces
- Orange
- Imported
- LINE ITEM # 99 5.11 TACTICAL MEN'S ZIPPER 6" TACTICAL ATAC QUARTER
BOOT 12018 019
- Full-grain leather and rugged nylon construction
- 5.11 Shock Mitigation System®
- Antibacterial and moisture-wicking lining
- Oil- and slip-resistant, no-squeak outsole

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Generous open cell foam cushioning
- Hypertext® lasting board
- Injection molded phylon midsole
- Side zip functionality
- Polished leather toe
- Cushioned insole
- Semi-rigid heel and toe reinforcement
- Non-metallic shank
- YKK® zipper hardware
- Stay-tied sausage laces
- **LINE ITEM # 100 5.11 ATAC TACTICAL 6" WATERPROOF BOOT 12019 019**
- Waterproof leather/nylon
- Proprietary 5.11 waterproof, breathable system
- 5.11 Shock Mitigation system for internal comfort and shock absorption
- 6" upper; polishable toe
- YKK side zip for easy on/off
- Aegis Agion® antimicrobial lining
- Ortholite Poliyou® insole for comfort and odor control
- Drilex® linings to wick away moisture
- Meets ASTM-F2413-05 M I/75 C/75 EH PR safety toe, and electrical hazard and puncture resistance standards
- **LINE ITEM # 101 ROCKY PROFESSIONAL HI-GLOSS UNISEX CHUKKA 500-8
BLK**
- Full Grain Water-Resistant High Gloss Leather
- Pro-Cell Polyurethane Perforated Air-Flow Insert
- Durable Goodyear Welt Construction
- Non-Metallic Stabilizer
- Pro-Cell Blown Rubber Outsole
- 90 Degree Heel Rest
-
- **LINE ITEM # 102 5.11 TACTICAL WMS 6" TACT. WATER RESISTANT ATAC QTR
BOOTS 12025 019**
- Constructed with full-grain leather/1220 denier Cordura® nylon side panels
- Polished leather toe
- Water-resistant

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Antibacterial, moisture-wicking DriLex® lining
- Non-metallic, fiberglass shank
- Four-system compression recovery insole
- Injection molded phylon midsole
- No-squeak, oil and slip-resistant outsole with Prone Position Grips
- Shock Mitigation System®
- Stay-tied sausage laces
- **LINE ITEM # 103 UNDER ARMOUR HITCH HEAVY 3.0 BOOT SOCK 730-U7305B1**
- 16% Coolmax Xtralife, 16% cordura nylon, 15% wool, 12% nylon, 7% polyester, 2% lycra spandex
- CoolMax Xtralife select cushion footbed delivers superior abrasion resistance and durability
- ColdGear fabric traps heat and wicks sweat to keep you warm and dry
- Strategic Cushion reduces bulk, delivers flexibility and breathability
- Dynamic arch support help reduce foot fatigue
- Reinforced heel and toe maximizes durability
- ArmourBlock Technology helps prevent growth of odor causing bacteria
- ArmourDry material works moisture, accelerates evaporation
- **LINE ITEM # 104 DR. SCHOLLS BACK PAIN RELIEF ORTHOTICS 40489**
- Immediate and all day lower back pain relief
- Shock guard technology - absorbs shock from every step
- Comfort spring - helps to distribute impact of body weight to reduce stress and shock
- Orthopedist tested
- **LINE ITEM # 105 SUPERFEET MEN'S TRIM TO FIT INSOLES 1440 GRN**
- High-profile insole with the shape that offers the widest and deepest heel cup for maximum support
- Fits best in all types of medium and high-volume footwear with removable insoles that range from running shoes to casual footwear to work or hiking boots
- Deep heel cup: features the widest and deepest heel cup, offers maximum support and can help with natural shock absorption
- Biomechanical shape: has the most shape to help stabilize and support the foot, which can help reduce stress on feet, ankles and knees
- Organic, odor-control coating: all natural coating that inhibits the growth of odor-causing bacterial
- Stabilizer cap: acts as the base of the insole, supports the rearfoot and provides structure and stability to the foam layer
- High density foam: closed-cell foam supports and cushions the foot for long lasting comfort
- Green

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- LINE ITEM # 106 GALLS CUSHIONED BOOT SOCK 3008
- 77% acrylic/13% polyester/8% nylon/2% elastane
- Wicks moisture to keep feet dry
- Welt top
- Knit-in heel & toe
- Medium 10"H; Large 11"H
- Made in the USA
- LINE ITEM # 107 BATES LITES HIGH GLOSS CHUKKA BOOT E00053 BLK
- High gloss (Corofram) upper
- Breathable lining
- Cushioned removable insert
- Padded ankle collar
- Non marking Bates Lites outsole
- Goodyear welt construction
- Assembled in the USA
- LINE ITEM # 108 DANNER STRIKER TORRENT 8" WATERPROOF BOOT 43003
BLK
- Durable, polishable full-grain leather upper with rugged 1000 denier nylon
- 100% waterproof and breathable GORE-TEX® liner
- Lightweight, versatile TFX-8 platform with a cross-stitch design
- Vibram® Striker® Torrent outsole for oil and slip resistance; outsole features a 360° pentagonal low lug pattern, a flex notch design in key pivot areas and a more rugged outer lug pattern
- Polyurethane midsole for superior cushioning and added durability
- Removable cushioning antimicrobial footbed with an additional layer of open cell construction
- Speed lace fastening system with lace garage
- Nylon shank
- 8" height
- 56 oz
- Imported
- LINE ITEM # 109 SPENCO GEL INSOLES 39818
- Pain-relieving and supportive
- Optimum stride alignment
- Better body balance

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- **LINE ITEM # 110 TOMMIE COPPER DRESS MIRCO MODAL COMPRESSION CREW SOCK 1729MR**
 - 56% MicroModal®, 39% nylon, 4% spandex, 1% other
 - CopperZnergy™ blend eliminates the growth of odor causing microbes
 - COOL COPPER™ fabric technology delivers moisture wicking and breathability
 - Intelligent arch support targets the stress and strain points of your foot
 - MicroModal® construction is ultra soft, smooth and luxurious
 - Moderate compression for additional support
 - Easy to slip on, with a stay-top band that keeps them in place
- **LINE ITEM # 111 TOMMIE COPPER MIRCO MODAL COMP. OVER THE CALF SOCK 1733MR**
 - 56% MicroModal®, 39% nylon, 4% spandex, 1% other
 - CopperZnergy™ blend eliminates the growth of odor causing microbes
 - COOL COPPER™ fabric technology delivers moisture wicking and breathability
 - Intelligent arch support targets the stress and strain points of your foot
 - MicroModal® construction is ultra soft, smooth and luxurious
 - Moderate compression for additional support
 - Easy to slip on, with a stay-top band that keeps them in place
- **LINE ITEM # 112 TOMMIE COPPER COMPRESSION WOOL CREW SOCK 1731MR**
 - 59% wool, 24% nylon, 17% spandex
 - Targeted zone compression in the arch, heel and achilles for all-day comfort and support
 - Temperature regulating and wicking, great for all climates
 - CopperZnergy™ blend eliminates the growth of odor causing microbes
 - COOL COPPER™ fabric technology delivers moisture wicking and breathability
 - Nylon-reinforced heel and toe enhances natural durability of wool and reduces pilling
 - Patented Lonati™ sewing process creates a flat toe seam for less abrasion and greater durability
 - Comfortable compression improves circulation, reduces pain and discomfort
 - Reduces swelling and inflammation
 - Aids in muscle recovery
- **LINE ITEM # 113 TOMMIE COPPER COMPRESSION WOOLD OVER THE CALF SOCK 1734MR**
 - 62% wool, 21% nylon, 17% spandex
 - Targeted zone compression in the arch, heel and achilles for all-day comfort and support
 - Temperature regulating and wicking, great for all climates

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Graduated compression through the calf
- CopperZnergy™ blend eliminates the growth of odor causing microbes
- COOL COPPER™ fabric technology delivers moisture wicking and breathability
- Nylon-reinforced heel and toe enhances natural durability of wool and reduces pilling
- Patented Lonati™ sewing process creates a flat toe seam for less abrasion and greater durability
- Comfortable compression improves circulation, reduces pain and discomfort
- Reduces swelling and inflammation
- Aids in muscle recovery
- LINE ITEM # 114 TOMMIE COPPER WMS MICRO MODAL COMPRESSION CREW SOCK 1729WR
- 56% MicroModal®, 39% nylon, 4% spandex, 1% other
- CopperZnergy™ blend eliminates the growth of odor causing microbes
- COOL COPPER™ fabric technology delivers moisture wicking and breathability
- Intelligent arch support targets the stress and strain points of your foot
- MicroModal® construction is ultra soft, smooth and luxurious
- Moderate compression for additional support
- Easy to slip on, with a stay-top band that keeps them in place
- LINE ITEM # 115 TOMMIE COPPER WMS MICRO MODAL COMP. OVER THE CALF SOCK 1733WR
- 56% MicroModal®, 39% nylon, 4% spandex, 1% other
- CopperZnergy™ blend eliminates the growth of odor causing microbes
- COOL COPPER™ fabric technology delivers moisture wicking and breathability
- Intelligent arch support targets the stress and strain points of your foot
- MicroModal® construction is ultra soft, smooth and luxurious
- Moderate compression for additional support
- Easy to slip on, with a stay-top band that keeps them in place
- LINE ITEM # 116 TOMMIE COPPER WOMEN'S COMPRESSION WOOL CREW SOCK 1731WR
- 59% wool, 24% nylon, 17% spandex
- Targeted zone compression in the arch, heel and achilles for all-day comfort and support
- Temperature regulating and wicking, great for all climates
- CopperZnergy™ blend eliminates the growth of odor causing microbes
- COOL COPPER™ fabric technology delivers moisture wicking and breathability
- Nylon-reinforced heel and toe enhances natural durability of wool and reduces pilling

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- Patented Lonati™ sewing process creates a flat toe seam for less abrasion and greater durability
- Comfortable compression improves circulation, reduces pain and discomfort
- Reduces swelling and inflammation
- Aids in muscle recovery
- LINE ITEM # 117 TOMMIE COPPER WMS COMPRESSION WOOL OVER THE CALF SOCK 1734WR
- 59% wool, 24% nylon, 17% spandex
- Targeted zone compression in the arch, heel and achilles for all-day comfort and support
- Temperature regulating and wicking, great for all climates
- Graduated compression through the calf
- CopperZnergy™ blend eliminates the growth of odor causing microbes
- COOL COPPER™ fabric technology delivers moisture wicking and breathability
- Nylon-reinforced heel and toe enhances natural durability of wool and reduces pilling
- Patented Lonati™ sewing process creates a flat toe seam for less abrasion and greater durability
- Comfortable compression improves circulation, reduces pain and discomfort
- Reduces swelling and inflammation
- Aids in muscle recovery
-
- LINE ITEM # 118 UNDER ARMOUR RESISTOR 3.0 CREW SOCK 6 PACK - BLACK 730-U2925P6-001
- 97% polyester, 2% spandex, 1% nylon construction
- HeatGear fabric wicks sweat away from your skin to keep you cool and dry
- Crew style
- Strategic Cushion reduces bulk, delivers flexibility and breathability
- True Seamless toe reduces irritation
- Precision Y-Heel Pocket improves fit and enhances comfort
- Dynamic Arch support reduces foot fatigue
- Ventilation channel for increased breathability
- ArmourDry material wicks moisture, accelerates evaporation
- ArmourBlock Technology prevents growth of odor-causing bacterial
-
- LINE ITEM # 119 5.11 TACTICAL MEN'S LEVEL 1 9" DUTY SOCKS 59048 019
- 9" height
- 80% CoolMax/ 8% nylon/ 8% Spandex®/ 4% rubber

Lexington-Fayette Urban County Government
Division of Community Corrections

- 12 engineered zones: enhanced breathability on the upper and lower foot, lower foot flex zone, directional flex zones, seamless toe, ankle and calf compression, flex support, durable and cushioned heel, torsional heel flex and shock absorption
- Wicking, odor-fighting yarn insole
- Machine wash and dry
- Imported
- One size fits most

• LINE ITEM # 120 BATES 5" TACTICAL SPORT BOOT E02262

- Leather and 1680 denier ballistic nylon uppers
- Fiberglass shank
- Removable shock absorbing insole with Dri-Lex™ cover
- PK mesh lining is breathable and absorbs moisture
- Enforcer Series Ultra-Lites™ rubber outsole is slip-resistant
- Non-metallic components
- Cement construction
- 30% lighter, 35% more flexible
- 41% heel, 18% forefoot improved shock absorption
- 20 oz

• LINE ITEM # 121 BATES WOMEN'S 5" TACTICAL BOOT 2762 BLK

- 5" Quarter Boot
- Leather/1680 denier ballistic nylon uppers
- Fiberglass shank
- Removable shock absorbing insole with Dri-Lex™ cover
- PK mesh lining is breathable and absorbs moisture
- Oil-and slip-resistant rubber outsole
- Non-metallic components
- 30% lighter, 35% more flexible
- 41% heel, 18% forefoot improved shock absorption

• LINE ITEM # 122 MAGNUM M PACT SOCKLINER 1085

- Imprint visco-elastic memory foam
- Moisture-wicking
- Active contour design fits naturally with your sole
- Three densities of cushioning provide maximum comfort shock-absorption and support

**Lexington-Fayette Urban County Government
Division of Community Corrections**

- 24/7 Comfort guarantee

•

• LINE ITEM # 123 ROCKY PRO CELL LEATHER CHUKKA BOOT 501-8

- Men's Pro Cell Leather Chukka
- Leather
- Water-resistant
- Pro Cell outsole and Pro Cell polyurethane midsole with perforated air-flow insert
- 90° heel rest assures secure footing
- Lightweight

• LINE ITEM # 124 UNDER ARMOUR COLDGEAR BOOT SOCKS 730-U7264B1-001

- 90% brushed acrylic, 8% polyester, 2% spandex
- Brushed acrylic insulation delivers superior softness and warmth
- ColdGear fabric traps heat and wicks sweat to keep you warm and dry
- Full cushion foot for maximum comfort and impact support
- Light cushion leg provides flexibility and breathability
- Dynamic arch support helps reduce foot fatigue
- Armourblock technology helps prevent growth of odor causing bacteria
- ArmourDry material wicks moisture, accelerates evaporation

• LINE ITEM # 125 FIELD TRAINING OFFICER ROCKER Q203702 ES2243669



•

• LINE ITEM # 126 ACADEMY INSTRUCTOR ROCKER Q203697 ES2243659

•

Lexington-Fayette Urban County Government
Division of Community Corrections



• LINE ITEM # 127 & 128 ACADEMY INSTRUCTOR ROCKER O203697 ES2243659



EG1042
LFUG COURT SERVICES
ROCKER



EG1041
LFUGG COURT SERVICES
ROCKER

LEXINGTON FIRE DEPT - CONTRACT ITEM NUMBERS

LINE ITEM # 1 5.11 TACTICAL MEN'S LONG SLEEVE JERSEY KNIT POLO - NAVY 72360

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 6 oz of 100% cotton jersey
- Fade, shrink and wrinkle-resistant
- Smooth fabric great for heat press and embroidery
- No-roll collar keeps you looking crisp
- Three-button placket, rib trim on cuffs
- Pen/pencil pocket on left sleeve
- Durable melamine buttons won't melt, burn or crack
- Mic loops on shoulders and center of placket
- Machine wash and dry
- Imported
- **GARMENT CUSTOMIZATION:** Each garment will need embroidery.
 - Left chest embroidery needs to be the Lexington Fire Department logo in either silver or gold (depending on rank). See photos for reference:



- Right Chest Embroidery needs to list their rank, name and certification. These options must be locked down on the website to prevent confusion/misspellings. The only line able to be editing by the employee is their name.
 - The rank needs to be 3/8 inch, the employee name is 1/2 inch and the certification is 3/8 inch. All lines are centered over each other.
 - The right chest embroidery must match the left chest embroidery – color is dependent on rank, silver for Firefighters and gold for officers. See photo as an example:



- Right sleeve (optional) – Union members can apply the union logo to the right sleeve of the garment. The logo will be done in red thread, applied near the bottom of the sleeve. See photo for example:



LINE ITEM # 2 LION 100 PCT COTTON KNIT SHORT SLEEVE STATION POLO - NAVY 0420NV

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 6.0 oz/yd2 100% cotton interlock
 - Certified to meet NFPA 1975
 - Rugged two-button placket for durability and comfort
 - Easy to don and doff
 - Rib knit fashion collar
 - Hemmed short sleeve cuffs
 - Full cut and available in extra long body in talls
 - Tall is 4" longer in length than regular
- **GARMENT CUSTOMIZATION:** Each garment will need embroidery.
 - Left chest embroidery needs to be the Lexington Fire Department logo in either silver or gold (depending on rank). See photos for reference:



- Right Chest Embroidery needs to list their rank, name and certification. These options must be locked down on the website to prevent confusion/misspellings. The only line able to be editing by the employee is their name.
 - The rank needs to be 3/8 inch, the employee name is 1 /2 inch and the certification is 3/8 inch. All lines are centered over each other.
 - The right chest embroidery must match the left chest embroidery – color is dependent on rank, silver for Firefighters and gold for officers. See photo as an example:



- Right sleeve (optional) – Union members can apply the union logo to the right sleeve of the garment. The logo will be done in red thread, applied near the bottom of the sleeve. See photo for example:



LINE ITEM # 3 5.11. TACTICAL PROFESSIONAL SLEEVE POLO - NAVY 41060

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 6.8 oz, 100% cotton pique fabric
- Fade, shrink and wrinkle resistant
- Permanent no-curl collar
- Handy pen/pencil pocket on left sleeve
- Melamine buttons won't burn, crack or melt
- Strengthened seams
- Machine wash and dry
- Imported
- **GARMENT CUSTOMIZATION:** Each garment will need embroidery.
 - Left chest embroidery needs to be the Lexington Fire Department logo in either silver or gold (depending on rank). See photos for reference:



- Right Chest Embroidery needs to list their rank, name and certification. These options must be locked down on the website to prevent confusion/misspellings. The only line able to be editing by the employee is their name.
 - The rank needs to be 3/8 inch, the employee name is 1/2 inch and the certification is 3/8 inch. All lines are centered over each other.
 - The right chest embroidery must match the left chest embroidery – color is dependent on rank, silver for Firefighters and gold for officers. See photo as an example:



- Right sleeve (optional) – Union members can apply the union logo to the right sleeve of the garment. The logo will be done in red thread, applied near the bottom of the sleeve. See photo for example:



LINE ITEM # 4 5.11 TACTICAL PROFESSIONAL LONG SLEEVE PIQUE KNIT POLO – NAVY 42056

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 6.8 oz, 100% cotton pique fabric
- Fade, shrink and wrinkle-resistant
- Permanent no-curl collar
- Long Sleeve
- Handy pen/pencil pocket on left sleeve
- Machine wash and dry
- Imported

- **GARMENT CUSTOMIZATION:** Each garment will need embroidery.
 - Left chest embroidery needs to be the Lexington Fire Department logo in either silver or gold (depending on rank). See photos for reference:



- Right Chest Embroidery needs to list their rank, name and certification. These options must be locked down on the website to prevent confusion/misspellings. The only line able to be editing by the employee is their name.

- The rank needs to be 3/8 inch, the employee name is 1/2 inch and the certification is 3/8 inch. All lines are centered over each other.
- The right chest embroidery must match the left chest embroidery – color is dependent on rank, silver for Firefighters and gold for officers. See photo as an example:



- Right sleeve (optional) – Union members can apply the union logo to the right sleeve of the garment. The logo will be done in red thread, applied near the bottom of the sleeve. See photo for example:



LINE ITEM # 5 5.11 TACTICAL SHORT SLEEVE POLO - NAVY 71182

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 6 oz 100% cotton jersey
- Fade, shrink and wrinkle-resistant
- Smooth fabric surface is perfect for heat press and embroidery
- No-roll collar keeps you looking crisp
- Three-button placket, rib trim on cuffs
- Durable melamine buttons won't melt, burn or crack
- Bartacking at major stress points
- Pen/pencil pocket on left sleeve
- Integrated mic loops at the shoulders and chest
- Machine wash and dry
- Imported
- **GARMENT CUSTOMIZATION:** Each garment will need embroidery.
 - Left chest embroidery needs to be the Lexington Fire Department logo in either silver or gold (depending on rank). See photos for reference:



- Right Chest Embroidery needs to list their rank, name and certification. These options must be locked down on the website to prevent confusion/misspellings. The only line able to be editing by the employee is their name.
 - The rank needs to be 3/8 inch, the employee name is 1 /2 inch and the certification is 3/8 inch. All lines are centered over eachother.
 - The right chest embroidery must match the left chest embroidery – color is dependent on rank, silver for Firefighters and gold for officers. See photo as an example:



- Right sleeve (optional) – Union members can apply the union logo to the right sleeve of the garment. The logo will be done in red thread, applied near the bottom of the sleeve. See photo for example:



LINE ITEM # 6 5.11 TACTICAL WOMEN'S SHORT SLEEVE POLO - NAVY 61164

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 6 oz of 100% cotton jersey
- Fade, shrink and wrinkle-resistant
- Smooth fabric great for heat press and embroidery
- No-roll collar keeps you looking crisp
- Three-button placket, rib trim on cuffs
- Durable melamine buttons won't melt, burn or crack
- Pen/pencil pocket on left sleeve
- Mic loops on shoulders and center of placket
- Women's sizes designed for great fit

- Machinewash and dry
- Imported
- **GARMENT CUSTOMIZATION:** Each garment will need embroidery.
 - Left chest embroidery needs to be the Lexington Fire Department logo in either silver or gold (depending on rank). See photos for reference:



- Right Chest Embroidery needs to list their rank, name and certification. These options must be locked down on the website to prevent confusion/misspellings. The only line able to be editing by the employee is their name.
 - The rank needs to be 3/8 inch, the employee name is 1/2 inch and the certification is 3/8 inch. All lines are centered over each other.
 - The right chest embroidery must match the left chest embroidery – color is dependent on rank, silver for Firefighters and gold for officers. See photo as an example:



- Right sleeve (optional) – Union members can apply the union logo to the right sleeve of the garment. The logo will be done in red thread, applied near the bottom of the sleeve. See photo for example:



*NO SUBSTITUTIONS, MUST BE A STOCKED ITEM

- 6.8 oz. 100% cotton pique fabric
- Fade, shrink and wrinkle-resistant
- Permanent no-curl collar
- Long Sleeve
- Handy pen/pencil pocket on left sleeve
- Machine wash and dry
- Imported
- **GARMENT CUSTOMIZATION:** Each garment will need embroidery.
 - Left chest embroidery needs to be the Lexington Fire Department logo in either silver or gold (depending on rank). See photos for reference:



- Right Chest Embroidery needs to list their rank, name and certification. These options must be locked down on the website to prevent confusion/misspellings. The only line able to be editing by the employee is their name.
 - The rank needs to be 3/8 inch, the employee name is 1 /2 inch and the certification is 3/8 inch. All lines are centered over eachother.
 - The right chest embroidery must match the left chest embroidery – color is dependent on rank, silver for Firefighters and gold for officers. See photo as an example:



- Right sleeve (optional) – Union members can apply the union logo to the right sleeve of the garment. The logo will be done in red thread, applied near the bottom of the sleeve. See photo for example:



***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

MEN'S COAT SPECIFICATIONS

Flying Cross by Fechheimer Item: 34892

FABRIC:

Content: 55% Polyester/45% Wool

Weight: 13 – 13 ½ oz. per linear yard

Weave: Serge

Color: Navy Blue



BASIC DESIGN:

Six (6) buttons, double breasted, three (3) to button, straight front, semi-form fitting, with peaked lapels, no vent.

BUTTONS:

No buttons or buttonholes added during production. Buttons must be specified.

COLLAR:

Shall not be over 1 7/8" wide in back when finished. Under collar to be closely padded with under collar cloth.

EDGES & SEAMS:

Edges to be single stitched 3/16". Plain seams, pressed open.

POCKETS:

Two inside breast pockets. There will be no outside pockets.

POCKETING:

Inside pocket to be Polyester Blend Color: Black

LINING:

Coat is to be fully lined with black Acetate Twill lining.

BADGE TAB Separate loop badge tab made of cloth about 2 1/4" long with two (2) stitched eyelets, about 1 1/8" apart, sewn to the outside left breast pocket of the coat.

BUTTONHOLES: All buttonholes shall be made to a full 1/2" from the edges of the seam. The ends of all buttonholes shall be bartacked. All buttonholes to be "cut after" machine made buttonholed. All thread used in making buttonholes shall be black silk, tailor's button twist, colorfast and guaranteed against fading.

SWEAT SHIELDS: A sleeve sweat shield of the same cloth as in the body of the coat, piped with rayon to be securely set under each arm over the lining.

OUTLETS: All body seams to have outlets of not less than 1". Turn up at sleeve cuffs to be not less than 2 1/2".


LABELS: Must have care label permanently affixed; must also have size label showing fiber content.

GARMENT CUSTOMIZATION:

- o Left arm sleeve: Lexington Fire department patch 2" down from shoulder seam. Silver patch for Firefighters and gold patch for officers.



- o Right Sleeve will need a reversed American flag patch 2" down from the shoulder seam



- Rank striping for dress jackets. Gold striping will be applied to both sleeves:
 - LIEUTENANT: One gold stripe to both sleeves
 - CAPTAIN: Two gold stripes to each sleeve
 - MAJOR: Two large gold stripes, 1 small gold stripe
 - BATTALION CHIEF: Three gold stripes to each sleeve
 - ASSISTANT CHIEF: Four gold stripes to each sleeve
 - CHIEF: Five gold stripes to each sleeve
- Medallions on each sleeve: ***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**
 - LIEUTENANT: One gold bugle
 - CAPTAIN: Two parallel bugles
 - MAJOR: Two crossed bugles
 - BATTALION CHIEF: Three crossed bugles
 - ASSISTANT CHIEF: Four crossed bugles
 - CHIEF: Five crossed bugles



- Buttons on the jacket will be swapped out with corresponding gold buttons depending on rank.



LEXINGTON FIRE DEPARTMENT

LINE ITEM # 9 ELBECO MEN'S PARAGON PLUS SHORT SLEEVE SHIRT - WHITE P867

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 4.25 oz, 65% polyester, 35% cotton poplin weave
- Nano Fluid Repellency Technology
- Built-in sunscreen of UV 40+
- Vat-dyeing process for superior color retention
- Pleated pockets with pen/pencil slot
- Permanent collar stays and extra long tails
- Sewn-in creases
- Badge eyelets with internal support straps
- Machine wash and dry
- USA/Imported
- **GARMENT CUSTOMIZATION:** Each garment will need embroidery.
 - Left chest embroidery needs to be the Lexington Fire Department logo in either silver or gold (depending on rank). See photos for reference:



- Right Chest Embroidery needs to list their rank, name and certification. These options must be locked down on the website to prevent confusion/misspellings. The only line able to be editing by the employee is their name.
 - The rank needs to be 3/8 inch, the employee name is 1/2 inch and the certification is 3/8 inch. All lines are centered over each other.
 - The right chest embroidery must match the left chest embroidery – color is dependent on rank, silver for Firefighters and gold for officers. See photo as an example:



- Right sleeve (optional) – Union members can apply the union logo to the right sleeve of the garment. The logo will be done in red thread, applied near the bottom of the sleeve. See photo for example:

LEXINGTON FIRE DEPARTMENT



LINE ITEM # 10 ELBECO MEN'S PARAGON PLUS SHORT SLEEVE SHIRT - NAVY P834

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 4.25 oz, 65% polyester, 35% cotton poplin weave
- Nano Fluid Repellency Technology
- Built-in sunscreen of UV 40+
- Vat-dyeing process for superior color retention
- Pleated pockets with pen/pencil slot
- Permanent collar stays and extra long tails
- Sewn-in creases
- Badge eyelets with internal support straps
- Machine wash and dry
- USA/Imported

- **GARMENT CUSTOMIZATION:** Each garment will need embroidery.
 - Left chest embroidery needs to be the Lexington Fire Department logo in either silver or gold (depending on rank). See photos for reference:



- Right Chest Embroidery needs to list their rank, name and certification. These options must be locked down on the website to prevent confusion/misspellings. The only line able to be editing by the employee is their name.
 - The rank needs to be 3/8 inch, the employee name is 1 /2 inch and the certification is 3/8 inch. All lines are centered over eachother.
 - The right chest embroidery must match the left chest embroidery – color is dependent on rank, silver for Firefighters and gold for officers. See photo as an example:

LEXINGTON FIRE DEPARTMENT




- Right sleeve (optional) – Union members can apply the union logo to the right sleeve of the garment. The logo will be done in red thread, applied near the bottom of the sleeve. See photo for example:



LINE ITEM # 11 ELBECO MEN'S PARAGON PLUS LONG SLEEVE SHIRT - WHITE P877

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 4.25 oz, 65% polyester, 35% cotton poplin weave
- Nano Fluid Repellency Technology
- Built-in sunscreen of UV 40+
- Vat-dyeing process for superior color retention
- Pleated pockets with pen/pencil slot
- Permanent collar stays and extra long tails
- Sewn-in creases
- Badge eyelets with internal support straps
- Machine wash and dry
- USA/Imported
- **GARMENT CUSTOMIZATION:** Each item will receive a Lexington Fire Department patch on the left sleeve and a reversed American Flag on the right sleeve.



LEXINGTON FIRE DEPARTMENT

LINE ITEM # 12 GALLS POLY/COTTON MEN'S LONG SLEEVE MILITARY STYLE SHIRT - WHITE SH1440

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 6.5 oz 65% polyester/35% cotton
- Permanent collar stays
- Badge tabs with internal slings for added support
- Convertible collar
- Sewn in military crease
- Customizable with emblems, embroidery or heat press. Please call for customized orders. Customization is not currently available on internet orders
- Machine wash and dry
- Imported
- GARMENT CUSTOMIZATION
 - Each garment will receive a Lexington Fire Department patch on the sleeve- silver patch for Firefighters and gold patch for officers.
 - Each garment will receive eyelet embroidery on the right chest in order to better support the department badge.

LINE ITEM # 13 GALLS POLY/COTTON MEN'S SHORT SLEEVE MILITARY STYLE SHIRT - WHITE SH612

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 6.5 oz 65% polyester/35% cotton
- Permanent collar stays
- Badge tabs with internal slings for added support
- Convertible collar
- Sewn in military crease
- Customizable with emblems, embroidery or heat press. Please call for customized orders. Customization is not currently available on internet orders
- Machine wash and dry
- Imported
- GARMENT CUSTOMIZATION
 - Each garment will receive a Lexington Fire Department patch on the sleeve- silver patch for Firefighters and gold patch for officers.
 - Each garment will receive eyelet embroidery on the right chest in order to better support the department badge.

LINE ITEM # 14 GALLS POLY/COTTON FEMALE SHORT SLEEVE - WHITE SR572

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 4-1/2 oz poly/cotton
- Permanent collar stays
- Badge tabs with internal slings for added support
- Convertible collar
- Machine wash and dry
- Imported
- GARMENT CUSTOMIZATION
 - Each garment will receive a Lexington Fire Department patch on the sleeve- silver patch for Firefighters and gold patch for officers.
 - Each garment will receive eyelet embroidery on the right chest in order to better support the department badge.

LEXINGTON FIRE DEPARTMENT

LINE ITEM # 15 GALLS POLY/COTTON FEMALE LONG SLEEVE MILITARY STYLE SHIRT - WHITE SH573

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 4-1/2 oz poly/cotton
- Permanent collar stays
- Badge tabs with internal slings for added support
- Banded collar
- Machine wash and dry
- Imported
- GARMENT CUSTOMIZATION
 - Each garment will receive a Lexington Fire Department patch on the sleeve- silver patch for Firefighters and gold patch for officers.
 - Each garment will receive eyelet embroidery on the right chest in order to better support the department badge.

LINE ITEM # 16 ELBECO PARAGON PLUS FEMALE SHORT SLEEVE SHIRT - WHITE P811LC

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 65%polyester/35% cotton is fade and shrink resistant
- Nano-Tex™ moisture-wicking Coolest Comfort technology for permanent moisture management
- Built-in sunscreen, up to UV 40+
- Vat-dying process for superior color retention
- Permanent military creases and collar stay
- Badge eyelets with internal support straps
- Pleated pockets with pencil/pen slot
- Machine wash and dry
- Imported
- GARMENT CUSTOMIZATION
 - Each garment will receive a Lexington Fire Department patch on the sleeve- silver patch for Firefighters and gold patch for officers.
 - Each garment will receive eyelet embroidery on the right chest in order to better support the department badge.

LINE ITEM # 17 5.11 TACTICAL UTILI T SHIRTS PACKAGES OF 3 - WHITE 40016 010

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 4.5 oz, ringspun cotton fabric
- Moisture-wicking fabric
- Crew neck
- 1" no-roll high-density collar
- Tapered shoulder design
- Extended length
- Double-stitching
- Tagless label
- Accepts embroidery and silk-screening

LINE ITEM # 18 LION COTTON SHORT SLEEVE MEN'S BRAVO SERIES SHIRT - MDNV 0527 NV-20

- 6.25 oz. 100% cotton twill
- NFPA 1975 compliant

LEXINGTON FIRE DEPARTMENT

- Seven-button dress placket has professional appearance and provides stability after multiple washings
 - Five sewn-in military creases
 - Box-pleated breast pockets with scalloped three-point flaps
 - Flaps have hook & loop closures with decorative buttons
 - Left pocket flap has slot for pen/pencil
 - Short sleeve
 - Interior sling badge holder reinforced from shoulder seam to reduce badge rip or sag
 - Functional Shoulder Epaulets
 - Fuse banded dress collar stays straight and smooth
 - Machine wash and dry
 - Imported
- GARMENT CUSTOMIZATION:** Each garment will need embroidery.
- Left chest embroidery needs to be the Lexington Fire Department logo in either silver or gold (depending on rank). See photos for reference:



- Right Chest Embroidery needs to list their rank, name and certification. These options must be locked down on the website to prevent confusion/misspellings. The only line able to be editing by the employee is their name.
 - The rank needs to be 3/8 inch, the employee name is 1 /2 inch and the certification is 3/8 inch. All lines are centered over each other.
 - The right chest embroidery must match the left chest embroidery – color is dependent on rank, silver for Firefighters and gold for officers. See photo as an example:



- Right sleeve (optional) – Union members can apply the union logo to the right sleeve of the garment. The logo will be done in red thread, applied near the bottom of the sleeve. See photo for example:

LEXINGTON FIRE DEPARTMENT



LINE ITEM # 19 LION COTTON MEN'S BRAVO SERIES SHIRT - NAVY 0227 NV-20

- 6.25 oz. 100% cotton twill
- NFPA 1975 compliant
- Seven-button dress placket has professional appearance and provides stability after multiple washings
- Five sewn-in military creases
- Box-pleated breast pockets with scalloped three-point flaps
- Flaps have hook & loop closures with decorative buttons
- Left pocket flap has slot for pen/pencil
- Long sleeve has two button closure
- Interior sling badge holder reinforced from shoulder seam to reduce badge rip or sag
- Functional shoulder epaulets
- Fuse banded dress collar and cuffs stay straight and smooth
- Machine wash and dry
- Imported
- **GARMENT CUSTOMIZATION:** Each garment will need embroidery.
 - Left chest embroidery needs to be the Lexington Fire Department logo in either silver or gold (depending on rank). See photos for reference:



- Right Chest Embroidery needs to list their rank, name and certification. These options must be locked down on the website to prevent confusion/misspellings. The only line able to be editing by the employee is their name.
 - The rank needs to be 3/8 inch, the employee name is 1/2 inch and the certification is 3/8 inch. All lines are centered over each other.
 - The right chest embroidery must match the left chest embroidery – color is dependent on rank, silver for Firefighters and gold for officers. See photo as an example:

LEXINGTON FIRE DEPARTMENT



- Right sleeve (optional) – Union members can apply the union logo to the right sleeve of the garment. The logo will be done in red thread, applied near the bottom of the sleeve. See photo for example:



LINE ITEM # 20 FECHHEIMER MEN'S POLYESTER UNIFORM PANTS - NAVY F1 38200 86

***NO SUBSTITUTIONS**


- 100% VISA® System 3™ polyester with serge weave
- 100% VISA System 3-fabric technology
- Moisture transport: 7 times faster than nano-treated fabrics
- Permanent stain release: 4.5 times better than nano-treated fabrics
- Drying rate: 33% faster than nano-treated fabrics
- Quarter top pocket
- Tab left hip pocket
- Snug-tex waistband
- 3/4" wide belt loops
- Inseams and outseams are neatly serged and pressed for a smooth finish with pucker-free seams
- Bartacked at all stress points
- Crushproof double hook-and-eye with fully functional French fly
- Machine wash and dry
- Made in USA

LINE ITEM # 21 FECHHEIMER MEN'S 55/45 POLY/WOOL DRESS TROUSERS - NAVY F1 34291 86

MEN'S TROUSER SPECIFICATIONS
Flying Cross by Fechheimer Item: 34291

FABRIC:

Content: 55% Polyester/45% Wool



LEXINGTON FIRE DEPARTMENT

Weight: 13 - 13 ½ oz. per linear yard

Weave: Serge

Color: Navy Blue

STYLE: Trouser shall be manufactured from an up-to-date men's uniform trouser pattern. The trouser styling shall be T-3: plain front, two (2) quarter top front pockets, and two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and shall be cause for rejection.

LINING MATERIAL: The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

WAISTBAND:

The waistband shall be constructed using the "closed method" and shall measure a minimum of 2" wide when finished. The waistband curtain shall finish a minimum 2-1/8" wide and is to be made of the same fabric and color as the pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must contain Tru-Grip, a ½" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)

The waistband curtain is composed of a wet laid non woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The ½" rubberized surface area is positioned 1-¼" up from the bottom of the curtain.

The specifications for the rubberized Tru-Grip curtain are as follows:

Width: 1-1/8-inch

Warp: 300 Denier Texturized Polyester

Filling: 300 Denier Texturized Polyester

Rubber: 55 Gauge

Count: 32-36 yarns per inch


Contents: 59% Polyester/41% Rubber

The waistband must contain ¾-inch Ban-Rol to prevent roll over at the trouser front.


The waistband closure shall be accomplished with a single crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with 7/8-inch non-woven stay tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam through the waistband curtain for added strength. The back center seam of the trouser is to be finished to allow for alterations (with ample basic fabric and waistband curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be in proportion to waist outlet so seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum strength.

BELT LOOPS: There shall be a minimum of 7 belt loops, 6 of which are to be Keystone style. Keystone loops shall measure 1 ¾" in width at the top and 1 ¼" at the bottom. The center back loop shall be a ¾" wide straight loop. The Keystone loops shall be sewn into the bottom of the waistband and the top of the loops shall be caught into the waistband curtain


HOOK AND EYE WITH FRENCH FLY



TRU-Grip WAISTBAND



KEYSTONE BELT LOOP




LEXINGTON FIRE DEPARTMENT

seam with a Rocap machine. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband.

POCKETS:


The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 5-3/4" measured from the bottom of the opening. Front pockets to have firm straight bartacks at top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facings to be made of the basic trouser fabric shall be a minimum of 1". Front pocket barrier shall also be made of the basic trouser fabric and to measure a minimum of 2" (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8" wide (bartack to bartack) opening and a minimum depth of 5-3/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing to be made of basic trouser fabric and shall be a minimum of 3/4" and the barrier shall also be made of the basic trouser fabric and to be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic trouser fabric inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.



FLY:


Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape for maximum strength. Bartack shall line up with starting point of "J" stitch.



SEAT:

Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.

STITCHING, PRESSING & FINISHING: Trouser must be stitched with matching thread. Trouser must be neatly pressed on Hothead Presses and properly shaped. Outseams and inseams are edge serged on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Trouser must be cleaned and finished to eliminate loose threads.



STOCK SIZES: Trouser must be available from stock in the following sizes:

REGULAR RISE: 28 - 60 (EVEN ONLY OVER 38)

SHORT RISE: 28 - 40 (EVEN ONLY)

LONG RISE: 32 - 44 (EVEN ONLY)

LABELS: Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL or RN number must be on the outside of

LEXINGTON FIRE DEPARTMENT

the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

LINE ITEM # 22 FECHHEIMER WOMEN'S 55/45 POLY/WOOL DRESS TROUSERS - NAVY F1 34291W 86

***NO SUBSTITUTIONS**

- CDCR approved
- 55% dacron polyester , 45% wool construction
- ½" combo Gold/Black/ Gold braid with side pockets
- Lintrak creases for neater appearance
- Quarter top pockets
- Keystone belt loops
- Tab on left hip pocket

LINE ITEM # 23 DUTY PRO MEN'S POLY/COTTON PANTS - NAVY TR355

***NO SUBSTITUTIONS**

- 6½ oz poly/cotton construction
- Brass ratcheting YKK® zipper
- SnugTex Waistband liner keeps shirts tucked
- Crush-proof hook and eye closures
- Two bartacked back pockets with button tabs
- Bartacked stress points for superior durability
- Machine wash and dry
- Imported

LINE ITEM # 24 GALLS MEN'S EMS PANTS TR357

***NO SUBSTITUTIONS**

- Twill
- 6.5 oz 65% polyester and 35% cotton
- Stain-resistant
- Six total pockets (including vertical instrument pocket)
- Ratcheting genuine brass YKK zipper
- Automatically adjusting waistband
- Accommodates up to 2 -1/4"W belts
- Double-fabric reinforced knees
- Tailored design for professional look
- Elite, crush proof hook and eye closure
- Machine wash and dry
- Imported

LINE ITEM # 25 GALLS WOMEN'S EMS PANTS TR358

***NO SUBSTITUTIONS**

LEXINGTON FIRE DEPARTMENT

- 6.5 oz 65% polyester and 35% cotton
- Stain-resistant
- Six total pockets (including vertical instrument pocket)
- Ratcheting genuine brass YKK® zipper
- Automatically adjusting waistband
- Accommodates up to 2 -1/4"W belts
- Double-fabric reinforced knees
- Tailored design for professional look
- Machine wash and dry
- Imported

LINE ITEM # 26 5.11 TACTICAL MEN'S EMS PANTS 74310L 724

***NO SUBSTITUTIONS**

- 7.25 oz , fade-resistant polyester-cotton twill
- Teflon® treated for stain, soil and fluid resistance
- 8 pockets: 2 front, 2 rear, 2 leg and 2 cargo pockets with internal dividers and external EMS specific pockets
- Cordura nylon lined scissor/shears pocket
- Extra-deep front pockets feature coin-keeper construction plus reinforced bottom edges to protect from wear
- Rear pockets have 5.11's trademark slash pockets and utility straps plus welted wallet pockets
- Self-adjusting tunnel waistband for maximum comfort
- Gripper waistband keeps shirt tucked in
- 5.11 Double-Time belt loops feature extra-wide belt loop with a thinner 3/8" loop on top to attach radio strap or other accessory
- Gusseted crotch allows freedom of movement and virtually eliminates seam failure
- 2 fabric layers in seat and knees for greater durability
- Prym snap® and YKK zipper® for proven durability
- Double-thick "tough cuff" hem
- Utility strap on rear
- Machine wash and dry
- Imported

LINE ITEM # 27 5.11 TACTICAL WOMEN'S EMS PANTS 64301 724

***NO SUBSTITUTIONS**

- 7.25 oz fade-resistant poly/cotton twill
- Teflon® treated for stain, soil and fluid-resistance
- 8 pockets: 2 front, 2 rear, 2 leg and 2 cargo pockets with internal dividers and external EMS specific pockets
- Cordura® nylon lined scissor/shears pocket
- Extra deep front pockets feature coin-keeper construction plus reinforced bottom edges to protect from wear
- Rear pockets have 5.11's trademark slash pockets and utility straps plus welted wallet pockets
- Prym® snap and YKK® zipper for proven durability
- Self-adjusting tunnel waistband for maximum comfort
- Gripper waistband keeps shirt tucked in
- 5.11 Double-Time® belt loops feature extra wide belt loop with a thinner 3/8" loop on top to attach radio strap or other accessory
- Gusseted crotch allows freedom of movement and virtually eliminates seam failure
- Double reinforced seat and knees have 2 fabric layers in for greater durability
- Double thick "tough cuff" hem

LEXINGTON FIRE DEPARTMENT

- Utility strap on rear
- Machine wash and dry
- Imported

LINE ITEM # 28 ELBECO LADIES CHOICE TEK3 FOUR POCKET TROUSERS E2814LCD

***NO SUBSTITUTIONS**

- 65% polyester, 35% cotton stretch twill weave
- “Ladies choice” fit
- Nano Fluid Repellency withstands fluids
- Covert stretch waistband and curtain for comfort
- Double zipper and hook and eye closure
- Rear utility pockets, dual access cargo pocket patterned with 3M™ brand reflective trim
- Creaset front and back permanent creases offer a sharp look
- Outstanding color retention

LINE ITEM # 29 ELBECO LADIES CHOICE TEK3 CARGO POCKET TROUSERS EL05=E9620LCN

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 65% polyester, 35% cotton stretch twill for a comfort fit
- Nano Fluid Repellency withstands fluids
- “Ladies Choice” fit
- Rear utility pockets, dual access cargo pocket patterned with 3M™ brand reflective trim
- Double zipper and hook and eye closures offer a reinforced fit
- Prevent seam failure with a triple-stitched crotch
- Get a comfort fit with covert stretch waistband and curtain
- Creaset front and back permanent creases for a sharp look
- Outstanding color retention stands up to repeated washings

LINE ITEM # 30 ELBECO MEN'S TEK3 FOUR POCKET TROUSERS E820RN

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 65% polyester, 35% cotton stretch twill weave for comfort
- Nano Fluid Repellency
- New men’s “Essential Fit” maintains a slight slope on the front rise and a pattern waistband that includes a lower rise and wider leg Covert stretch waistband and curtain
- Double zipper and hook and eye closure
- Triple stitched crotch to reinforce against seam failure
- Rear utility pockets, dual access cargo pocket patterned with 3M™ brand reflective trim
- Creaset front and back permanent creases offer a sharp look
- Outstanding color retention withstands repeated washings
- Moisture-repellant fabric to keep you dry
- “Essential Fit” comfort
- Plenty of storage and mobility

LINE ITEM # 31 5.11 TACTICAL MEN'S CARGO PDU PANTS 74326 MDNV

LEXINGTON FIRE DEPARTMENT

*NO SUBSTITUTIONS

- 7.25 oz, 65% polyester, 35% cotton twill
- Permanent military creases
- Professional flat front design
- Teflon® coating repels stains, soil and liquids
- Roomy cargo pockets at each thigh
- Twin covert storage pockets
- Self-adjusting tunnel waistband
- Integrated flashlight pocket
- Diamond gusseted crotch for full mobility
- Internal gripper panel keeps shirt tucked in
- Inverted pleats for easy leg tape or striping
- Locking YKK® zippers
- Genuine Prym® snaps
- Bartacking at all stress points
- Machine washable

LINE ITEM # 32 5.11 TACTICAL WOMEN'S PDU PANTS 64306 750

*NO SUBSTITUTIONS

- 65% polyester/ 35% cotton twill
- 7.25 oz twill
- Teflon® treated finish for stain and soil resistance
- Flashlight pocket
- Comfort waist
- Permanent creases
- Machine wash and dry
- Imported

LINE ITEM # 33 5.11 TACTICAL MEN'S PATROL DUTY UNIFORM PDU CLASS A TWILL PANTS 74338-750

*NO SUBSTITUTIONS

- 7.25-oz. twill, 65% polyester / 35% cotton
- Teflon® coating repels stains, soil, and liquids
- Permanent military creases
- Professional, flat front design
- Self-adjusting tunnel waistband
- Covert thigh pocket
- Diamond gusseted crotch for full mobility
- Internal gripper waistband keeps shirt tucked in
- YKK® zipper hardware
- Genuine Prym® snaps
- Bartacking at all stress points
- Machine washable
- Imported

LINE ITEM # 34 5.11 TACTICAL WOMEN'S PATROL DUTY UNIFORM PDU CLASS A TWILL PANTS 64304-750

LEXINGTON FIRE DEPARTMENT

*NO SUBSTITUTIONS

- 7.25-oz. twill, Teflon® treated 65% polyester / 35% cotton
- Self-adjusting comfort waist
- Flat front
- Permanent creases
- Secure covert pocket at thigh
- Extra wide elastic gripper waistband
- Imported

LINE ITEM # 35 ELBECO MEN'S TEK3 CARGO PANTS E620RN

*NO SUBSTITUTIONS

- Stay dry and comfortable with Nano Fluid Repellency
- Dual access cargo pocket patterned with 3M™ brand reflective trim
- Maximize a lower rise and wider leg with a front rise that maintains a slight slope using the new men's "Essential Fit" pattern waistband
- 65% polyester, 35% cotton stretch twill for a comfort fit
- Stay dry and comfortable with Nano Fluid Repellency
- Maximize a lower rise and wider leg with a front rise that maintains a slight slope using the new men's "Essential Fit" pattern waistband
- Double zipper and hook and eye closures offer a reinforced fit
- Dual access cargo pocket patterned with 3M brand reflective trim and rear utility pockets to hold your gear
- Covert stretch waistband and curtain; triple-stitched crotch
- Creaset front and back permanent creases for a sharp look
- Outstanding color retention stands up to repeated washings

LINE ITEM # 36 ELBECO TEK3 MEN'S EMS PANTS E7552RN

*NO SUBSTITUTIONS

- 7 oz, 65% polyester, 35% combed cotton, stretch twill weave
- Men's "Essential Fit" pattern waistband front rise having a slight slope
- Covert stretch memory waistband provides up to 3" of additional room for comfort
- Nano Fluid Repellency technology repels fluids
- Double hook-and-eye closure in gun barrel finish
- Triple-stitched crotch prevents seam failure
- Knee reinforcement patch
- 2 large cargo pockets with multiple compartments
- Left side features wider book pocket; right side features reinforced scissors pocket
- 2 rear utility pockets with button tabs
- Creaset® front and back permanent creases
- Vat-dyed to retain color
- Dual access cargo pocket with patterned 3M™ reflective
- Redesigned side cargo closure system
- Machine washable

LINE ITEM # 37 ELBECO TEK3 WOMEN'S EMS PANTS E7553LCN

LEXINGTON FIRE DEPARTMENT

*NO SUBSTITUTIONS

- 7 oz. 65% polyester, 35% combed cotton
- Ladies Choice fit provides a contoured, natural waistband
- Covert stretch waistband with refined curtain
- Double hook and eye closure in gun barrel finish
- Triple stitched crotch prevents seam failure
- Rear utility pockets
- Creaset front and back permanent creases
- Vat-dyed to retain color
- Dual access cargo pocket with patterned 3M™ reflective trim with multiple storage options
- Redesigned side cargo closure system

LINE ITEM # 38 LION MEN'S TRADITIONAL 100% COTTON TROUSER 0510NV-10

- 7.75 oz. 100% cotton twill
- Stain release finish
- 1/8 top pockets with Lion LongWear™ pocketing
- Two welt-style hip pockets, button closure on left
- Steel hook and bar waist closure
- Heavy ratcheting brass zipper
- No-roll waistband with shirt grip keeps shirt tucked in
- Machine wash and dry
- Imported

LINE ITEM # 39 LION FEMALE TRADITIONAL 100% COTTON TROUSER 7141NV-00 MDNV

- 7.75 oz. 100% cotton twill
- Stain release finish
- 1/8 top pockets with Lion LongWear™ pocketing
- Two welt-style hip pockets, button closure on left
- Steel hook and bar waist closure
- Heavy ratcheting brass zipper
- No-roll waistband with shirt grip keeps shirt tucked in
- Machine wash and dry
- Imported

LINE ITEM # 40 5.11 TACTICAL STRYKE PANT WITH FLEX TAC 74369 019

*NO SUBSTITUTIONS

- Proven 5.11 Tactical comfort and durability
- Fade and stain resistance
- Self-adjusting tunnel waistband for comfort
- Badge holder front belt loops
- Quick access, low-profile angled pockets
- Genuine YKK zippers and Prym snaps
- Discrete double knee with interior knee pad pocket

LINE ITEM # 41 5.11 TACTICAL WOMEN'S STRYKE PANT 64386 019

LEXINGTON FIRE DEPARTMENT

*NO SUBSTITUTIONS

- 63% polyester/ 37% cotton ripstop
- Mechanical stretch fabric enhances freedom of movement
- Teflon® for fade and stain resistance
- Low-profile cargo pockets, ergonomically designed
- Self-adjusting comfort waist
- Black flap VELCRO® brand secured wallet pockets
- Badge holder front belt loops
- Large reinforced belt loops
- Two thigh multi-use pockets
- Discrete double knee with kneepad access inside
- Gusseted crotch
- Articulated knees

LINE ITEM # 42 SPORT TEK MESH SHORTS - BLACK ST510 BLK

- 100% Polyester
- Drawstring closure
- A moisture-wicking short with the classic look of open-hole mesh combined with PosiCharge technology for equally enduring color.
- 3.6-ounce, 100% polyester mesh with PosiCharge technology
- Dyed-to-match tricot lining
- Double-layer construction with open, individually hemmed layers for easy decoration
- Elastic waistband

LINE ITEM # 43 FECHHEIMER 100% POLYESTER SKIRT F1 38033 86

*NO SUBSTITUTIONS

FEMALE SKIRT SPECIFICATIONS

Flying Cross by Fechheimer Item: 38033

FABRIC:

Content: 100% Polyester

Weight: 11 - 11½ oz. per linear yard

Weave: Serge

Color: Navy Blue



BASIC DESIGN: Slightly flared - four gore skirt.

WAISTBAND: The sewn on waistband is to finish 1 ½ " wide and to have a 1 1/2" extension with buttons and buttonholes in the center back.

BELT LOOPS: To have four belt loops, each 3/4" wide, sewn at the top of the waistband and dropped enough to accommodate a belt 1 ½" in width. Skirt to close in the center back with Nylon coil zipper or approved equal.

POCKETING: Two pockets, one on each side.

SEAMS: All seams shall be welt seams.

LEXINGTON FIRE DEPARTMENT

HEM: Shall be unfinished length.

HANGER: There shall be a hanger of first quality hanger braid attached to the waistband at the inside, total depth a minimum of 2 ½".

DARTS: Four darts -- two in front, two in rear. Darts to be approximately 3 1/8" in depth and sewn off the proper taper.

PRESSING AND FINISHING: Skirt must be properly pressed on hothead presses and properly shaped. All skirts are to be thoroughly inspected before completion.

LABELS: Must have care labels permanently affixed; must also have size label showing fiber content. Garment must be made in the United States of America and bear a union label.

LINE ITEM # 44 GALLS FIREFIGHTER QUARTER ZIP WORKSHIRT WITH STAND UP COLLAR ST135

*NO SUBSTITUTIONS

- 11.5 oz. 82% cotton, 18% polyester fleece
- Quarter front zipper closure with chin guard protects chin and neck from zipper
- Fabric elbow patches feature our Tek2 fabric for excellent match, color retention and Nano Fluid Repellency Technology
- Dual fleece-lined side handwarmer pockets with internal storage pockets for cell phone and D-ring feature for key security
- Roomy chest pocket at the seam with hook-and-loop dividers to accommodate a full-sized radio or a smaller object without it dropping to the bottom of the pocket
- Pen pockets on left sleeve
- Mic pockets at both shoulders and center tab at bottom of front zipper
- Mic clip and sunglass options
- Hefty ribbed waist and cuffs
- Accepts embroidery and silkscreening
- GARMENT CUSTOMIZATION:
 - Each garment will have a Lexington Fire Department patch on the sleeve.
 - Silver for Firefighters and gold for officers
 - Each garment will have a Lexington Fire Department chest patch on the left chest
 - Silver for Firefighters and gold for Officers
 - Each garment will have a 1 inch twill namestrip on the right chest the employees name.

LINE ITEM # 45 ELBECO QUARTER ZIP JOB SHIRT 3730 MDNV

*NO SUBSTITUTIONS

- 11.5 oz. 82% cotton, 18% polyester fleece
- Quarter front zipper closure with chin guard protects chin and neck from zipper
- Fabric elbow patches feature our Tek2 fabric for excellent match, color retention and Nano Fluid Repellency Technology
- Dual fleece-lined side handwarmer pockets with internal storage pockets for cell phone and D-ring feature for key security
- Roomy chest pocket at the seam with hook-and-loop dividers to accommodate a full-sized radio or a smaller object without it dropping to the bottom of the pocket
- Pen pockets on left sleeve
- Mic pockets at both shoulders and center tab at bottom of front zipper
- Mic clip and sunglass options

LEXINGTON FIRE DEPARTMENT

- Hefty ribbed waist and cuffs
- Accepts embroidery and silkscreening
- GARMENT CUSTOMIZATION:
 - Each garment will have a Lexington Fire Department patch on the sleeve.
 - Silver for Firefighters and gold for officers
 - Each garment will have a Lexington Fire Department chest patch on the left chest
 - Silver for Firefighters and gold for Officers
- Each garment will have a 1 inch twill namestrip on the right chest the employees name

LINE ITEM # 46 5.11 TACTICAL FIREFIGHTER QUARTER ZIP JOB SHIRT 72314 720

***NO SUBSTITUTIONS**

- 11.6 oz, polyester, cotton fleece
- Stain-resistant finish
- Fade resistant
- Multiple pockets allow for storage of various gear and equipment for added functionality
- Chest Breakthrough™ pocket with hook-and-loop divider allows you to carry smaller objects
- Handwarmer pockets on both sides
- Mic pockets at both shoulders and pen pockets on the left sleeve
- No-roll collar
- Locker loop at inner collar
- YKK® zipper hardware
- Secure cuffs and hem
- Machine wash and dry
- Accepts embroidery and silk screening well
- GARMENT CUSTOMIZATION:
 - Each garment will have a Lexington Fire Department patch on the sleeve.
 - Silver for Firefighters and gold for officers
 - Each garment will have a Lexington Fire Department chest patch on the left chest
 - Silver for Firefighters and gold for Officers
- Each garment will have a 1 inch twill namestrip on the right chest the employees name

LINE ITEM # 47 LFUCG FIRE DEPARTMENT SILVER EMBLEM Q176493 904-002



LINE ITEM # 48 LFUCG FIRE DEPARTMENT SILVER EMBLEM WITH VELCRO Q191749 ES2134226

LEXINGTON FIRE DEPARTMENT



LINE ITEM # 49 GAME SPORTSWEAR THE BRAVEST JACKET 1221-J NAV

- Wind resistant nylon Tafetta shell
- 5 oz. poly-fill lining with thermal knit backing
- 100% polyester rib knit collar, cuff and bottom band (back only)
- Full front metal zipper
- 2 outer pockets
- Machine washable
- GARMENT CUSTOMIZATION:
 - Each garment will receive:
 - Left Chest Embroidery – Lexington Fire Department Maltese Cross Logo
 - Silver for Firefighters and gold for Officers



- Back Embroidery – LEXINGTON FIRE DEPT.
 - Silver for Firefighters and gold for Officers
 - LEXINGTON: 2 3/8 inch arched over FIRE DEPT. at 1 1/4 inches




- Right Chest Embroidery – rank, name and certifications
 - Silver for Firefighters and gold for Officers
 - Rank 3/8 in, Name 1/2 inch and certification 3/8 inch

LEXINGTON FIRE DEPARTMENT

- Left Sleeve Patch – Lexington Fire Department Patch
 - Silver for Firefighters and gold for Officers



- Right sleeve patch – Reversed American Flag



LINE ITEM # 50 GAME SPORTSWEAR THE FINEST VEST 1222-V NAV

- Wind resistant nylon Taffeta shell
- 5 oz. poly-fill lining with thermal knit backing
- 100% polyester rib knit collar
- Full front metal zipper
- 2 outer pockets
- Machine washable
- GARMENT CUSTOMIZATION:
 - Each garment will receive:
 - Left Chest Embroidery – Lexington Fire Department Maltese Cross Logo
 - Silver for Firefighters and gold for Officers



LEXINGTON FIRE DEPARTMENT


- Back Embroidery – LEXINGTON FIRE DEPT.
 - Silver for Firefighters and gold for Officers
 - LEXINGTON: 2 3/8 inch arched over FIRE DEPT. at 1 1/4 inches



- Right Chest Embroidery – rank, name and certifications
 - Silver for Firefighters and gold for Officers
 - Rank 3/8 in, Name 1/2 inch and certification 3/8 inch
- Left Sleeve Patch – Lexington Fire Department Patch
 - Silver for Firefighters and gold for Officers



- Right sleeve patch – Reversed American Flag



LINE ITEM # 51 5.11 ANSI TACTICAL PARKA 48014 320

- Class 3 compliant means it's excellent for personnel in high speed traffic areas
- 360° reflective striping
- 100% nylon shell with waterproof and breathable laminate
- Sealed seams to keep you dry
- 100% polyester lining; can accept fleece liner from 5.11 Jacket systems for added warmth
- Two chest pockets, two hand warmer pockets and two inside chest pockets
- Zipfront with snap closures

LEXINGTON FIRE DEPARTMENT


- Stow-away hood
- Adjustable cuffs
- Mic loops and badge tab
- Side zips with snap closures to easily access your equipment
- Machine wash, hang dry
- Imported
- GARMENT CUSTOMIZATION
 - Both the liner and the shell of the garment will receive:
 - Left Sleeve – Velcro Lexington Fire Department patch
 - Silver for Firefighters and gold for Officers



- Left Chest – Velcro Lexington Fire Department chest patch
 - Silver for Firefighters and gold for Officers



- Velcro ¾ inch namestrip with employee's first initial and last name.
- Reversed American flag will be added to the right sleeve of the shell only.



- The garments should not be sewn together.

LINE ITEM # 52 5.11 ANSI TACTICAL 3-IN-1 CLASS 3 REVERSIBLE PARKA 48033 320

- ANSI/ISEA 107-2004 Class 3 compliant
- 100% nylon shell
- Waterproof and breathable laminate
- Sealed seams to keep you dry
- 100% polyester lining
- Zip front with snap closures
- Removable liner black fleece liner
- 6 pockets: 2 chest, 2 hand warmer and 2 inside chest pockets
- Adjustable cuffs
- 3M™ Scotchlite™ reflective tape
- Built-in hood with snap closure
- Mic loops, badge tab and side zips
- Machine wash, hang dry

LEXINGTON FIRE DEPARTMENT

- GARMENT CUSTOMIZATION

- Both the liner and the shell of the garment will receive:
 - Left Sleeve – Velcro Lexington Fire Department patch
 - Silver for Firefighters and gold for Officers



- Left Chest – Velcro Lexington Fire Department chest patch
 - Silver for Firefighters and gold for Officers



- Velcro ¼ inch namestrip with employee's first initial and last name.
- Reversed American flag will be added to the right sleeve.



- The garments should not be sewn together.

LINE ITEM # 53 5.11 TACTICAL FLEECE JACKET 48038 019

- NTOA member tested and recommended with a 4.77 rating
- All-weather fleece
- Wind-resistant
- Hidden chest pockets are compatible with Back-Up Belt System™ for quick access to side firearm
- Side zippers and snaps for fast access to duty belt
- 2 zippered outside pockets and 2 zippered interior pockets and Back-up Belt System™ pockets
- Mic clips on each shoulder
- Reinforced collar, shoulders and elbows for durability
- Tapered fit
- YKK® zippers
- Prym® snaps
- Machine wash and dry
- Imported
- GARMENT CUSTOMIZATION
 - Both the liner and the shell of the garment will receive:
 - Left Sleeve – Velcro Lexington Fire Department patch
 - Silver for Firefighters and gold for Officers


LEXINGTON FIRE DEPARTMENT



- Left Chest – Velcro Lexington Fire Department chest patch
 - Silver for Firefighters and gold for Officers



- Velcro ¼ inch namestrip with employee's first initial and last name.
- Reversed American flag will be added to the right sleeve.



LINE ITEM # 54 TRU-SPEC M 65 FIELD JACKET WITH LINER 2440003

- ACU digital camo meets mil spec MIL-DTL-43455K
- Other colors meet mil spec MIL-C-43455J
- Shell: 9 oz 50% Nylon/50% cotton sateen
- Water-resistant cloth
- Quilted liner: 4.4 oz polyester batting
- Zipper front with storm flap
- Two chest belled pockets and two lower waist pockets
- Adjustable hook and loop cuffs
- Pull-out hood, drawstring waist
- ACU style comes with hook and loop patches for affixing ID panels (not included).
- Machine wash and dry
- Imported
- GARMENT CUSTOMIZATION
 - The garment will receive:
 - Left Sleeve – Lexington Fire Department patch
 - Silver for Firefighters and gold for Officers



- Left Chest – Lexington Fire Department chest patch

LEXINGTON FIRE DEPARTMENT

- Silver for Firefighters and gold for Officers



- Velcro ¾ inch namestrip with employee's first initial and last name.
- Reversed American flag will be added to the right sleeve.



LINE ITEM # 55 GALLS 3-IN-1 SYSTEM FLEECE/LINING ONLY JA785

- 100% polyester microfleece
- Zips into Galls® 3-in-1 Jacket/Shell (JA786) for extra protection from wind and rain
- Secure zippered hand pockets
- Adjustable cuffs with Velcro®
- Machine wash and dry
- Imported
- GARMENT CUSTOMIZATION:
 - Left Sleeve – Lexington Fire Department Patch
 - Silver for Firefighters and gold for Officers



- Left Chest – Lexington Fire Department Chest Patch
 - Silver for Firefighters and gold for Officers



- Right Chest – ¾ inch namestrips, displaying the employee's first initial and last name.

LINE ITEM # 56 5.11 TACTICAL SIGNATURE DUTY JACKET 48103 724

- 100% nylon exterior shell
- Waterproof and blood-borne pathogen-resistant
- Zip-out, Blood-borne pathogen resistant*, quilted liner

LEXINGTON FIRE DEPARTMENT


- Removable hood for easy stow away
- Hidden Document Pockets
- Backup Belt System front pockets
- Bi-swing back for ease of movement
- Back pull-down ID panel
- Zipping side seams
- Hidden handwarmer pockets
- Badge tab kit included
- Underarm zippers for ventilation
- Elasticized hem
- Hook and loop storm cuffs
- Ike length
- Machine wash
- Imported
- GARMENT CUSTOMIZATION
 - The garment will receive:
 - Left Sleeve –Lexington Fire Department patch
 - Silver for Firefighters and gold for Officers



- Left Chest –Lexington Fire Department chest patch
 - Silver for Firefighters and gold for Officers



- Velcro ¾ inch namestrip with employee's first initial and last name.
- Reversed American flag will be added to the right sleeve.



LINE ITEM # 57 SPORT TEK HOODED RAGLAN JACKET JST73 BLK

- Multi-seasonal jacket made from 65% polyester/35% cotton blend.
- Bi-swing back for outstanding mobility.
- Hidden front pockets.
- Hook and loop cuff adjusters.
- Optional badge tab and zip-in, long-sleeve liner
 - GARMENT CUSTOMIZATION
 - The garment will receive:

LEXINGTON FIRE DEPARTMENT

- Left Sleeve –Lexington Fire Department patch
 - Silver for Firefighters and gold for Officers



- Left Chest –Lexington Fire Department chest patch
 - Silver for Firefighters and gold for Officers



- Velcro ¾ inch namestrip with employee's first initial and last name.

LINE ITEM # 58 LION STATIONWEAR ACTION LINE JACKET 3432-40

- Multi-seasonal jacket made from 65% polyester/35% cotton blend.
- Bi-swing back for outstanding mobility.
- Hidden front pockets.
- Hook and loop cuff adjusters.
- Optional badge tab and zip-in, long-sleeve liner.

- GARMENT CUSTOMIZATION

- The garment will receive:

- Left Sleeve –Lexington Fire Department patch
 - Silver for Firefighters and gold for Officers



- Left Chest –Lexington Fire Department chest patch
 - Silver for Firefighters and gold for Officers



- Velcro ¾ inch namestrip with employee's first initial and last name.

LEXINGTON FIRE DEPARTMENT

LINE ITEM # 60 NEESE STORM TECH RAIN JACKET UN523-00-1 BLK

- Storm-Tech™ outer shell
- Black nylon taffeta lining for extra comfort
- Zippered front with storm flap to keep water out
- Double entry pockets act as a cargo pocket and a hand warmer
- Attached hood with adjustable drawcord so peripheral vision is not compromised
- Machine wash, air dry
- GARMENT CUSTOMIZATION
 - The garment will receive:
 - Left Sleeve –Velcro Lexington Fire Department patch
 - Silver for Firefighters and gold for Officers



- Left Chest – Velcro Lexington Fire Department chest patch
 - Silver for Firefighters and gold for Officers



- Velcro ¾ inch namestrip with employee's first initial and last name.

LINE ITEM # 61 ANCHOR UNIFORMS MEN'S DARIEN TRENCH COAT 761MT NAV


- 46" double breasted trench coat with split raglan shoulder, permanent epaulets, gun patch, loose umbrella back yoke, back vent and cut thru pockets
- 60% combed cotton, 40% polyester shell, treated with Dupont Teflon
- 3M Thinsulate quilted zipout liner
- 100g body with sleeve warmer
- Approved dress coat for NYFD

LINE ITEM # 62 1 INCH NAVY TEXTWILL NAMESTRIP WITH SILVER EMBROIDERY UA1035

LINE ITEM # 63 REVERSED AMERICAN FLAG FOR RIGHT ARM - WITHOUT VELCRO 500-914

- Ready for you to sew onto your uniform shirt or jacket
- Measures 2" x 3¼"

LEXINGTON FIRE DEPARTMENT



LINE ITEM # 64 112 WHT UPPER BLACK LOWER FELT BRIM - SINGLE SCRAMBLE GML40 GLD STRAP 112 LFUCG WHT

LINE ITEM # 65 ELBECO TEKS 3 HAT CAP 24 MDNV

- 65% polyester, 35% cotton twill
- NANO-TEX technology repels fluids and keeps you dry while maintaining natural breathability
- Plain front and subdued logo at rear
- Adjustable back strap
- Hand wash
- Imported

LINE ITEM # 66 112 NAVY UPPER BLACK LOWER WITH GML40 GLD STRAP GLD FD BUTTONS 112 NAVBLK GLD

LINE ITEM # 67 TRU SPEC BOONIE HAT 3210004

- 65%polyester/35% cotton ripstop
- Mil-spec
- Brass screen vents
- Adjustable chin strap
- Imported

LINE ITEM # 68 GALLS CLASSIC STYLE WATCH CAP WITH THINSULATE HW301

- Soft, acrylic caps feature Thinsulate® for added warmth
- One size fits most
- Machine wash and dry
- Imported
- Each garment will receive embroidery:
 - LEXINGTON arched over FIRE DEPT.
 - Silver for Firefighters and gold for Officers

LINE ITEM # 69 5.11 TACTICAL FLEECE WATCH CAP 89250 724

- Polyester fleece is warm when wet, won't absorb water and doesn't pill up
- Can be reversed to show or hide the 5.11 logo
- Imported
- Each garment will receive embroidery:
 - LEXINGTON arched over FIRE DEPT.
 - Silver for Firefighters and gold for Officers

LEXINGTON FIRE DEPARTMENT

LINE ITEM # 70 5.11 ADJUSTABLE UNIFORM HAT WITH LOGO 89260 724

- 5.78-oz. 65% polyester/35% cotton twill
- Teflon finish resists stains and water penetration
- One size fits most
- Each garment will receive embroidery:
 - LEXINGTON arched over FIRE DEPT.
 - Silver for Firefighters and gold for Officers

LINE ITEM # 71 GALLS FLEECE HAT HW607

- Made of soft anti-pill fleece
- Subdued "G Shield" embroidered logo
- Machine wash and dry
- One size fits all
- Each garment will receive embroidery:
 - LEXINGTON arched over FIRE DEPT.
 - Silver for Firefighters and gold for Officers

LINE ITEM # 72 UNDER ARMOUR FRIEND OR FOE STRETCH FIT CAP 1219733 465

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 100% polyester, 3.5 oz.
- Stretch fit
- Heat Gear sweatband
- Tonal American flag on the left side of the hat
- One size fits most
- Imported
- GARMENT CUSTOMIZATION
 - Each hat will need to be embroidered with either the generic LEXINGTON FIRE DEPT. embroidery, the corresponding engine number (offered in gold or silver) or the ladder number (offered in gold or silver)
 - There are 25 different engine numbers, 11 EC units, 7 ladders and rescue options. All will need to be set up separately and each employee given the option. Below is an example:



LINE ITEM # 73 CONVERTIBLE 112/114 BELL CROWN W/REMOVABLE BRAID 112/114CONV NAV

- 100% polyester gabardine
- Navy band with removable black rayon braid
- Silver FD buttons

LEXINGTON FIRE DEPARTMENT

- 611 pattern visor
- 1/2" black plastic strap
- 7" x 7-5/8"
- Made in the USA

LINE ITEM # 74 NYLON LACE CHIN STRAP - GOLD GML-40 GLD

LINE ITEM # 75 NYLON LACE CHIN STRAP - SILVER SNL-40

LINE ITEM # 76 5.11 TACTICAL UNIFORM HAT, ONE SIZE 89260

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 5.78-oz. 65% polyester/35% cotton twill
- Teflon finish resists stains and water penetration
- One size fits most
- GARMENT CUSTOMIZATION
 - Each hat will need to be embroidered with either the generic LEXINGTON FIRE DEPT. embroidery, the corresponding engine number (offered in gold or silver) or the ladder number (offered in gold or silver)
 - There are 25 different engine numbers, 11 EC units, 7 ladders and rescue options. All will need to be set up separately and each employee given the option. Below is an example:



LINE ITEM # 77 NIKE DRI FIT CUSHION CREW SOCKS SX4446

- Dri-FIT fabric to wick away sweat and help keep you dry and comfortable
- 49% polyester/43% cotton/6% nylon/2% spandex
- Rib cuffs for durability and snug fit
- Compression arch support for secure, snug fit
- Premium cotton for a soft touch
- Reinforced heel and toe for durability in high-wear areas
- Machine wash
- Imported

LINE ITEM # 78 5.11 TACTICAL 6" DUTY SOCK (3 PACK) 50078 019

- 79% Cotton
- 15% polyester
- 2% Spandex®
- 2% rubber
- 2% nylon

LEXINGTON FIRE DEPARTMENT

LINE ITEM # 79 GALLS CUSHIONED BOOT SOCK 3008

- 77% acrylic/13% polyester/8% nylon/2% elastane
- Wicks moisture to keep feet dry
- Welt top
- Knit-in heel & toe
- Medium 10"H; Large 11"H
- Made in the USA

LINE ITEM # 80 LAWPRO DELUXE SHOE SHINE KIT QM-KIT

- Black leather polishing wax
- Applicator brush
- Buffing brush
- Finishing rag

LINE ITEM # 81 LAWPRO POLYESTER 4 INCH HAND TIE 90072 BLK

- 100% polyester - tropical weave

LINE ITEM # 82 5.11 TACTICAL 6" EVO BOOT 12311 019

- Polishable, full-grain leather with 1200 denier nylon
- Non-metallic construction
- OrthoLite® insole
- Full length EVA midsole
- 511 outsole with fence climbing lugs
- Friend finder tracking logo
- 14mm heel to toe drop for a responsive feel and more natural stance
- Outsole platform is cemented and stitched for durability
- Slip and oil resistant
- Nylon shank
- Soft Toe
- Full length YKK side zipper
- Sausage laces stay tied
- Imported

LINE ITEM # 83 GALLS ATHLETIC OXFORD FX305

- Full-grain leather and 900D nylon upper for improved durability and comfort
- Texon® stability platform for support and rigidity
- Removable custom fit EVA insole
- Custom molded phylon EVA midsole for lightweight comfort
- Classic molded rubber outsole
- Custom molded thermoplastic heel counter and toe box
- Steel shank for superior support
- PU foam collar

LINE ITEM # 84 GALLS HIGH GLOSS OXFORD FX072

LEXINGTON FIRE DEPARTMENT

- High gloss PVC
- OrthoLite® insole featuring open-cell technology for lasting comfort
- Board-lasted construction for comfort and support
- Non-metallic shank for support and fatigue control
- 4"

LINE ITEM # 85 5.11 TACTICAL MEN'S ZIPPER 6" TACTICAL ATAC QUARTER BOOT 12018 019

- Full-grain leather and rugged nylon construction
- 5.11 Shock Mitigation System®
- Antibacterial and moisture-wicking lining
- Oil- and slip-resistant, no-squeak outsole
- Generous open cell foam cushioning
- Hypertext® lasting board
- Injection molded phylon midsole
- Side zip functionality
- Polished leather toe
- Cushioned insole
- Semi-rigid heel and toe reinforcement
- Non-metallic shank
- YKK® zipper hardware
- Stay-tied sausage laces

LINE ITEM # 86 MANGNUM 8" STEALTH FORCE ZIPPER WATERPROOF BOOT 5870 BLK

- *ASTM rated Electrical Hazard (EH) protection*
- Full grain leather and denier nylon upper delivers ultimate performance, durability and flexibility
- Durable non-metal, anti-glare hardware speed lacing system is tough, lightweight, scratch-resistant and airport safe
- YKK® circular side zipper allows for quick on and off option
- Coats Barbour anti-fraying stitching thread extends the life of your laces
- i-shield technology keeps water, oil, chemicals and dirt at bay keeping your shoe cleaner and drier longer
- Waterproof and breathable bootie membrane keeps liquids, chemicals and moisture out
- Cambrelle® moisture-wicking lining provides a micro-climate for your feet keeping them dry, cool and comfortable
- Agion™ anti-microbial treatment gives your feet a containment field against bacteria
- M-P.A.C.T. contoured sockliner with three densities of memory foam to provide maximum comfort and support
- Compression molded EVA midsole absorbs impact and provides all-day support and comfort
- Composite shank offers lightweight, airport safe underfoot support
- X-Traction zone outsole combines ten technologies including siping for wet surfaces, arch support, and a fence-gripping toe
- 22.2 oz per boot

LINE ITEM # 87 GALLS 8" COMPOSTIE TOE DUTY BOOT FX069

- *Meets ASTM 2413-11 M 1/75 C/75 Safety Toe standards*
- Full-grain leather and 900D nylon upper for improved durability and comfort
- Texon® stability platform for support and rigidity
- Removable custom fit EVA insole

LEXINGTON FIRE DEPARTMENT

- Custom molded phylon EVA midsole for lightweight comfort
- Classic molded rubber outsole
- Custom molded thermoplastic heel counter and toe box
- Nylon shank for superior support
- PU foam collar with gusseted tongue

LINE ITEM # 88 BATES DELTA SPORT ICS ATHLETIC OXFORD E03204 BLK

- Leather/Nylon
- Contains Bates Individual Comfort System technology, an adjustable disc used to customize comfort among four zones
- Removable Insole
- Cushioned EVA Midsole
- Slip Resistant Rubber Outsole
- Cement Construction

LINE ITEM # 89 BATES 6" ICS GORE-TEX WATERPROOF BOOT 2346

- Leather/ballistic nylon
- Contains Bates Individual Comfort System technology, an adjustable disc used to customize comfort among four zones
- YKK® side zipper with textured rubber tab cover; easy on/off uppers
- Fiberglass shank; slip and oil-resistant rubber outsole; non-metallic
- Tread design provides natural walking motion
- Multi-directional lugs provide maximum grip and stability

LINE ITEM # 90 BATES LITES HIGH GLOSS CHUKKA BOOT E00053 BLK

- Manmade
- Made in US
- Synthetic sole
- adjustable circumference

LINE ITEM # 91 DANNER STRIKER TORRENT 8" WATERPROOF BOOT 43003 BLK

- Durable, polishable full-grain leather upper with rugged 1000 denier nylon
- 100% waterproof and breathable GORE-TEX® liner
- Lightweight, versatile TFX-8 platform with a cross-stitch design
- Vibram® Striker® Torrent outsole for oil and slip resistance; outsole features a 360° pentagonal low lug pattern, a flex notch design in key pivot areas and a more rugged outer lug pattern
- Polyurethane midsole for superior cushioning and added durability
- Removable cushioning antimicrobial footbed with an additional layer of open cell construction
- Speed lace fastening system with lace garage
- Nylon shank
- 8" height
- 56 oz

LINE ITEM # 92 DANNER STRIKER TORRENT 8" WATERPROOF SIDE ZIP BOOT 43013 BLK

- Durable, polishable full-grain leather upper with rugged 1000 denier nylon

LEXINGTON FIRE DEPARTMENT

- 100% waterproof and breathable GORE-TEX® liner
- Lightweight, versatile TFX-8 platform with a cross-stitch design
- Vibram® Striker® Torrent outsole for oil and slip resistance; outsole features a 360° pentagonal low lug pattern, a flex notch design in key pivot areas and a more rugged outer lug pattern
- Polyurethane midsole for superior cushioning and added durability
- Removable cushioning antimicrobial footbed with an additional layer of open cell construction
- Speed lace fastening system with lace garage
- Nylon shank
- Semi-locking side-zip
- 8" height
- 54 oz
- Imported

LINE ITEM # 93 LAWPRO DISPATCH 2.0 LOW OXFORD S89 610

- Leather and 900-denier nylon upper offers outstanding durability
- Perforated padded collar provides comfort and breathability
- Quick-drying, removable molded EVA sockliner keeps your feet dry and comfortable
- Solid rubber outsole meets ASTM F489-96 standards for slip and oil resistance
- Outsole designed with ladder grips for stability

LINE ITEM # 94 DANNER 4.5" STRIKER TORRENT WATERPROOF BOOT 43027 BLK

- Durable, polishable full-grain leather upper with rugged and lightweight 1000 denier nylon
- Speed lace fastening system for secure fit
- Lace garage
- 100% waterproof and breathable GORE-TEX lining
- Removable cushioning polyurethane footbed with additional layer of open cell construction for air circulation
- High abrasion EVA midsole provides superior cushioning and added durability
- Danner TFX-8 platform is the lightest weight and most versatile TFX construction featuring a cross stitch design which provides added durability and stability in the lateral toe and medial heel pivot zones
- Vibram Striker Torrent outsole featuring a 360 degree pentagonal low lug pattern for grip in all directions, a flex notch design in key pivot areas and a more rugged outer lug pattern which sheds water and provides maximum surface contact

LINE ITEM # 95 GALLS 5" QUARTER DUTY BOOT FX070

- Full-grain leather and 900D nylon upper for improved durability and comfort
- Texon® stability platform for support and rigidity
- Removable custom fit EVA insole
- Custom molded phylon EVA midsole for lightweight comfort
- Classic molded rubber outsole
- Custom molded thermoplastic heel counter and toe box
- Nylon shank for superior support
- PU foam collar with gusseted tongue

LINE ITEM # 96 HAIX BLACK EAGLE TACTICAL 2.0 GTX HIGH 340003M BLK

- Waterproof leather upper with waterproof, breathable GORE-TEX® Extended 3-layer lining

LEXINGTON FIRE DEPARTMENT

- Abrasion-resistant lining with optimized climate comfort for indoor and outdoor use
- Shock absorbent, spring-back cushioning in the heel area for enhanced comfort and performance
- Moisture repellent, anti-bacterial insert
- Extra padding in the ankle area for additional ankle support and stability
- Pronation support holds the center of the heel, preventing it from buckling inward
- Asymmetrical PU heel stabilizer
- 2-component PU midsole provides light, cushioning, supporting
- HAIX® 2-zone lacing system allows you to adjust the width of your boot in the foot and leg area separately
- Sun Reflect system keeps feet cooler in direct sunlight
- HAIX® Climate System for temperature balance
- Non-marking rubber outsole is resistant to oil, gasoline, heat and cold
- Multi-directional, anti-slip grip provides reliable traction on uneven terrain or slick surfaces
- Self-cleaning tread
- Built-in stone shield
- 8.3" height

LINE ITEM # 97 HAIX BLACK EAGLE TACTICAL 2.0 GTX MID 340002M

- Waterproof leather upper with waterproof, breathable GORE-TEX® Extended 3-layer lining
- Abrasion-resistant lining with optimized climate comfort for indoor and outdoor use
- Shock absorbent, spring-back cushioning in the heel area for enhanced comfort and performance
- Moisture repellent, anti-bacterial insert
- Extra padding in the ankle area for additional ankle support and stability
- Pronation support holds the center of the heel, preventing it from buckling inward
- Asymmetrical PU heel stabilizer
- 2-component PU midsole provides light, cushioning, supporting
- Sun Reflect system keeps feet cooler in direct sunlight
- HAIX® Climate System for temperature balance
- Non-marking rubber outsole is resistant to oil, gasoline, heat and cold
- Multi-directional, anti-slip grip provides reliable traction on uneven terrain or slick surfaces
- Self-cleaning tread
- Built-in stone shield
- 6" height

LINE ITEM # 98 HAIX BLACK EAGLE TACTICAL 2.0 GTX LOW 340001M

- Waterproof leather upper with waterproof, breathable GORE-TEX® Extended 3-layer lining
- Shock absorbent, spring-back cushioning for enhanced comfort and performance
- Extra padding in the tongue for additional support and stability
- Pronation support holds the center of the heel, preventing it from buckling inward
- Asymmetrical PU heel stabilizer
- Moisture repellent, anti-bacterial insert
- Smart Lacing System for quick on and quick off convenience without having to tie your shoe laces
- Sun Reflect system keeps feet cooler in direct sunlight
- HAIX® Climate System for temperature balance
- Non-marking rubber outsole is resistant to oil, gasoline, heat and cold
- Multi-directional, anti-slip grip provides reliable traction on uneven terrain or slick surfaces
- Self-cleaning tread
- Built-in stone shield
- 3.5" height

LEXINGTON FIRE DEPARTMENT

LINE ITEM # 99 ROCKY 10" PARATROOPER SIDE ZIPPER BOOT 2090

- Men's 10" Side Zipper Paratrooper Boot
- YKK side zipper with leather tab cover; easy on/off
- Full grain leather upper
- Fiberglass shank
- EVA midsole for cushioning
- Oil, gas, slip and abrasion-resistant rubber lug outsole

LINE ITEM # 100 DANNER ACADIA 8" WATERPROOF DUTY BOOT 21210

- *Berry compliant*
- Full-grain leather can be polished for a sharp uniform appearance and can be cleaned quickly
- 100% waterproof and breathable GORE-TEX® liner keeps your feet dry and comfortable, even in extreme conditions
- 1000 denier nylon upper material is extremely resistant to abrasions, tears, and scuffs, improves breathability and dries quickly
- Danner's handcrafted stitchdown construction provides a wider platform for increased stability underfoot
- Vibram® heel provides lightweight comfort as well as superb shock absorption
- Vibram® Kletterlift compound guarantees great traction and stability on both wet and dry surfaces
- Lace-to-toe provides a secure fit
- Fiberglass shank
- 65 oz
- Made in the USA

LINE ITEM # 101 BATES 8" TACTICAL SPORT BOOT E02260

- Leather/1680 denier nylon upper
- Fiberglass shank
- Mesh lining
- Oil and slip-resistant outsole
- Soft padded collar
- No metal parts
- Cushioned removable insert
- Athletic cement construction

LINE ITEM # 102 BATES ULTRA LITE ZIPPER BOOT E02261

- Full grain leather and 1680 ballistic nylon upper
- Breathable PK mesh lining
- YKK® nylon side zipper with leather tab cover for easy on and off
- Cushioned removable insert
- Enforcer series Ultra-Lites™ rubber outsole is oil and slip-resistant
- Athletic cement construction
- Fiberglass shank
- Non-metallic construction is air-port friendly
- Soft padded collar
- Ethylene Vinyl Acetate (EVA) midsole provides lightweight cushioning
- 23 oz

LEXINGTON FIRE DEPARTMENT

LINE ITEM # 103 ROCKY 7" PARATROOPER SIDE ZIPPER BOOT 2091

- Men's 7" Side Zipper Boot
- YKK® covered side zipper with leather tab cover; easy on/off
- Goodyear® welt construction
- Full-grain water-resistant leather
- Polishable toe
- Non-metallic, fiberglass shank
- Contoured EVA midsole for cushioning
- Oil, gas, slip and abrasion-resistant rubber lug outsole

LINE ITEM # 104 BATES 8 SAFETY TOP SIDE ZIP E02263

- Men's Composite Toe 8" Zipper Boot
- YKK® side zipper with leather tab cover
- Full grain leather upper with ballistic 1680 denier nylon
- Water Resistant
- Composite safety toe which meets ASTM-F2413-11 safety toe standards
- Fiberglass shank; non-metallic
- Removable shock-absorbing insole with DriLex™ cover
- Mesh lining
- Rubber slip-resistant outsole
- Athletic cement construction

LINE ITEM # 105 5.11 TACTICAL 6" EVO WATERPROOF BOOT 12313

- Polishable, waterproof, full-grain leather with 1200 denier nylon
- Non-metallic construction
- eVent waterproof, breathable and blood-borne pathogen resistant membrane
- OrthoLite® insole
- Full length EVA midsole
- 511 outsole with fence climbing lugs
- 14mm heel to toe drop for a responsive feel and more natural stance
- Outsole platform is cemented and stitched for durability
- Slip and oil resistant
- Nylon shank
- Sausage laces stay tied
- Friend finder tracking logo
- Soft Toe
- Imported

LINE ITEM # 106 5.11 TACTICAL 8" A.T.A.C. ZIPPER BOOTS 12001

- NTOA member tested and recommended
- Full-grain leather upper and 1220 denier Cordura nylon side panels
- YKK® side zipper with leather tab cover and interior gusset for easy on and off
- DriLex lining is antibacterial and moisture-wicking
- Water-resistant
- Non-metallic composite shank
- Shock Mitigation System® for extended comfort

LEXINGTON FIRE DEPARTMENT

- Injection-molded phylon midsole
- Non-squeak outsole is oil and slip resistant
- Cushioned insole
- Generous open cell foam cushioning
- Hypertext® lasting board
- Semi-rigid heel and toe reinforcement
- Oil and slip-resistant outsole with sniper grip
- Hidden storage pocket
- Rope grip at arch
- Smooth, polished leather toe
- Covert tactical pocket
- Smooth toe makes for a professional appearance

LINE ITEM # 107 5.11 TACTICAL 6" ATAC BOOT 12002

- 6" Quarter Boot
- Leather/10220 denier Cordura nylon side panels
- Water-resistant
- Fiberglass shank
- Shock Mitigation System for extended comfort
- Four-system compression recovery insole
- Antibacterial DriLex lining
- Oil and slip-resistant outsole with Prone Position Grips

LINE ITEM # 108 BATES 5" TACTICAL SPORT BOOT E02262

- Leather and 1680 denier ballistic nylon uppers
- Fiberglass shank
- Removable shock absorbing insole with Dri-Lex™ cover
- PK mesh lining is breathable and absorbs moisture
- Enforcer Series Ultra-Lites™ rubber outsole is slip-resistant
- Non-metallic components
- Cement construction
- 30% lighter, 35% more flexible
- 41% heel, 18% forefoot improved shock absorption
- 20 oz

LINE ITEM # 109 5.11 TACTICAL 8" ATAC STORM ZIPPER WATERPROOF BOOT 12004

- Full-grain leather
- Antibacterial and moisture-wicking lining
- Waterproof, breathable and BBP-resistant
- Oil- and slip-resistant outsole
- 5.11® Shock Mitigation System
- Open cell foam cushion
- Cushioned insole
- Hypertext lasting board
- Injection-molded phylon midsole
- Non-metallic shank
- Semi-rigid heel and toe reinforcement

LEXINGTON FIRE DEPARTMENT

- Covert tactical pocket
- Side-zip
- YKK® zipper
- Sausage laces

LINE ITEM # 110 ROCKY PRO CELL LEATHER CHUKKA BOOT 501-8

- Men's Pro Cell Leather Chukka
- Leather
- Water-resistant
- Pro Cell outsole and Pro Cell polyurethane midsole with perforated air-flow insert
- 90° heel rest assures secure footing
- Lightweight

LINE ITEM # 111 BATES 8" GX SIDE ZIP GORE-TEX BOOT E02268

- Full grain leather and 1680 ballistic nylon upper
- Waterproof GORE-TEX® membrane is also breathable
- YKK® side-zipper with nylon tab cover and interior gusset for easy on-off
- Molded EVA shock absorbing midsole
- Removable insole for added comfort
- Oil and slip-resistant Tactical Sport Xtreme rubber outsole
- Non-metallic construction is perfect for passing through security checkpoints
- Athletic cement construction is lightweight and flexible
- Nylon shank
- Flap inside of zipper
- Padded collar
- 25 oz

LINE ITEM # 112 BATES 4" GX-4 NON METALLIC WATERPROOF BOOT E02266

- Full grain leather and 1680 ballistic nylon upper
- Breathable waterproof GORE-TEX® membrane
- Molded EVA shock absorbing midsole provides comfort from toe to heel
- Oil-and slip-resistant Tactical Sport Xtreme rubber outsole
- Nylon Shank

LINE ITEM # 113 BATES 6" INDIVUAL COMFORT SYSTEM ZIPPER BOOT 2346

- Leather/ballistic nylon
- Contains Bates Individual Comfort System technology, an adjustable disc used to customize comfort among four zones
- YKK® side zipper with textured rubber tab cover; easy on/off uppers
- Fiberglass shank; slip and oil-resistant rubber outsole; non-metallic
- Tread design provides natural walking motion
- Multi-directional lugs provide maximum grip and stability

LINE ITEM # 114 MAGNUM 6" STEALTH FORZE SIDE ZIPPER BOOT 5226

- *ASTM rated Electrical Hazard (EH) protection*

LEXINGTON FIRE DEPARTMENT

- Full grain leather and denier nylon upper delivers ultimate performance, durability and flexibility
- Durable non-metal, anti-glare hardware speed lacing system is tough, lightweight, scratch-resistant and airport safe
- YKK® circular side zipper allows for quick on and off option
- Coats Barbour anti-fraying stitching thread extends the life of your laces
- i-shield technology keeps water, oil, chemicals and dirt at bay keeping your shoe cleaner and drier longer
- Cambrelle® moisture-wicking lining provides a micro-climate for your feet keeping them dry, cool and comfortable
- Agion™ anti-microbial treatment gives your feet a containment field against bacteria
- M-P.A.C.T. contoured sockliner with three densities of memory foam to provide maximum comfort and support
- Compression molded EVA midsole absorbs impact and provides all-day support and comfort
- Composite shank offers lightweight, airport safe underfoot support
- X-Traction zone outsole combines ten technologies including siping for wet surfaces, arch support, and a fence-gripping toe

LINE ITEM # 115 DANNER PATROL QUARTER BOOT 25200

- Leather
- Made in US
- Vibram sole
- Fiberglass shank
- Waterproof
- 6" height
- Recraftable
- Men's 59 oz, Women's 47 oz

LINE ITEM # 116 5.11 TACTICAL WOMEN'S 8" ATAC SIDE ZIP BOOT 12007

- Durable, supple leather upper with 1220 denier Cordura® nylon side panels
- Water resistant
- Antibacterial and moisture-wicking DriLex™ lining
- YKK® side zipper with leather tab cover and interior gusset
- Injection molded phylon midsole
- Insole has 4-layer compression/recovery system
- Dual Density Polyurethane® cushioning
- Composite shank
- Semi-rigid heel and toe reinforcement
- Smooth toe for a professional appearance
- Hidden storage pocket
- Rope grip at arch
- Stay-tied sausage laces

LINE ITEM # 117 BATES WOMEN'S 8" TACTICAL SPORT ZIPPER BOOT E02700

- 8" Zipper Duty Boot
- YKK® side zipper with leather tab cover; easy on/off
- Full grain leather/1680 denier nylon
- Fiberglass shank; non-metallic
- PK Mesh lining

LEXINGTON FIRE DEPARTMENT

- Oil and slip-resistant outsole
- Soft padded collar
- Athletic cement construction
- Weighs only 3.3 lbs

EVA INSERT

- Ethylene Vinyl Acetate
- Midsole material
- Lightweight
- Durable
- Provides cushioning
- Removable

LINE ITEM # 118 BATES WOMEN'S 5" TACTICAL BOOT 2762

- 5" Quarter Boot
- Leather/1680 denier ballistic nylon uppers
- Fiberglass shank
- Removable shock absorbing insole with Dri-Lex™ cover
- PK mesh lining is breathable and absorbs moisture
- Oil-and slip-resistant rubber outsole
- Non-metallic components
- 30% lighter, 35% more flexible
- 41% heel, 18% forefoot improved shock absorption

LINE ITEM # 119 BATES WOMEN'S GX-8 NON METALLIC WATERPROOF ZIPPER BOOT 2788

- Women's GORE-TEX® 8" Side Zip Boots
- YKK® side zipper with nylon tab cover and interior gusset for easy on-off
- Full grain leather and 1680 ballistic nylon upper with a breathable waterproof GORE-TEX® membrane
- Waterproof
- Molded EVA shock absorbing midsole
- Nylon shank
- Oil and slip-resistant Tactical Sport Xtreme rubber outsole
- Perfect for passing through security checkpoints
- Flap inside of zipper

LINE ITEM # 120 BATES WOMEN'S GX-4 NON METALLIC WATERPROOF BOOT 2766

- 4" Quarter Boot
- Full grain leather and 1680 ballistic nylon upper and nylon shank
- Breathable waterproof GORE-TEX membrane
- Molded EVA (Ethylene Vinyl Acetate) shock absorbing midsole provides comfort from toe to heel
- Oil and slip-resistant Tactical Sport Xtreme rubber outsole
- Non-metallic composition will not trigger security alarms

LINE ITEM # 121 GALLS TRI-FOLD LEATHER COMPACT SIZE BADGE WALLET 79541

- Holds IDs up to 2" x 3" and badges up to 2.5" W; 4"H x 3.25"W closed

LEXINGTON FIRE DEPARTMENT

- Deep money compartments and 6 credit card slots
- Suede flap protects ID window and badge finish
- Badge remains hidden until wallet is fully open
- Imported
- *Round (2.5" dia); Shield (3.5"H x 2.5"W); Oval (3.325"H x 2.25"W)*

LINE ITEM # 122 BLACKINTON B544 SHIRT OR WALLET BADGE B544

LINE ITEM # 123 BLACKINTON B484 MALTESE CROSS BADGE B484

LINE ITEM # 124 PERFECT FIR BI FOLD WALLET WITH CREDIT CARD SLOTS AND ID WINDOW 107 BLK CSTM

- Holds ID size up to 2-3/4" x 3-1/2" and badge width up to 2-7/8"
- 6 credit card slots
- Money compartment
- Flipping ID window conceals badge until you're ready to show it
- Suede flap protects badge finish and ID
- Super double polished soft 18 gauge plastic reduces scratching, cracking and discoloration
- Over 1,400 badge cuts for a Perfect Fit
- Ships from factory within three business days
- Genuine black leather
- Made in USA

LINE ITEM # 125 STRONG TRI FOLD COMPANY SIZE LEATHER WALLET WITH RFID 7959R BLK

- Tri-Fold Style
- Helps Hide Your Identity
- Deep money compartments and 6 credit card slots
- Suede flap protects ID window and badge finish
- Compact fits IDs up to 2" x 3" and badges up to 2-1/2"W
- 4"H x 3-1/4"W closed

LINE ITEM # 126 PERFECT FIT FIREFIGHTER RECESSED BADGE WALLET 105-FF

- Constructed from gold matrix turnout gear material with reflective striping
- Recessed badge cut-out
- 5 credit card slots
- ID window
- Closed Size: 3-1/2"H x 4-1/2"W
- ID Size: 2-1/2"H x 4"W
- Badge Width: 2-3/4"

LINE ITEM # 127 BLACKINTON SINGLE BUGLE PIN J50

- Measures 3/4"H x 1/4"W
- Clutchback attachment
- Available in silver or gold finish
- Sold as a pair

LINE ITEM # 128 BLACKINTON DOUBLE BUGLE PIN J51

LEXINGTON FIRE DEPARTMENT

- Measures 13/16"H x 3/4"W
- Clutchback attachment
- Sold as a pair

LINE ITEM # 129 BLACKINTON 2 CROSSED BUGLES PIN J52

- Measures 5/8"H x 3/4"W
- Clutch back attachment
- Sold as pair

LINE ITEM # 130 BLACKINTON 3 CROSSED BUGLES PIN J53

- Measures 3/4"H x 7/8"W
- Clutchback attachment
- Sold as a pair

LINE ITEM # 131 BLACKINTON 4 CROSSED BUGLES PIN J54

- Measures 3/4"H x 7/8"W
- Clutchback attachment
- Sold as a pair

LINE ITEM # 132 BLACKINTON 5 CROSSED BUGLES PIN J55

- Measures 3/4"H x 3/4"W
- Clutchback attachment
- Sold as a pair

LINE ITEM # 133 LEXINGTON FIRE DEPT WITH VELCRO NAV/GLD/ROY Q194262 ES2161364



LINE ITEM # 134 LEXINGTON FIRE DEPT WITH VELCRO BLK/GLD/ROY Q194127 ES2159810

LEXINGTON FIRE DEPARTMENT



LINE ITEM # 135 LEXINGTON FIRE DEPT WITH VECRO NAV/SIL/ROY Q194264 ES2161367



LINE ITEM # 136 LEXINGTON FIRE DEPT WITH VELCRO BLK/SIL/ROY Q194128 ES2159813



LINE ITEM # 137 SERVING SINCE BLACK LETTERS SS110 BLK

- Fits clutch back nameplates only
- Measures 2-11\16" x 5\8"

LINE ITEM # 138 BLACKINTON NAMETAG ONE LINE J3 1LN

- One line of engraving
- 20 letters/spaces per line
- Available in clutch back (2 prongs with clamps) or pin back (safety pin style)
- 5\8"H x 2\12"W

LINE ITEM # 139 1 INCH SINGLE POLY NAMESTRIP UNAPPLIED UA612

LINE ITEM # 140 REBAR LEATHER SHEATH 4INCH 934825

LEXINGTON FIRE DEPARTMENT

- Genuine leather sheath
- Snap button release
- Fits Leatherman Kick, Fuse, Crunch and Pulse
- Embossed with Leatherman logo

LINE ITEM # 141 SMITH & WESSON EXTREME OPS RESCUE KNIFE SWFR2S

- Half serrated, 7Cr17 high carbon stainless steel blade
- Large thumb stud for easy opening with a gloved hand
- Textured and grooved handle for a secure grip
- Seatbelt cutter
- Glass Breaker
- Pocket clip
- Liner lock
- Black, low-glare finish
- 8" open, 4-1/2" closed, 3-1/2" blade
- 5 oz

LINE ITEM # 142 GERBER POWERFRAME FOLDING KNIFE 22-41964

- Designed by Todd Rexford, made by Kershaw
- Stainless steel blade with machine satin finish
- 410 titanium carbo-nitrate coated handle
- "Flipper" protrusion on the back of the blade provides easy ambidextrous deployment of the blade
- SpeedSafe® assisted opening easily deploys with a manual push on the thumbstud or pull back on the flipper
- Reversible pocket clip for tip-up or tip-down carry
- Frame lock
- 2½"L blade, 3½"L closed, 6"L open
- 2.6 oz

LINE ITEM # 143 5.11 TACTICAL SCOUT FOLDER KNIFE 51027

- Half-serrated stainless steel blade
- Large thumb stub for easy opening with a gloved hand
- Measures 8" open; 4-3/4" closed

LINE ITEM # 144 LEATHERMAN SIDEKICK MULTI-TOOL 831429

- Spring Action Needle Nose Pliers
- Spring Action Regular Pliers
- Wire Cutters
- 420HC Combo Knife
- Carabiner Bottle opener Accessory
- 420 HC Serrated Knife
- Wood saw
- Wood/Metal File
- Scissors
- Small Screwdriver
- Medium Screwdriver
- Phillips Screwdriver

LEXINGTON FIRE DEPARTMENT

- 1"Ruler
- Bottle Opener
- Can Opener
- Wire Stripper
- Removable Pocket Clip
- Closed Length: 3.8"
- Blade Length: 2.6"; Weight: 7 oz.

LINE ITEM # 145 SOG ESCAPE KNIFE WITH SEATBELT CUTTER AND TUNGSTEN GLASS BREAKER FF24

- 420HC Blade
- Bottle Opener/Carabiner Clip
- Thumb Stud
- Glass-filled Nylon Handle
- Removable Pocket Clip
- Locking Liner
- 25-year Warranty
- 3.94 in (Closed)
- 2.36 oz (Weight)
- 2.6 in (Blade Length)

LINE ITEM # 146 LEATHERMAN TOOLS CRATER C33 KNIFE 860011

- 420HC Blade
- Bottle Opener/Carabiner Clip
- Thumb Stud
- Glass-filled Nylon Handle
- Removable Pocket Clip
- Locking Liner
- 25-year Warranty
- 3.94 in (Closed)
- 2.36 oz (Weight)
- 2.6 in (Blade Length)

LINE ITEM # 147 LEATHERMAN TOOLS REBAR MULTI TOOL 831553

- Needlenose Pliers
- Regular Pliers
- Premium Steel Replaceable Wire Cutters
- Premium Steel Replaceable Hard-wire Cutters
- Electrical Crimper
- 420HC Knife
- 420HC Serrated Knife
- Wood/Metal File
- Saw
- Small Screwdriver
- Large Screwdriver
- Phillips Screwdriver
- Awl w/Thread Loop
- Ruler (8inches/20 cm)

LEXINGTON FIRE DEPARTMENT

- Bottle Opener
- Can Opener
- Wire Stripper
- Lanyard Ring
- Stainless Steel Body
- Stainless Steel Handles
- Black Oxide Version Available
- 25-Year Warranty
- 4 in. (Closed)
- 6.7 oz (Weight)
- 2.9 in (Blade Length)

LINE ITEM # 148 LEATHERMAN RAPTOR SHEARS 831741

- Folding medical shears feature serrations for a strong, fast cut
- Medical Shears come apart for cleaning and maintenance
- Strap cutter with locking liner for safety can be depolyed with one hand
- Oxygen tank wrench integrated into the base of the strap cutter
- Ring cutter is ultra-strong and a must have for first responders
- Carbide-tip glass breaker
- Injection molded polymer holster (included) holds shears in open or folded positions

LINE ITEM # 149 STREAMLIGHT POLYTAC 90 FLASHLIGHT 88831

- C4® LED Technology with a 50,000 hour lifetime
- 2 modes: High - 7000 candela peak beam intensity, 170 Lumens, 3.75 hours runtime. Low - 700 candela peak beam intensity, 17 Lumens, 30 hours runtime
- Two 3 Volt "CR 123A" lithium batteries with a shelf life of ten years
- Head mounted push button switch provides one handed momentary or constant on operation. Fast double click from off to activate Strobe mode; fast triple click from off to activate Low mode
- One-meter impact resistance tested
- IPX7 rated design
- Waterproof to one meter for 30 minutes
- Integrated carabiner style D-ring for a variety of attachment methods
- Fully rotatable/reversible/removable clip to allow a variety of mounting positions
- LED Solid State Power Regulation provides maximum light output throughout battery life
- Individually serialized for positive identification
- Tempered glass lens, gasket sealed
- 90° head
- 5-1/5" L x 1-1/4" W x 1" D

LINE ITEM # 150 STREAMLIGHT POLYTAC 90 FLASHLIGHT WITH GEARKEEPER 88832

- C4® LED technology, with a 50,000 hour lifetime
- Tempered glass lens, gasket sealed
- 2 modes: High - 7000 candela peak beam intensity, 170 Lumens, 3.75 hours runtime; Low - 700 candela peak beam intensity, 17 Lumens, 30 hours runtime
- Two 3-Volt CR 123A lithium batteries with a shelf life of ten years
- Head mounted push button switch provides one handed momentary or constant on operation
- Fast double click from off to activate Strobe mode; fast triple click from off to activate Low mode

LEXINGTON FIRE DEPARTMENT

- 90° head
- One meter impact resistance tested
- IPX7 rated design; waterproof to one meter for 30 minutes
- Integrated carabineer style D-ring for a variety of attachment methods
- Fully rotatable/reversible/removable clip to allow a variety of mounting positions
- LED Solid State Power Regulation provides maximum light output throughout battery life
- Individually serialized for positive identification
- Gear Keeper® system for attaching the light to turnout gear or other clothing or equipment; retractable attachment system with a high-strength nylon tether with a 36" extension and 6 oz. of retraction force
- 5.22"L x 1.25"W x 1"D (13.3 x 3.18 x 2.54 cm)
- 4.1 oz (116 g)

LINE ITEM # 151 STREAMLIGHT KNUCKLEHEAD RECHARGABLE FIRE RESCUE LIGHT WITH CLIP 90657

- Engineered optics feature dual parabolic reflectors within a larger textured reflector optimizing light on target in conjunction with an overall smooth flood pattern
- Shockproof dual C4® premium LED technology delivers 200 lumens
- Durable spring-loaded clip for easy attachment to turnout gear and uneven surfaces
- Features a 210 degree articulating head that rotates a full 360°
- 4 modes: High - 1150 candela peak beam intensity, 200 Lumens, 3.5 hour runtime; Low - 350 candela peak beam intensity, 63 lumens, 16 hour runtime; Moonlight - 20 day runtime; Flash - 8 hour runtime
- Power source: accepts rechargeable NiCd battery pack
- Rubber dome push-button actuator is easy to operate even when wearing heavy gloves
- Removable magnet with 135 lb pull strength features a replaceable rubber boot
- Optimized electronics provide regulated intensity
- High-impact, super-tough nylon polymer construction for exceptional durability
- 2 meter impact-resistance tested
- IPX4 rated for water-resistance
- Serialized for positive identification
- 9.2 in. (23.4 cm); 23.1 oz (655 grams)

LINE ITEM # 152 STREAMLIGHT KNUCKLEHEAD NON-RECHARGABLE FIRE RESCUE LIGHT WITH CLIP 90644

- Engineered optics feature dual parabolic reflectors within a larger textured reflector optimizing light on target in conjunction with an overall smooth flood pattern
- Shockproof dual C4® premium LED technology delivers 200 lumens
- Durable spring-loaded clip for easy attachment to turnout gear and uneven surfaces
- Features a 210 degree articulating head that rotates a full 360°
- 4 modes: High - 1150 candela peak beam intensity, 200 Lumens, 3.5 hour runtime; Low - 350 candela peak beam intensity, 63 lumens, 16 hour runtime; Moonlight - 20 day runtime; Flash - 8 hour runtime
- Power source: accepts 4 AA alkaline batteries
- Rubber dome push-button actuator is easy to operate even when wearing heavy gloves
- Removable magnet with 135 lb pull strength features a replaceable rubber boot
- Optimized electronics provide regulated intensity
- High-impact, super-tough nylon polymer construction for exceptional durability
- 2 meter impact-resistance tested
- IPX4 rated for water-resistance
- Serialized for positive identification
- 9.2 in. (23.4 cm); 18.3 oz (519 grams)

LEXINGTON FIRE DEPARTMENT

LINE ITEM # 153 RESPONDER RIGHT ANGLE LED 6 AA LIGHT 510304

- Runs on six AA alkaline batteries (not included)
- 220 lumens, 17 hour runtime
- 490 meter beam range (1,607 feet)
- Intrinsically Safe for use in hazardous environments
- Class I, II, III, Div 1, Groups A,B,C,D; Class II, Div 1&2 Groups E,F,G

LINE ITEM # 154 RESPONDER RIGHT ANGLE LED RECHARGEABLE LI-ION 510221 UTIL

- Specs for Rechargeable model (can also be powered by six AA alkaline batteries using optional AA battery tray)
 - Runs on a rechargeable li-ion battery (included)
 - Recharges in 4 hours
 - 205 lumens, 4 hour runtime
 - 477 meter beam range (1,564 feet)
 - Intrinsically Safe for use in hazardous environments
 - Class I, II, III, Div 1, Groups C-G; Class I, II, III Div 2 Groups C-G
 - Operating Temp Code T3
- Maximum beam range of 1,607 feet (AA alkaline model)
- Smoke cutting beam with advanced optics
- Oversized pushbutton switch
- Stainless steel clip
- Low-profile design - only 2.4" deep (including clip)
- Waterproof to 1 meter (not dive rated)
- Impact resistant
- Charging indicator changes from red to green when fully charged - for rechargeable model only
 - fully recharges in 4 hours
- Measures 7.25" high x 2.4" deep x 3.25" head diameter.
- Weighs 16 ounces with batteries
- Limited warranty through Bright Star
- Made in the USA

LINE ITEM # 155 PELICAN SUPER SUBRELITE 2000 2000-010

- Rugged ABS resin body with overmolded polycarbonate lens
- Lexan® lens
- 12,000 CP beam
- 7-13/16"L
- Waterproof (submersible up to 500 feet)
- FM, CSA, MSHA, AUS, CE and UL approved
- Lifetime Warranty
- Twist on/off lens shroud prevents accidental discharge
- Includes lanyard, belt spring clip and split ring
- Uses 3 C-cell batteries

LINE ITEM # 156 STREAMLIGHT AC OR DC CHARGE CORD FOR STREAMLIGHT STINGER 22060

Replacement AC (Alternating Current; house) or DC (Direct Current; car) charging cord works with all types of Stinger™ flashlights.

LEXINGTON FIRE DEPARTMENT

LINE ITEM # 157 PELICAN WATERPROOF STEALTHLITE FLASHLIGHT 2400-010

- Xenon Laser Spot Beam is 600% brighter than ordinary personal lights
- Lexan® lens
- 10,000 CP
- One-hand safety switch for easy operation
- FM, CSA, MSHA, UL approved
- Uses 4 AA batteries (included)
- Measures 6-1/2"L
- Lifetime guarantee

LINE ITEM # 158 STREAMLIGHT SURVIVOR REPLACEMENT BATTERY 90338

- Xenon Laser Spot Beam is 600% brighter than ordinary personal lights
- Lexan® lens
- 10,000 CP
- One-hand safety switch for easy operation
- FM, CSA, MSHA, UL approved
- Uses 4 AA batteries (included)
- Measures 6-1/2"L
- Lifetime guarantee

LINE ITEM # 159 SUREFIRE G2 NITROLON FLASHLIGHT G2-BK

Replacement battery for Streamlight® Survivor.

LINE ITEM # 160 STREAMLIGHT SURVIVOR LED FLASHLIGHT WITH ALKALINE BATTERY PACK 90540

- *ANSI/NEMA FL1-2009 compliant. Hazardous approved. Class I, Div. 2 approved*
- Extremely tough nylon body; O-ring sealed; spring-loaded belt clip
- Deep-dish reflector produces narrow beam, ideal for cutting through smoke
- Weather-resistant
- Raised push-button switch is easy to use wearing heavy gloves
- Limited Lifetime Warranty

LINE ITEM # 161 STREAMLIGHT SURVIVOR LED FLASHLIGHT 90520

- 3 watt Luxeon LED has a 50,000 hr life
- 65 Lumens
- Deep dish reflector creates a beam with a 500 ft range
- Raised push button switch is easier to use with gloves
- 3 position switch: High, Low, and Locator Strobe
- 175 lumens; Run time: 3.5 hours (High), 13 hours (Low)Can use rechargeable battery or Alkaline battery pack, runtime is the same for both batteries
- Newly redesigned clip doesn't deform like metal
- UL approved for Class I, Div 1
- Passes 30 foot drop test
- Water resistant
- Fits existing Survivor charging units

LINE ITEM # 162 STREAMLIGHT SURVIVOR LED FLASHLIGHT WITH AC/DC STEADY CHARGER 90503

LEXINGTON FIRE DEPARTMENT

- C4 LED technology with a 50,000 hour lifetime and impervious to shock
- 4 lighting modes: high, low, flash and moonlight
- High Beam: up to 41,000 candela peak beam intensity; 175 lumens; runs 3.5 hours (NiCd), 4 hours (alkaline)
- Low Beam: Up to 14,000 candela peak beam intensity; 60 lumens; runs 10+ hours (NiCd), 14+ hours (alkaline)
- Flash: runs 7+ hours
- Moonlight: runs 20+ day runtime
- Unbreakable polycarbonate with silicone anti-scratch coating is assembled in a heavy duty bezel
- O-ring sealed for water resistance
- Rechargeable model includes back-up alkaline battery pack
- Survivor LED rechargeable models fit existing Survivor charging units
- Raised push-button switch is recessed in polymer housing for protection
- Limited lifetime warranty

LINE ITEM # 163 SUREFIRE 123A LITHIUM BATTERIES (2 PACK) SF2-CB

- Optimized for use in SureFire flashlights.
- Ten-year shelf life.

LINE ITEM # 164 STREAMLIGHT FIRE VULCAN LED LANTERN WITH AC/DC 44450

- C4 LED lasts 50,000 hrs
- 80,000 candela peak beam intensity; optimized electronics provide regulated intensity
- Bright blue taillight LEDs ensure visibility in smoke
- Deep-dish parabolic reflector produces a tight beam with optimum peripheral illumination
- Two lightweight lithium ion nanotechnology cells recharge in 5 hrs maximizing the LEDs availability
- Runs: steady high up to 3 hrs; low up to 6 hrs
- 8 programmable switch functions; easy to operate toggle switch; reinforced D-Rings
- IPX7 rated design is waterproof to 1m for 30 min.

LINE ITEM # 165 STREAMLIGHT STRION C4 LED FLASHLIGHT 74301

- Optimized electronics provides regulated intensity
- Unbreakable BOROFLOAT® high temperature glass lens
- Machined aircraft aluminum body with anodized finish
- One-handed operation of momentary and variable intensity modes
- Lithium ion battery rechargeable up to 500 times; fully recharges in three hours
- Anti-roll head so light stays where you place it
- Grooved barrel adapts to long gun mount (rail not included)
- IPX4 rated for water resistance
- Limited lifetime warranty (excluding bulb, battery and charger)
- 5-9/10"L; 5-1/5 oz
- ANSI/NEMA FL1-2009 compliant

LINE ITEM # 166 STREAMLIGHT POLYTAC C4 LED FLASHLIGHT 88850

- *ANSI/NEMA FL1-2009 compliant*
- Virtually indestructible nylon polymer
- Adjustable head for variable spot-to-flood focus with unbreakable polycarbonate lens
- 275 lumens; 9,500 candela 3 hour runtime

LEXINGTON FIRE DEPARTMENT

- Waterproof
- Tailcap button provides momentary or constant on; rotates for "Safe" position
- Uses two 3V Lithium batteries (included)
- Limited Lifetime Warranty
- 5.2"L; 3.9 oz

LINE ITEM # 167 GEN II LIGHTHAWK LED 4-CELL FLASHLIGHT W/ CHARGER BASE / 120V AC AND 12/24V DC PLUGS 07611 UTIL

- Multi-Function Switch – Main Light and High/Low
- Rear Signaling Light – Steady On / Flashing
- Battery Charge Indicator: Red for Charging / Green for fully charged
- Low Battery Indicator: When 30 minutes of run time remain, high mode automatically switches to low mode and the front beam will begin to flash 3 times every 5 minutes.

LINE ITEM # 168 RESPONDER RA LED FLASHLIGHT W/ CHARGER BASE AND 12/24V DC PLUG 510231

- Interchangeable Power Supply
- Easily switch from rechargeable to alkaline
- Wide-eye lens
- Oversized Pushbutton Switch
- Stainless steel clip
- 30-ft Drop

LINE ITEM # 169 VULCAN AC/DC MODEL 44000

- *NFPA approved*
- Rugged, thermoplastic housing
- Unbreakable, polycarbonate lens
- 80,000 candela; 150 lumens; runs 3.25 hour
- Recharges in 10 hours, up to 1,000 times Toggle switch and dual filament 8W safety Xenon bulb that delivers an instant backup beam
- Waterproof
- AC system operates on 110 volts; DC system works on 12 volts
- Uses existing Vulcan racks
- Limited Lifetime Warranty
- 7.5"H x 5"W x 6.5"D; 3.3 lbs
- *Includes AC/DC charger cords and battery*

LINE ITEM # 170 ST01 90116 STEADY CHARGER F/SURVIVOR 90116

- For Streamlight Survivors
- Charge your Survivor flashlight while simultaneously charging its spare battery
- Streamlight Piggyback charger is environmentally friendly

LINE ITEM # 171 CASIO G SHOCK CLASS X' LARGE WATCH GA100-1A1

- Shock Resistant
- 200m water-resistant
- Anti-magnetic structure

LEXINGTON FIRE DEPARTMENT

- 1/1000th second stopwatch with speed indicator
- Hourly time signal
- Auto-calendar (pre-programmed until the year 2099)
- Daily alarm 4 daily and 1 snooze alarm
- Module 5081
- Approx. battery life 2 years
- Includes a CR1220 battery
- Countdown timer
- Shock-resistant
- Blacklight auto led light with afterglow
- Water-resistant up to 200m
- 12/24 hour formats

LINE ITEM # 172 SMITH & WESSON WATCH SWW11B

- Shock-resistant
- Luminous hands
- Quartz movement
- Black, stainless steel case
- Adjustable nylon strap
- Water-resistant to 90'

LINE ITEM # 173 TIMEX EXPEDITION RUGGED CAT PLUS WATCH 3945-9003 GP

- Dual mode alarm offers vibration and/or audible alert
- INDIGLO® night-light makes viewing easy in low light conditions
- 100-hour chronograph with lap/split option
- Easy to use 24-hour countdown timer
- Regulate fluid intake with hydration alarm
- 3 alarms and 3 time zone settings make travel easy
- 15 preset occasions to set reminders for birthdays, anniversaries or meetings
- Durable resin construction
- Water-resistant up to 100m

LINE ITEM # 174 GALLS ORIGINAL STREETPRO GEAR BAG BG006

- 900 denier nylon construction
- Large interior compartment includes an adjustable divider to customize the bag to fit your specific needs
- Two side zippered exterior cargo pockets
- Three large exterior open-top pockets
- Two medium interior zippered pockets
- Reinforced walls and padded top
- Nylon web handles
- Adjustable shoulder strap
- 12"H x 18-1/2"W x 7-1/2"D

LINE ITEM # 175 GALLS SQUARE GEAR BAG BG051

LEXINGTON FIRE DEPARTMENT

- 600 denier polyester
- Stiff, sturdy bottom helps retain bag's shape
- Comes with an adjustable and detachable shoulder strap
- 10-1/2"H x 18"W x 10"D: 1,890 cu in

LINE ITEM # 176 GALLS BARREL BAG BG140

- 600 D polyester construction
- Water-resistant interior compartment
- VELCRO® brand flashlight loops
- Reinforced carry handles
- Heavy-duty YKK® two-way zipper
- Measures 19"L x 10"W x 10"H
- 1,900 cu in

LINE ITEM # 177 GALLS DUFFEL BAG BG186

- 900 denier polyester
- Front zip storage pocket
- Internal mesh pocket and molded ID insert
- Heavy-duty zipper
- Molded rubber cargo handles
- Padded contour shoulder strap

LINE ITEM # 178 GALLS DELUXE FIREFIGHTER BAG BG197

- 900 denier polyester construction
- Padded ergonomic shoulder strap
- 16"H x 30"W x 14"D
- Waterproof bottom
- Main compartment zips open on three sides for easy access
- Pockets on both sides (including helmet pocket)
- Leather-wrapped cargo handles on both sides
- Leather-wrapped carrying handles with snap connector
- Heavy-duty zippers and zipper pulls

LINE ITEM # 179 GALLS DULUXE BARRELL BAG BG230

- Durable polyester construction
- Water-resistant interior compartment
- Measures 26"L x 12"H x 12"D
- Reinforced carry handles
- Heavy duty 2-way zipper
- Velcro® flashlight loops

LINE ITEM # 180 5.11 TACTICAL RUSH 24 BACKPACK BG350

- Durable 1050D nylon
- Water-repellant coating
- Roomy main storage area

LEXINGTON FIRE DEPARTMENT

- Three mesh admin compartments
- Dual zipping side pockets
- Hydration pocket
- Zippered fleece-lined eyewear pocket
- Stuff-it pocket with integrated draw cord
- Adjustable height sternum strap
- Two external compression straps
- Contoured yoke shoulder strap system
- Reinforced grab-and-go handle
- Wrap-around MOLLE/SlickStick® web platform
- Hook and loop nametape and flag patches
- Glove-friendly pull tabs
- Twin drainage grommets
- Self-repairing YKK® zippers
- 20"H x 12½" L x 8"D main compartment
- 12½" x 11" x 2" front pocket
- 18" x 12½" 2 liter hydration pocket
- 2,275 cu in; 37 liter total capacity

LINE ITEM # 181 5.11 TACTICAL RUSH 72 BACKPACK 58602

- Built from high strength, water-repellant 1000D nylon
- Ideal for recreational use or as an operational bug out bag
- Dual-zippered front and main compartments with molded grip pulls
- Multiple integrated organization pockets
- Admin organization pocket to store maps, pens, and documents
- Fleece-lined sunglass pocket
- Internal hydration compartment with hangers and toggles
- Cinching waist strap and dual compression straps
- Adjustable dual density closed-cell foam shoulder straps
- Contour yoke system with grab and go handle
- Rugged, self-healing YKK® zipper hardware
- Integrated drainage grommet
- 23" H x 13½" L x 8½" D main compartment
- 15½" x 11½" x 2" front pocket
- 16½" x 6" x 1¼" left and right side pockets
- 21" x 13½" 3 liter hydration pocket
- 3342 cubic inch total capacity

LINE ITEM # 182 5.11 TACTICAL RED 8100 BAG 56878

- 1050 denier nylon w/ water resistant coating
- YKK® self healing zippers for durability
- Large compartment with center zip opening
- 32"H x 16"W x 19"D
- Flag holder, WriteBar™ and ID window

LINE ITEM # 183 5.11 TACTICAL TURNOUT POCKET ORGANIZER II 56875

- 3 adjustable padded dividers

LEXINGTON FIRE DEPARTMENT

- Cord anchors at the bottom and Velcro® secures bag in your turnout pockets

LINE ITEM # 184 5.11 TACTICAL RUSH 12 BACKPACK 56892

- 16 individual compartments to quickly organize gear
- Contoured yoke shoulder strap system
- Hydration pocket
- Wrap-around MOLLE/SlickStick web platform
- Internal multi-slot admin compartment
- Adjustable height sternum strap
- Two external compression straps
- Front organizer panel
- Fleece-lined, zippered pocket for eyewear and gadgets
- Hook and loop nametape and flag patches
- Self-repairing YKK® zippers
- Glove-friendly pull tabs
- 18"H x 11"W x 6½"D main compartment
- 12"H x 9"W x 1¼"D bottom front compartment
- 17"H x 11"W 1.5 liter hydration pocket
- 1476 cubic inch total capacity

LINE ITEM # 185 5.11 TACTICAL COVERT 18 BACKPACK 56961

- 500 denier nylon/420 denier nylon lining and 210 denier nylon
- Main Compartment: 19"H x 12.25"L x 6.5"D
- Front Compartment: 11.50"H x 9.5"L x 2.5"D
- Hidden ambidextrous BBS weapons pocket and hidden agenda ID panel
- Pull down and roll-up tactical outer pocket w/Web Platform
- Administrative and internal/external organizer pockets
- Padded computer compartment
- Diagonal nylon attachment points
- Adjustable sternum straps
- Carry handle integrated into Yoke Shoulder System
- Compatible with Select Carry Pistol Pouch and Hydration pouches

LINE ITEM # 186 GALLS DELUXE SCBA MASK BAG SHG135

- Nylon construction with padded interior
- 14"H x 9"W x 9"D
- Large enough to hold any SCBA mask, as well as most gas masks
- Drawstring closure
- Metal hook for clip-on gear
- Subdued gray label

LINE ITEM # 187 GEARKEEPER TETHER CLIP 88833

- Retractable attachment system
- High-strength nylon tether
- 36" extension and 6 oz. of retraction force

LEXINGTON FIRE DEPARTMENT

LINE ITEM # 188 FIVE STAR GEAR GI DPEC 3 DAY BACKPACK 6174000

- 1000 denier nylon construction
- 21"H x 3"D x 17"L; 3 lbs
- Padded shoulder and waist strap with adjustable sternum strap
- Molle compatible
- Hook and loop strips for name and rank tapes

LINE ITEM # 189 RINGERS IMPACT GLOVES GLOVE 143-09

Airpreme® and Spandex® top keeps your hands cool

- 100% Clarino palm for dexterity
- Gel palm padding and compression molded knuckle give added protection
- Split palm for durability
- USAF-approved
- Wide elastic woven cuff with Velcro® closure tab
- Machine wash

LINE ITEM # 190 RINGERS ROPE RESCUE GLOVES353-09

- Comfortable nylon stretch fabric
- 100% DuPont™ KEVLAR® stitching
- Two layer GEL padded rope channel to protect your palms
- Neoprene padded knuckles
- Pittards Armortan palm and fouchettes improve wearability
- Clarion second palm and finger layer resist slipping
- Won't wrinkle, harden or shrink
- Wraparound Velcro® wrist closure
- Machine wash

LINE ITEM # 191 RINGERS BARRIER EXTRICATION GLOVES 327-08

- Meets OSHA standards 29CFR 1910.1030
- Cut-resistant DuPont™ KEVLAR® panels and stitching in high wear areas
- Molded TPR (Thermal Plastic Rubber) knuckle and finger tips
- Waterproof and breathable Hipora® barrier
- Elastic cuff and gaitor to keep out glass and debris
- Boxed finger tip design

LINE ITEM # 192 RINGERS SUPER CUFF RESCUE GLOVES 345

- 6 mm segmented padding across knuckles moves with you
- Direct inject Thermal Plastic Rubber (TPR) finger panels for superior protection
- Kevlar® palm panels provide cut resistance
- Anatomic cutouts offer restriction-free gripping
- Patented SuperCuff Technology
- 3M® reflective striping for increased visibility
- Gel padding reduces vibration and injury
- Reinforced stitching and hidden seams

LINE ITEM # 193 HEXARMIR EXT RESCUE BARRIER 4014 EXTRICATION GLOVES EXT4014

LEXINGTON FIRE DEPARTMENT

- Interior layer of SuperFabric® brand material in the palm provides ISEA Level 5 cut resistance
- Waterproof H2X™ barrier lining passes ASTM F1670/F1671 requirements and meets OSHA Bloodborne Pathogen Standards (29CFR 1910.1030)
- Interior liner is sewn-in, so it won't pull out when you remove the glove
- Durable TP-X® palm material is highly abrasion-resistant, and provides a strong grip
- Superior back-of-hand impact protection prevents smash injuries
- Reinforced index finger and thumb saddle extends glove life
- SlipFit® cuff with Velcro® closure provides great fit and easy on and off between calls
- Machine washable

LINE ITEM # 194 BOSTON LEATHER ANTI-SWAY LEATHER STRAP 5425-1

- Keeps Radio Holster Closer to your body
- Clips to radio strap and turnout gear
- Ballistic Weave

LINE ITEM # 195 BOSTON LEATHER RADIO HOLDER FOR HARRIS XG-75 5609RC

- Custom Built for the Harris XG-75
- D-rings to connect to radio strap

LINE ITEM # 196 GOULD & GOODRICH LEATHER TROUSER BELT B52

- 1-3/4"W of black leather
- Sizes: Waists 28-60, even
- Finish: Plain (PL) or Basketweave (BW).
- Buckle: Nickel or Brass
- Hand-creased
- Rubbed edges

LINE ITEM # 197 GALLS GEAR LEATHER TROUSER BELT G4157

- Black leather
- Water resistant
- 1-3/4"W

LINE ITEM # 198 LAWPRO DOUBLE GLOVE NYLON POUCH QM1328

- Quality nylon, built to last
- Holds 2 pair of emergency latex gloves, fits most size duty belts
- Folds flat for comfortable carry
- High quality for long lasting use
- Features 2 easy access pockets

LINE ITEM # 199 5.11 TACTICAL OPERATOR BELT 1.75" 59405

- Double-thick 1- 3/4" wide webbing
- Black stainless steel buckle
- Permastiff nylon insert to support holster wear
- 6000-lb rating

LEXINGTON FIRE DEPARTMENT

- Imported

LINE ITEM # 200 BOSTON LEATHER 57" RADIO STRAP 6543

- 1 1/4" wide heavy duty leather
- Leather mic loop
- Positive locking buckle
- Mates to a radio holder with scissor snaps

LINE ITEM # 201 BOSTON LEATHER ADJUSTABLE LEATHER RADIO HOLDER WITH D RINGS 5487RC

- 5" tall
- Leather strap with Hook and Loop closure
- Leather covered steel backwall
- Elastic strap holds the radio securely around the lower portion.
- Two elastic cords over the top with snap
- D-rings to connect to radio strap

LINE ITEM # 202 BLACKHAWK CQB/EMERGENCY RESCUE RIGGER BELT 41CQ01BK

- *NTOA tested and recommended*
- *MIL-STD-858 certified*
- *Parachute grade buckles and adapters meet PIA-H-7195 standards*
- Sewn with #5 nylon cord
- 1.75" webbing
- 7,000 lb tensile strength
- Hook-and-loop secures running end
- Fits all standard issue BDUs
- Lifetime guarantee

LINE ITEM # 203 CROSSFIRE SAFETY CORE EYEWEAR 1821

- Meets and exceeds ANSI Z87.1 impact Standards
- Resists penetration from high speed objects
- 100% optically correct polycarbonate lenses
- Comfort fit TPR nosepieces
- Brow contact relief guard
- Ultra-light frame design provides memory flex comfort and added durability
- Blocks 99.9% of harmful UVA and UVB rays
- Black frame

LINE ITEM # 204 CROSSFIRE SAFETY BLADE EYEWEAR 3021AF

- Meets and exceeds ANSI Z87.1 impact Standards
- Resists penetration from high speed objects
- 100% optically correct polycarbonate lenses
- Comfort fit TPR nosepieces
- Brow contact relief guard
- Ultra-light frame design provides memory flex comfort and added durability
- Blocks 99.9% of harmful UVA and UVB rays
- Black frame

LEXINGTON FIRE DEPARTMENT

LINE ITEM # 205 CROSSFIRE SAFETY SNIPER EYEWEAR 924

- Meets and exceeds ANSI Z87.1 impact Standards
- Resists penetration from high speed objects
- Meets and exceeds ANSI Z87.1 standards
- 100% optically correct polycarbonate lenses
- Comfort fit TPR nosepieces
- Brow contact relief guard
- Ultra-light frame design provides memory flex comfort and added durability
- Blocks 99.9% of harmful UVA and UVB rays
- Black frame

LINE ITEM # 206 EDGE EYEWEAR DAKURA TSM216

- Features: Sleek wraparound frame, no side shield distortion
- Durable lightweight nylon temples
- Scratch resistant hard coat and anti-fog polycarbonate lens
- 99.9% protection from UVA/UVB/UVC rays
- Compliant with ANSI Z87.1+ 2003 standards
- Meets U.S. Military Eyewear Ballistic Impact Resistance Requirements: MIL-PRF-31013 clause 3.5.1.1, MIL-V-43511 clause 3.5.10

LINE ITEM # 207 EDGE EYEWEAR KAZBEK SK116

- Features: Durable light-weight nylon temples
- 99.9% protection from UVA/UVB/UVC rays
- Sleek wrap-around frame; no side shield distortion
- Scratch-resistant hard coat and fog-resistant polycarbonate lens
- Compliant with ANSI Z87.1+ 2003 standards
- Meets U.S. Military Eyewear Ballistic Impact Resistance Requirements: MIL-PRF-31013 clause 3.5.1.1, MIL-V-43511 clause 3.5.10

LINE ITEM # 208 EDGE EYEWEAR RECLUS SR116

- Features: Provides 99.9% protection from UVA/UVB/UVC rays
- Fog resistant and scratch resistant lenses
- Wrap around frame with no side shield distortion
- Compliant with ANSI Z87.1+ 2003 standards
- Meets U.S. Military Eyewear Ballistic Impact Resistance Requirements: MIL-PRF-31013 clause 3.5.1.1, MIL-V-43511 clause 3.5.10

LINE ITEM # 209 EDGE EYEWEAR BLADE RUNNER XL WITH SMOKE POLARIZED GRADIENT TSBRG-XL716

BLK

- Meets ANSI Z87.1 and Military MCEPS GL-PD 10-12 ratings
- Blocks 99.9% of UVA, UVB and UVC rays
- Polarized gradient lenses provide the perfect all around tint for shading in normal light conditions
- Tinted lenses block the brightest sun rays without producing any color distortion
- Tapered lenses eliminate refraction
- Half-frame design gives excellent vision with wrap-around side protection

LEXINGTON FIRE DEPARTMENT

- Frames consist of a flexible and durable TR90 nylon compound material
- Soft TRP temple tips increase "GRIP" as they become moist or warm to keep the glasses on your face
- Straight temples rest comfortably on your head and won't pinch
- Fog resistance improves visibility
- Triple dipped anti-scratch coating
- Includes storage/cleaning bag
- Black frame

LINE ITEM # 210 EDGE EYEWEAR BLACK RUNNER XL SBR-XL61-G15

- Meets ANSI Z87.1 and Military MCEPS GL-PD 10-12 ratings
- Blocks 99.9% of UVA, UVB and UVC rays
- Tinted lenses block the brightest sun rays without producing any color distortion
- Tapered lenses eliminate refraction
- Half-frame design gives excellent vision with wrap-around side protection
- Frames consist of a flexible and durable TR90 nylon compound material
- Soft TRP temple tips increase "GRIP" as they become moist or warm to keep the glasses on your face
- Straight temples rest comfortably on your head and won't pinch
- Fog resistance improves visibility
- Triple dipped anti-scratch coating
- Includes storage/cleaning bag
- Black frame

LINE ITEM # 211 ATLANTCO POLY/COTTON RIPSTOP 4 POCKET BDU SHIRT 9714006

- Made to mil-spec MIL-C-44048G
- 7 oz 65% poly/35% cotton ripstop
- Stain-resistant
- 2-chest pockets have fused, snag proof button flaps with bellows & drain holes
- 2-lower pockets are partially bellowed with fused, snag proof button flaps & drain holes
- Double stitched seams
- Reinforced elbows and adjustable cuff tabs
- Left pocket has pencil pocket opening
- Adjustable 2" wide 3-button cuffs
- Fused collar
- Reinforced elbow patches
- Concealed snag proof 5-button placket
- Felled side seams & sleeves
- Machine wash and dry

LINE ITEM # 212 5.11 MENS SHORT SLEEVE TWILL PDU SHIRT 71177 750

- 65% polyester/35% cotton twill
- 5.75 oz. twill
- Teflon®-treated finish for stain and soil resistance
- Manufactured with superior fade-resistant and color-consistent technology
- YKK zipper front
- Armpit vents
- Hidden document pockets
- Short Sleeves

LEXINGTON FIRE DEPARTMENT

- Bi-swing shoulders
- Mic cord pass through
- Machine wash and dry

LINE ITEM # 213 GALLS 6 POCKET BDU PANTS 9716005

- Made to mil-spec MIL-T-44047E standards
- Durable 65/35% Poly/Cotton Ripstop fabric
- 6 pockets hold lots of gear
- 2-adjustable side tabs secured with 4-bartacks
- 2-front slash pockets
- 2-rear inserted pockets with snag proof and fused pocket flaps
- 2-bellowed 3-pleated cargo pockets with drain holes & snag proof and fused button flaps
- Felled inseam, out seam & seat seam
- 4-button fly closure
- Adjustable waist pull tabs
- Belt loops with 2¼" wide opening secured with 2-bartacks
- Reinforced knees and seat for durability
- Hidden buttons on back pockets secure items
- Roomy thighs offer comfortable wear
- Nylon drawstring leg ties
- Machine wash and dry

LINE ITEM # 214 F145 - HONOR GUARD HAT BADGE F145 RH

Honor guard maltese cross hat badge.

LINE ITEM # 215 SMITH & WARREN EAGLE TOP BADGE SHIELD S169 NI

Eagle top badge with nickel finish. FD center seal

LINE ITEM # 216 SAFARILAND SAFARILAMINATE BUCKLELESS OUTER DUTY BELT 94-4

- Safarilaminate construction
- Hook lining attaches to loop of inner trouser belt for a Buckleless™ System
- Hidden brass hook and a hook-and-loop closure on both ends
- 2-1/4"W

LINE ITEM # 217 SAFARILAND SAFARILAMINATE CUFF CASE WITH SNAP 90-2B

- Safarilaminate™ construction
- Fits standard sized chain or hinged cuffs
- Fits up to 2-1/4" belts

LINE ITEM # 218 SAFARILAND SAFARILAMINATE DOUBLE MAGAZINE HOLDER 77-83-4HS

- Safarilaminate™ construction
- Fits standard sized chain or hinged cuffs
- Fits up to 2-1/4" belts

LINE ITEM # 219 SAFARILAND SAFARILAMINATE MKIII DEFENSE SPRAY CASE 38-4-4HS

LEXINGTON FIRE DEPARTMENT

- Safarilaminated construction
- Fits up to 2-1/4" belts

LINE ITEM # 220 SAFARILAND SAFARILAMINATE MKIV DEFENSE SPRAY CASE 38-4HS

- Safarilaminated construction
- Fits up to 2-1/4" belts

LINE ITEM # 221 SAFARILAND GLOVE POUCH WITH VELCRO FLAP 33-4V

- Durable thin membrane Safarilaminated™
- VELCRO® brand closure
- Holds one pair latex gloves
- Fits up to 2-1/4" belts
- Measures 3"H x 4"W

LINE ITEM # 222 SAFARILAND ALS CONCEALMENT PADDLE HOLSTER - RIGHT 6378-83-411

- Injection molded Safarilaminated™ STX™ construction that rides close to the body
- Suede lining
- ALS™ (Automatic Locking System) secures weapon once holstered; simple straight up draw once ALS is deactivated by thumb while obtaining shooting grip
- Simple straight up draw once ALS is deactivated
- Low-ride and open-top design for ease of draw
- Slim low profile
- Comes with a belt loop to fit 1-1/2" and 1-3/4" belt slot

LINE ITEM # 223 SAFARILAND ALS CONCEALMENT PADDLE HOLSTER - LEFT 6378-83-412

- Injection molded Safarilaminated™ STX™ construction that rides close to the body
- Suede lining
- ALS™ (Automatic Locking System) secures weapon once holstered; simple straight up draw once ALS is deactivated by thumb while obtaining shooting grip
- Simple straight up draw once ALS is deactivated
- Low-ride and open-top design for ease of draw
- Slim low profile
- Comes with a belt loop to fit 1-1/2" and 1-3/4" belt slot

LINE ITEM # 224 BIANCHI ACCUMOLD BUCKLESLESS TROUSER BELT 17707

- Ballistic weave fabric, two layers of closed cell foam and a polyethylene internal stiffener for support, rigidity and unsurpassed durability.
- Sizes: S (28-34), M (34-40), L (40-46), XL (46-52)
- Fits up to 2-1/4"W duty belts
- 1-1/2"W
- Lightweight, weatherproof, and washable
- Molded Tri-Release™ polymer buckle
- Lined on the outside with "hook" for attachment to the AccuMold® Duty Belt (sold separately)

LINE ITEM # 225 BIANCHI ACCUMOLD BELT KEEPERS (4 PACK) 15635

LEXINGTON FIRE DEPARTMENT

- Durable nylon construction
- Weatherproof and washable
- Fits belts up to 2-1/4"W
- Pack of 4

LINE ITEM # 226 PEERLESS BLACK STANDARD HANDCUFFS 701C

- Carbon steel construction with black oxide finish
- Double lock system
- 19 locking positions
- Inner perimeter measures 5-3/4" to 7-7/8"
- Includes two keys
- 10 oz.

LINE ITEM # 227 PEERLESS BLACK HINGED HANDCUFFS 802C

- Carbon steel construction
- Black oxide finish
- 19 locking positions
- Includes 2 keys
- 12oz.

LINE ITEM # 228 SAFARILAND 6005 SLS TACTICAL HOLSTER - RIGHT 6005- 83 – 121

- Releases by simultaneously pushing hood down and rotating it forward
- Firmly secures weapon so it won't be lost while on maneuvers or taken away in hand-to-hand combat
- Permits fast access with top draw, straight drop cant and no snap
- Get a smoother single-motion draw; allows quick reholster
- Tensioning device sets "grip" to your taste
- Quick release buckle allows you to remove your weapon without removing your duty rig
- Optional Safety Switch offers added security

LINE ITEM # 229 SAFARILAND 6005 SLS TACTICAL HOLSTER - LEFT 6005- 83 – 122

- Releases by simultaneously pushing hood down and rotating it forward
- Firmly secures weapon so it won't be lost while on maneuvers or taken away in hand-to-hand combat
- Permits fast access with top draw, straight drop cant and no snap
- Get a smoother single-motion draw; allows quick reholster
- Tensioning device sets "grip" to your taste
- Quick release buckle allows you to remove your weapon without removing your duty rig
- Optional Safety Switch offers added security

LINE ITEM # 230 GALLS MOLDED SEAT ORGANIZER VE046

- Low density polyethylene material
- 21-1/2"H x 15"W x 4"D
- Supplies stay secure even at high speeds
- Secures forms, maps, flashlights, handcuffs and other equipment for fast, easy access
- Adjustable brackets fit virtually any seat
- Built in handle allows for easy transport

LEXINGTON FIRE DEPARTMENT

LINE ITEM # 231 SAFARILAND PADDLEBACK CUFF/MAG HOLDER - RIGHT 573-83-411

- Combination single magazine holder/handcuff pouch
- Unique paddle design features a self-locking belt hook
- Adjustable tension device

LINE ITEM # 232 SAFARILAND PADDLEBACK CUFF/MAG HOLDER - LEFT 573-83-412

- Combination single magazine holder/handcuff pouch
- Unique paddle design features a self-locking belt hook
- Adjustable tension device

LINE ITEM # 233 SAFARILAND 77 MAGAZINE HOLDER WITH STX FINISH 77-83-13PBL

A top-of-the-line magazine pouch, the Safariland model 77 is designed to carry two magazines of ammunition on a 2.25" (60mm) duty belt. The model 77 features both vertical and horizontal belt slots, allowing it to ride in either a vertical or low-profile horizontal position. A new magazine tension screw located between the two pouches allows for easy magazine retention adjustment. It also has wider radius edges.

LINE ITEM # 234 BLACK DIAMOND RUBBER FIRE BOOTS 6999451

- A larger, naturally shaped steel toecap is used to allow complete freedom of toe movement
- Anatomically tapered heel area eliminates "heel slip"
- Removable Ortholite footbed is breathable, long-lasting and durable
- DuPont™ KEVLAR®/Nomex leg lining
- Rubber coated pull on loops for durability
- Meets NFPA 1971 for structural fire fighting

LINE ITEM # 235 SHELBY KOALA COWHIDE GLOVES WITH GAUNTLET WRISTS 5228 BLU

- NFPA 1971, 2007 edition
- GORE™ RT7100 glove barrier fabric
- Industry's first cut and sewn e-PTFE barrier system.
- UL Classified
- Anatomically correct outer shell
- Gauntlet wrists
- Made in USA

LINE ITEM # 236 HOWARD LEIGHT LEIGHTNING HEARING PROTECTORS 1010924

- NRR 31
- Soft, slow-recovery foam gently wraps around your ears for comfort and sound protection
- Padded headband gives a comfortable fit

LINE ITEM # 237 DYNAMED CPR MASK WITH ONE WAY VALVE 820044

- Low-resistance valve with a disposable 3M® Filtrete™ filter to prevent passage of liquids and secretions
- Greater than 99% viral and bacterial filter efficacy
- Pre-inflated cuff for an effective seal
- Distance to patient allows user to check mouth color, secretions and chest movement

LEXINGTON FIRE DEPARTMENT

- Case available in white or olive drab

LINE ITEM # 238 LEXINGTON FIRE RECRUIT T SHIRTS TS684

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- Front screen print LEFT CHEST:



- Back screen print:



LINE ITEM # 239 LEXINGTON FIRE DEPARTMENT T SHIRTS - OFFICERS TS684

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- Screen print will need to be in gold ink
- Front screen print LEFT CHEST:

LEXINGTON FIRE DEPARTMENT



- Back screen print:



LINE ITEM # 240 LEXINGTON FIRE DEPARTMENT T SHIRTS - FIREFIGHTERS TS684

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- Screen print will need to be in white ink
- Front screen print LEFT CHEST:



- Back screen print:



LEXINGTON FIRE DEPARTMENT

LEXINGTON POLICE DEPARTMENT

LINE ITEM # 1 ELBECO DISTINCTION POLYESTER/WOOL LS SHIRT 840N

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

ELBECO STYLE 840N

Distinction Male Long Sleeve Shirt

Fabric Burlington 5324-KSS 5.5 oz./sq.yd, 9.5 oz./lin.yd, 75% Polyester/25% Worsted Wool (long-staple), 2-ply tropical weave with 5% stretch and soft hand. Color: Midnight navy 915H.

Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample. Shirts to have permanent sewn in military creases.

Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched ¼" from edge. The pockets and flaps shall be single stitched on the edge. Pockets and pocket flaps to be die creased to give uniform shape and size.

Collar: The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". The stand shall fasten with one button and one horizontal buttonhole.

The leaf shall be made of three pieces; two pieces of self cloth and one whole dacron lining, which is to be fused to the top collar. Innerstand and inner yoke to be made of a matching satin of proper pre-shrunk finish for additional comfort.

Permanent collar stays to be secured to the bottom ply. The collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide.

Sleeves: To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two buttons. Cuffs will accommodate removable metal buttons. There is to be a single stitch ¼" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 7/8" wide and the bottom facing to finish about 3/8" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Flex Vent: Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 3 ¼" wide x 10 ¼" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.

Dual Comm Access Openings: Access opening measuring 1-1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Pouch style openings are clean-finished, neatly concealed and reinforced for durability. These opening are used to thread communication wires under the front of the shirt to keep them out of the way.

Front: The left front shall have a 1-1/2" top center extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes

LEXINGTON POLICE DEPARTMENT

placed 3/4" from edge and 3-1/2" apart. The 2nd, 3rd, 4th and 5th buttons are sewn on the top center and are not functional.

The right front shall have a button piece, 7/8" wide stitched the full length. The 1st and 6th buttons are securely attached to the button piece, corresponding to the buttonholes in the center front.

Zipper: A 14" nylon zipper shall be sewn to the fronts and shall be positioned 1-1/2" below the first front button and shall replace the 2nd, 3rd, 4th, and 5th front buttons, which are to be sewn on the top center. The neck button, 1st front button and bottom button are to be functional.

Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt and an inner piece of matching satin. Yoke is to be topstitched along the edge.

Pockets: There are two double entry chest pockets with mitred corners to finish 5-5/8" wide and 6" long. The side entry forms a utility pocket closed with Velcro. The left chest pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box pleat stitched from top to bottom to prevent spreading.

Flaps: To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap. Flaps will accommodate removable metal buttons.

Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

There shall be a small buttonhole in the yoke for the insertion of a removable metal button. There shall also be a protective piece sewn under yoke to protect the wearer from the metal toggle.

Permanent Creases: Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Interlining: Top center to be lined with pellow. Flaps to be EZ Crease. Cuffs to be M-37 H'Press. Collar to be 250BC Dacron. Bands to be Staflex.

UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels: Woven label with brand and content to be sewn in yoke, with size label sewn next to it. Care label to be sewn in bottom hem.

LEXINGTON POLICE DEPARTMENT

Buttons: All buttons shall be made from melamine material for durability and are 20L black.

Pressing and Packing: Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.

Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

| | | | | | | | | | | | | |
|------------|------|-----|------|-----|------|-----|------|-----|------|-----|-----|-----|
| Neck Size: | 14.5 | 15 | 15.5 | 16 | 16.5 | 17 | 17.5 | 18 | 18.5 | 19 | 20 | 22 |
| Chest: | 40½ | 42½ | 44½ | 46½ | 48½ | 50½ | 52½ | 54½ | 56½ | 58½ | 62½ | 70½ |
| Waist: | 37½ | 39½ | 41½ | 43½ | 45½ | 48½ | 51 | 53½ | 56 | 58½ | 62½ | 70½ |
| Bk Length: | 32¾ | 32½ | 32¾ | 33 | 33¼ | 33¾ | 34¾ | 35 | 35¾ | 36¼ | 37 | 37¼ |

GARMENT CUSTOMIZATION: Each garment will receive Lexington Police department patches on each sleeve. These should be available at the brick and mortar store for purchase and on the web portal.



LINE ITEM # 2 ELBECO DISTINCTION POLYESTER/WOOL SS SHIRT 8840N

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

ELBECO STYLE 8840N
Male Distinction Short Sleeve Shirt

Fabric: Burlington 5324-KSS 5.5 oz./sq.yd, 9.5 oz./lin.yd, 75% Polyester/25% Worsted Wool (long-staple), 2-ply tropical weave with 5% stretch and soft hand. Color: Midnight navy 915H.

Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample. Shirts to have permanent sewn in military creases.

Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric. The collar is to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge. Pockets and pocket flaps to be die creased to give uniform shape and size.

LEXINGTON POLICE DEPARTMENT

Collar: Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of 250 denier Dacron lining. Innerstand and inner yoke to be made of a matching satin of proper pre-shrunk finish for comfort.

Permanent collar stays to be secured to the bottom ply. The collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide.

Sleeves: Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

| Size | Finished Length |
|--------------------|-----------------|
| 14-1/2 | 9-1/2" |
| 15, 15-1/2 and 16 | 10" |
| 16-1/2 thru 18-1/2 | 10-1/2" |
| 19 thru 20 | 11" |

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Flex Vent: Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 3 1/4" wide x 10 1/4" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.

Dual Comm Access Openings:

Access opening measuring 1-1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Pouch style openings are clean-finished, neatly concealed and reinforced for durability. These opening are used to thread communication wires under the front of the shirt to keep them out of the way.

Front: The front shall have a facing 3" in width extending from neckline to the bottom of shirt proved by a turnunder of material. The left front shall also have a lined false top center 1-1/2" wide finished, running full length of the shirt a with two rows of stitching 7/8" apart. The center front shall contain seven vertical buttonholes placed 3/4" from edge, first at neck, second 2-1/2" down, balance 3-1/2" apart. The 3rd, 4th, 5th and 6th buttons are sewn on the top center and are not functional.

The right front shall have a button piece, 7/8" wide stitched the full length. The 1st and 6th buttons are securely attached to the button piece, corresponding to the buttonholes in the center front.

Zipper: A 14" nylon zipper shall be sewn to the fronts and shall be positioned 1-1/2" below the first front button and shall replace the 3rd, 4th, 5th and 6th front buttons, which are to be sewn on the top center. The neck button, 1st front button and bottom button are to be functional.

Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt and an inner piece of matching satin. Yoke is to be topstitched along the edge.

Pockets: There are two double entry chest pockets with mitred corners to finish 5-5/8" wide and 6" long. The side entry forms a utility pocket closed with Velcro. The left chest pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box pleat stitched from top to bottom to prevent spreading.

Flaps: To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap. Flaps will accommodate removable metal buttons.

LEXINGTON POLICE DEPARTMENT

Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

There shall be a small buttonhole in the yoke for the insertion of a removable metal button. There shall also be a protective piece sewn under yoke to protect the wearer from the metal toggle.

Permanent Creases: Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Interlining: Top center to be lined with pellon. Flaps to be EZ Crease. Collar to be 250BC Dacron.

UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels: Woven label with brand and content to be sewn in yoke, with size label sewn next to it. Care label to be sewn in bottom hem.

Buttons: All buttons shall be made from melamine material for durability and must match fabric.

Pressing and Packing:

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.

Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

| | | | | | | | | | | | | |
|------------|------|-----|------|-----|------|-----|------|-----|------|-----|-----|-----|
| Neck Size: | 14.5 | 15 | 15.5 | 16 | 16.5 | 17 | 17.5 | 18 | 18.5 | 19 | 20 | 22 |
| Chest: | 40½ | 42½ | 44½ | 46½ | 48½ | 50½ | 52½ | 54½ | 56½ | 58½ | 62½ | 70½ |
| Waist: | 37½ | 39½ | 41½ | 43½ | 45½ | 48½ | 51 | 53½ | 56 | 58½ | 62½ | 70½ |
| Bk Length: | 32¾ | 32½ | 32¼ | 33 | 33¼ | 33¾ | 34¼ | 35 | 35¾ | 36¼ | 37 | 37¼ |

GARMENT CUSTOMIZATION: Each garment will receive Lexington Police department patches on each sleeve. These should be available at the brick and mortar store for purchase and on the web portal.

LEXINGTON POLICE DEPARTMENT



LINE ITEM # 3 ELBECO DISTINCTION LADIES CHOICE POLYESTER/WOOL LS SHIRT 9340LCN

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

ELBECO STYLE 9340LCN

Distinction Female Long Sleeve Shirt

Fabric: Burlington 5324-KSS 5.5oz./sq. yd, 9.5 oz./lin. yd, 75% Polyester / 25% Worsted Wool (long-staple), 2-ply tropical weave with 5% stretch and soft hand. Color: Midnight navy.

Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit. Shirts to have permanent sewn in military creases.

Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched ¼" from edge. The pockets and flaps shall be single stitched on the edge. Pockets and pocket flaps to be die creased to give uniform shape and size.

Collar: The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". The stand shall fasten with one button. There shall be one horizontal buttonhole.

The leaf shall be made of three pieces; two pieces of self cloth and one whole dacron lining, which is to be fused to the top collar. Innerstand and inner yoke to be made of a matching satin of proper pre-shrunk finish for additional comfort.

Permanent collar stays to be secured to the bottom ply. The collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide.

Sleeves: To be straight and whole. The cuffs are to be 2-5/8" in width and to fasten with two buttons. There is to be a single stitch ¼" from top of cuff. Shall be made to accommodate removable metal buttons.

The sleeve opening shall measure 3-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

LEXINGTON POLICE DEPARTMENT

Flex Vent: Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 2½" wide x 8" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.

Dual Comm Access Openings: Access opening measuring 1-1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Pouch style openings are clean-finished, neatly concealed and reinforced for durability. These opening are used to thread communication wires under the front of the shirt to keep them out of the way.

Front: The right front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart. The 2nd, 3rd, 4th and 5th buttons are sewn on the top center and are not functional.

The left front shall have a button stand, 7/8" wide double stitched the full length. The 1st and 6th buttons are securely attached to the button piece, corresponding to the buttonholes in the center front.

Zipper: A 14" nylon zipper shall be sewn to the fronts and shall be positioned 1-1/2" below the first front button and shall replace the 2nd, 3rd, 4th and 5th front buttons, which are to be sewn on the top center. The neck button, 1st front button and bottom button are to be functional.

Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin.

Pockets: There are two double entry chest with mitered corners to finish 5" wide and 5-1/2" long. The side entry forms a utility pocket closed with Velcro. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

Flaps: To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately ¼" above top pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap. Flaps will be made to accommodate removable metal buttons.

Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

There shall be a small buttonhole in the yoke for the insertion of a removable metal button. There shall also be a protective piece sewn under yoke to protect the wearer from the metal toggle.

Permanent Creases: Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Interlining: Top center to be lined with pellow. Flaps to be EZ Crease. Cuffs to be M-37 H'Press. Collar to be 250BC Dacron. Bands to be Staflex.

LEXINGTON POLICE DEPARTMENT

UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels: Woven label with brand and content to be sewn in yoke, with size label sewn next to it. Care label to be sewn in bottom hem.

Buttons: All buttons shall be made from melamine material for durability and are 20L black.

Pressing and Packing: Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.

Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions

| | | | | | | | | | | |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Size: | 30 | 32 | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48 |
| Bust: | 38½ | 39½ | 41 | 42½ | 44 | 45½ | 47½ | 49½ | 51½ | 53½ |
| Waist: | 35½ | 36½ | 38 | 39½ | 41 | 42½ | 44½ | 46½ | 48½ | 50½ |
| Back: | 27½ | 27½ | 28½ | 28½ | 28½ | 28½ | 28½ | 28½ | 29 | 29 |
| Sleeve length: | 30 | 30 | 31 | 32 | 32 | 33 | 33 | 33 | 34 | 34 |

GARMENT CUSTOMIZATION: Each garment will receive Lexington Police department patches on each sleeve. These should be available at the brick and mortar store for purchase and on the web portal.



LINE ITEM # 4 ELBECO DISTINCTION LADIES CHOICE POLYESTER/WOOL SS SHIRT 9840LCN

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

ELBECO STYLE 9840LCN

Distinction Female Short Sleeve Shirt

Fabric: Burlington 5324-KSS 5.5 oz./sq. yd, 9.5 oz./lin. yd, 75% Polyester / 25% Worsted Wool (long-staple), 2-ply tropical weave with 5% stretch and soft hand. Color: Midnight Navy 915H.

Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit. Shirts to have permanent sewn in military creases.

LEXINGTON POLICE DEPARTMENT

Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric. The collar is to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge. Pockets and pocket flaps to be die creased to give uniform shape and size.

Collar: Convertible collar shall be one piece and to measure 3-1/8" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of 250 denier Dacron lining. Innerstand and inner yoke to be made of a matching satin of proper pre-shrunk finish for comfort.

Permanent collar stays to be secured to the bottom ply. The collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide.

Sleeves: Sleeves are to be straight and whole and have a 1" hem. The finish shall be 9-1/2" long from shoulder seam.

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Front: The front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The right front shall also have a lined false top center 1-1/2" wide finished, running full length of the shirt with two rows of stitching 7/8" apart. The center front shall contain seven vertical buttonholes placed 3/4" from edge, first at neck, second 2-1/2" down, balance 3-1/2" apart. The 3rd, 4th, 5th and 6th buttons are sewn on the top center and are not functional.

The left front shall have a button piece, 7/8" wide stitched the full length. The 1st and 6th buttons are securely attached to the button piece, corresponding to the buttonholes in the center front.

Zipper: A 14" nylon zipper shall be sewn to the fronts and shall be positioned 1-1/2" below the first front button and shall replace the 3rd, 4th, 5th and 6th front buttons, which are to be sewn on the top center. The neck button, 1st front button and bottom button are to be functional.

Flex Vent: Patent pending Flex Vent is made from 92% Polyester/8% Spandex mesh. Diamond shaped mesh measuring 2 1/2" wide x 8" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.

Dual Comm Access Openings: Access opening measuring 1-1/2" are to be set in each side seam 1" below the bottom tip of the Flex Vent. Pouch style openings are clean-finished, neatly concealed and reinforced for durability. These opening are used to thread communication wires under the front of the shirt to keep them out of the way.

Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin.

Pockets: To have two double entry chest pockets with mitered corners to finish 5" wide and 5-1/2" long. The side entry forms a utility pocket closed with Velcro. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

Flaps: To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. The top stitching and the setting of the flaps shall be done with two rows of stitching. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non functional matching button and buttonhole sewn on the flap. Shall be made to accommodate removable metal buttons.

LEXINGTON POLICE DEPARTMENT

Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8".

Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

There shall be a small buttonhole in the yoke for the insertion of a removable metal button. There shall also be a protective piece sewn under yoke to protect the wearer from the metal toggle.

Permanent Creases: Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Interlining: Top center to be lined with Pellon. Flaps to be EZ Crease. Collar to be 250BC Dacron.

UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels: Woven label with brand and content to be sewn in yoke, with size label sewn next to it. Care label to be sewn in bottom hem.

Buttons: All buttons shall be made from melamine material for durability and must match fabric.

Pressing and Packing: Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.

Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions

| | | | | | | | | | | |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Size: | 30 | 32 | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48 |
| Bust: | 38½ | 39½ | 41 | 42½ | 44 | 45½ | 47½ | 49½ | 51½ | 53½ |
| Waist: | 35½ | 36½ | 38 | 39½ | 41 | 42½ | 44½ | 46½ | 48½ | 50½ |
| Back: | 27½ | 27½ | 28½ | 28½ | 28½ | 28½ | 28½ | 28½ | 29 | 29 |
| Sleeve length: | 9½ | 9½ | 9½ | 9½ | 9½ | 9½ | 9½ | 9½ | 9½ | 9½ |

GARMENT CUSTOMIZATION: Each garment will receive Lexington Police department patches on each sleeve. These should be available at the brick and mortar store for purchase and on the web portal.

LEXINGTON POLICE DEPARTMENT



LINE ITEM # 5 ELBECO SHORT SLEEVE UNDERVEST SHIRT UVS102

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- Polyester visible shirt: 5.5 oz, 100% textured stretch polyester with tropical weave
- Polyester wool visible shirt: 5.5 oz, 75% polyester, 25% worsted wool with premium tropical weave
- Knit torso: 4.25 oz, 100% featherweight performance polyester
- The visible portions of the shirt match the look and fabric of a Class A shirt and coordinating V-Series External Vest Carrier for a professional uniform look
- Torso: Ufx™ performance fabric to decrease bulk
- Torso: Nano Moisture Wicking Technology
- Torso: antimicrobial technology
- Flex underarm micro-mesh vents keep wearer cool and dry while enhancing mobility
- Three-button lined front placket with mic loop and full epaulets
- Top-fused collars mimics Class A shirt
- Dual side comm wire access openings keep wires out of the way
- Tagless neck for no-scratch comfort
- Accepts embroidery and silkscreening
- Machine washable
- GARMENT CUSTOMIZATION: Each garment will receive Lexington Police department patches on each sleeve. These should be available at the brick and mortar store for purchase and on the web portal.



LINE ITEM # 6 ELBECO LADIES CHOICE SHORT SLEEVE UNDERVEST SHIRT UVS104 DKNV

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- Undervest portion constructed of featherweight Ufx performance fabric with Nano Moisture Wicking and Anti-microbial technology

LEXINGTON POLICE DEPARTMENT

- Visible portion is 100% textured stretch polyester tropical weave; 5.5 oz/sq. yd with Nano Moisture Wicking technology
- Three button front lined placket with mic loop
- Dual Comm wire side access
- Tapered fit
- Flex underarm micro mesh vents
- Machine Washable
- Imported
- GARMENT CUSTOMIZATION: Each garment will receive Lexington Police department patches on each sleeve. These should be available at the brick and mortar store for purchase and on the web portal.



LINE ITEM # 7 ELBECO UNDERVEST LONG SLEEVE SHIRT UVS101

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- Polyester visible shirt: 5.5 oz, 100% textured stretch polyester with tropical weave
- Polyester wool visible shirt: 5.5 oz, 75% polyester, 25% worsted wool with premium tropical weave
- Knit torso: 4.25 oz, 100% featherweight performance polyester
- The visible portions of the shirt match the look and fabric of a Class A shirt and coordinating V-Series External Vest Carrier for a professional uniform look
- Torso: Ufx™ performance fabric to decrease bulk
- Torso: Nano Moisture Wicking Technology
- Torso: antimicrobial technology
- Flex underarm micro-mesh vents keep wearer cool and dry while enhancing mobility
- Three-button lined front placket with mic loop and full epaulets
- Top-fused collars mimics Class A shirt
- Two-button, adjustable cuff with dress placket
- Dual side comm wire access openings keep wires out of the way
- Tagless neck for no-scratch comfort
- Accepts embroidery and silkscreening
- Machine washable
- GARMENT CUSTOMIZATION: Each garment will receive Lexington Police department patches on each sleeve. These should be available at the brick and mortar store for purchase and on the web portal.

LEXINGTON POLICE DEPARTMENT



LINE ITEM # 8 ELBECO LADIES CHOICE LONG SLEEVE UNDERVEST SHIRT UVS103 DKNV

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- Undervest portion constructed of featherweight Ufx performance fabric with Nano Moisture Wicking and Anti-microbial technology
- Visible portion is 100% textured stretch polyester tropical weave; 5.5 oz/sq. yd with Nano Moisture Wicking technology
- Three button front lined placket with mic loop
- Dual Comm wire side access
- Tapered fit
- Flex underarm micro mesh vents
- Machine Washable
- Imported
- **GARMENT CUSTOMIZATION:** Each garment will receive Lexington Police department patches on each sleeve. These should be available at the brick and mortar store for purchase and on the web portal.



LINE ITEM # 9 ELBECO DISTINCTION FOUR POCKET TROUSER E494RN

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

ELBECO STYLE E494RN
Male Distinction Trousers - Midnight Navy

LEXINGTON POLICE DEPARTMENT

Fabric: Burlington 2030 74% Polyester/25% worsted wool (long-staple)/ 1% Lycra serge weave, weighing 7.6oz. /sq. yd., 13oz. /linear yd., with 17% engineered stretch for increased range of movement for maximum comfort. Color: Midnight navy.

Style: Shall be made on a with the Essential Fit uniform pattern, having a plain front with a covert waistband, quarter top front pockets, ¾" belt loops, and two back pockets.

Pockets: The quarter top front pocket opening will be a minimum 6½" and be 6" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. There is a tandem stitch along the front pocket facing to give additional stability and strength to the pocket. The left front pocket will have a security pocket set in the pocket bag, closed with a 7" invisible zipper. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide.

The back pockets will have a minimum opening of 6" and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The watch pocket, located approximately 2½" to the front of the right side seam at the waistband, shall have an approximate opening of 3" and shall be 3" deep. The front pockets and watch pocket shall each have straight bartacks and each back pocket shall have triangular bartacks.

Waistband: The Covert waistband contains a hidden elastic extension, providing up to three inches of additional stretch. The front of the outer waistband tapers through the covert opening at the top of the front pocket opening. The 1¼" wide elastic extends from the end of the taper through the waistband behind the side seam. All stress points will be bartacked.

The inner waistband shall be a Duty Fit waistband, which provides additional stretch to the wearer's exact size while providing permanent recovery memory. The Duty Fit waistband will be continuous on the inside of the waistband so as to provide additional support and recovery to the waistband extension. There are no split openings in the inside curtain.

The inside waistband shall be made with black poly/spandex/nylon/latex with 50% stretch. There is a ½" exposed gripper track in the center for shirt retention. The waistband measures 2½" and is attached with a rocap machine. Knit elastic banrol stiffener measuring 1" shall be sewn into the entire waistband to provide additional support.

Belt Loops: There should be a minimum of 5 lined loops on waist sizes 30 and below, 7 lined loops on waist sizes 31 through 48, and 9 lined loops on waist sizes 50 and over. Each loop is to be ¾" wide of double thickness, with stitching on the face side ¼" from each edge. Except for the back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1½" belt.

Inner Fly/Crotch: The right fly and front crotch linings shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining sewn to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper and continue centered on the join seam across the inseam and end 1" onto the backseam. A separate French fly made of the outer fabric shall be sewn to the inside right fly.

There shall be a triple stitch crotch reinforcement to prevent seam failure in the crotch and inseam area. The crotch shall be secured with two rows of stitching. One row is to be on the inside of the trouser, then turned and an additional row to be sewn on the outside of trouser.

Zipper: The trousers shall be closed with a gun metal memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.

Creasing: The front and back crease in the trouser legs must incorporate a permanent modified silicone crease produce by the Creaset™ System.

LEXINGTON POLICE DEPARTMENT

Pocketing: All pocketing shall be black 65% Polyester/35% Cotton with a minimum thread count of 70 x 48, weight is 4.3oz. /sq. yd.

Seaming: The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine.

Labels: There shall be a woven brand label sewn-in the left hip pocket bag. A woven size label shall be sewn next to the main label, with a care and content label sewn below that label. An outside waistband label shall be marked with lot number, size, fiber content, cut number and UPC Identification.

Finishing & Pressing: All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jet clip attached to the top fly of the finished trouser.

UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Measurements:

| SIZE | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
|-----------------|----------|---------|---------|---------|---------|---------|---------|----------|----------|
| Waist relaxed | 28-1/2 | 29-1/2 | 30-1/2 | 31-1/2 | 32-1/2 | 33-1/2 | 34-1/2 | 35-1/2 | 36-1/2 |
| Waist stretched | 31-1/2 | 32-1/2 | 33-1/2 | 34-1/2 | 35-1/2 | 36-1/2 | 37-1/2 | 38-1/2 | 39-1/2 |
| Seat | 38-15/16 | 39-3/4 | 40-5/8 | 41-7/16 | 42-5/16 | 43-3/16 | 44-1/16 | 45 | 45-15/16 |
| Front Rise | 9-5/16 | 9-7/16 | 9-5/8 | 9-3/4 | 9-7/8 | 10 | 10-3/16 | 10-5/16 | 10-1/2 |
| Back Rise | 14-7/8 | 15 | 15-1/8 | 15-1/4 | 15-3/8 | 15-1/2 | 15-5/8 | 15-13/16 | 16 |
| Inseam | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 |

| SIZE | 37 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 |
|-----------------|----------|----------|----------|---------|---------|---------|---------|----------|----------|
| Waist relaxed | 37-1/2 | 38-1/2 | 40-1/2 | 42-1/2 | 44-1/2 | 46-1/2 | 48-1/2 | 50-1/2 | 52-1/2 |
| Waist stretched | 40-1/2 | 41-1/2 | 43-1/2 | 45-1/2 | 47-1/2 | 49-1/2 | 51-1/2 | 53-1/2 | 55-1/2 |
| Seat | 46-11/16 | 47-7/16 | 49 | 50-9/16 | 52-3/16 | 53-3/4 | 55-7/16 | 57-1/16 | 58-3/4 |
| Front Rise | 10-11/16 | 10-13/16 | 11-3/16 | 11-1/2 | 11-7/8 | 12-1/4 | 12-9/16 | 12-15/16 | 13-1/4 |
| Back Rise | 16-3/16 | 16-5/16 | 16-11/16 | 17-1/16 | 17-3/8 | 17-3/4 | 18-1/8 | 18-7/16 | 18-13/16 |
| Inseam | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 |

LINE ITEM # 10 ELBECO DISTINCTION HIDDEN CARGO POCKET TROUSER E444R

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

ELBECO STYLE E444R

Male Distinction Hidden Cargo Trouser ~ Midnight Navy

Fabric: Burlington 2030 74% Polyester/25% worsted wool (long-staple)/ 1% lycra serge weave, weighing 7.6oz./sq. yd, 13oz./linear yd., with 17% engineered stretch for increased range of movement for maximum comfort. Color: Midnight navy.

LEXINGTON POLICE DEPARTMENT

Style: Shall be made on a with the Essential Fit uniform pattern, having a plain front with a covert waistband, quarter top front pockets, ¾" belt loops, two back pockets and two hidden cargo pockets.

Pockets: The quarter top front pocket opening will be a minimum 6½" and be 6" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. There is a tandem stitch along the front pocket facing to give additional stability and strength to the pocket. The left front pocket will have a security pocket set in the pocket bag, closed with a 7" invisible zipper. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide.

The back pockets will have a minimum opening of 6" and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The watch pocket, located approximately 2½" to the front of the right side seam at the waistband, shall have an approximate opening of 3" and shall be 3" deep. The front pockets and watch pocket shall each have straight bartacks and each back pocket shall have triangular bartacks.

Side: There shall be two internal hidden cargo pockets centered on each outside leg seam. Cargo pockets are constructed using the double welt method on a Reece PW machine. The cargo pockets are set 10" below waistband and measure 7" wide by 9" deep. The pockets shall be internal pockets constructed of pocketing fabric. The cargo pockets are closed with a 7" zipper. Inside the internal cargo pocket is a cell phone pocket measuring 3¾" x 5½". Pockets have straight bartacks.

Waistband: The Covert waistband contains a hidden elastic extension, providing up to three inches of additional stretch. The front of the outer waistband tapers through the covert opening at the top of the front pocket opening. The 1¼" wide elastic extends from the end of the taper through the waistband behind the side seam. All stress points will be bartacked.

The inner waistband shall be a Duty Fit waistband, which provides additional stretch to the wearer's exact size while providing permanent recovery memory. The Duty Fit waistband will be continuous on the inside of the waistband so as to provide additional support and recovery to the waistband extension. There are no split openings in the inside curtain.

The inside waistband shall be made with black poly/spandex/nylon/latex with 50% stretch. There is a ½" exposed gripper track in the center for shirt retention. The waistband measures 2½" and is attached with a rocap machine. Knit elastic banrol stiffener measuring 1" shall be sewn into the entire waistband to provide additional support.

Belt Loops: There should be a minimum of 5 lined loops on waist sizes 30 and below, 7 lined loops on waist sizes 31 through 48, and 9 lined loops on waist sizes 50 and over. Each loop is to be ¾" wide of double thickness, with stitching on the face side ⅜" from each edge. Except for the back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1⅝" belt.

Inner Fly/Crotch: The right fly and front crotch linings shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining sewn to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper and continue centered on the join seam across the inseam and end 1" onto the backseam. A separate French fly made of the outer fabric shall be sewn to the inside right fly.

There shall be a triple stitch crotch reinforcement to prevent seam failure in the crotch and inseam area. The crotch shall be secured with two rows of stitching. One row is to be on the inside of the trouser, then turned and an additional row to be sewn on the outside of trouser.

Zipper: The trousers shall be closed with a gun metal memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.

Creasing: The front and back crease in the trouser legs must incorporate a permanent modified silicone crease produce by the Creaset™ System.

LEXINGTON POLICE DEPARTMENT

Pocketing: All pocketing shall be black 65% Polyester/35% Cotton with a minimum thread count of 70 x 48, weight is 4.3oz./sq. yd.

Seaming: The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine.

Labels: There shall be a woven brand label sewn-in the left hip pocket bag. A woven size label shall be sewn next to the main label, with a care and content label sewn below that label. An outside waistband label shall be marked with lot number, size, fiber content, cut number and UPC Identification.

Finishing & Pressing: All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jet clip attached to the top fly of the finished trouser.

UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Measurements:

| SIZE | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
|-----------------|----------|---------|---------|---------|---------|---------|---------|----------|----------|
| Waist relaxed | 28-1/2 | 29-1/2 | 30-1/2 | 31-1/2 | 32-1/2 | 33-1/2 | 34-1/2 | 35-1/2 | 36-1/2 |
| Waist stretched | 31-1/2 | 32-1/2 | 33-1/2 | 34-1/2 | 35-1/2 | 36-1/2 | 37-1/2 | 38-1/2 | 39-1/2 |
| Seat | 38-15/16 | 39-3/4 | 40-5/8 | 41-7/16 | 42-5/16 | 43-3/16 | 44-1/16 | 45 | 45-15/16 |
| Front Rise | 9-5/16 | 9-7/16 | 9-5/8 | 9-3/4 | 9-7/8 | 10 | 10-3/16 | 10-5/16 | 10-1/2 |
| Back Rise | 14-7/8 | 15 | 15-1/8 | 15-1/4 | 15-3/8 | 15-1/2 | 15-5/8 | 15-13/16 | 16 |
| Inseam | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 |

| SIZE | 37 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | |
|-----------------|----------|----------|----------|---------|---------|---------|---------|---------|----------|----------|
| Waist relaxed | 37-1/2 | 38-1/2 | 40-1/2 | 42-1/2 | 44-1/2 | 46-1/2 | 48-1/2 | 50-1/2 | 52-1/2 | |
| Waist stretched | 40-1/2 | 41-1/2 | 43-1/2 | 45-1/2 | 47-1/2 | 49-1/2 | 51-1/2 | 53-1/2 | 55-1/2 | |
| Seat | 46-11/16 | 47-7/16 | 49 | 50-9/16 | 52-3/16 | 53-3/4 | 55-7/16 | 57-1/16 | 58-3/4 | |
| Front Rise | 10-11/16 | 10-13/16 | | 11-3/16 | 11-1/2 | 11-7/8 | 12-1/4 | 12-9/16 | 12-15/16 | 13-1/4 |
| Back Rise | 16-3/16 | 16-5/16 | 16-11/16 | | 17-1/16 | 17-3/8 | 17-3/4 | 18-1/8 | 18-7/16 | 18-13/16 |
| Inseam | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | 37-7/16 | |

LINE ITEM # 11 ELBECO DISTINCTION LADIES CHOICE FOUR POCKET TROUSER E9494LCN

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

Fabric: Burlington 2030 7.6oz./sq. yd, 13oz./linear yd., 74% Polyester/25% worsted wool (long-staple),/ 1% lycra serge weave with 17% engineered stretch for increased range of movement for maximum comfort. Color: Midnight navy.

Style: Shall be made with the Ladies Choice pattern, featuring a contour waistband with elastic side panels, shortened rise, and reshaped hip and seat. Trousers have a plain front with quarter top front pockets, a watch pocket, 7/8" belt loops, and two back pockets.

LEXINGTON POLICE DEPARTMENT

Pockets: The front pocket opening will be a minimum 6" and be 6" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. There shall be a tandem stitch along the front pocket facing to give additional stability and strength to the pocket. The left front pocket will have a security pocket set in the pocket bag, closed with a 7" invisible zipper. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide.

The back pockets will have a minimum opening of 5" on size 8 and below, and 5½" on size 10 and above, and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The watch pocket, located approximately 2½" to the front of the right side seam at the waistband, shall have an approximate opening of 3" and shall be 3" deep. The front pockets and watch pocket shall each have a straight bartack and each back pocket shall be bartacked with a triangular machine.

Waistband: Must be Ladies Choice construction for superior comfort and performance. The curtain, attached with a rocap machine, shall be made of black, bias-cut, cotton blended twill and ½" shirt retention strip. Inside the waistband shall be two pieces of breathable non-woven stretch canvas for support. Waistband will also be fused for additional support.

The finished waistband shall be 2" wide and shall be closed with a crush-proof hook and eye, the eye being bartacked for stability. There shall be 4" elastic sewn into each side of the waistband for superior fit. The finished waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain. No alternative waistband will be acceptable.

Inside Trim: The right fly shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining fused to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper.

Belt Loops: There should be a minimum of 5 belt loops on waist sizes 8 and below, and a minimum of 7 on all sizes 10 and above. Each loop is to be ¾" wide of double thickness, with stitching on the face side ⅛" from each edge. Except for the back loop, which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1½" belt.

Zipper: The trousers shall be closed with a gun metal memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.

Creasing: The front and back crease in the trouser legs must incorporate a permanent modified silicone crease produce by the Creaset™ System.

Pocketing: All pocketing shall be black 65% Polyester/35% Cotton with a minimum thread count of 70 x 48, weight is 4.3oz. /sq. yd.

Seaming: The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine. The outside trouser leg seam shall be seam busted.

Labels: There shall be a woven brand label sewn-in the left hip pocket bag. A woven size label shall be sewn next to the main label, with a care and content label sewn below that label. An outside waistband label shall be marked with lot number, size, fiber content, cut number and UPC Identification..

Finishing & Pressing: All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.

UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

LEXINGTON POLICE DEPARTMENT

Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department.

This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

LINE ITEM # 12 ELBECO DISTINCTION LADIES CHOICE HIDDEN CARGO TROUSERE9444LC

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

Fabric: Burlington 2030 7.6oz./sq. yd, 13oz./linear yd., 74% Polyester/25% worsted wool (long-staple)/ 1% lycra serge weave with 17% engineered stretch for increased range of movement for maximum comfort. Color: Midnight navy.

Style: Shall be made with the Ladies Choice pattern, featuring a contour waistband with elastic side panels, shortened rise, and reshaped hip and seat. Trousers have a plain front with quarter top front pockets, a watch pocket, ¾" belt loops, two back pockets and two hidden cargo pockets.

Pockets: The front pocket opening will be a minimum 6" and be 6" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. There shall be a tandem stitch along the front pocket facing to give additional stability and strength to the pocket. The left front pocket will have a security pocket set in the pocket bag, closed with a 7" invisible zipper. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide.

The back pockets will have a minimum opening of 5" on size 8 and below, and 5½" on size 10 and above, and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The watch pocket, located approximately 2½" to the front of the right side seam at the waistband, shall have an approximate opening of 3" and shall be 3" deep. The front pockets and watch pocket shall each have a straight bartack and each back pocket shall be bartacked with a triangular machine.

Side: There shall be two internal hidden cargo pockets centered on each outside leg seam. Cargo pockets are constructed using the double welt method on a Reece PW machine. The cargo pockets are set 10" below waistband and measure 7" wide by 9" deep. The pockets shall be internal pockets constructed of pocketing fabric. The cargo pockets are closed with a 7" zipper. Inside the internal cargo pocket is a cell phone pocket measuring 3¾" x 5½". Pockets have straight bartacks.

Waistband: Must be Ladies Choice construction for superior comfort and performance. The curtain, attached with a rocap machine, shall be made of black, bias-cut, cotton blended twill and ½" shirt retention strip. Inside the waistband shall be two pieces of breathable non-woven stretch canvas for support. Waistband will also be fused for additional support.

The finished waistband shall be 2" wide and shall be closed with a crush-proof hook and eye, the eye being bartacked for stability. There shall be 4" elastic sewn into each side of the waistband for superior fit. The finished waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain. No alternative waistband will be acceptable.

Inside Trim: The right fly shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining fused to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper.

Belt Loops: There should be a minimum of 5 belt loops on waist sizes 8 and below, and a minimum of 7 on all sizes 10 and above. Each loop is to be ¾" wide of double thickness, with stitching on the face side ⅜" from each edge. Except for the back loop, which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1½" belt.

LEXINGTON POLICE DEPARTMENT

Zipper: The trousers shall be closed with a gun metal memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.

Creasing: The front and back crease in the trouser legs must incorporate a permanent modified silicone crease produce by the Creaset™ System.

Pocketing: All pocketing shall be black 65% Polyester/35% Cotton with a minimum thread count of 70 x 48, weight is 4.3oz. /sq. yd.

Seaming: The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine. The outside trouser leg seam shall be seam busted.

Labels: There shall be a woven brand label sewn-in the left hip pocket bag. A woven size label shall be sewn next to the main label, with a care and content label sewn below that label. An outside waistband label shall be marked with lot number, size, fiber content, cut number and UPC Identification..

Finishing & Pressing: All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.

UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department.

This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

LINE ITEM # 13 LPD EMBLEM NO VELCRO Q186581 ES2080405



LINE ITEM # 14 LPD EMBLEM WITH VELCRO Q188593 ES2105566

LEXINGTON POLICE DEPARTMENT



LINE ITEM # 15 ASST CHIEF BADGE WITH VELCRO Q196866 ES2186103



LINE ITEM # 16 COMMANDER BADGE WITH VELCRO Q196865 ES2186101



LINE ITEM # 17 LIUTENANT BADGE WITH VELCRO Q196864 ES2186098

LEXINGTON POLICE DEPARTMENT



LINE ITEM # 18 SERGEANT BADGE WITH VELCO Q196863 ES2186096



LINE ITEM # 19 OFFICER BADGE WITH VELCRO Q197103 ES2188234



LINE ITEM # 20 KEYSTONE DUTY HAT WITH PERFORATED LEATHER BAND LSDKNVLEXPTMN PLSB

*NO SUBSTITUTIONS

LINE ITEM # 21 KEYSTONE DUTY HAT WITH ATHLETIC BAND P102 LPD NAV CMSB

*NO SUBSTITUTIONS

LINE ITEM # 22 MIDWAY 8 POINT CAP WITH ONE EYELET STOCK 8 PT NAV

LINE ITEM # 23 MIDWAY COOL MAX 8 POINT CAP WITH ONE EYELET COOLMAX 8PT NAV

LEXINGTON POLICE DEPARTMENT

LINE ITEM # 24 MIDWAY CAP EXPANSION STRAP EM-48G

LINE ITEM # 25 MIDWAY CAP EXPANSION STRAP EM-48N

LINE ITEM # 26 NEESE HI VIS REVERSIBLE CAP COVER 475RCC BK-LI

- 2 Ply Breathable, Windproof, Waterproof Storm-Tech™ fabric
- Reversible cap cover (no snaps)
- Available in high visibility lime/black
- Universal sizing

LINE ITEM # 27 ELBECO MIC TAB 7999 DKNV

- Made from the same fabric as the distinction shirts.

LINE ITEM # 28 SPLIT PRONG UNIFORM CAP BUTTON - SILVER PD BUTTONS SIL



LINE ITEM # 29 SPLIT PRONG UNIFORM CAP BUTTON - GOLD PD BUTTONS GLD



LINE ITEM # 30 ELBECO BODYSHIELD EXTERNAL VEST CARRIER V3114B

***NO SUBSTITUTIONS**

- 600 denier Syntex polyester fabric with stain and liquid repellency and UPF 50 protection
- Integral camera mount accommodates body cams or radio mics
- Designed to carry any manufacturer's vest in its existing carrier
- Antimicrobial mesh lining and vertical opening
- Stealth stretch cummerbund zippered waist closure
- FastLock side closure system
- Large hidden document pocket extends the width of the chest, with zipper closure and dual pass-through to access ballistic cover
- Zipper opening on placket with camera mount tab on front placket
- Dual access front chest pockets, with back bellows and FastLock fasteners
- Functional shoulder straps, interior shoulder openings under straps
- Pencil opening in both flaps; pencil compartment in left chest pocket
- Badge tab eyelets above left chest pocket
- Tunnel loops on inside lining accommodate VSS1 Suspension System

LEXINGTON POLICE DEPARTMENT

- Reshaped neck opening to be wider

LINE ITEM # 31 ELBECO SUSPENSION SYSTEM VSS1

***NO SUBSTITUTIONS**

- Redirects weight of duty belt off of hips and lower back, giving the belt a feeling of weightlessness
- Uses innovative quick-clip system to allow for easy donning and doffing
- Free-floating straps glide inside vest tunnels, allowing wearer full range of motion
- Stretch suspender system with 100% recovery allows for easy adjustment
- Best results when integrated into V1 External Vest Carrier
- Requires no modification of existing trousers, dutybelt or vest
- Helps anchor vest carrier in place
- Relieves the weight of an officer's duty belt without limiting range of motion

LINE ITEM # 32 5.11 MENS SS SNAG FREE PERF. POLO WITH LPD BADGE SW724 BLK

***NO SUBSTITUTIONS, ITEM MUST BE STOCKED**

- 6.7 oz, 100% jersey-knit polyester
- Professional appearance, lasting comfort
- Moisture wicking, quick drying, antimicrobial
- Snag-, rip- and wrinkle- resistant SmartWeave® fabric
- Dual pen pockets at left sleeve
- Traditional three-button placket
- Melamine buttons won't burn, crack or melt
- Bartacking at major stress points for durability
- Accepts embroidery and silk-screening
- No roll collar with flexible collar stays
- Integrated mic loops at the shoulders and chest
- Machine wash and dry
- Imported
- Each shirt will be embroidered with the Lexington Police Badge. See Image below for reference:

LEXINGTON POLICE DEPARTMENT



LINE ITEM # 33 VERTX PHANTOM LT 2.0 TACTICAL PANT F1 VTX8001

***NO SUBSTITUTIONS**

- 6.5-oz. 65/35 Poly/Cotton mini Ripstop with IntelliDry™ technology
- Side stretch waistband and higher rise in the back maintain proper fit
- 1" relaxed waist for comfort and increased range of motion
- Reduced leg volume for athletic fit
- Gusseted crotch allows for extended comfort in virtually any position
- Articulated knees provide a greater range of mobility during physical activity
- Mini Ripstop pattern weave delivers added durability to effectively resist tears in multiple environments
- Patterned rip stop squares are smaller (lower profile) than what is typically seen in the market
- Tool pocket on back of thigh
- Back pocket credential flap protects important items from theft or accidental loss
- Concealed zipper pocket on right side prevents valuables from falling out
- Multi-purpose inset cargo pockets with bonus interior pockets lessen tactical appearance yet deliver maximum capacity
- Color retention is excellent after washing

LINE ITEM # 34 WOMEN'S VERTX PHANTOM LT 2.0 TACTICAL PANT F1 VTX8051

***NO SUBSTITUTIONS**

- 6.5-oz. 65/35 Poly/Cotton mini Ripstop with IntelliDry™ technology
- Side stretch waistband and higher rise in the back maintain proper fit
- 1" relaxed waist for comfort and increased range of motion
- Reduced leg volume for athletic fit
- Gusseted crotch allows for extended comfort in virtually any position
- Articulated knees provide a greater range of mobility during physical activity
- Mini Ripstop pattern weave delivers added durability to effectively resist tears in multiple environments
- Patterned rip stop squares are smaller (lower profile) than what is typically seen in the market
- Tool pocket on back of thigh

LEXINGTON POLICE DEPARTMENT

- Back pocket credential flap protects important items from theft or accidental loss
- Concealed zipper pocket on right side prevents valuables from falling out
- Multi-purpose inset cargo pockets with bonus interior pockets lessen tactical appearance yet deliver maximum capacity
- Color retention is excellent after washing

LINE ITEM # 35 5.11 TACTICAL PANT 74251

***NO SUBSTITUTIONS**

- 8.5 oz, 100% cotton canvas construction stands up to rigors of daily work and becomes increasingly more comfortable over time
- Prewashed, fade resistant
- Seven pocket configuration
- Signature 5.11 strap and slash rear pockets
- VELCRO® brand cargo pockets
- Hip-mounted D-ring holds your keys or ID
- Self-adjusting comfort waistband helps you bend and stretch for maximum mobility
- Double-thick seat and knees provide enhanced abrasion protection (kneepad ready)
- 48 heavy-duty bartacks in high stress areas
- Triple-stitched reinforcement
- YKK® zippers
- Prym® snaps
- Machine wash and dry
- Imported

LINE ITEM # 36 5.11 TACLITE PRO PANT 74273

***NO SUBSTITUTIONS**

- 6.14 oz ripstop, 65% polyester/35% cotton fabric
- Fade and wrinkle-resistant
- Teflon finish repels moisture, stains and dirt
- Patented straps and trademark slash pockets
- Welded pocket added to right side, parallel to magazine pocket
- YKK zipper & Prym snaps
- Diamond gusset added to the crotch for outstanding durability and flexibility
- Double thick seat and knees
- Machine wash and dry
- Imported

LINE ITEM # 37 VERTX ORIGINAL PANT F1 VTX1000

***NO SUBSTITUTIONS**

- 9 oz 98% cotton/2% LYCRA® advantage stretch fabric
- Articulated patterning
- Reinforced, gusseted crotch for flexibility and durability in virtually any position
- Side stretch waistband and higher rise in the back maintain proper fit
- Pockets designed to securely store goods without Velcro closures
- Two sturdy front pockets made from 100 percent woven cotton
- Two rear patch pockets with credentials flap

LEXINGTON POLICE DEPARTMENT

- One concealed zipper pocket on the right side
- Two cargo pockets with flaps sewn down on each side
- Cell phone pocket located inside each cargo pocket
- Hidden back pocket flap protects important items from theft or accidental loss
- Concealed zipper pocket on right side prevents valuables from falling out
- Multi-purpose inset cargo pockets, with bonus interior pockets, deliver maximum capacity loading with little to no tactical appearance
- Articulated knees provide a greater range of mobility during physical activity

LINE ITEM # 38 5.11 TACTICAL WOMEN'S PANT64358

***NO SUBSTITUTIONS**

- 8.5 oz 100% cotton canvas
- Seven pockets, D-ring and tool strap
- Velcro® cargo pockets
- YKK® zippers, Prym® snaps
- Elastic waist for mobility
- Double reinforced seat
- Discrete double reinforced knee with knee pad access inside
- 59 heavy duty bartacks
- Pre-washed, fade-resistant
- Machine wash and dry
- Imported

LINE ITEM # 39 ELBECO TEK 3 CAP WITH EMBROIDERY CAP 24 MDNV

- 65% polyester, 35% cotton twill
- NANO-TEX technology repels fluids and keeps you dry while maintaining natural breathability
- Plain front and subdued logo at rear
- Adjustable back strap
- Hand wash

LINE ITEM # 40 GALLS CLASSIC STYLE WATCH CAP WITH THINSULATE HW301

- Soft, acrylic caps feature Thinsulate® for added warmth
- One size fits most
- Machine wash and dry
- Imported

LINE ITEM # 41 FLEXFIT BALL WOOLY COMBED TWILL HAT WITH EMBROIDERY 6277 TPX19-4305

- 63% Polyester/34% Cotton/3% Spandex
- 6-panel, mid-profile wool-like texture fitted cap
- Rounded athletic shape
- Fused hard buckram front panels
- Silver undervisor
- Each hat with be embroidered with “LEXINGTON” arched over “POLICE”, see image below for reference.

LEXINGTON POLICE DEPARTMENT



LINE ITEM # 42 SAFARILAND BUCKLELESS OUTER DUTY BELT 94 - 4

- Safarilaminated construction
- Hook lining attaches to loop of inner trouser belt for a Buckleless™ System
- Hidden brass hook and a hook-and-loop closure on both ends
- 2-1/4" W

LINE ITEM # 43 SAFARILAND BUCKLELESS REVERSIBLE DUTY BELT 99 - 4

- Safarilaminated construction
- Loop lined for use with Safariland outer duty belts
- Hook and loop closure
- Reversible
- 1-1/2" W

LINE ITEM # 44 SAFARILAND STANDARD CUFF CASE WITH SNAP 90-4HS

- Safarilaminated™ construction
- Fits standard sized chain or hinged cuffs
- Fits up to 2-1/4" belts

LINE ITEM # 45 SAFARILAND DOUBLE MAG HOLDER 77-83-4HS

- Safarilaminated construction
- Vertical and horizontal belt slots for a regular or low-profile position
- Tension screw to adjust the magazine retention
- Fits up to 2-1/4" belts

LINE ITEM # 46 SAFARILAND MK3 DEFENSE SPRAY CASE 38-4-4HS

- Safarilaminated construction
- Fits up to 2-1/4" belts

LINE ITEM # 47 SAFARILAND 2 SNAP BELT KEEPERS 62-4-4HS

- Safarilaminated construction
- 3/4 "wide keepers with two snaps
- Secures Sam Browne belt to Garrison belt
- Fits up to 2-1/4" belts
- Pack of four

LINE ITEM # 48 SAFARILAND DOUBLE CUFF CASE 290-4HS

LEXINGTON POLICE DEPARTMENT

- Safarilaminated construction
- Fits up to 2-1/4" belts

LINE ITEM # 49 SAFARILAND SURGICAL GLOVE POUCH 33-4V

- Durable thin membrane Safarilaminated™
- VELCRO® brand closure
- Holds one pair latex gloves
- Fits up to 2-1/4" belts
- Measures 3"H x 4"W

LINE ITEM # 50 AKER PADDLEBACK SINGLE CUFF CASE 77-83-4HS

- Premium leather paddleback handcuff case
- Fits belts up to 1 3/4"W.
- Pull-through release snap

LINE ITEM # 51 GOULD & GOODRICH OPEN TOP PADDLE CUFF CASE 77-83-4HS

- Leather cuff case
- Fits most chain or hinged cuffs
- Paddleback design slips easily over your belt
- Made in USA

LINE ITEM # 52 AKER PADDLEBACK MAG/CUFF HOLDER A519

- Leather
- Adjustable tension screw
- Pull-through release snap for cuffs

LINE ITEM # 53 M26 AND X26 TASER CARTRIDGE 307-9-4

- Fits light carrier with flap closure
- Fits 2"-2.25" duty belt

LINE ITEM # 54 GOULD & GOODRICH OPEN TOP STINGER LED HOLDER B673-7W

- Fits Stinger LED
- Molded design to make re-holstering easy
- Fits up to 2 1/4" belts

LINE ITEM # 55 SAFARILAND ALS BELT SLIDE HOLSTER - RIGHT HAND 6377-283-411

- Safari-Laminated™ STX™ construction
- Suede lining
- ALST™ (Automatic Locking System) secures weapon once holstered
- Simple straight up draw once ALS is deactivated
- Rides close to the body for improved concealment
- Injection molded belt loop is user adjustable- fits belts from 1-1/2" up to 1-3/4"
- Specify left or right hand orientation
- Fits: Glocks 17/22, 19/23/30 and 20/21; Sig 220/226 and 228/229; Smith & Wesson M&P.

LEXINGTON POLICE DEPARTMENT

LINE ITEM # 56 SAFARILAND ALS BELT SLIDE HOLSTER - LEFT HAND 6377-283-412

- Safari-Laminate™ STX™ construction
- Suede lining
- ALS™ (Automatic Locking System) secures weapon once holstered
- Simple straight up draw once ALS is deactivated
- Rides close to the body for improved concealment
- Injection molded belt loop is user adjustable- fits belts from 1-1/2" up to 1-3/4"
- Specify left or right hand orientation
- Fits: Glocks 17/22, 19/23/30 and 20/21; Sig 220/226 and 228/229; Smith & Wesson M&P.

LINE ITEM # 57 SAFARILAND ALS PADDLE HOLSTER- RIGH HAND 6378-74

Injection molded Safarilaminate™ STX™ construction that rides close to the body

- Suede lining
- ALS™ (Automatic Locking System) secures weapon once holstered; simple straight up draw once ALS is deactivated by thumb while obtaining shooting grip
- Simple straight up draw once ALS is deactivated
- Low-ride and open-top design for ease of draw
- Slim low profile
- Comes with a belt loop to fit 1-1/2" and 1-3/4" belt slot

LINE ITEM # 58 SAFARILAND FLASHLIGHT CARRIER 306-1-4

- Made of SAFARI-LAMINATE™
- Select Chrome, Brass or Black snap
- Available in Plain, Basketweave or High-Gloss

LINE ITEM # 60 BIANCHI ACCUMOLD DUTY BELT 17379

- High-density five-part laminate construction for extra durability Ballistic weave fabric, two layers of closed cell foam and a polyethylene internal stiffener for support, rigidity and unsurpassed durability
- Lightweight, weatherproof, and washable
- 2.25"W
- Coplok™ shatter-resistant, polymer buckle features 3-point release for added security
- VELCRO® brand lining secures to Buckleless Trouser Belt (sold separately)

LINE ITEM # 61 BIANCHI ACCUMOLD BUCKLELESS TROUSER BELT 17707

- Ballistic weave fabric, two layers of closed cell foam and a polyethylene internal stiffener for support, rigidity and unsurpassed durability.
- Sizes: S (28-34), M (34-40), L (40-46), XL (46-52)
- Fits up to 2-1/4"W duty belts
- 1-1/2"W
- Lightweight, weatherproof, and washable
- Molded Tri-Release™ polymer buckle
- Lined on the outside with "hook" for attachment to the AccuMold® Duty Belt (sold separately)

LINE ITEM # 62 BIANCHI ACCUMOLD DOUBLE MAG CASE 18471

LEXINGTON POLICE DEPARTMENT

- Accumold trilaminate construction with ballistic weave and Captex lining
- Molded nylon construction keeps its shape
- Hidden snaps
- Vertical or horizontal carry offers versatility of use
- Pouch cavities expand both front and rear for a sleek, trim look
- Roll-top lid
- Injected molded belt loop design accommodates belts up to 2-1/4"W

LINE ITEM # 63 BIANCHI ACCUMOLD DOUBLE CUFF CASE 18771

- Molded nylon construction holds its shape
- Coptex knit lining
- Hidden snap
- Holds most chain and hinged cuffs
- Roll-top lid
- Weatherproof and washable
- Fits belts up to 2-1/4"W

LINE ITEM # 64 BIANCHI ACCUMOLD BELT KEEPERS (4 PACK) 15635

- Durable nylon construction
- Weatherproof and washable
- Fits belts up to 2-1/4"W
- Pack of 4

LINE ITEM # 65 BIANCHI ACCUMOLD MARK 3 DEFENSE SPRAY HOLDER 18205

- Accumold trilaminate construction with ballistic weave exterior and Coptex knit lining
- Molded nylon construction holds its shape
- Full flap with exclusive Roll Top lid helps secure canister
- Weatherproof and washable
- Lightweight
- Dual web belt loop design accommodates both 2" and 2.25" belt widths

LINE ITEM # 66 BIANCHI ACCUMOLD ELITE STINGER XT LIGHT HOLDER 22097

- Securely holds your Stinger XT™ flashlight
- Lightweight comfort
- Highly resistant to scuffs

LINE ITEM # 67 BIANCHI ACCUMOLD SINGLE MAG POUCH 18201

- Molded nylon construction keeps its shape
- Hidden snaps
- Fits belts up to 2-1/4"W
- Roll-top lid

LINE ITEM # 68 STREAMLIGHT NYLON HOLDER FOR STINGER LED & STINGER D LED 75927

- Fits Streamlight® Stinger® LED & StingerStinger DS™ LED flashlights.

LEXINGTON POLICE DEPARTMENT

LINE ITEM # 69 BIANCHI PATROLTEK NYLON SILENT KEY HOLDER 31313

- Made from 600 denier nylon
- Keeps your keys secure with a wraparound Velcro closure
- Keeps keys from making noise when walking or running
- Fits up to 2.25" duty belts

LINE ITEM # 70 BIANCHI ACCUMOLD LIGHT HOLDER 18457

- AccuMold trilaminate construction with ballistic weave exterior and Coptex lining
- Web belt loop fits 2.25" (58mm) belts

Fits: Surefire 6R/9P, Streamlight Scorpion, and similar models.

LINE ITEM # 71 BIANCHI ACCUMOLD FLAT GLOVE POUCH 22960

- Constructed of lightweight nylon
- Fits Stinger XT Flashlights

Size 1 fits: Surefire 6P, 6R, Scorpion, and Inova T3

Size 2 fits: Stinger®, Stinger XT, Poly Stinger™, S&W FL and FL10

LINE ITEM # 72 BIANCHI ACCUMOLD OPEN TOP LIGHT HOLDER STINGER XT 22837 / 22838

- Constructed of lightweight nylon
- Fits Stinger XT Flashlights

Size 1 fits: Surefire 6P, 6R, Scorpion, and Inova T3

Size 2 fits: Stinger®, Stinger XT, Poly Stinger™, S&W FL and FL10

LINE ITEM # 73 BIANCHI ACCUMOLD COVERED CUFF CASE WITH HIDDEN SNAP 23013

The Model 7300 AccuMold® Covered Handcuff Case is made from a trilaminate construction with Coptex® knit lining. Will hold one pair of standard handcuffs with hook and loop or hidden snap closure. Dual belt loop conveniently fits 2 in. (50 mm) or 2.25 in. (58 mm) duty belts. PATENTED •Dual web belt loop design accommodates 2" (50 mm) - 2.25" (58 mm) belts

- AccuMold® trilaminate construction with ballistic weave exterior and Coptex® lining

LINE ITEM # 74 ALS/SLS LEVEL III MID DUTY HOLSTER W/ SENTRY NO HOOD GUARD 7360-832-481-S

- Constructed from SafariSeven™, a DuPont™ nylon blend
- Proprietary nylon blend that is completely non-abrasive to a firearm's finish
- Mid-ride level III retention
- Features an ALS® (Automatic Locking System) internal retention in an open top design, providing excellent retention with an ergonomic, simple straight-up draw once the release is deactivated
- Raised stand-off surfaces in interior of holster creates air space around the weapon allowing dirt and moisture to quickly clear any contact with the firearm
- Can be submerged in water indefinitely and still maintain shape and function
- Matte finish decreases reflection and can be maintained with a simple scouring pad
- Compatible with all Safariland® holster mounting options
- Item must have sentry added and hood guard removed

LEXINGTON POLICE DEPARTMENT

LINE ITEM # 75 ALS/SLS LEVEL III MID DUTY HOLSTER W/ SENTRY NO HOOD GUARD 7360-832-482-S

- Constructed from SafariSeven™, a DuPont™ nylon blend
- Proprietary nylon blend that is completely non-abrasive to a firearm's finish
- Mid-ride level III retention
- Features an ALS® (Automatic Locking System) internal retention in an open top design, providing excellent retention with an ergonomic, simple straight-up draw once the release is deactivated
- Raised stand-off surfaces in interior of holster creates air space around the weapon allowing dirt and moisture to quickly clear any contact with the firearm
- Can be submerged in water indefinitely and still maintain shape and function
- Matte finish decreases reflection and can be maintained with a simple scouring pad
- Compatible with all Safariland® holster mounting options
- Item must have sentry added and hood guard removed

LINE ITEM # 76 ALS/SLS LEVEL III MID DUTY HOLSTER W/ SENTRY NO HOOD GUARD 7360-832-411-S

- Constructed from SafariSeven™, a DuPont™ nylon blend
- Proprietary nylon blend that is completely non-abrasive to a firearm's finish
- Mid-ride level III retention
- Features an ALS® (Automatic Locking System) internal retention in an open top design, providing excellent retention with an ergonomic, simple straight-up draw once the release is deactivated
- Raised stand-off surfaces in interior of holster creates air space around the weapon allowing dirt and moisture to quickly clear any contact with the firearm
- Can be submerged in water indefinitely and still maintain shape and function
- Matte finish decreases reflection and can be maintained with a simple scouring pad
- Compatible with all Safariland® holster mounting options
- Item must have sentry added and hood guard removed

LINE ITEM # 77 ALS/SLS LEVEL III MID DUTY HOLSTER W/ SENTRY NO HOOD GUARD 7360-832-412-S

- Constructed from SafariSeven™, a DuPont™ nylon blend
- Proprietary nylon blend that is completely non-abrasive to a firearm's finish
- Mid-ride level III retention
- Features an ALS® (Automatic Locking System) internal retention in an open top design, providing excellent retention with an ergonomic, simple straight-up draw once the release is deactivated
- Raised stand-off surfaces in interior of holster creates air space around the weapon allowing dirt and moisture to quickly clear any contact with the firearm
- Can be submerged in water indefinitely and still maintain shape and function
- Matte finish decreases reflection and can be maintained with a simple scouring pad
- Compatible with all Safariland® holster mounting options
- Item must have sentry added and hood guard removed

LINE ITEM # 78 MONADNOCK 36" RIOT BATON POLYCARBONATE 1000036

- Polycarbonate construction
- Measures 36" x 1-1/4"
- Impact strength is greater than wood or aluminum batons
- Will not warp, dent, or splinter
- Knurled grip at each end for a secure hold
- Comes with a lifetime warranty

LEXINGTON POLICE DEPARTMENT

LINE ITEM # 79 MONADNOCK 22" AUTOLOCK BATON W/ POWER SAFETY TIP 1000573

- 10-1/8" closed length expands to 22"
- Large 5/8" diameter reinforced hard rubber tip
- Power Safety Tip measures 1-3/4"L x 6/8"D
- Cam and ball bearing locking action
- Push button closing releases the ball bearing action
- Precision machined hardened alloy shaft
- Foam handles for secure grip
- Weighs 22 oz

LINE ITEM # 80 MONADNOCK 22" / 26" FRONT DRAW HOLDER AUTOLOCK 1000224

- Black polycarbonate
- Designed to snap-on to any 2-1/4" duty belt
- 360° swivel capabilities with 8 locking positions
- Easy to draw from
- Made in USA
- Weighs 0.24 lbs

LINE ITEM # 81 MONADNOCK 26" AUTOLOCK EXPANDABLE BATON 1000566/9121

- Large 5/8" diameter reinforced hard rubber tip
- Precision machined hardened alloy shaft
- Closed length of 10-1/2" expands to 26"
- Power Safety Tip measures 1-3/4"L x 6/8"D
- Cam and ball bearing locking action
- Push button closing releases the ball bearing action
- Foam handles for secure grip
- Weighs 22 oz

LINE ITEM # 82 ASP 21" TALON EXPANDABLE BATON 22411

- High carbon steel tubing
- Foamed vinyl grip
- Pushbutton retraction
- Closed: 8-1/4"L
- 18.3 oz

LINE ITEM # 83 ASP ENVOY 50 ROTATING SCABBARD 52446

- Polymer construction
- Internal tension bar holds the baton in place
- Rotates to seven different positions
- Adjusts to a variety of belt widths from 1 1/4 " to 2 3/4 "
- Fit's ASP 21" or 50cm batons
- 5"x1.25"x2.5"

LINE ITEM # 84 GALLS ORIGINAL STREETPRO GEAR BAG BG006 BLK

- 900 denier nylon construction

LEXINGTON POLICE DEPARTMENT

- Large interior compartment includes an adjustable divider to customize the bag to fit your specific needs
- Two side zippered exterior cargo pockets
- Three large exterior open-top pockets
- Two medium interior zippered pockets
- Reinforced walls and padded top
- Nylon web handles
- Adjustable shoulder strap
- 12"H x 18-1/2"W x 7-1/2"D
- Imported

LINE ITEM # 85 GALLS STREEPRO PLUS GEAR BAG BG185

- 900 denier polyester construction
- Waterproof bottom
- Expanded organizational abilities
- Top flap has a large hidden storage pocket and accessory pocket both with VELCRO® brand closures, pen/pencil pockets and a mini light holder
- One front center pocket with VELCRO® brand closure
- Molded ID insert with two open top pockets
- Two side zippered pockets
- Padded contour shoulder strap
- Leather wrapped side cargo and carrying handles
- Large heavy-duty zipper
- 6-1/2" wider and 2-1/2" deeper than our original StreetPro™
- 23"L x 11"W x 13"H
- 3,289 cu in

LINE ITEM # 86 STREAMLIGHT COLOR WAND FOR STREAMLIGHT SL-20X LIGHTS 22511

- Turns your flashlight into a traffic light
- Fits Streamlight® SL20X, SL20X LED, SL20XP and SL20XP LED

LINE ITEM # 87 STREAMLIGHT POLYSTINGER FLASHLIGHT W/ STANDARD CHARGER 76514

- *ANSI/NEMA FL1-2009 compliant*
- Non-conductive polymer body with slip-resistant rubber grip and unbreakable polycarbonate lens
- 11,000 candela, 90 lumens peak beam intensity with self-cleaning switch and spare bulb in end cap
- Water-resistant
- 10 hour standard charge provides a maximum of 1 hour continuous use
- Limited Lifetime Warranty
- 7.4"L; 8.7 oz

LINE ITEM # 88 STREAMLIGHT STINGER LED FLASHLIGHT W/ STANDARD CHARGER 75713

- Combines a rechargeable battery and C4 LED
- Uses C4 LED technology with 50,000 hours of life
- 4 lighting modes: high, medium, low and strobe
- 12-2/5 oz
- 8-2/5" long
- ANSI/NEMA FL1-2009 compliant
- Water-resistant

LEXINGTON POLICE DEPARTMENT

- Runtime: 1-3/4 hours (High), 3-1D2 hours (Medium), 6-3/4 hours (Low), 5-1/2 hours (Strobe)
- Steady charge in 10 hours
- Machined aircraft aluminum with non-slip rubber grip and unbreakable, polycarbonate lens
- Fits existing Stinger chargers
- Limited lifetime warranty

LINE ITEM # 89 STREAMLIGHT STINGER DS LED STANDARD CHARGE 75813

- *ANSI/NEMA FL1-2009 compliant*
- Combines a rechargeable battery and C4 LED
- C4 LED technology with microprocessor controlled high and low intensity modes and emergency flash; impervious to shock with a 50,000 hour lifetime
- Water-resistant
- 4 lighting modes: high, medium, low and strobe
- High for a bright super-bright beam: 350 lumens; 24,000 candela peak beam intensity; 310 meter beam distance; runs 2 hours
- Medium for bright light and longer run times: 175 lumens; 12,000 candela peak beam intensity; 219 meter beam distance; runs 3.75 hours
- Low for light without glare and extended run times: 85 lumens; 6,000 candela peak beam intensity; 155 meter beam distance; runs 7.25 hours
- Strobe for disorienting or signaling your location: runs 5.5 hours
- Charges in 10 hours
- Machined aircraft aluminum with non-slip rubber grip and unbreakable, polycarbonate lens
- Fits existing Stinger chargers
- Limited Lifetime Warranty
- 8.85"L; 12.8 oz.

LINE ITEM # 90 BIANCHI ACCU,OLD PR24 HOLDER 14414

- Holds your PR-24 baton
- Fits belts up to 2-1/4"W
- Weatherproof and washable
- Lightweight

LINE ITEM # 91 SMITH & WESSON HINGED HANDCUFFS 350096

- Fabricated from the finest quality steel
- Manufactured with heat treated internal lockworks
- Double-hinged design to further restrict movement
- Double lock engaging pin for increased security
- 23 locking positions with smooth ratchets for swift cuffing
- Inner perimeter measures 5 3/4" to 8"
- Includes two keys
- Comes with Smith & Wesson's lifetime warranty
- 11 oz

LINE ITEM # 92 DON HUM 1" HOBBLE SECURE STRAP A093300X BLK

- Allows prisoners to be transported in a vehicle in an upright, seated position and prevents kicking
- Made of heavy duty nylon webbing with a bronze snap at one end and a permanently attached alligator clip at the other

LEXINGTON POLICE DEPARTMENT

- Weighs 5-1/2 oz

LINE ITEM # 93 3M 3A HELMET WITH FACE SHIELD 98009006762

- Made of tough Thermoplastic composite materials
- Contoured shell design
- Adjustable, universal harness fit system means it fits all sizes
- Meets Level IIIA NIJ 0108.01 requirements; 397 Low Velocity Impact Requirement
- Face shield is durable Paulson DK5H.150S-HM for superior clarity and protection
- The face shield is designed to accommodate the use of a gas mask
- 5-Year Warranty

LINE ITEM # 94 MONADNOCK 36 IN LAPD RIOT BATON GROMMET TAPERED 2710 LAPD STOP

Fits most Monadnock straight batons

LINE ITEM # 95 DANNER 6" KINETIC GORE-TEX WATERPROOF BOOT 28015

- 6" quarter boot
- Durable, quick to polish full-grain leather upper
- 100% waterproof GORE-TEX® lining for ultimate breathable comfort
- Reinforced heel and metatarsal protection for increased durability
- Multidirectional low lug outsole for superior surface contact and traction
- Imported

LINE ITEM # 96 5.11 TACTICAL 6" DUTY SOCK (3 PACK) 50078

- 79% Cotton
- 15% polyester
- 2% Spandex®
- 2% rubber
- 2% nylon

LINE ITEM # 97 HAIX 6" AIRPOWER P7 BOOT 206214

- All leather; HAIX® Sun Reflect Leather keeps leather and feet cooler in hot sunlight; waterproof and breathable
- HAIX® Climate System for temperature balance
- 4-layer GORE-TEX® inner lining
- HAIX® Arch Support System for built in support and shock absorption
- Rubber/Polyurethane sole
- Non-marking, antistatic, extremely slip resistant rubber sole

LINE ITEM # 98 HAIX 8" AIRPOWER P7 BOOT 206215

- All leather; waterproof and breathable with 4-layer GORE-TEX® inner lining
- HAIX® Arch Support System for built in support and shock absorption
- Rubber/Polyurethane hiking sole is non-marking, antistatic, extremely slip resistant; sole is also fuel, oil and skid resistant

LEXINGTON POLICE DEPARTMENT

LINE ITEM # 99 BATES LITES LEATHER LACE UP CHUKKA BOOT E00058

- Leather upper
- Breathable lining
- Cushioned removable insert
- Non marking Bates Lites outsole
- Goodyear welt construction
- Assembled in the USA
- Postal Approved

LINE ITEM # 100 BATES LITES LEATHER PADDED COLLAR CHUKKA E00078

- Non marking Bates Lites outsole
- Goodyear welt construction
- Made in the USA
- Improved PU outsole to prevent sole breakdown

LINE ITEM # 101 DANNER STRIKER TORRENT 8" WATERPROOF BOOT 43003

- Durable, polishable full-grain leather upper with rugged 1000 denier nylon
- 100% waterproof and breathable GORE-TEX® liner
- Lightweight, versatile TFX-8 platform with a cross-stitch design
- Vibram® Striker® Torrent outsole for oil and slip resistance; outsole features a 360° pentagonal low lug pattern, a flex notch design in key pivot areas and a more rugged outer lug pattern
- Polyurethane midsole for superior cushioning and added durability
- Removable cushioning antimicrobial footbed with an additional layer of open cell construction
- Speed lace fastening system with lace garage
- Nylon shank
- 8" height
- 56 oz
- Imported

LINE ITEM # 102 DANNER 4.5" STRIKER TORRENT WATERPROOF BOOT 43027

- Durable, polishable full-grain leather upper with rugged and lightweight 1000 denier nylon
- Speed lace fastening system for secure fit
- Lace garage
- 100% waterproof and breathable GORE-TEX lining
- Removable cushioning polyurethane footbed with additional layer of open cell construction for air circulation
- High abrasion EVA midsole provides superior cushioning and added durability
- Danner TFX-8 platform is the lightest weight and most versatile TFX construction featuring a cross stitch design which provides added durability and stability in the lateral toe and medial heel pivot zones
- Vibram Striker Torrent outsole featuring a 360 degree pentagonal low lug pattern for grip in all directions, a flex notch design in key pivot areas and a more rugged outer lug pattern which sheds water and provides maximum surface contact

LINE ITEM # 103 DANNER WOMEN'S 4.5" STRIKER TORRENT WATERPROOF BOOT 43029

- Durable, polishable full-grain leather upper with rugged and lightweight 1000 denier nylon
- Speed lace fastening system for secure fit
- Lace garage
- 100% waterproof and breathable GORE-TEX lining

LEXINGTON POLICE DEPARTMENT

- Removable cushioning polyurethane footbed with additional layer of open cell construction for air circulation
- High abrasion EVA midsole provides superior cushioning and added durability
- Danner TFX-8 platform is the lightest weight and most versatile TFX construction featuring a cross stitch design which provides added durability and stability in the lateral toe and medial heel pivot zones
- Vibram Striker Torrent outsole featuring a 360 degree pentagonal low lug pattern for grip in all directions, a flex notch design in key pivot areas and a more rugged outer lug pattern which sheds water and provides maximum surface contact

LINE ITEM # 104 DANNER WOMEN'S 6" QUARTER BOOT 25200

- Leather
- Made in US
- Vibram sole
- Fiberglass shank
- Waterproof
- 6" height
- Recraftable
- Men's 59 oz, Women's 47 oz

LINE ITEM # 105 DANNER ACADIA 8" WATERPROOF DUTY BOOT 21210

- *Berry compliant*
- Full-grain leather can be polished for a sharp uniform appearance and can be cleaned quickly
- 100% waterproof and breathable GORE-TEX® liner keeps your feet dry and comfortable, even in extreme conditions
- 1000 denier nylon upper material is extremely resistant to abrasions, tears, and scuffs, improves breathability and dries quickly
- Danner's handcrafted stitchdown construction provides a wider platform for increased stability underfoot
- Vibram® heel provides lightweight comfort as well as superb shock absorption
- Vibram® Kletterlift compound guarantees great traction and stability on both wet and dry surfaces
- Lace-to-toe provides a secure fit
- Fiberglass shank
- 65 oz
- Made in the USA

LINE ITEM # 106 GALLS 11" DUTY SOCKS WITH EXTRA PADDING IN TOE/HEEL 6300G

- 11" height
- 64% cotton, 19% nylon, 14% acrylic, 3% spandex
- Tall enough for 10" boots
- Machine wash and dry
- One size fits 10-13
- Made in USA

LINE ITEM # 107 DANNER ACADIA 8" 400G INSULATED WATERPROOF BOOT 22600

- Black full-grain leather/Cordura® waterproof 1000 Denier nylon upper is durable and rugged
- GORE-TEX® waterproof breathable bootie lining
- Fiberglass shank plus dual density midsole for cushioning
- 400-gram Thinsulate® Insulation
- Perforated built-in cushion insole promotes air circulation to fight bacteria

LEXINGTON POLICE DEPARTMENT

- Outsole can be re-soled by manufacturer
- Vibram® Kletterlift outsole provides superior shock absorption and great traction on both wet and dry surfaces
- Lace-to-toe provides a secure fit
- 8" height
- Men's 69 oz, Women's 53 oz
- Berry compliant
- Made in the USA

LINE ITEM # 108 DANNER 8" RECON INSULATED BOOT 69410

- *Berry compliant*
- Leather upper
- 200-gram Thinsulate® insulation
- GORE-TEX® waterproof liner
- 200-gram Thinsulate® Insulation
- Aggressive Vibram® 148 Kletterlift outsole
- Fiberglass shank
- Lace-to-toe provides a secure fit
- 8" height
- Men's 66 oz, Women's 55 oz
- Made in the USA

LINE ITEM # 109 BATES 5" TACTICAL SPORT BOOT E02262

- Leather and 1680 denier ballistic nylon uppers
- Fiberglass shank
- Removable shock absorbing insole with Dri-Lex™ cover
- PK mesh lining is breathable and absorbs moisture
- Enforcer Series Ultra-Lites™ rubber outsole is slip-resistant
- Non-metallic components
- Cement construction
- 30% lighter, 35% more flexible
- 41% heel, 18% forefoot improved shock absorption
- 20 oz

LINE ITEM # 110 BATES WOMENS 5" TACTICAL SPORT BOOT 2762

- 5" Quarter Boot
- Leather/1680 denier ballistic nylon uppers
- Fiberglass shank
- Removable shock absorbing insole with Dri-Lex™ cover
- PK mesh lining is breathable and absorbs moisture
- Oil-and slip-resistant rubber outsole
- Non-metallic components
- 30% lighter, 35% more flexible
- 41% heel, 18% forefoot improved shock absorption

LINE ITEM # 111 ROCKY PRO CELL LEATHER CHUKKA BOOT 501-8

- Men's Pro Cell Leather Chukka
- Leather

LEXINGTON POLICE DEPARTMENT

- Water-resistant
- Pro Cell outsole and Pro Cell polyurethane midsole with perforated air-flow insert
- 90° heel rest assures secure footing
- Lightweight

LINE ITEM # 112 BATES HIGH SHINE PATROL OXFORD E22233

- Men's High Shine Patrol Oxford
- Removable full cushioned footbed is breathable and resists odors and mildew
- Breathable mesh lining
- Outsole designed to be light, cool, and slip-resistant, plus it adds spring to every step

LINE ITEM # 113 DANNER MEN'S 6" QUARTER BOOT 25200

- Full-Grain Polishable Leather & 1000 Denier Nylon UpperTo reduce the weight of the boot, we combine our smooth, full-grain leather with incredibly strong 1000 Denier nylon. This durable upper is completely polishable.
- GORE-TEX® (GTX)100% waterproof and breathable, GORE-TEX® liners ensure that no water gets in, while allowing sweat and moisture to get out.
- Vibram® 1276 Sierra OutsoleLightweight comfort with superb shock absorption, this outsole uses a rubber compound that guarantees great traction and stability on both wet and dry surfaces.
- Women's SizingThis boot is available in men's and women's sizing, please ensure that you've selected the correct width for your needs.
- Stitchdown ConstructionHandcrafted to provide a wider platform, our legendary stitchdown construction offers increased stability underfoot. Many of our stitchdown boots can be recrafted.
- How It FitsThe 650 last offers a sleek, slender profile with a more narrow fit. Boots on this last tend to fit those with a more narrow foot better than those with a wider foot. This ensures a snug fit for terrain and activities that demand support and stability. If you do have a wider foot, we recommend ordering an "EE" (wide) in this style.
- RecraftableExtend the life of your boot with our recrafting services. This boot is eligible for a number of services, including part replacement, leather care and restitching

LINE ITEM # 114 DANNER ACADIA SAFETY TOE BOOT 22500

- Full-Grain Polishable Leather & 1000 Denier Nylon UpperTo reduce the weight of the boot, we combine our smooth, full-grain leather with incredibly strong 1000 Denier nylon. This durable upper is completely polishable.
- GORE-TEX® (GTX)100% waterproof and breathable, GORE-TEX® liners ensure that no water gets in, while allowing sweat and moisture to get out.
- Non-Metallic Toe (NMT)Our non-metallic toe does not transmit heat or cold. Nor will it set off metal detectors. As expected, it meets or exceeds ASTM F2413-11 M I/75 C/75 EH standards.
- Vibram® Kletterlift OutsoleSpecifically designed for comfort and durability; the heel provides superb shock absorption and the rubber compound guarantees great traction and stability on both wet and dry surfaces.
- Stitchdown ConstructionHandcrafted to provide a wider platform, our legendary stitchdown construction offers increased stability underfoot. Many of our stitchdown boots can be recrafted.
- How It FitsThe 650 last offers a sleek, slender profile with a more narrow fit. Boots on this last tend to fit those with a more narrow foot better than those with a wider foot. This ensures a snug fit for terrain and activities that demand support and stability. If you do have a wider foot, we recommend ordering an "EE" (wide) in this style.
- RecraftableExtend the life of your boot with our recrafting services. This boot is eligible for a number of services, including part replacement, leather care and restitching

LEXINGTON POLICE DEPARTMENT

LINE ITEM # 115 GALLS DIE CUT LEATHER BADGE WALLET 79610 DIE CUT

Classic wallet includes sections for a badge, ID, money and photos. Holds ID's 2-3/4" x 4".

LINE ITEM # 116 QUIK-PIN DAMMITS (6 PACK) BC942 CLR

- Smooth, comfortable retainers
- No brass "wings" digging into your chest
- Light-weight, tight grip, low profile
- Six per package

LINE ITEM # 117 PLAIN 2 INCH TIE BAR - SILVER J108 NI

Blackinton 2" x 1/4" Plain Tie Bar - smooth

LINE ITEM # 118 PLAIN 2 INCH TIE BAR - GOLD J108 GO

Blackinton 2" x 1/4" Plain Tie Bar - smooth

LINE ITEM # 119 KLENCH NAMETAG FASTENERS K-FB1515

Made of extremely tough polyurethane and designed to hold posts tightly.

LINE ITEM # 120 REEVES SERVING SINCE BAR WITH BLUE LETTERS - SILVER YSLE SIL

Custom Metal "Serving Since" Bar will fit Name Plates up to 5/8" x 2 11/16" . Made of high quality Nickle Chrome or Gold Plate metal, and slips over the pins on the back of the name plate. Engraving is available in Block only and in your choice of Black, Blue.

LINE ITEM # 121 REEVES SERVING SINCE BAR WITH BLUE LETTERS - GOLD YSLE GLD

Custom Metal "Serving Since" Bar will fit Name Plates up to 5/8" x 2 11/16" . Made of high quality Nickle Chrome or Gold Plate metal, and slips over the pins on the back of the name plate. Engraving is available in Block only and in your choice of Black, Blue.

LINE ITEM # 122 BLACKINTON NAMETAG 2.5" X 0.5" ONE LINE - SILVER J1 1LINE RH PLSH CB

- 1 Line Nameplate
- 2 1/2" Length, 1/2" Height
- Choose between a brushed (matte look) or polished (shiny, smooth) finish
- Gold or Silver
- Personalization will be sent as it is input and is **case sensitive**
- Up to 20 characters including spaces

LINE ITEM # 123 BLACKINTON NAMETAG 2.5" X 0.5" ONE LINE - GOLD J1 1LINE GP PLSH CB

- 1 Line Nameplate
- 2 1/2" Length, 1/2" Height
- Choose between a brushed (matte look) or polished (shiny, smooth) finish
- Gold or Silver
- Personalization will be sent as it is input and is **case sensitive**
- Up to 20 characters including spaces

LINE ITEM # 124 FLYING CROSS "P" BUTTONS FOR UNIFORM JACKET (6 PACK) - GLD LG 1-00190-36PB-13807

LEXINGTON POLICE DEPARTMENT



LINE ITEM # 125 FLYING CROSS "P" BUTTONS FOR UNIFORM JACKET (6 PACK) - GLD SM 1-00190-24PB-13807



LINE ITEM # 126 FLYING CROSS "P" BUTTONS FOR UNIFORM JACKET (6 PACK) - SIL LG 1-00190-24PB-11905



LINE ITEM # 127 FLYING CROSS "P" BUTTONS FOR UNIFORM JACKET (6 PACK) - SIL SM 1-00190-36PB-11905

Use these buttons with your Flying Cross Uniform Jacket. Pack of six.

LEXINGTON POLICE DEPARTMENT



LINE ITEM # 128 LAWPRO WASHERS AND TOGGLES FOR UNIFORM JACKETS 6-00000-ACPB-00000

- Mirra-Brite Finish
- The hook backing on these buttons allows them to be sewn on, or they can be applied using our toggle and washer. The button slides through the hole, a washer slide on the back, and a toggle slides through the button to hold it on

LINE ITEM # 129 GALLS FLEXIBLE WAIST BELT GA9074W44

Keep your shirt tucked in neatly with the Galls® Flexible Waist Belt. Goes under slacks and over your shirt for an all-day professional appearance. Waist belt fits waists up to 50.

LINE ITEM # 130 GALLS CLIP ON TIE 90010 061

- 100% polyester
- Pre-tied
- Tropical weave
- Comes with three buttonholes to keep ties straight
- Slide small end of tie through the loop and button to the shirt
- Made in USA

LINE ITEM # 131 GALLS BREAKAWAY TIE 90111 61

- 100% polyester
- Pre-tied
- Hook and loop fasteners
- 3" wide with permanent knots
- Comes with three buttonholes to keep ties straight
- Slide small end of tie through the loop and button to the shirt
- Made in USA

LINE ITEM # 132 GALLS FLEXIBLE WAIST BELT AND SHIRT GARTER UA725

Flexible Waist Belt

Wear this rubber waist belt under slacks and over your shirt tail to keep your shirt tucked in neatly. Fits waist sizes up to 42".

Shirt Garter

Just clip one end of each of the four bands to your shirttail (two in the front and two in the back). Then attach the other end to your socks (one on the front and back of each sock). Bands are adjustable. 4 pk.

LEXINGTON POLICE DEPARTMENT

LINE ITEM # 133 GALLS SHIRT GARTER 9054

Galls® Flexible Waist Belt allows you to just clip one end of each of the four bands to your shirttail (two in the front and two in the back). Then attach the other end to your socks (one on the front and back of each sock).

LINE ITEM # 134 A7010 SMALL SGT CHEVRONS (PAIR) A7010 GP

- Dimensions
 - Width : 3/4"
 - Height : 3/4"

LINE ITEM # 135 A1973 SMALL LIT BARS (PAIR) A1973 NI

- Dimensions
 - Width : 1/4"
 - Height : 3/4"

LINE ITEM # 136 A982-3 SMALL OAK LEAVES RHODIUM (PAIR) A982-3 RH

- Width : 11/16"
- Height : 3/4"

LINE ITEM # 137 A982-3 SMALL OAK LEAVES GOLD (PAIR) A982-3 HG

- Width : 11/16"
- Height : 3/4"

LINE ITEM # 138 A2015 SM EAGLES (PAIR) A2015 RH

- Dimensions
 - Width : 1/2"
 - Height : 1"

LINE ITEM # 139 GALLS REFLECTIVE SAFETY GLOVES 5G481

- Polyester material with 3M® Scotchlite reflective strips
- One size fits all
- Imported

LINE ITEM # 140 RINGER HI-VIS TRAFFIC GLOVES 307

- Made of light reflective fabric in bright lime yellow or orange colors
- Reflective stripes on the palm gives added visibility, especially at night
- Quick pull-on design for easy on/off

LINE ITEM # 141 GALLS 2 CELL LED TRAFFIC BATON HS266

- Six red LED lights and a red reflector for maximum visibility
- Two flash patterns and steady burn
- Uses two C batteries (sold separately)
- 21"L
- 5 oz

LINE ITEM # 142 FOX 40 CUSHIONED WHISTLE 9600 WN

LEXINGTON POLICE DEPARTMENT

It's the Fox 40 high pitch, no pea (cork ball) whistle ... now with a cushioned mouthpiece for improved comfort. Comes with black nylon neck lanyard. Made of durable ABS plastic. Made in Canada.

LINE ITEM # 143 LEX POLICE CUSTOM SAFTEY VEST ANSI 3 LHV43ANSIX3LPAD



LINE ITEM # 144 5.11 TACTICAL TAC DRY RAIN SHELL 48098 019

***NO SUBSTITUTIONS**

- QUIXIP™ - quick access side seam zips
- Abrasion panels in key areas
- Pullout panels on front chest and back
- Removable and stowable hood
- Elastic cord adjustment at hem
- Imported

LINE ITEM # 145 5.11 TACTICAL PATROL RAIN PANT 48057 019

***NO SUBSTITUTIONS**

- High performance waterproof/ breathable
- Cargo pockets and pass through front pockets
- Comfort-fit high rise waistband
- Keeper plus belt loops to support duty belt
- Abrasion-resistant nylon on knees and lower legs
- Articulated knees and gusseted crotch
- 12" boot zippers at ankle
- Imported

LINE ITEM # 146 DAMASCUS SUB ZERO DUTY GLOVES PART DZ-9 BLK

- Nylon/Lycra® stretch back panels
- Leather palms
- A Damascus® original design concept featuring a unique multi-layer system
- Performance articulated pre-curved design to maximize hand comfort and fit
- 2 waterproof liners
- 2 layers of fleece
- Adjustable, VELCRO® brand wrist closure
- Imported

LEXINGTON POLICE DEPARTMENT

LINE ITEM # 147 FLYING CROSS WATERPROOF DUTY JACKET, LINER, BLK "P" BUTTONS F1 59130WP 86

*NO SUBSTITUTIONS, MUST BE A STOCKED ITEM

MEN'S COAT SPECIFICATIONS

Flying Cross by Fechheimer Item: 59130WP

FABRIC:

Outer Shell - 100% Nylon Full Dull With PU Clear Breathable Coating 5000/5000+W/R+Cire (FAA-KOXYG)

COLOR:

Navy Blue

LINING:

100% Nylon 210T Taffeta 78gm/m2 P/D + PU clear coating 1000 mm +W/R + cire (I4-DOUAG). Color of lining must be black.



BODY DESIGN:

The jacket shall be full cut, waist length with zipper front closure, zip-in/zip-out liner, shirred waistband and zippered side vents. Body and sleeves are fully lined with a permanent 86 pick Nylon, color to match. The fronts shall be plain with patch pockets, scalloped flaps and badge tab. Jacket will be designed with a facing to accommodate the zip-out liner. There is to be a separate 2 ½" shirred waistband with 2 ½" heavy-duty elastic. The entire waistband is to be shirred with the exception of an area approximately 6" on either side of the front opening. The jacket shall be designed with size zippered vents for easy access to weapon and equipment. The vents must have an elasticized snap tab closure system at the bottom.

SLEEVES:

The sleeves shall be one piece. The bottom of the sleeve shall have Velcro and elastic for adjustable fit.

POCKETS & FLAPS:

There shall be two patch pockets with inverted pleats finishing approximately 7" wide and 7 ¾" deep. Flaps shall be scalloped and self-lined. They shall close with Velcro on the side points and with a centered buttonhole. The pockets shall have a minimum 6" opening at the top and sides. The pockets shall be interlined with 65%/35% Poly/Cotton. The left flap is to have a pencil opening at the top of the flap. Both the pockets and the flaps are bartacked.

COLLAR AND COLLAR STAND:

The permanent collar shall be made of two plies of the basic fabric plus the interlining. The collar shall be designed to accommodate a removable fur collar by having buttons on the underside of the collar. The collar points shall be well shaped and symmetrical. The collar shall be top stitched with collar points long enough for a neat appearance.

BADGE TAB:

To be of jacket material 2 1/2" long, 1" wide with 2 metal vertical eyelets 1 1/4" apart, center to center. Tab centered above left pocket and flap.

SHOULDER STRAPS:

Shoulder straps constructed of two plies of the basic fabric plus the interlining. Shoulder strap shall be pointed and have slight taper for better appearance. Shoulder straps shall be sewn into the sleeve head with cross-stitching and the points of the straps stitched to the shoulder at the neck.

FINISHING & PRESSING:

LEXINGTON POLICE DEPARTMENT

The entire jacket must be made in a first class manner - work clothes type jackets will not be acceptable. All loose threads must be removed and jacket must be completely pressed with high temperature pressing equipment and properly shaped. When completed, the jacket must be baked at the proper temperature to insure wrinkle resistance.

LABELS:

There shall be permanently affixed size label and care instruction label.

INSIDE POCKETS:

Jacket shall have a welt inside breast pocket on each side. Pocket lining shall be 65/35 Poly/Cotton.

SIDE ZIPPER VENTS:

Jacket shall be designed with side zippered vents for easy access to weapon and equipment. The vents must have an elasticized snap tab closure system at the bottom.

SIZES AVAILABLE:

XS – 5XL

Zip-out Liner:

SHELL:

86 pick black nylon taffeta.

INSULATION:

3M Thinsulate, with a scrim covering front and back to prevent migration of insulation fibers. Lining must be quilted horizontally with a minimum of a 6" railroad pattern for maximum thermo retention. Excess stitching and openings in liner cause extreme loss of body heat.

BODY:

Body - 3M Thinsulate CDS 200 composed of 65% Polyolefin microfibers and 35% 6 Denier Polyester staple fibers (by weight) shall weigh approximately 200-grams/square meter horizontally quilted.

SLEEVES:

Sleeves - 3M Thinsulate CDS 100 composed of 65% Polyolefin microfibers and 35% 6 Denier Polyester staple fibers (by weight). Shall weigh approximately 100-grams/square meter horizontally quilted. The liner sleeves shall have knit wristlets.

KNIT INSERTS:

Black knit inserts must be attached beginning at the shoulder seam to the side seam of the liner sleeves approximately 16" in length and 2" at widest center point for comfort and ease of movement.

BASIC DESIGN:

The liner should be full cut, designed to properly fit into jacket. Liner to incorporate side vent openings corresponding in location with side vents on jackets to allow access to equipment or weapon.

All outer edges of the liner must be bound, covered with a bias binding and sewn with a safety stitch.

Liner sleeves to attach to jacket sleeves with a snap and tab system. Use of a button and buttonhole for this purpose is unacceptable.

The liner shall have one patch pocket located on the inside of the left front.

There shall be a zipper around the perimeter of the liner so it may be properly zipped into the jacket.

LEXINGTON POLICE DEPARTMENT

LINE ITEM # 148 FLYING CROSS FLEECE LINED QUARTER ZIP COMMANDO SWEATER F1 740 86

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

SWEATER SPECIFICATIONS

Flying Cross by Fechheimer Item: F1 740 86

FABRIC:

Content: 30 % Polyester / 33% Wool / 37% Acrylic

Weave: Rib Knit with bonded micro fleece

Color: Navy

DESIGN:

The sweater is a pullover type with a quarter-zip styling with a ¼" double welt covered #3 reverse coil zipper, set-in long sleeves with shoulder patches, elbow patches. Optional nameplate, badge tabs and epaulets.



CLOTH SHOULDER PATCHES AND ELBOW PATCHES:

The cloth used for making the shoulder patches, elbow patches, epaulets, nameplate and badge tabs shall be a matching cloth out of Stretch Woven Ripstop.

ELBOW PATCHES:

Sleeves shall have elbow patches sewn into the underarm seam and double needle ¼" stitching throughout the rest of the elbow patch. The elbow patch shall measure 15 ¼" long for sizes X-Small – Large and 16 ½" long for sizes X-Large through 4XL. The elbow patch shall measure 3 ½" wide at sleeve bottom.

BADGE, NAMEPLATE AND EPAULETS:

The badge tab will measure 3" x 4 3/8" and have metal eyelets spaced 1 ¼" apart. The nameplate will measure 1 1/8" x 2 ¼" and have metal eyelets spaced 1 ¼" apart. The epaulets will measure 2" wide at raw edge and 1 ½" at pointed edge. There shall be a ¾" x ¾" piece of Velcro hook sewn to the epaulet approximately ½" from epaulet point with a ¼" x ¼" piece of Velcro loop attached to the Velcro hook.

FINISHING & PACKAGING:

Sweaters shall be constructed in a first class manner with patches, thread used throughout. All exposed inside edges must be serged and/or fold over elastic hem and all loose threads to be thoroughly trimmed. Sweaters to be individually bagged in clear plastic bags. A polybag containing the epaulets, badge tab and nameplate shall be attached Flying Cross label.

LABELS:

There shall be permanently affixed Flying Cross and size label sewn into the neck seam and there shall be a care/content label sewn into the side seam on the wearer's left side.

CARE:

Washable.

SIZE RANGE:

XS – 4XL

LINE ITEM # 149 HANES NANO COTTON T SHIRT - PLAIN 4980 WHT

LEXINGTON POLICE DEPARTMENT

- 4.5-ounce, 100% ring spun cotton
- •99/1 cotton/poly (Ash)
- •90/10 cotton/poly (Light Steel)
- Contemporary fit
- Narrow rib knit collar without coverseam
- Tag-free label
- Shoulders slightly rolled forward

LINE ITEM # 150 5.11 TACTICAL UTILITY T SHIRTS (3 PACK) 40016 010

The 100% cotton material is of high quality, with double-needle tailoring at the shoulder and a no-roll, high-density collar that won't sag or fray.

- 4.5 oz, ringspun cotton fabric
- Moisture-wicking fabric
- Crew neck
- 1" no-roll high-density collar
- Tapered shoulder design
- Extended length
- Double-stitching
- Tagless label
- Accepts embroidery and silk-screening

LINE ITEM # 151 FLYING CROSS CROSS FX CLASS B UNIFORM PANTS F1 FX57300 86

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

Flying Cross by Fechheimer Item: FX57300

FABRIC:

Content: 65% Polyester 35% Cotton with Repel finish

Weight: 6.5 oz. Per square yard

Weave: Mini Ripstop

Color: Navy Blue

STYLE:

Trouser shall be manufactured from an up-to-date men's uniform trouser pattern. The trouser styling shall be (2) knife notch front pockets, two (2) hip pockets professionally finished with no visible topstitching, (2) club pockets and (2) cargo pockets. Gusseted crotch with folded front lining.




LINING MATERIAL:

The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

WAISTBAND:


FREEDOM-FLEX WAISTBAND SYSTEM:



LEXINGTON POLICE DEPARTMENT

Trouser shall be made with a special Freedom-Flex Waistband System that will allow the wearer waist expansion of 2 1/2" to 3". The waistband shall measure a minimum of 1-7/8" wide when finished. The flexible expansion split portion of the waistband shall be to the front of the trouser side seam and there shall be a 3/4-inch wide side belt loop positioned to "hide" the expansion split of the waistband.

The waistband curtain shall consist of two different styles for maximum waistband expansion to enhance wearer comfort, fit, and appearance. The front of the trouser (to the expansion split) waistband curtain style shall consist of a 2-inch wide elastic section that incorporates Tru-Grip, a 1/2" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Use of a single silicone strip or strips instead of 1/2" wide rubberized surface area shall be cause for rejection.)



The back half of the trouser waistband curtain shall finish a minimum 2-1/8" wide and is to be made of black pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must also contain Tru-Grip and will line up with the Tru-Grip on the front of the expansion split. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)

The waistband curtain is composed of a wet laid non-woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The 1/2" rubberized surface area is positioned 1-1/4" up from the bottom of the curtain.

The specifications for the rubberized Tru-Grip curtain are as follows:

Width: 1-1/8-inch

Warp: 300 Denier Texturized Polyester

Filling: 300 Denier Texturized Polyester

Rubber: 55 Gauge

Count: 32-36 yarns per inch

Contents: 59% Polyester/41% Rubber

To complete the Freedom-Flex Waistband System, there shall be a 1-1/4" wide elastic component sewn into the back half of the waistband curtain to allow for the stretch and recovery of the waistband to comfortably fit the wearer's waist size. There shall be a bartack for strength and durability sewn at the stress point on the waistband where it joins the front elasticized waistband curtain joining stitching (positioned, on the waistband above the front pocket.)

The waistband closure shall be accomplished with two crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with a 7/8" non-woven tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam of the trouser to be finished to allow for alterations (with ample fabric and curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be proportional to the waist outlet so the seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum stretch.


BELT LOOPS:

There shall be a minimum of seven dropped belt loops 1" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the bottom of the waistband. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.

FLY:

LEXINGTON POLICE DEPARTMENT

"J" STITCH



stitch.

Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same material and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape for maximum strength. Bartack shall line up with starting point of "J" stitch.


SEAT:

Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.


POCKETS:

The two (2) front pockets will be knife notch style with a minimum opening of 6" and a minimum depth of 5-3/4" measured from the bottom of the opening. Front pocket facing and barrier to be made of the basic trouser fabric. Facing shall be a minimum of 1" and barrier shall measure approximately 4" (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8" wide (bartack to bartack) opening and a minimum depth of 5-3/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing and barrier are to be made of basic trouser fabric. Facing shall be a minimum of 3/4" and the barrier shall be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.



HIP POCKET WITH TAB




BARTACK

There shall be club pockets located 4 1/2" (plus or minus 1/4") and in line with each hip pocket. The club pockets shall be 2 1/4" (plus or minus 1/4") from the side seam with a minimum opening of 3 1/2" and a minimum depth of 8". Pocketing material to be the same as side and hip pockets. Club pockets shall be constructed using the double welt method on a REECE PW machine and finished in such a manner that there is no topstitching (topstitched club pockets shall be cause for rejection). The corners of the club pockets shall have straight bartacks for reinforcing strength.

CARGO POCKETS:

There shall be two cargo pockets, one on each side seam. Pockets shall have two inverted pleated bellows in back patch pockets with mitered corner flaps. The pockets




LEXINGTON POLICE DEPARTMENT

will be centered across the side seam and placed approximately 3 1/4" below the bottom of the front side pocket, measuring from the top of the pocket flap. The pocket shall be constructed of the shell fabric. The top edge of the pocket shall be turned and stitched down 1". The outside measurements of the pocket shall be a minimum of 8" wide and a minimum of 9" deep with mitered bottom corners. There shall be two inverted pleats on each pocket. The inverted pleat nearest to the front of the trouser shall have a vertical zipper pocket built into the cargo pocket with a 6" opening. The cargo pockets shall have a 2" wide piece of black elastic inside at center of each cargo pocket with vertical stitching half way through and to allow for 5/8" bubble to be able to insert and hold items. The pocket flap shall have mitered corners and measure a minimum of 8 1/4" wide, a minimum of 2 1/4" deep at the center. The flap shall be 1/8" double needle stitched across the top to the inner pocket, covering the top edge of the outer pocket. The flaps shall have a 1 1/4" pencil opening at top of each flap with vertical bartacks at each end. At the corners there shall be a 1" wide x 1" high piece of Velcro (loop side) sewn to the inner ply of the flap and a corresponding piece of Velcro (hook side) sewn on the pocket. There shall be straight vertical bartacks at the top corners of each pocket flap.

STITCHING, PRESSING & FINISHING:

Trouser must be stitched with matching thread. Trouser must be neatly pressed on Hothead Presses and properly shaped. Inseams are edge serged on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Outseam shall be finished with 1/8" double needle construction. Trouser must be cleaned and finished to eliminate loose threads.



CREASES:

The leg creases, front and back will have a silicone bead put in by using the Lintrak process.

LABELS:

Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL or RN number must be on the outside of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

STOCK SIZING:

Trouser must be available from stock in the following sizes:

Mens Size – 28 through 54 with odd sizes up to and including 37
Short rise - 32, 34, 36, 38, 40

LINE ITEM # 152 FLYING CROSS CROSS FX CLASS B SS
UNIFORM SHIRT F1 FX5100 86

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

MEN'S SHIRT SPECIFICATIONS

Flying Cross by Fechheimer Item: F1 FX5100

FABRIC:

Content: 65% Polyester / 35% Cotton with Repel Finish



LEXINGTON POLICE DEPARTMENT

Weight: 5.0 oz. / square yard

Weave: Mini Ripstop

Available Colors:

Silvertan (F1 FX5100 04)

Black (F1 FX5100 10)


O.D. Green (F1 FX5100 27)

Navy Blue (F1 FX5100 86)

Brown (F1 FX5100 94)

STYLE:

To be Flying Cross Model F1 FX5100. Dress style, top center placket front, knit underarm gussets, full cut tapered fit. Convertible sport, collar, short sleeves and dress shirttail. Two front map pockets with Velcro closure and inverted pleated breast pockets with topstitched pointed flaps. Topstitched shoulder straps. Full reinforcement. Wire Pass-through openings. Inside yoke lined mesh fabric. Back yoke to be 1/8" double needle topstitched. industrial style shirt construction is unacceptable and shall be rejection.



badge
with nylon
Work wear
cause for

COLLAR:

Convertible collar shall be one piece. Collar points to measure 2- ultrasonically fused-in Mylar stays. Collar stays are positioned leading edge of the collar. Collar to have woven interlining of Stays to be 2" long, 3/8" minimum width, and to be fused to collar interlining. Stays applied directly to collar material itself Collar is 1/8" Double Needle topstitched. Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.

1/2" long with
along the
#250 Dacron.
underside of
unacceptable.

FRONT:

Each front shall have a facing approximately 3" in width. The left front shall have a top center placket 1-1/2" wide with two double rows of stitching. Stitching on top center is not to be visible on the turn-back facing. The shirt will have 7 buttons and buttonholes on the front; spacing between each will be 3-3/4" except the spacing between the neck button and the first button on the front, which will be approximately 2 1/2". Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/8" double needle stitch. Safety stitch joining unacceptable. A 15" nylon zipper, to be set below the second button and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the right front, the balance to be sewn over the buttonholes on the left front.

VENTED BACK YOKE:

Vented, two-ply back yoke constructed of self goods and Nylon Mesh trim. Vents are constructed with one vertical bartack at the center back with two vertical bar-tacks equal distance from the center and spaced proportionally to the size of the shirt. Vents are open in the center and stitched closed from outer vertical bar-tacks to armhole.

SHOULDER STRAPS:


Shoulder straps to be two-piece pointed, 1/8" double needle topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.

BADGE REINFORCEMENT:

LEXINGTON POLICE DEPARTMENT

Wearer's Right & Left Side Seam

Knit Diamond Gusset and Underarm Gusset with Wire Pass Through



Two-ply sling 1" wide centered over left pocket and stitched to shoulder seam and flap setting stitch. It shall have 2 (two) buttonhole eyelets 1-1/4" from top of pocket flap spaced 1-1/4" apart and centered on sling.

LOOSE MICROPHONE AND CAMERA TAB:

Each shirt shall have a loose microphone and camera tab included that may be installed by the user if needed.

WIRE PASS THROUGH OPENINGS:

Each front shall have an 11/16" horizontal buttonhole to be centered vertically and horizontally between the top of the pocket and the bottom of the open flap.

Each shoulder shall have an 11/16" horizontal buttonhole to be centered under the shoulder straps and sewn through the shoulder of the shirt.

UNDERARM GUSSET WITH WIRE PASS THROUGH:

MAP POCKETS:

Each front shall be constructed with a map pocket design which is sewn to the shirt front with Velcro opening on each pocket near the top center placket. Map pockets extend into the sleeving seam and side body seams.

POCKETS:

Two breast patch pockets with mitered corners and 1-1/2" inverted pleats to be sewn over the map pockets. Pleats shall be stitched approximately 1" from top and bottom of pocket. Pocket to measure 5-5/8" wide, 6" deep. Both breast pockets to have 1- 1/2" pencil stitch and to be set to the map pockets with 1/8" double needle stitching. Each pocket to have hook Velcro, 1" long by 1" wide, positioned on both edges of pocket to correspond with outer pointed flap edges as specified.

FLAPS:

Two piece pointed design to measure 5-7/8" across and 2-1/2" in depth at center point, 1-1/2" at sides. Secured to shirtfront approximately 3/8" above pocket. Each flap to have invisible pencil opening 1-1/2" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/8" double needle topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have looped Velcro 1" long by 1" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a button centered on uncut sewn buttonhole.

SLEEVES:

Sleeve are to be straight and whole and to have a 3/4" hem and to finish at a minimum of 9 1/2" long from shoulder seam.

BUTTONS:

First grade 22-ligne melamine.

SEWING:

LEXINGTON POLICE DEPARTMENT

Collar, shoulder straps and pocket flaps to be topstitched with 1/8" double needle stitching. Sleeve inserting is with 1/8" double needle seams. Side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, Pocket flaps, Shoulder straps and top center to be interlined with #250 Dacron.

MILITARY CREASES:

There shall be five sharp silicone military creases on all shirts. One crease on each front to be centered vertically. Front creases shall not be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

CONSTRUCTION:

Collar, cuffs, flaps and shoulder straps are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

STOCK SIZES:

Shirts must be available in the following sizes:

Alpha sizes: S - 5XL

Female Style will be F1 FX5100W

FABRIC:

Content: 65% Polyester / 35% Cotton with Repel Finish

Weight: 5.0 oz. / square yard

Weave: Mini Ripstop

Available Colors:

Silvertan (F1 FX5100 04)

Black (F1 FX5100 10)

O.D. Green (F1 FX5100 27)

Navy Blue (F1 FX5100 86)

Brown (F1 FX5100 94)

Female shirts shall be constructed the same as the male shirts but cut on female patterns.

STOCK SIZES:

Shirts must be available in the following sizes:

LEXINGTON POLICE DEPARTMENT

Bust Sizes 30-52

LINE ITEM # 153 FLYING CROSS CROSS FX CLASS B LS UNIFORM SHIRT F1 FX5120 86

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

MEN'S SHIRT SPECIFICATIONS

Flying Cross by Fechheimer Item: F1 FX5120

FABRIC:

Content: 65% Polyester / 35% Cotton with Repel Finish

Weight: 5.0 oz. / square yard

Weave: Mini Ripstop

Available Colors:


Silvertan (F1 FX5120 04)

Black (F1 FX5120 10)

O.D. Green (F1 FX5120 27)

Navy Blue (F1 FX5120 86)

Brown (F1 FX5120 94)



STYLE:

To be Flying Cross Model F1 FX5120. Dress style, top center placket front, knit underarm gussets, full cut tapered fit, Convertible sport, collar, long sleeves with barrel cuffs and dress shirttail. Two front map pockets with Velcro closure and inverted pleated breast pockets with topstitched pointed flaps. Topstitched shoulder straps. Full badge reinforcement. Wire Pass-through openings. Inside yoke lined with nylon mesh fabric. Back yoke to be 1/8" double needle topstitched. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.

COLLAR:


Convertible collar shall be one piece. Collar points to measure 2-1/2" long with ultrasonically fused-in Mylar stays. Collar stays are positioned along the leading edge of the collar. Collar to have woven interlining of #250 Dacron. Stays to be 2" long, 3/8" minimum width, and to be fused to underside of collar interlining. Stays applied directly to collar material itself unacceptable. Collar is 1/8" Double Needle topstitched. Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.

FRONT:

Each front shall have a facing approximately 3" in width. The left front shall have a top center placket 1-1/2" wide with two double rows of stitching. Stitching on top center is not to be visible on the turn-back facing. The shirt will have 7 buttons and buttonholes on the front; spacing between each will be 3-3/4" except the spacing between the neck button and the first button on the front, which will be approximately 2 1/2". Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/8" double needle stitch. Safety stitch joining unacceptable. A 15" nylon zipper, to be set below the second button

LEXINGTON POLICE DEPARTMENT

Wearer's Right & Left Side Seam
Knit Diamond Gusset and Underarm Gusset with Wire Pass Through



and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the right front, the balance to be sewn over the buttonholes on the left front.

VENTED BACK YOKE:

Vented, two-ply back yoke constructed of self goods and Nylon Mesh trim. Vents are constructed with one vertical bartack at the center back with two vertical bar-tacks equal distance from the center and spaced proportionally to the size of the shirt. Vents are open in the center and stitched closed from outer vertical bar-tacks to armhole.

SHOULDER STRAPS:

Shoulder straps to be two-piece pointed, 1/8" double needle topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set

seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.

BADGE REINFORCEMENT:

Two-ply sling 1" wide centered over left pocket and stitched to shoulder seam and flap setting stitch. It shall have 2 (two) buttonhole eyelets 1-1/4" from top of pocket flap spaced 1-1/4" apart and centered on sling.

LOOSE MICROPHONE AND CAMERA TAB:

Each shirt shall have a loose microphone and camera tab included that may be installed by the user if needed.

WIRE PASS THROUGH OPENINGS:

Each front shall have an 11/16" horizontal buttonhole to be centered vertically and horizontally between the top of the pocket and the bottom of the open flap.

Each shoulder shall have an 11/16" horizontal buttonhole to be centered under the shoulder straps and sewn through the shoulder of the shirt.

UNDERARM GUSSET WITH WIRE PASS THROUGH:

MAP POCKETS:

Each front shall be constructed with a map pocket design which is sewn to the shirt front with Velcro opening on each pocket near the top center placket. Map pockets extend into the sleeving seam and side body seams.

POCKETS:

Two breast patch pockets with mitered corners and 1-1/2" inverted pleats to be sewn over the map pockets. Pleats shall be stitched approximately 1" from top and bottom of pocket. Pocket to measure 5-5/8" wide, 6" deep. Both breast pockets to have 1- 1/2" pencil stitch and to be set to the map pockets with 1/8" double needle stitching. Each pocket to have hook Velcro, 1" long by 1" wide, positioned on both edges of pocket to correspond with outer pointed flap edges as specified.

FLAPS:

LEXINGTON POLICE DEPARTMENT

Two piece pointed design to measure 5-7/8" across and 2-1/2" in depth at center point, 1-1/2" at sides. Secured to shirtfront approximately 3/8" above pocket. Each flap to have invisible pencil opening 1-1/2" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/8" double needle topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have looped Velcro 1" long by 1" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a button centered on uncut sewn buttonhole.

SLEEVES:

Sleeve vent shall be a minimum of 4-1/2" long with one-piece top and bottom facings. Facing to measure 1-1/8" wide point blocked at top.

CUFFS:

Two piece 1/2-inch hemmed cuff with 1/8" double needle topstitching. Cuffs to measure 3" in depth with rounded corners (barrel cuffs). Cuffs to be two button adjustable with one button and buttonhole in center of facing. Cuffs to have woven interlining of #250 Dacron.

BUTTONS:

First grade 22-ligne melamine.

SEWING:

Collar, shoulder straps, cuffs and pocket flaps to be topstitched with 1/8" double needle stitching. Sleeve inserting is with 1/8" double needle seams. Side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, Pocket flaps, Cuffs, Shoulder straps and top center to be interlined with #250 Dacron.

MILITARY CREASES:

There shall be five sharp silicone military creases on all shirts. One crease on each front to be centered vertically. Front creases shall not be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

CONSTRUCTION:

Collar, cuffs, flaps and shoulder straps are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

STOCK SIZES:

Shirts must be available in the following sizes:

| | |
|------------|----------------|
| ALPHA BODY | SLEEVE LENGTHS |
|------------|----------------|

LEXINGTON POLICE DEPARTMENT

| | |
|-----------------------|-----------------------------------|
| SMALL | 30/31, 32/33, 34/35 |
| MEDIUM THROUGH XLARGE | 30/31, 32/33, 34/35, 36/37, 38/39 |
| 2XL THROUGH 5XL | 32/33, 34/35, 36/37, 38/39 |

Female Style will be F1 FX5120W

FABRIC:

Content: 65% Polyester / 35% Cotton with Repel Finish

Weight: 5.0 oz. / square yard

Weave: Mini Ripstop

Available Colors:

Silvertan (F1 FX5120 04)

Black (F1 FX5120 10)

O.D. Green (F1 FX5120 27)

Navy Blue (F1 FX5120 86)

Brown (F1 FX5120 94)

Female shirts shall be constructed the same as the male shirts but cut on female patterns.

STOCK SIZES:

Shirts must be available in the following sizes:

Bust Sizes 30-52

Long Sleeve Lengths:

| | | |
|------------|---------------|------------|
| 30, 32, 34 | Regular = 30" | Long = 31" |
| 36, 38 | Regular = 31" | Long = 32" |
| 40, 42 | Regular = 32" | Long = 33" |
| 44, 46 | Regular = 33" | Long = 34" |
| 48 & Up | Regular = 34" | Long = 35" |

LINE ITEM # 154 GALLS THREE SEASON JACKET JA085

***NO SUBSTITUTIONS**

- Taslan® outer shell
- Water-resistant
- Collar and torso lined with quilted, no-pill micro-fleece
- Two zippered slash pockets
- Storm flap behind zipper placket
- Raglan sleeves quilted from shoulder to cuff
- YKK® zipper on front extends into collar
- Elastic waistband for superb fit

LEXINGTON POLICE DEPARTMENT

- Machine wash and air dry
- Imported

LINE ITEM # 155 MOCEAN TWO TONE VEST CARRIER 0568 RBBK

- 100% cordura nylon
- Shoulder epaulettes
- Badge tab; name tab
- 3M reflective piping front and back
- Left chest zipper pocket
- Each vest will receive a patch on the left chest according to rank and name will be embroidered on right chest, see below photo for reference.



LINE ITEM # 156 MOCEAN WATER RESISTANT BIKE JACKET 6023SCRYBK

LINE ITEM # 157 MOCEAN MICRO FLEECE ZIP IN VEST LINE OC0032

LINE ITEM # 158 MOCEAN METRO PIQUE COLOR BLOCK SHIRT 0354 BLK ROYAL



- Contemporary two-tone color blocking stands out making you easier to see
- Reflective striping around arms and chest enhances visibility
- Teflon® coating for stain-resistance
- Anatomically sculpted shape
- Oversized chest for body armor
- Machine wash and dry
- Made in USA

LINE ITEM # 159 MOCEAN LS COLOR BLOCK POLO 0355 BK/RB

- Vapor Pique™ w/ Q-wick™ treatment
- Two-tone color blocked body
- 2-button, Polo style placket with integrated microphone keeper
- 'Anatomically Sculpted™' to achieve the best fit with an oversized chest to accommodate body armor
- Hidden chest pocket with concealed zipper closure
- 'Asymmetrical Arm Eyes™' enhance range of MOCEAN and keeps the shirt tucked in
- Reflective tape around the sleeves and piping across the front and back chest
- Shoulder epaulets

LEXINGTON POLICE DEPARTMENT

- Long body and split-tail hem is even longer in the back
- Single needle top stitching
- SHIRT CUSTOMIZATION:
 - Each shirt will receive reflective heat press on the back
 - LEXINGTON – 2 inches
 - POLICE – 3 inches
 - Each shirt will receive department patches on each shoulder



LINE ITEM # 160 MOCEAN SUPPLEX ZIP OFF BIKE PANTS 2058Z BLK

- 3.5 oz Supplex® nylon with Teflon HT®
- Windproof, water and stain-resistant
- Seven handy pockets
- Zipper fly
- Half-fitted/half-elastic waist
- Snap closure, Velcro® keeper
- Floating belt loops
- Gusseted crotch for ease of movement
- Double-needle stitched stress points
- Pants zip off to form shorts
- Reflective striping on back
- Vented knees cool overheated muscles
- Machine wash and dry
- Made in USA

LINE ITEM # 161 MOCEAN TECH NYLON BIKE PANTS 2080 BLK

LEXINGTON POLICE DEPARTMENT

- 4 oz 100% three-ply Taslan® nylon
- Two zippered back pockets
- Two side cargo pockets with flaps
- Two pen pockets in each cargo pocket
- Zipper fly
- 1-3/4"W elastic waistband with draw cord
- Four fabric-covered belt keepers with hook and loop closures
- Double-stitched seat for durability
- Elastic cuffs and stirrups
- Vented knees with stretch panels
- Machine wash and dry
- Imported

LINE ITEM # 162 MOCEAN TECH ZIP OFF NYLON BIKE PANTS 2088Z BLK

- 4 oz 100% three-ply Taslan® nylon
- Pant legs zip off just above the knee to convert to shorts
- Two zippered back pockets
- Side cargo pockets with hook and loop closure
- Two pen pockets in each cargo pocket
- Zipper fly
- 1-3/4"W elastic waistband with draw cord
- Four fabric-covered belt keepers with hook and loop closures
- Double-stitched seat for durability
- Elastic cuffs and stirrups
- Vented knees with stretch panels
- 9" zippered leg gussets
- Machine wash and dry
- Imported

LINE ITEM # 163 MOCEAN TECH STRETCH ZIP OFF BIKE PANTS 2098Z BLK

- 4.7 oz, 96% polyester, 4% Lycra® spandex
- Two zippered back pockets
- Two zippered side cargo pockets with flaps
- Two pen pockets on each cargo pocket
- Zipper fly
- Zippered leg gussets
- 2"W waistband with draw cord
- Four belt keepers with hook-and-loop closures
- Double stitched seat for durability
- Zip-Off Bike Pants convert to 8.5" inseam shorts when unzipped
- Machine wash and dry

LINE ITEM # 164 MOCEAN TECH NYLON PLAIN BIKE SHORTS 1080 BLK

- 4 oz 100% three-ply Taslan® nylon
- Two zippered back pockets
- Two zippered side cargo pockets with flaps
- Two pen pockets in each cargo pocket
- Zipper fly

LEXINGTON POLICE DEPARTMENT

- 1-3/4"W elastic waistband with draw cord
- Four fabric-covered belt keepers with hook and loop closures
- Double-stitched seat for durability
- 8" inseam
- Action leg side vents
- Machine wash and dry
- Imported

LINE ITEM # 165 MOCEAN TECH NYLON REFLECTIVE BIKE SHORTS 1081 BLK

- 4 oz 100% three-ply Taslan® nylon
- Two zippered back pockets
- Two zippered side cargo pockets with flaps
- Two pen pockets in each cargo pocket
- Zipper fly
- 1-3/4"W elastic waistband with draw cord
- Four fabric-covered belt keepers with hook and loop closures
- Double-stitched seat for durability
- 8" inseam
- Action leg side vents
- 3M® reflective piping along side seams
- Machine wash and dry

LINE ITEM # 166 MOCEAN TECH STRETCH BIKE SHORTS 1090 BLK

- 4.7 oz 96% polyester and 4% Lycra® Spandex®
- Two zippered back pockets
- Two zippered side cargo pockets with flaps
- Two open pockets on each cargo pocket
- Zipper fly
- 2"W waistband with draw cord
- Four belt keepers with hook and loop closures
- Double stitched seat for durability
- 8" inseam
- Machine wash and dry
- Imported

LINE ITEM # 167 5.11 TACLITE PRO SS SHIRT 71175 019

***NO SUBSTITUTIONS**

- 4 oz, Taclite 65% polyester, 35% cotton ripstop fabric
- Teflon®-treated for stain, liquid and soil resistance
- Moisture-wicking mesh venting on back to keep you cool
- Gusseted underarms for mobility
- Bartacking on all stress points
- Locker loop on inner collar
- Bellowed patch pockets, pencil pockets on left sleeve and 2 hidden secure chest pockets for documents or accessories
- Enhanced ventilation for warm climates
- Cape-back vent
- Melamine buttons won't burn, crack, or melt

LEXINGTON POLICE DEPARTMENT

- Machine wash and dry

LINE ITEM # 168 5.11 TACLITE PRO LS SHIRT 72175 019

***NO SUBSTITUTIONS**

- 4 oz, 65% polyester/35% cotton ripstop fabric
- Teflon®-treated for stain, liquid and soil resistance
- Moisture-wicking mesh venting on back to keep you cool
- Bellowed patch pockets, pencil pockets on left sleeve and 2 hidden secure chest pockets for documents or accessories
- Long sleeve
- Machine wash and dry

LINE ITEM # 169 5.11 TACLITE PRO PANTS 74273 192

***NO SUBSTITUTIONS**

- 6.14 oz ripstop, 65% polyester/35% cotton fabric
- Fade and wrinkle-resistant
- Teflon finish repels moisture, stains and dirt
- Patented straps and trademark slash pockets
- Welded pocket added to right side, parallel to magazine pocket
- YKK zipper & Prym snaps
- Diamond gusset added to the crotch for outstanding durability and flexibility
- Double thick seat and knees
- Machine wash and dry
- TUNDRA

LINE ITEM # 170 FLYING CROSS DRESS COAT F1 38800 86

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

MEN'S COAT SPECIFICATIONS
Flying Cross by Fechheimer Item: 38800 MEN'S

FABRIC

Content: 100% Polyester

Weight: 11 - 11 ½ oz. per linear yard

Weave: Serge

Color: Navy

BASIC DESIGN

Four (4) button, single breasted straight front, semi-form fitting, with notch lapels.

BUTTONS

No buttons or buttonholes added during production. Buttons must be specified.

COLLAR



LEXINGTON POLICE DEPARTMENT

Under collar of all wool collar cloth, closely padded.

EDGES AND SEAMS

Edges to be single stitched 3/16". Plain seams, pressed open.

POCKETS

Two (2) lower dummy scalloped flaps, two (2) pleated breast pockets with scalloped flaps. Lower and breast flaps to button. One (1) inside reinforced breast pocket right side.

VENT:

Shall be back center vent.

SHOULDER STRAPS

Double thickness, same cloth as body, interlined with linette or fusible pellon. Sewn in sleeve seams 2 ¼ inches wide tapering to approximately 2 inches at eye of buttonhole. Shoulder straps shall extend under collar with buttonhole and button showing ½ inch from edge of collar. To be stitched box style and cross-stitched to 2 inches from shoulder seam.

SLEEVES

Coat sleeves shall be turned up 2 ½ inches at bottom and interlined at cuffs with wigan 5 inches wide. Lining is to end approximately 1 ¼ inches from bottom of sleeve. Edge of turnup shall be blind stitched to wigan.

LINING

Coat is to be fully lined with black nylon taffeta lining.

BADGE TAB

A separate badge tab made of the same material as the garment. There will be two sewn eyelets approximately 1 ¾" apart to accommodate the shield. Badge tab is to be applied to the outside left breast of the garment. The badge tab shall be applied so no portion of the tab is visible when the badge is put into place.

BUTTONHOLES

All buttonholes shall be made to a full ½" from the edges of the seam and pocket flaps. The ends of all buttonholes shall be bartacked. All buttonholes to be "cut after" machine made buttonholes.

SWEAT SHIELDS

A sleeve sweat shield of the same cloth as in the body of the coat, piped with nylon to be securely set under each arm over the lining.

SHOULDERS

Shoulder pads and sleeve heads shall be made out of foam. Sleeve heads to be same material and construction as shoulder pads.

CONSTRUCTION

Hymo, felt and canvas to be properly stayed together with edges taped and sewn into seams. Finest canvas, felt and hymo available and cut to fit the actual size of the coat. Heavy shoulder pads. All findings thoroughly cold water shrunk.

LABELS

There shall be permanently affixed size label and care instruction label.

GARMENT CUSTOMIZATION:

- Each jacket will receive Lexington Police Department patches on each shoulder.


LEXINGTON POLICE DEPARTMENT



- Gold rings will be attached to the jacket signifying rank:
 - LIEUTENANT – 1 ring
 - COMMANDER – 2 rings
 - ASSISTANT CHIEF – 3 rings
 - CHIEF – 4 rings
- Years of service will be displayed with star patches. 1 star for every 5 years of service will be applied to each sleeve.




- Sergeants will receive chevrons on each sleeve directly under the department patch:



- Years of service for Sergeants will be marked with hashmarks on the sleeve – 1 hashmark for every 5 years

LEXINGTON POLICE DEPARTMENT



LINE ITEM # 171 FLYING CROSS COMMAND ZIP FRONT LS SHIRT F1 34W78Z

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

MEN'S SHIRT SPECIFICATIONS

Flying Cross by Fechheimer Item: 33W7800Z

FABRIC:

Content:

100% Textured Polyester with Visa System 3

Weight:

7.0-7.5 oz. / linear yard


COLOR:

White


STYLE:

To be Flying Cross Model 33W7800Z. Dress style, top center placket front with zipper, full cut tapered fit, banded collar, long sleeves with barrel cuffs, and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps. Full badge reinforcement. Matching inside yoke and band of high lustre PolyTwill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.

COLLAR & STAND:




Collar points to measure 3-1/8" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 3" long, 3/8" minimum width, and to be fused to under side of collar interlining. Stays applied directly to collar material itself unacceptable. Collar height at rear 1-1/2". Collar topstitched 1/4" off the edge. Collar stand to measure 1-5/16" at rear and band to be interlined with "Crease-N-Tack." Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.



FRONT:


The left front shall have a top center placket 1-1/2" wide with two rows of stitches 7/8" apart. The shirt will have 7 buttons and buttonholes on the front; spacing between each will be 3-3/4" except the spacing between the neck button and the first button on the front, which will be approximately 3-1/4". Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable. A 15" nylon zipper, to be set below the second button and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the right front, the balance to be sewn over the buttonholes on the left front.



LEXINGTON POLICE DEPARTMENT


SHOULDER STRAPS:

Shoulder straps to be two-piece pointed, 1/4" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.




BADGE REINFORCEMENT:

Two-ply sling 1" wide centered over left pocket and stitched to shoulder seam and flap setting stitch. It shall have 2 (two) buttonhole eyelets 1-1/4" from top of pocket flap spaced 1-1/4" apart and centered on sling.




POCKETS:

Two breast patch pockets with mitered corners and 1-1/2" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pocket to measure 5-5/8" wide, 6" deep. Left breast pocket to have 1- 1/2" pencil stitch. Each pocket to have hook Velcro, 3/4" long by 1/2" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement.



FLAPS:

Two piece deep scalloped design to measure 5-7/8" across and 2-3/4" in depth at center point, 2-1/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/2" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/4" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a button centered on uncut sewn buttonhole.




SLEEVES:

Sleeve vent shall have a round one piece elbow reinforcement and vent facing. Lower facing shall measure approximately 1/2" wide.

CUFFS:

Two piece 1/2-inch hemmed cuff with 1/4" topstitching. Cuffs to measure 3" in depth with rounded corners (barrel cuffs). Cuffs to have two buttons and corresponding buttonholes set vertically with one button and buttonhole in center of facing. Cuffs to have woven interlining of #250 Dacron.

BANJO ELBOW REINFORCEMENT



LEXINGTON POLICE DEPARTMENT

BUTTONS:

First grade 20-ligne melamine.

SEWING:

Collar, shoulder straps, pocket flaps and cuffs to be topstitched 1/4" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, cuffs, pocket flaps and top center to be interlined with #250 Dacron. Collar band interlining to be "Crease-N-Tack".

MILITARY CREASES:

There shall be five stitched-in sharp military creases on all shirts. One crease on each front to be centered vertically. Front creases shall not be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

CONSTRUCTION:

Collars, flaps and cuffs are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

STOCK SIZES:

Shirts must be available in the following sizes:

Sleeve lengths: 32-37 inches

Neck sizes: 14-1/2 to 18-1/2, 19, 20, 21, 22

GARMENT CUSTOMIZATION: Each shirt will receive a Lexington Police Department patch on each shoulder. Sergeants will receive chevrons directly under each patch.



LEXINGTON POLICE DEPARTMENT

LINE ITEM # 172 FLYING CROSS MENS POLYESTER TROUSERS F1 38200 86

*NO SUBSTITUTIONS, MUST BE A STOCKED ITEM

MEN'S TROUSER SPECIFICATIONS Flying Cross by Fechheimer Item: 38200


FABRIC:

Content: 100% Polyester

Weight: 11-11 ½ oz. per linear yard

Weave: Serge

Color: LAPD Navy



STYLE:

Trouser shall be manufactured from an up-to-date men's uniform trouser pattern. The trouser styling shall be T-1: plain front, two (2) quarter top front pockets, and two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and shall be cause for rejection.

LINING MATERIAL:

The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

WAISTBAND:

The waistband shall be constructed using the "closed method" and shall measure a minimum of 1-7/8" wide when finished. The waistband curtain shall finish a minimum 2-1/8" wide and is to be made of the same fabric and color as the pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must contain Tru-Grip, a ½" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)

The waistband curtain is composed of a wet laid non woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The ½" rubberized surface area is positioned 1-¼" up from the bottom of the curtain.


The specifications for the rubberized Tru-Grip curtain are as follows:

Width: 1-1/8-inch

Warp: 300 Denier Texturized Polyester

Filling: 300 Denier Texturized Polyester

Rubber: 55 Gauge



LEXINGTON POLICE DEPARTMENT

Count: 32-36 yarns per inch

Contents: 59% Polyester/41% Rubber


The waistband must contain ¼-inch Ban-Rol to prevent roll over at the trouser front.

The waistband closure shall be accomplished with a single crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with 7/8-inch non-woven stay tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam through the waistband curtain for added strength. The back center seam of the trouser is to be finished to allow for alterations (with ample basic fabric and waistband curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be in proportion to waist outlet so seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum strength.

BELT LOOPS:

There shall be a minimum of seven belt loops 3/4" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the top and bottom of the waistband ("dropped" belt loops that are tacked to the outside of the trouser all around waist shall be cause for rejection). The top of the belt loops (except back center) shall be sewn into the waistband curtain seam with a Rocap machine using a zigzag stitch. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.

BELT LOOP




POCKETS:

The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 5-3/4" measured from the bottom of the opening. Front pockets to have firm straight bartacks at top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facings to be made of the basic trouser fabric and shall be a minimum of 1". Front pocket barrier shall also be made of the basic trouser fabric and to measure a minimum of 2" (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8" wide (bartack to bartack) opening and a minimum depth of 5-3/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight firm bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing to be made of basic trouser fabric and shall be a minimum of 3/4" and the barrier shall also be made of the basic trouser fabric and to be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic trouser fabric inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.


HIP POCKET WITH TAB



FLY:

Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment

"J" STITCH



LEXINGTON POLICE DEPARTMENT


eliminating puckering and providing a clean finish. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape for maximum strength. Bartack shall line up with starting point of "J" stitch.

SEAT:

Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.

STITCHING, PRESSING & FINISHING:

Trouser must be stitched with matching thread. Trouser must be neatly pressed on Hothead Presses and properly shaped. Outseams and inseams are edge serged on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Trouser must be cleaned and finished to eliminate loose threads.



STOCK SIZES:

Trouser must be available from stock in the following sizes:

| | |
|---------------|-----------------------------|
| SHORT RISE: | 28 - 40 (EVEN ONLY) |
| REGULAR RISE: | 28 - 60 (EVEN ONLY OVER 38) |
| LONG RISE: | 32 - 42 (EVEN ONLY) |

LABELS:

Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL or RN number must be on the outside of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

LINE ITEM # 173 GALLS GEAR LETHER TROUSER BELT LP157

***NO SUBSTITUTIONS**

- Black leather
- Water resistant
- 1-3/4" W

LINE ITEM # 174 BATES LITES HI GLOSS OXFORD E00942

- High gloss oxford
- Low cut straight collar
- Fiberglass shank
- Cambrelle® lining wicks away moisture for healthy feet
- Durashock® insoles reduce foot fatigue
- Removable full cushion footbed with Axidyne Polymer® for support and comfort
- Oil-resistant polyurethane outsole for sure footing
- Meets Army and Air Force mil-spec

LINE ITEM # 175 HATCH ELITE WINTER SPECIALIST GLOVES EWS530 BLK

- 100% nylon back panel with goatskin palm

LEXINGTON POLICE DEPARTMENT

- Thermolite™ lining for warmth, wicks away sweat to prevent body heat loss
- Spandex wrist cuff for a snug fit
- Extreme-Grip™ non-skid material for enhanced weapon control

LINE ITEM # 176 CLASS 3 ANSI SAFETY VEST LHV-43ANSI-X3-ADJ-R

- ANSI/ISEA 107-2010 CLASS 3: Background Fabric: 1240 Square Inches; Reflective Material: 310 Square Inches; Minimum Reflective Width: 2 Inch

LINE ITEM # 177 5.11 TACTICAL 3-IN-1 CLASS 3 PARKA 48033

***NO SUBSTITUTIONS**

- ANSI/ISEA 107-2004 Class 3 compliant
- 100% nylon shell
- Waterproof and breathable laminate
- Sealed seams to keep you dry
- 100% polyester lining
- Zip front with snap closures
- Removable liner black fleece liner
- 6 pockets: 2 chest, 2 hand warmer and 2 inside chest pockets
- Adjustable cuffs
- 3M™ Scotchlite™ reflective tape
- Built-in hood with snap closure
- Mic loops, badge tab and side zips
- Machine wash, hang dry

LINE ITEM # 178 BLACKHAWK MOLDED CORDURA NYLON INNER DUTY BELT 44B1

- Five-layer laminate construction
- Hook-and-loop lining
- Nylon loop backing
- Padded edges
- Ergonomic design
- Reversible
- 1.5" inner belt

LINE ITEM # 179 BLACKHAWK REINFORCED 2" DUTY BELT WITH LOOP INNER 44B4

- Reinforced design to prevent rolling
- 2" width
- Nylon loop inner surface to mate up with the inner duty belt
- Buckle has extra safety design to prevent assailants from releasing the buckle

LINE ITEM # 180 ELBECO UFX ULTRA LIGHT SS HI VIS POLO K5216 HI VIS

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 100% lightweight Polyester
- ANSI 107-2010 Class 2
- Antimicrobial and nano moisture wicking, UV 40+ protection

LEXINGTON POLICE DEPARTMENT

- Left chest zipper pocket
- Utility loop at base of placket
- Mic pocket
- Pen pocket on sleeve
- Flex mesh underarm vents
- 4-Way stretch comfort
- Tagless label
- Rib knit collar with stays to prevent roll up
- Superior color retention
- Extra long body prevents ride up

LINE ITEM # 181 ELBECO UFX ULTRA LIGHT LS HI VIS POLO K5226 HI VIS

***NO SUBSTITUTIONS, MUST BE A STOCKED ITEM**

- 100% lightweight Polyester
- ANSI 107-2010 Class 2
- Antimicrobial and nano moisture wicking, UV 40+ protection
- Utility loop at base of placket
- Mic pocket
- Pen pocket on sleeve
- Flex mesh underarm vents
- 4-Way stretch comfort
- Tagless label
- Rib knit collar with stays to prevent roll up
- Superior color retention
- Extra long body prevents ride up

LINE ITEM # 182 NEESE REVERSIBLE WEATHERPROOF PANTS 5010RPT BKLM

- *ANSI/ISEA 107-2010 Class E Certified*
- Silver reflective tape trimmed in black on hi vis side
- 45% polyester, 40% nylon, 15% polyurethane
- Tri-laminated tricot
- Waterproof
- Windproof
- Breathable
- Slash through openings with hook-and-loop closure

LINE ITEM # 183 5.11 TACTICAL MOTORCYCLE BREECHES 74407 750

***NO SUBSTITUTIONS**

- 76% polyester, 24% cotton with Teflon
- Hidden side seam zipper pockets
- Double seat reinforced
- Tapered zipper leg closures
- Welt flash light pockets with hook and loop
- French fly has cross-tacked 4 hole Melamine buttons

LINE ITEM # 184 FLYING CROSS CROSS FX MENS CLASS A UNIFORM PANT F1 FX57400 86

LEXINGTON POLICE DEPARTMENT

***NO SUBSTITUTIONS, THIS MUST BE A STOCKED ITEM**

MEN'S TROUSER SPECIFICATIONS Flying Cross by Fechheimer Item: FX57400

FABRIC:

Content: 65% Polyester 35% Cotton with Repel finish

Weight: 6.5 oz. Per square yard

Weave: Mini Ripstop

Color: Navy Blue

STYLE:

Trouser shall be manufactured from an up-to-date men's uniform trouser pattern. The trouser styling shall be (2) knife notch front pockets, two (2) hip pockets professionally finished with no visible topstitching and (2) concealed zipper cargo pockets. Gusseted crotch with folded front lining.

LINING MATERIAL:

The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

WAISTBAND:


FREEDOM-FLEX WAISTBAND SYSTEM: Trouser shall be made with a special Freedom-Flex Waistband System that will allow the wearer waist expansion of 2 1/2" to 3". The waistband shall measure a minimum of 1-7/8" wide when finished. The flexible expansion split portion of the waistband shall be to the front of the trouser side seam and there shall be a 3/4-inch wide side belt loop positioned to 'hide' the expansion split of the waistband.

The waistband curtain shall consist of two different styles for maximum waistband expansion to enhance wearer comfort, fit, and appearance. The front of the trouser (to the expansion split) waistband curtain style shall consist of a 2-inch wide elastic section that incorporates Tru-Grip, a 1/2" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Use of a single silicone strip or strips instead of 1/2" wide rubberized surface area shall be cause for rejection.)

The back half of the trouser waistband curtain shall finish a minimum 2-1/8" wide and is to be made of black pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must also contain Tru-Grip and will line up with the Tru-Grip on the front of the expansion split. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)

The waistband curtain is composed of a wet laid non-woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The 1/2" rubberized surface area is positioned 1-1/4" up from the bottom of the curtain.

The specifications for the rubberized Tru-Grip curtain are as follows:



LEXINGTON POLICE DEPARTMENT

Width: 1-1/8-inch

Warp: 300 Denier Texturized Polyester

Filling: 300 Denier Texturized Polyester

Rubber: 55 Gauge

Count: 32-36 yarns per inch

Contents: 59% Polyester/41% Rubber

To complete the Freedom-Flex Waistband System, there shall be a 1-1/4" wide elastic component sewn into the back half of the waistband curtain to allow for the stretch and recovery of the waistband to comfortably fit the wearer's waist size. There shall be a bartack for strength and durability sewn at the stress point on the waistband where it joins the front elasticized waistband curtain joining stitching (positioned, on the waistband above the front pocket.)


The waistband closure shall be accomplished with two crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with a 7/8" non-woven tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam of the trouser to be finished to allow for alterations (with ample fabric and curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be proportional to the waist outlet so the seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum stretch.

BELT LOOPS:

There shall be a minimum of seven dropped belt loops 1" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the bottom of the waistband. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.

FLY:

"J" STITCH



Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same material and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be a firm straight bartack at the bottom of the fly

going through the zipper tape for maximum strength. Bartack shall line up with starting point of "J" stitch.


SEAT:

Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.


POCKETS:

The two (2) front pockets will be knife notch style with a minimum opening of 6" and a minimum depth of 5-3/4" measured from the bottom of the opening. Front pocket facing and barrier to be made of the basic trouser fabric. Facing shall be a minimum of 1" and barrier shall measure approximately 4" (measured to the inside edge of pocket lining).

HIP POCKET WITH TAB



The two (2) hip pockets shall have a minimum



LEXINGTON POLICE DEPARTMENT

5-3/8" wide (bartack to bartack) opening and a minimum depth of 5-3/4 " measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing and barrier are to be made of basic trouser fabric. Facing shall be a minimum of 3/4" and the barrier shall be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.

CONCEALED CARGO POCKETS:


There shall be two concealed cargo pockets, one on each side seam. The pockets will be centered across the side seam and placed approximately 2 1/2" below the bottom of the front quarter-top pocket. Pocket opening shall close with a black nylon zipper. The measurements of the pocket shall be a minimum of 7" wide and a minimum of 7 3/4" deep. Each concealed cargo pocket shall have a hidden cell phone compartment set on the front side of the pocket lining.

CREASES:

The leg creases, front and back will have a silicone bead put in by using the Lintrak process.

STITCHING, PRESSING & FINISHING:

Trouser must be stitched with matching thread. Trouser must be neatly pressed on Hothead Presses and properly shaped. Inseams are edge serged on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Outseam shall be finished with 1/8" double needle construction. Trouser must be cleaned and finished to eliminate loose threads.



LABELS:

Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL or RN number must be on the outside of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

STOCK SIZING:

Trouser must be available from stock in the following sizes:

Mens Size – 28 through 54 with odd sizes up to and including 37

Short rise - 32, 34, 36, 38, 40

LINE ITEM # 185 FLYING CROSS CROSS FX CLASS A UNIFORM SHIRT F1 FX57400 86

***NO SUBSTITUTIONS, THIS MUST BE A STOCKED ITEM**

MEN'S SHIRT SPECIFICATIONS

Flying Cross by Fechheimer Item: F1 FX5000

FABRIC:

Content: 65% Polyester / 35% Cotton with Repel Finish
Weight: 5.0 oz. / square yard

LEXINGTON POLICE DEPARTMENT

Weave: Mini Ripstop

Available Colors:

Navy Blue (F1 FX5000 86)

Black (F1 FX5000 10)

STYLE:

To be Flying Cross Model F1 FX5000. Dress style, top center placket front, knit underarm gussets, full cut tapered fit, convertible collar, short sleeves and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps. Full badge reinforcement. Wire Pass-through openings. Matching inside yoke and banana band of high luster Poly/Twill. Back yoke to be 1/8" double needle topstitched. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.

COLLAR:

Convertible collar shall be one piece. Collar points to measure 2-1/2" long with ultrasonically fused-in Mylar stays. Collar stays are positioned along the leading edge of the collar. Collar to have woven interlining of #250 Dacron. Stays to be 2" long, 3/8" minimum width, and to be fused to underside of collar interlining. Stays applied directly to collar material itself unacceptable. Collar is 1/8" Double Needle topstitched. Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.

FRONT:

Each front shall have a facing approximately 3" in width. The left front shall have a top center placket 1-1/2" wide with two double rows of stitching. Stitching on top center is not to be visible on the turn-back facing. The shirt will have 7 buttons and buttonholes on the front; spacing between each will be 3-3/4" except the spacing between the neck button and the first button on the front, which will be approximately 2 1/2". Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/8" double needle stitch. Safety stitch joining unacceptable. A 15" nylon zipper, to be set below the second button and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the right front, the balance to be sewn over the buttonholes on the left front.

SHOULDER STRAPS:

Shoulder straps to be two-piece pointed, 1/8" double needle topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.

BADGE REINFORCEMENT:

Two-ply sling 1" wide centered over left pocket and stitched to shoulder seam and flap setting stitch. It shall have 2 (two) buttonhole eyelets 1-1/4" from top of pocket flap spaced 1-1/4" apart and centered on sling.

LOOSE MICROPHONE AND CAMERA TAB:

Each shirt shall have a loose microphone and camera tab included that may be installed by the user if needed.

WIRE PASS THROUGH OPENINGS:

Each front shall have an 11/16" horizontal buttonhole to be centered vertically and horizontally between the top of the pocket and the bottom of the open flap.

Each shoulder shall have an 11/16" horizontal buttonhole to be centered under the shoulder straps and sewn through the shoulder of the shirt.

UNDERARM GUSSET WITH WIRE PASS THROUGH:

POCKETS:

Two breast patch pockets with mitered corners and 1-1/2" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pockets are set to the shirt front with 1/8" double needle stitching. Pocket to measure

LEXINGTON POLICE DEPARTMENT

5-5/8" wide, 6" deep. Each breast pocket to have 1- 1/2" pencil stitch. Each pocket to have hook Velcro, 1" long by 1" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement.

FLAPS:

Two piece deep scalloped design to measure 5-7/8" across and 2-3/4" in depth at center point, 2-1/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Each flap to have invisible pencil opening 1-1/2" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/8" double needle topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have looped Velcro 1" long by 1" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a button centered on uncut sewn buttonhole.

SLEEVES:

Sleeve are to be straight and whole and to have a ¼" hem and to finish at a minimum of 9 ½" long from shoulder seam.

BUTTONS:

First grade 22-ligne melamine.

SEWING:

Collar, shoulder straps and pocket flaps to be topstitched with 1/8" double needle stitching. Sleeve inserting is with 1/8" double needle seams. Side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, Pocket flaps, Shoulder straps and top center to be interlined with #250 Dacron.

MILITARY CREASES:

There shall be five sharp silicone military creases on all shirts. One crease on each front to be centered vertically. Front creases shall be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

CONSTRUCTION:

Collars, flaps and shoulder straps are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

STOCK SIZES:

Shirts must be available in the following sizes:

Alpha sizes: S - 5XL

Female Style will be F1 FX5000W

FABRIC:

Content: 65% Polyester / 35% Cotton with Repel Finish

Weight: 5.0 oz. / square yard

Weave: Mini Ripstop

Available Colors:

Navy Blue (F1 FX5000W 86)

Black (F1 FX5000W 10)

LEXINGTON POLICE DEPARTMENT

Female shirts shall be constructed the same as the male shirts but cut on female patterns.

STOCK SIZES:

Shirts must be available in the following sizes:

Bust Sizes 30-52

LINE ITEM # 186 FLYING CROSS CROSS FX WOMENS CLASS A UNIFORM SHIRT F1 FX5000 86

***NO SUBSTITUTIONS, THIS IS A STOCKED ITEM**

SEE ABOVE:

Female Style will be F1 FX5000W

FABRIC:

Content: 65% Polyester / 35% Cotton with Repel Finish

Weight: 5.0 oz. / square yard

Weave: Mini Ripstop

Available Colors:

Navy Blue (F1 FX5000W 86)

Black (F1 FX5000W 10)

Female shirts shall be constructed the same as the male shirts but cut on female patterns.

STOCK SIZES:

Shirts must be available in the following sizes:

Bust Sizes 30-52

LINE ITEM # 187 FLYING CROSS FCROSS FX WOMENS CLASS A UNIFORM PANT F1 FX57400W 86

***NO SUBSTITUTIONS, THIS MUST BE A STOCKED ITEM**

LADIES TROUSER SPECIFICATIONS
Flying Cross by Fechheimer Item: FX57400W

FABRIC:

Content: 65% Polyester 35% Cotton with Repel finish

Weight: 6.5 oz. Per square yard

Weave: Mini Ripstop

Color: Navy Blue



LEXINGTON POLICE DEPARTMENT

STYLE:

Trouser shall be manufactured from an up-to-date ladies uniform trouser pattern. The trouser styling shall be (2) knife notch front pockets, two (2) hip pockets professionally finished with no visible topstitching and (2) concealed zipper cargo pockets. Gusseted crotch with folded front lining.


LINING MATERIAL:

The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.


WAISTBAND:

FREEDOM-FLEX WAISTBAND SYSTEM:

Trouser shall be made with a special Freedom-Flex Waistband System that will allow the wearer waist expansion of 2 1/2" to 3". The waistband shall measure a minimum of 1-7/8" wide when finished. The flexible expansion split portion of the waistband shall be to the front of the trouser side seam and there shall be a 3/4-inch wide side belt loop positioned to 'hide' the expansion split of the waistband.



The waistband curtain shall consist of two different styles for maximum waistband expansion to enhance wearer comfort, fit, and appearance. The front of the trouser (to the expansion split) waistband curtain style shall consist of a 2-inch wide elastic section that incorporates Tru-Grip, a 1/2" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Use of a single silicone strip or strips instead of 1/2" wide rubberized surface area shall be cause for rejection.)



The back half of the trouser waistband curtain shall finish a minimum 2-1/8" wide and is to be made of black pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must also contain Tru-Grip and will line up with the Tru-Grip on the front of the expansion split. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)

The waistband curtain is composed of a wet laid non-woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The 1/2" rubberized surface area is positioned 1-1/4" up from the bottom of the curtain.

The specifications for the rubberized Tru-Grip curtain are as follows:

Width: 1-1/8-inch

Warp: 300 Denier Texturized Polyester

Filling: 300 Denier Texturized Polyester

Rubber: 55 Gauge

Count: 32-36 yarns per inch

Contents: 59% Polyester/41% Rubber

To complete the Freedom-Flex Waistband System, there shall be a 1-1/4" wide elastic component sewn into the back half of the waistband curtain to allow for the stretch and recovery of the waistband to comfortably fit the wearer's waist size. There shall be a bartack for strength and durability sewn at the stress point on the waistband where it joins the front elasticized waistband curtain joining stitching (positioned, on the waistband above the front pocket.)


LEXINGTON POLICE DEPARTMENT

The waistband closure shall be accomplished with two crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with a 7/8" non-woven tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam of the trouser to be finished to allow for alterations (with ample fabric and curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be proportional to the waist outlet so the seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum stretch.

BELT LOOPS:

There shall be a minimum of seven dropped belt loops 1" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the bottom of the waistband. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.

FLY:



"J" STITCH


Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same material and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape for maximum strength. Bartack shall line up with starting point of "J" stitch.

SEAT:


Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.

POCKETS:

The two (2) front pockets will be knife notch style with a minimum opening of 6" and a minimum depth of 5-3/4" measured from the bottom of the opening. Front pocket facing and barrier to be made of the basic trouser fabric. Facing shall be a minimum of 1" and barrier shall measure approximately 4" (measured to the inside edge of pocket lining).



The two (2) hip pockets shall have a minimum 5-3/8" wide (bartack to bartack) opening and a minimum depth of 5-3/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing and barrier are to be made of basic trouser fabric. Facing shall be a minimum of 3/4" and the barrier shall be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability.



There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.

LEXINGTON POLICE DEPARTMENT

CONCEALED CARGO POCKETS:


There shall be two concealed cargo pockets, one on each side seam. The pockets will be centered across the side seam and placed approximately 2 1/2" below the bottom of the front quarter-top pocket. Pocket opening shall close with a black nylon zipper. The measurements of the pocket shall be a minimum of 7" wide and a minimum of 7 3/4" deep. Each concealed cargo pocket shall have a hidden cell phone compartment set on the front side of the pocket lining.

CREASES:

The leg creases, front and back will have a silicone bead put in by using the Lintrak process.

STITCHING, PRESSING & FINISHING:

Trouser must be stitched with matching thread. Trouser must be neatly pressed on Hothead Presses and properly shaped. Inseams are edge serged on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Outseam shall be finished with 1/8" double needle construction. Trouser must be cleaned and finished to eliminate loose threads.



LABELS:

Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL or RN number must be on the outside of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

STOCK SIZING

Trouser must be available from stock in the following sizes:

Ladies Size - 4-24

LINE ITEM # 188 PLASTIC NAMEPLATE NT053

- Regulation military nameplates custom engraved with your name Military clutch backings included
- No minimum
- Each line can be up to 24 characters, be sure to specify ALL CAPS or Upper & Lower

LINE ITEM # 189 LEX PD ACADEMY LS T SHIRT SW716 L100608 SPGY

- 5.5-ounce, 50/50 cotton/poly
- DryBlend moisture-wicking properties
- Heat transfer label
- Double-needle neck and hem
- Taped neck and shoulders
- Rib knit cuffs

LEXINGTON POLICE DEPARTMENT

LEXINGTON POLICE TRAINING ACADEMY

LINE ITEM # 190 LEX PD ACADEMY SS T SHIRT TS658 L100608 SPGY

- 5.5-ounce, 50 cotton/50 poly
- DryBlend moisture-wicking properties
- Heat transfer label
- Seamless double-needle 7/8" collar
- Double-needle sleeves and hem
- Taped neck and shoulders
- Tagless

LEXINGTON POLICE TRAINING ACADEMY

LINE ITEM # 191 LEX PD ACADEMY SHORTS TU253 L100608 BLK

- 100% Polyester
- Drawstring closure
- A moisture-wicking short with the classic look of open-hole mesh combined with PosiCharge technology for equally enduring color.
- 3.6-ounce, 100% polyester mesh with PosiCharge technology
- Dyed-to-match tricot lining
- Double-layer construction with open, individually hemmed layers for easy decoration
- Elastic waistband
- Each short will be customized with the following logo, location, using white ink
- Vendor must stock these items with an inventory back up plan with a min/max of 50 garments.

LEXINGTON POLICE DEPARTMENT

LEXINGTON POLICE TRAINING ACADEMY

LINE ITEM # 192 SALOMON XA PRO 3D MID GTX FORCES 2 - BLK L37348400

- Water-resistant textile and anti-debris mesh upper
- Nonreflective materials
- Rubber toe cap
- Sensifit™ cradles the foot from the midsole to the lacing for a customized fit
- Quicklace™ for short prep time and a tailored fit
- Heel foam
- Lace pocket
- Gusseted tongue
- GORE-TEX® membrane for insulated protection from wet and cold
- Waterproof bootie
- Nonmarking Contagrip® outsole for traction and lightweight durability
- 3D advanced Chassis™ for agility on mountainous terrain
- Dual density, compressed, injected EVA
- EVA contoured Ortholite® sockliner

LINE ITEM # 193 SALOMON XA PRO 3D MID GTX FORCES 2 - GREEN L37348500 IGU

- Water-resistant textile and anti-debris mesh upper
- Nonreflective materials
- Rubber toe cap
- Sensifit™ cradles the foot from the midsole to the lacing for a customized fit
- Quicklace™ for short prep time and a tailored fit
- Heel foam
- Lace pocket
- Gusseted tongue
- GORE-TEX® membrane for insulated protection from wet and cold
- Waterproof bootie
- Nonmarking Contagrip® outsole for traction and lightweight durability
- 3D advanced Chassis™ for agility on mountainous terrain
- Dual density, compressed, injected EVA
- EVA contoured Ortholite® sockliner

LINE ITEM # 194 SALOMON XA PRO 3D GTX FORCES L37348800

- Water-resistant textile and anti-debris mesh upper
- Nonreflective materials
- Rubber toe cap

LEXINGTON POLICE DEPARTMENT

- Friction free lace eyelet
- Asymmetrical lacing
- Sensifit™ cradles the foot from the midsole to the lacing for a customized fit
- Quicklace™ for short prep time and a tailored fit
- Lace pocket
- Gusseted tongue
- GORE-TEX® membrane for insulated protection from wet and cold
- Nonmarking Contagrip® outsole for serious traction
- 3D advanced Chassis™ for agility on mountainous terrain
- Injected, compressed EVA
- EVA contoured Ortholite® sockliner

LINE ITEM # 195 LEX PD ACADEMY SWEATPANTS WITH SCREEN PRINT 18200 BLK

- 8-ounce, 50/50 cotton/poly
- Covered elastic waistband with drawcord
- Elastic cuffs
- Double-needle bottom hem
- Each garment needs to be screen printed with the following on the left leg of the pant.

**LEXINGTON POLICE
TRAINING ACADEMY**

LINE ITEM # 196 LEX PD ACADEMY SWEATSHIRT WITH SCREEN PRINT 12000 BLK

- 9-ounce, 50/50 cotton/poly
- Moisture-wicking properties
- Heat transfer label
- Double-needle stitching at waistband and cuffs
- 1x1 rib knit with spandex in collar, cuffs and waistband
- Each garment needs to be screen printed with the following on the left chest:

**LEXINGTON POLICE
TRAINING ACADEMY**

LEXINGTON POLICE DEPARTMENT

LINE ITEM # 197 UPPER/LOWER ARM PROTECTOR (PAIR) GFA30

- FA30 forearm and elbow protector design provides substantial protection from blunt force trauma without sacrificing the fit or comfort. The modular connection between the forearm and elbow portions of the pad allows for flexibility of movement while using batons or weapons.
- Two piece hard Electrum XK8™ outer shell provides flex needed by your forearm and elbow
- Shock absorbing Protium™ foam covered with 420 denier Cordura nylon
- Polyester mesh lines the inside which offers comfort and breathability
- Adjustable straps fasten with durable nylon elastic and Velcro®
- Two Sizes: Men's MD/LG and XLG/XXLG
 - MD/LG - Total Length 15 in. Forearm Width 10 in.
 - XLG/XXLG - Total Length 16 in. Forearm Width 12 in.

LINE ITEM # 198 LFUCG IMPERIAL HARD SHELL KNEE/SHIN GUARDS DSG100 LFUCG

DSG-100 : IMPERIAL™ Hard Shell Knee/Shin Guards

- Hard-shell knee caps with Trion™ Non-slip grip technology
- Hard-shell polyethylene shin plates with dull black finish to avoid reflection
- Heavy-duty reinforced foam padded nylon inner leg support
- High tenacity, air textured DuPont Ultra Cordura® nylon outer materials
- Multiple adjustable elastic straps and Velcro® closures for secure fit for various leg girths
- Adjustable (and removable) foot guard plates
- Interior name tags for personal identification
- Washable
- Available Sizes:
 - Md/Lg – 9” shin guard (22.86 cm) / 15” total length (38.1 cm)
*excluding foot guard
 - Xlg – 11” shin guard (27.94 cm) / 19” total length (48.26 cm)

LINE ITEM # 199 LVL IIIA NAPE PAD TO CONNECT TO HELMET NAPE IIIA BLK

LINE ITEM # 200 LEXINGTON PD R20D TACTICAL CARRIER LPD=RD1N00BV0J BLK

- Ideal for law enforcement officers who have occasional equipment-carrying assignments
- Ballistic protection accommodates NIJ certified Point Blank ballistic panels
- Side-closure system offers convenient adjustability with low-profile VELCRO® fasteners and elastic
- MOLLE compatible webbing system in the front and back of the carrier allows accessory pouch attachment
- High-visibility identification with removable VELCRO® fasteners can be placed on the front and back

LINE ITEM # 201 LEXINGTON PD CUSTOM VELCRO PANELS IDPANEL 4X11 BLK WHT

- Black Velcro ID panel with custom screen printing:



**Lexington-Fayette Urban County Government
Division of Community Corrections
Bid #70-2017 Web-based Quartermaster Program**

| LINE ITEM | DESCRIPTION | GALLS# | MFG ITEM # | CATEGORY | Price Each |
|-----------|---|------------|-------------------|------------------------|------------|
| 1 | ELBECO DISTINCTION POLYWOOL LONG SLEEVE SHIRT - NAVY | SG908 | 840N | CLASS A | \$84.00 |
| 2 | ELBECO DISTINCTION POLYWOOL SHORT SLEEVE SHIRT - NAVY | SG909 | 8840N | CLASS A | \$80.00 |
| 3 | ELBECO DISTINCTION POLYWOOL LADIES CHOICE SHORT SLEEVE SHIRT - NAVY | SG917 | 9840LCN | CLASS A | \$80.00 |
| 4 | ELBECO DISTINCTION POLYWOOL LADIES CHOICE LONG SLEEVE SHIRT - NAVY | SG916 | 9340LCN | CLASS A | \$84.00 |
| 5 | ELBECO DISTINCTION FOUR POCKET TROUSERS - NAVY | TR036 | E494RN | CLASS A | \$75.00 |
| 6 | ELBECO DISTINCTION LADIES CHOICE FOUR POCKET TROUSERS - NAVY | TT755 | E9444LC | CLASS A | \$75.00 |
| 7 | LFUCG COMMUNITY CORRECTIONS ARM PATCH - GOLD | EC1832 | Q196264 ES2180370 | CLASS A | \$2.00 |
| 8 | ELBECO TEK3 SHORT SLEEVE SHIRT - MIDNIGHT NAVY | SH718 | G9220NP | CLASS B | \$44.00 |
| 9 | ELBECO TEK 3 LONG SLEEVE SHIRT - MIDNIGHT NAVY | SH720 | G920NP | CLASS B | \$48.00 |
| 10 | ELBECO WOMEN'S TEK 3 SHORT SLEEVE - MIDNIGHT NAVY | SH717 | G954LC | CLASS B | \$44.00 |
| 11 | ELBECO WOMEN'S TEK 3 LONG SLEEVE - MIDNIGHT NAVY | SH719 | G944LC | CLASS B | \$48.00 |
| 12 | ELBECO MEN'S TEK 3 CARGO PANTS | TR747 | E620RN | CLASS B | \$51.36 |
| 13 | ELBECO LADIES CHOICE TEK 3 CARGO PANTS | TR592 | EL05=E9620LCN | CLASS B | \$51.36 |
| 14 | LFUCG COMMUNITY CORRECTIONS ARM PATCH - SILVER | EG0396 | Q159363 ES1845333 | CLASS B | \$1.75 |
| 15 | LFUCG COMMUNITY CORRECTION BADGE PATCH - SILVER | EG0395 | Q159362 HC1845332 | CLASS B | \$1.75 |
| 16 | 1 INCH TWILL NAMESTRIP - NON APPLIED | UN118N | 7999 NAV | CLASS B | \$2.50 |
| 17 | 5 11 TACTICAL POLO | SW984 | 71182 | CLASS C | \$39.50 |
| 18 | 5 11 TACTICAL MEN'S SNAG FREE SHORT SLEEVE PERFORMANCE POLO | SW724 | 71049 | CLASS C | \$40.00 |
| 19 | 5 11 TACTICAL MEN'S SNAG FREE LONG SLEEVE PERFORMANCE POLO | SW726 | 72049 | CLASS C | \$42.00 |
| 20 | 5 11 TACTICAL WOMEN'S SNAG - FREE PERFORMANCE POLO | SW993 | 61165 | CLASS C | \$40.00 |
| 21 | 5 11 TACLITE PRO PANTS | TR506 | 74273 | CLASS C | \$39.14 |
| 22 | TRU SPEC 24/7 RIP STOP PANTS | TR549 | 1061082 | CLASS C | \$43.90 |
| 23 | 5 11 TACTICAL TACLITE PRO WOMEN'S RIPSTOP PANTS | TR642 | 64360 | CLASS C | \$39.14 |
| 24 | TRU SPEC WOMEN'S 24/7 CLASSIC PANT | TR728 | 1193002 | CLASS C | \$38.86 |
| 25 | HEXARMOR HIGH-PERFORMANCE SEARCH AND DUTY GLOVE | GL380 | 4045 | GLOVES | \$37.08 |
| 26 | HEXARMOR THREE LAYER GLOVE | GL519 | 4041 | GLOVES | \$64.00 |
| 27 | FLYING CROSS FLEECE LINED QUARTER ZIP COMMANDO SWEATER | ST324 | F1 740 10 | SWEATER / T SHIRTS | \$85.00 |
| 28 | GALLS COMMANDO V NECK ACRYLIC SWEATER | SW667 | SW667 | SWEATER / T SHIRTS | \$32.00 |
| 29 | PORT & COMPANY ESSENTIAL T SHIRT | TS676 | PC61 | SWEATER / T SHIRTS | \$14.42 |
| 30 | 5.11 TACTICAL UTILI-T SHIRTS (PACKAGE OF 3) | UA615 | 40016 | SWEATER / T SHIRTS | \$38.00 |
| 31 | LFUCG COMMUNITY CORRECTIONS SCREEN PRINTED T SHIRT | TS422 | PC61 | T SHIRTS (SCREENPRINT) | \$18.51 |
| 32 | 5 11 TACTICAL DOUBLE DUTY JACKET - DARK NAVY | JA837 | 48096 | OUTERWEAR | \$126.13 |
| 33 | 5.11 TACTICAL SIGNATURE DUTY JACKET - DARK NAVY | JA838 | 48103 | OUTERWEAR | \$173.04 |
| 34 | NEESE 48" PVC VINYL RAINCOAT - BLACK | RW032 | 1650C BLK | OUTERWEAR | \$14.40 |
| 35 | GALLS AGENT LTC G-TAC JACKET - BLACK | JX778 | JX778 BLK | OUTERWEAR | \$40.00 |
| 36 | ELBECO TEK3 HAT - MIDNIGHT NAVY | HAD37 | CAP 24 MDNV | HEADWEAR | \$15.00 |
| 37 | 5.11 TACTICAL UNIFORM HAT, ONE SIZE | HW426 DKNV | 89260 | HEADWEAR | \$12.86 |

Lexington-Fayette Urban County Government
Division of Community Corrections
Bid #70-2017 Web-based Quartermaster Program

| LINE ITEM | DESCRIPTION | GALLS# | MFG ITEM # | CATEGORY | Price Each |
|-----------|--|--------------|-------------------|------------------------|------------|
| 38 | FLEECE WATCH CAP - PLAIN - DARK NAVY | HW401 | 89250 724 | HEADWEAR | \$18.00 |
| 39 | FLEXFIT PERFORMANCE CAP - DARK NAVY | HW682 | 6580 DKNV | HEADWEAR | \$18.00 |
| 40 | NAMEPLATE 2 1/2" X 5/8" - GOLD | NT017 | NT017 GLD PLSH CB | UNIFORM ACC / INSIGNIA | \$6.00 |
| 41 | GALLS UNIVERSAL LEATHER BADGE HOLDER - BLACK | BC004 | 71301-0002 | UNIFORM ACC / INSIGNIA | \$10.80 |
| 42 | GALLS DIE CUT LEATHER BADGE WALLET | BC261 | 79610 DIE CUT | UNIFORM ACC / INSIGNIA | \$20.60 |
| 43 | PERFECT FIT BI FOLD WALLET WITH CC SLOTS AND ID WINDOW | BD037 | 107 BLK CSTM | UNIFORM ACC / INSIGNIA | \$28.00 |
| 44 | BLACKINTON SMALL OAK LEAF INSIGNIA PAIR - GOLD | ZY889 | A982-3 GP | UNIFORM ACC / INSIGNIA | \$16.00 |
| 45 | BLACKINTON SMALL SEGEANT CHEVRON - GOLD | CB040 | J59 GO | UNIFORM ACC / INSIGNIA | \$7.21 |
| 46 | BLACKINTON SMALL LIEUTENANT BARS - GOLD | CB050 | J61 GO | UNIFORM ACC / INSIGNIA | \$7.21 |
| 47 | BLACKINTON SMALL CAPTAIN BARS - GOLD | CB052 | J63 GO | UNIFORM ACC / INSIGNIA | \$7.21 |
| 48 | LFUCG HASHMARKS - 1 | EG0759 | G12126 | UNIFORM ACC / INSIGNIA | \$2.34 |
| 49 | LFUCG HASHMARKS - 2 | EG0760 | G12226 | UNIFORM ACC / INSIGNIA | \$2.58 |
| 50 | LFUCG HASHMARKS - 3 | EG0761 | G12326 | UNIFORM ACC / INSIGNIA | \$2.83 |
| 51 | LFUCG HASHMARKS - 4 | EG0762 | G12426 | UNIFORM ACC / INSIGNIA | \$3.09 |
| 52 | LFUCG HASHMARKS - 5 | EG0788 | G12526 | UNIFORM ACC / INSIGNIA | \$3.35 |
| 53 | LFUCG HASHMARKS - 6 | EN6954 | G30534 | UNIFORM ACC / INSIGNIA | \$3.60 |
| 54 | LFUCG HASHMARKS - 7 | EG2120 | G30535 | UNIFORM ACC / INSIGNIA | \$3.85 |
| 55 | LFUCG HASHMARKS - 8 | EG2121 | G30536 | UNIFORM ACC / INSIGNIA | \$4.10 |
| 56 | LFUCG HASHMARKS - 9 | EG2126 | G24074 | UNIFORM ACC / INSIGNIA | \$4.35 |
| 57 | REEVES SERVING SINCE BAR WITH BLUE LETTERS - GOLD | NT027 | YSLE GLD | UNIFORM ACC / INSIGNIA | \$12.00 |
| 58 | HERO'S PRIDE TRADITIONAL WHISTLE CHAIN VALUE PACK - GOLD | UA002 | GA4020G | UNIFORM ACC / INSIGNIA | \$10.00 |
| 59 | EISEMAN LUDMAR SOFT SHOULD EPAULETS (PAIRS) | UA004 | | UNIFORM ACC / INSIGNIA | \$14.50 |
| 60 | EMBROIDERED COLLAR INSIGNIA EMBLEMS - BLACK / GOLD. BLACK / SILVER | UA481 | | UNIFORM ACC / INSIGNIA | \$3.00 |
| 61 | CLIP ON TIE WITH BUTTON HOLE - BLACK | UA494 | 90010 BLK | UNIFORM ACC / INSIGNIA | \$5.00 |
| 62 | GALLS BREAKAWAY TIE - BLACK | UA495 | 90111 BLK | UNIFORM ACC / INSIGNIA | \$6.00 |
| 63 | OAK LEAF INSIGNIA LT COL & MAJ - BLACK / SILVER | UE082 | PE1055ALL | UNIFORM ACC / INSIGNIA | \$2.06 |
| 64 | SMALL CORPORAL CHEVRON - PAIR - GOLD | ZY900 | A7011 GP | UNIFORM ACC / INSIGNIA | \$14.00 |
| 65 | MAGLIT MINI MAGLITE PRO LED FLASHLIGHT | FH198 | SP201H | DUTY GEAR & EQUIP | \$27.81 |
| 66 | SAFARILAND SAFARILAMINATE BUCKLELESS OUTER DUTY BELT | LP070 BW | 94-4 | DUTY GEAR & EQUIP | \$64.00 |
| 67 | SAFARILAND SAFARILAMINATE BUCKLELESS INNER DUTY BELT - 1 5" | LP071 BW | 99-4 | DUTY GEAR & EQUIP | \$31.67 |
| 68 | SAFARILAND STANDARD CUFF CASE WITH SNAP - HIDDEN SNAP | LP081 BW HS | 90-4HS | DUTY GEAR & EQUIP | \$25.00 |
| 69 | SAFARILAND STANDARD CUFF CASE WITH SNAP - SILVER | LP081 BW SIL | 90-4 | DUTY GEAR & EQUIP | \$25.50 |
| 70 | SAFARILAND #77 DOUBLE MAGAZINE HOLDER - HIDDEN SNAP | LP127 BW HS | 77-83-4HS | DUTY GEAR & EQUIP | \$32.50 |
| 71 | SAFARILAND #77 DOUBLE MAGAZINE HOLDER - SILVER | LP127 BW SIL | 90-4 | DUTY GEAR & EQUIP | \$32.50 |
| 72 | SAFARILAND MKIII DEFENSE SPRAY CASE - HIDDEN SNAP | LP130 BW HS | 38-4-4HS | DUTY GEAR & EQUIP | \$25.00 |
| 73 | SAFARILAND MKIII DEFENSE SPRAY CASE - SILVER | LP130 BW SIL | 90-4 | DUTY GEAR & EQUIP | \$25.00 |
| 74 | SAFARILAND SAFARILAMINATE TWO SNAP BELT KEETERS - HIDDEN SNAP | LP137 BW HS | 62-4-4HS | DUTY GEAR & EQUIP | \$19.95 |

**Lexington-Fayette Urban County Government
Division of Community Corrections
Bid #70-2017 Web-based Quartermaster Program**

| LINE ITEM | DESCRIPTION | GALLS# | MFG ITEM # | CATEGORY | Price Each |
|-----------|--|-------------------|------------------|-------------------|------------|
| 75 | SAFARILAND SAFARILAMINATE TWO SNAP BELT KEETERS - NICKEL | LP137 BW NKL | 65-4-4 | DUTY GEAR & EQUIP | \$18.54 |
| 76 | GLOVE POUCH WITH VELCRO CLOSURE | LP203 | 33-4V | DUTY GEAR & EQUIP | \$15.50 |
| 77 | SAFARILAND QUICK KIT 1-2 (1) QLS 19 AND (1) QLS 22 | LP271 | QUICK-KIT1-2 | DUTY GEAR & EQUIP | \$25.75 |
| 78 | SAFARILAND 6360 ALS/SLS LEVER III MID-RIDE RETENTION HOLSTER | LP415 BRH/BLH 83 | 6360-83-81/82 | DUTY GEAR & EQUIP | \$150.00 |
| 79 | SAFARILAND ALS/SLS 6360 LEVER III MID RISE DUTY HOLSTER | LP416 FRH/FLH 83 | 6360-83-131/132 | DUTY GEAR & EQUIP | \$118.00 |
| 80 | SAFARILAND FLASHLIGHT CARRIER | LP629 | 306-1-4 | DUTY GEAR & EQUIP | \$26.77 |
| 81 | UNCLE MIKES MINI FLASHLIGHT HOLDER | NP043 | 88671 | DUTY GEAR & EQUIP | \$11.85 |
| 82 | UNCLE MIKES SINGLE CUFF CASE | NP045 | 88781 | DUTY GEAR & EQUIP | \$14.94 |
| 83 | UNCLE MIKES NYLON MARK III DEFENSE SPRAY CASE | NP088 | 88771 | DUTY GEAR & EQUIP | \$14.94 |
| 84 | UNCLE MIKES NYLON ULTRA DUTY BELT | NP118 | 87731 | DUTY GEAR & EQUIP | \$35.52 |
| 85 | UNCLE MIKES NYLON BELT KEEPERS (SET OF 4) | NP119 | 88651 | DUTY GEAR & EQUIP | \$10.30 |
| 86 | UNCLE MIKES CORDURA DOUBLE LATEX GLOVE CARRIER | NP126 | 88961 | DUTY GEAR & EQUIP | \$11.85 |
| 87 | GALLS MOLDED NYLON TROUSER BELT | NP240 | SHG050 BLK | DUTY GEAR & EQUIP | \$13.39 |
| 88 | UNCLE MIKES CORDURA DIVIDED DOUBLE MAG CASE | NP307 | 88367 | DUTY GEAR & EQUIP | \$24.72 |
| 89 | 5 11 TACTICAL TDU BELT - 1 75" WIDE | NP571 | 59552 019 | DUTY GEAR & EQUIP | \$14.42 |
| 90 | PEERLESS STANDARD HANDCUFFS | RS001 | 700C | DUTY GEAR & EQUIP | \$24.00 |
| 91 | SMITH & WESSON MODEL 100 NICKEL FINISHED HANDCUFF | RS021 | 350103 | DUTY GEAR & EQUIP | \$22.00 |
| 92 | ZAK TOOL TACTICAL KEY RING HOLDER - 2 PACK | RS301 | ZT-54-55 | DUTY GEAR & EQUIP | \$10.50 |
| 93 | UNCLE MIKES ULTRA INNER DUTY BELT WITH VELCRO | ZB384 | 87821 | DUTY GEAR & EQUIP | \$21.12 |
| 94 | UNCLE MIKES KODRA ULTRA DUTY BELT WITH VELCRO LINING | ZB454 | 87781 | DUTY GEAR & EQUIP | \$26.78 |
| 95 | SAFARILAND ALS/SLS LEVER III MID RIDE DUTY HOLSTER | ZW048 FRH/FLH 283 | 6360-283-131/132 | DUTY GEAR & EQUIP | \$115.00 |
| 96 | TOMMIE COPPER WOMEN'S GRADUATED COMPRESSION SOCK | FT550 BLK | 1701WR-0101 | FOOTWEAR | \$42.00 |
| 97 | SUPERFEET MEN'S TRIM-TO-FIT BLUE INSOLES | FT606 BLU | 2412 BLU | FOOTWEAR | \$42.00 |
| 98 | SUPERFEET MEN'S TRIM-TO-FIT ORANGE INSOLES | FT607 ORG | 7410 ORG | FOOTWEAR | \$42.00 |
| 99 | 5 11 TACTICAL MEN'S ZIPPER 6" TACTICAL ATAC QUARTER BOOT | FW138 | 12018 019 | FOOTWEAR | \$83.43 |
| 100 | 5 11 ATAC TACTICAL 6" WATERPROOF BOOT | FW140 | 12019 019 | FOOTWEAR | \$102.74 |
| 101 | ROCKY PROFESSIONAL HI-GLOSS UNISEX CHUKKA | FW318 | 500-8 BLK | FOOTWEAR | \$75.00 |
| 102 | 5 11 TACTICAL WOMEN'S 6" TACTICAL WATER RESISTANT ATAC QUARTER BOOTS | FW339 | 12025 019 | FOOTWEAR | \$80.00 |
| 103 | UNDER ARMOUR HITCH HEAVY 3.0 BOOT SOCK | FX524 | 730-U7305B1 | FOOTWEAR | \$14.00 |
| 104 | DR. SCHOLLS BACK PAIN RELIEF ORTHOTICS | FW392 | 40489 | FOOTWEAR | \$13.00 |
| 105 | SUPERFEET MEN'S TRIM-TO-FIT GREEN INSOLES | FT206 | 1410 GRN | FOOTWEAR | \$40.00 |
| 106 | GALLS CUSHIONED BOOT SOCK | FW537 | 3008 | FOOTWEAR | \$8.00 |
| 107 | BATES LITES HIGH GLOSS CHUKKA BOOT | FW573 | E00053 BLK | FOOTWEAR | \$115.00 |
| 108 | DANNER STRIKER TORRENT 8" WATERPROOF BOOT | FW610 | 43003 BLK | FOOTWEAR | \$180.00 |
| 109 | SPENCO GEL INSOLES | FW857 | 39818 | FOOTWEAR | \$11.00 |
| 110 | TOMMIE COPPER DRESS MIRCO MODAL COMPRESSION CREW SOCK | FX392 | 1729MR | FOOTWEAR | \$22.00 |
| 111 | TOMMIE COPPER DRESS MIRCO MODAL COMPRESSION OVER THE CALF SOCK | FX393 | 1733MR | FOOTWEAR | \$28.00 |

Lexington-Fayette Urban County Government
Division of Community Corrections
Bid #70-2017 Web-based Quartermaster Program

| LINE ITEM | DESCRIPTION | GAUS# | MFG ITEM # | CATEGORY | Price Each |
|-----------|--|--------|-------------------|---------------|------------|
| 112 | TOMMIE COPPER COMPRESSION WOOL CREW SOCK | FX395 | 1731MR | FOOTWEAR | \$28.00 |
| 113 | TOMMIE COPPER COMPRESSION WOOL OVER THE CALF SOCK | FX396 | 1734MR | FOOTWEAR | \$34.00 |
| 114 | TOMMIE COPPER WOMEN'S DRESS MICRO MODAL COMPRESSION CREW SOCK | FX398 | 1729WR | FOOTWEAR | \$22.00 |
| 115 | TOMMIE COPPER WOMEN'S DRESS MICRO MODAL COMPRESSION OVER THE CALF SOCK | FX399 | 1733WR | FOOTWEAR | \$26.00 |
| 116 | TOMMIE COPPER WOMEN'S COMPRESSION WOOL CREW SOCK | FX400 | 1731WR | FOOTWEAR | \$26.00 |
| 117 | TOMMIE COPPER WOMEN'S COMPRESSION WOOL OVER THE CALF SOCK | FX401 | 1734WR | FOOTWEAR | \$34.00 |
| 118 | UNDER ARMOUR RESISTOR 3.0 CREW SOCK 6 PACK - BLACK | FX519 | 730-U2925P6-001 | FOOTWEAR | \$17.00 |
| 119 | 5 11 TACTICAL MEN'S LEVEL 1 9" DUTY SOCKS | SP586 | 59048 019 | FOOTWEAR | \$10.00 |
| 120 | BATES 5" TACTICAL SPORT BOOT | SP620 | E02262 | FOOTWEAR | \$72.10 |
| 121 | BATES WOMEN'S 5" TACTICAL BOOT | SP703 | 2762 BLK | FOOTWEAR | \$72.10 |
| 122 | MAGNUM M PACT SOCKLINER | SP734 | 1085 | FOOTWEAR | \$10.00 |
| 123 | ROCKY PRO CELL LEATHER CHUKKA BOOT | SP750 | 501-8 | FOOTWEAR | \$92.70 |
| 124 | UNDER ARMOUR COLDGEAR BOOT SOCKS | FX526 | 730-U7264B1-001 | FOOTWEAR | \$15.00 |
| 125 | FIELD TRAINING OFFICER ROCKER | EC4941 | Q203702 ES2243669 | CUSTOMIZATION | \$2.42 |
| 126 | ACADEMY INSTRUCTOR ROCKER | EG1193 | Q203697 ES2243659 | CUSTOMIZATION | \$2.58 |
| 127 | COURT SERVICES ROCKER GOLD | EG1042 | | | \$2.58 |
| 128 | COURT SERVICES ROCKER SUBDUED SILVER | EG1041 | | | \$2.58 |

Lexington-Fayette Urban County Government
Lexington Fire Emergency Services
Bid #70-2017

| LINE ITEM | DESCRIPTION | GALLS ITEM # | MFG ITEM # | CATEGORY | Price Each |
|-----------|---|--------------|----------------|----------|------------|
| 1 | 5 11 TACTICAL MEN'S LONG SLEEVE JERSEY KNIT POLO - NAVY | ST101 | 72360 | POLOS | \$50.00 |
| 2 | LION 100 PCT COTTON KNIT SHORT SLEEVE STATION POLO - NAVY | ST264 | 0420NV | POLOS | \$65.00 |
| 3 | 5 11 TACTICAL PROFESSIONAL SLEEVE POLO - NAVY | SW439 | 41060 | POLOS | \$42.00 |
| 4 | 5 11 TACTICAL PROFESSIONAL LONG SLEEVE PIQUE KNIT POLO - NAVY | SW456 | 42056 | POLOS | \$44.00 |
| 5 | 5 11 TACTICAL SHORT SLEEVE POLO - NAVY | SW984 | 71182 | POLOS | \$42.00 |
| 6 | 5 11 TACTICAL WOMEN'S SHORT SLEEVE POLO - NAVY | SW992 | 61164 | POLOS | \$42.00 |
| 7 | 5 11 TACTICAL WOMEN'S PROFESSIONAL POLO - NAVY | SW994 | 61166 | POLOS | \$42.00 |
| 8 | LFD DRESS CLASS A DOUBLE BREASTED JACKET - NAVY | JA260 | F1 34892 86 | CLASS A | \$245.00 |
| 9 | ELBECO MEN'S PARAGON PLUS SHORT SLEEVE SHIRT - WHITE | SH093 | P867 | CLASS A | \$38.00 |
| 10 | ELBECO MEN'S PARAGON PLUS SHORT SLEEVE SHIRT - NAVY | SH093 | P834 | CLASS A | \$38.00 |
| 11 | ELBECO MEN'S PARAGON PLUS LONG SLEEVE SHIRT - WHITE | SH095 | P877 | CLASS A | \$42.00 |
| 12 | GALLS POLY/COTTON MEN'S LONG SLEEVE MILITARY STYLE SHIRT - WHITE | SH1440 | SH1140 | CLASS A | \$24.50 |
| 13 | GALLS POLY/COTTON MEN'S SHORT SLEEVE MILITARY STYLE SHIRT - WHITE | SH612 | SH612 | CLASS A | \$22.50 |
| 14 | GALLS POLY/COTTON FEMALE SHORT SLEEVE - WHITE | SR572 | SH572 | CLASS A | \$22.50 |
| 15 | GALLS POLY/COTTON FEMALE LONG SLEEVE MILITARY STYLE SHIRT - WHITE | SR573 | SH573 | CLASS B | \$24.50 |
| 16 | ELBECO PARAGON PLUS FEMALE SHORT SLEEVE SHIRT - WHITE | SR751 | P811LC | CLASS B | \$38.00 |
| 17 | 5 11 TACTICAL UTILI T SHIRTS PACKAGES OF 3 - WHITE | UA615 | 40016 010 | CLASS B | \$38.00 |
| 18 | LION COTTON SHORT SLEEVE MEN'S BRAVO SERIES SHIRT - MDNV | SR767 | 0527 NV-20 | CLASS B | \$59.74 |
| 19 | LION COTTON MEN'S BRAVO SERIES SHIRT - NAVY | SR768 | 0227 NV-20 | CLASS B | \$61.80 |
| 20 | FECHHEIMER MEN'S POLYESTER UNIFORM PANTS - NAVY | TR121 | F1 38200 86 | TROUSER | \$40.00 |
| 21 | FECHHEIMER MEN'S 55/45 POLY/WOOL DRESS TROUSERS - NAVY | TR152 | F1 34291 86 | TROUSER | \$68.23 |
| 22 | FECHHEIMER WOMEN'S 55/45 POLY/WOOL DRESS TROUSERS - NAVY | TR153 | F1 34291W 86 | TROUSER | \$68.23 |
| 23 | DUTY PRO MEN'S POLY/COTTON PANTS - NAVY | TR355 | TR355 | TROUSER | \$25.00 |
| 24 | GALLS MEN'S EMS PANTS | TR357 | TR357 | TROUSER | \$32.96 |
| 25 | GALLS WOMEN'S EMS PANTS | TR358 | TR358 | TROUSER | \$32.96 |
| 26 | 5 11 TACTICAL MEN'S EMS PANTS | TR556 | 74310L 724 | TROUSER | \$54.08 |
| 27 | 5 11 TACTICAL WOMEN'S EMS PANTS | TR557 | 64301 724 | TROUSER | \$56.77 |
| 28 | ELBECO LADIES CHOICE TEK3 FOUR POCKET TROUSERS | TR590 | E2814LCD | TROUSER | \$40.50 |
| 29 | ELBECO LADIES CHOICE TEK3 CARGO POCKET TROUSERS | TR592 | EL05=E9620LCN | TROUSER | \$53.36 |
| 30 | ELBECO MEN'S TEK3 FOUR POCKET TROUSERS | TR593 | E820RN | TROUSER | \$40.50 |
| 31 | 5 11 TACTICAL MEN'S CARGO PDU PANTS | TR566 | 74326 MDNV | TROUSER | \$46.50 |
| 32 | 5 11 TACTICAL WOMEN'S PDU PANTS | TR667 | 64306 750 | TROUSER | \$46.50 |
| 33 | 5 11 TACTICAL MEN'S PATROL DUTY UNIFORM PDU CLASS A TWILL PANTS | TR703 | 74338-750 | TROUSER | \$46.50 |
| 34 | 5 11 TACTICAL WOMEN'S PATROL DUTY UNIFORM PDU CLASS A TWILL PANTS | TR706 | 64304-750 | TROUSER | \$46.50 |
| 35 | ELBECO MEN'S TEK3 CARGO PANTS | TR747 | E620RN | TROUSER | \$48.93 |
| 36 | ELBECO TEK3 MEN'S EMS PANTS | TR758 | E7552RN | TROUSER | \$54.59 |
| 37 | ELBECO TEK3 WOMEN'S EMS PANTS | TR762 | E7553LCN | TROUSER | \$54.59 |
| 38 | LION MEN'S TRADITIONAL 100% COTTON TROUSER | TR890 | 0510NV-10 | TROUSER | \$56.00 |
| 39 | LION FEMALE TRADITIONAL 100% COTTON TROUSER | TR891 | 7141NV-00 MDNV | TROUSER | \$56.00 |
| 40 | 5 11 TACTICAL STRYKE PANT WITH FLEX TAC | TR909 | 74369 019 | TROUSER | \$61.80 |

Lexington-Fayette Urban County Government
Lexington Fire Emergency Services
Bid #70-2017

| LINE ITEM | DESCRIPTION | GALLS ITEM # | MFG ITEM # | CATEGORY | Price Each |
|-----------|---|--------------|-------------------|--------------|------------|
| 41 | 5 11 TACTICAL WOMEN'S STRYKE PANT | TR980 | 64386 019 | TROUSER | \$61.80 |
| 42 | SPORT TEK MESH SHORTS - BLACK | TU253 | ST510 BLK | TROUSER | \$12.00 |
| 43 | FECHHEIMER 100% POLYESTER SKIRT | ZP962 | F1 38033 86 | TROUSER | \$65.00 |
| 44 | GALLS FIREFIGHTER QUARTER ZIP WORKSHIRT WITH STAND UP COLLAR | ST135 | ST135 | JOBSHIRT | \$36.00 |
| 45 | ELBECO QUARTER ZIP JOB SHIRT | ST493 | 3730 MDNV | JOBSHIRT | \$59.84 |
| 46 | 5 11 TACTICAL FIREFIGHTER QUARTER ZIP JOB SHIRT | SW850 | 72314 720 | JOBSHIRT | \$56.24 |
| 47 | LFUCG FIRE DEPARTMENT SILVER EMBLEM | EG0226 | Q176493 904-002 | OUTERWEAR | \$2.00 |
| 48 | LFUCG FIRE DEPARTMENT SILVER EMBLEM WITH VELCRO | EG0718 | Q191749 ES2134226 | OUTERWEAR | \$3.00 |
| 49 | GAME SPORTSWEAR THE BRAVEST JACKET | JA162 | 1221-J NAV | OUTERWEAR | \$70.00 |
| 50 | GAME SPORTSWEAR THE FINEST VEST | JA163 | 1222-V NAV | OUTERWEAR | \$60.00 |
| 51 | 5 11 ANSI TACTICAL PARKA | JA429 | 48014 320 | OUTERWEAR | \$143.13 |
| 52 | 5 11 ANSI TACTICAL 3-IN-1 CLASS 3 REVERSIBLE PARKA | JA514 | 48033 320 | OUTERWEAR | \$242.05 |
| 53 | 5 11 TACTICAL FLEECE JACKET | JA587 | 48038 019 | OUTERWEAR | \$95.50 |
| 54 | TRU-SPEC M 65 FIELD JACKET WITH LINER | JA605 | 2440003 | OUTERWEAR | \$90.00 |
| 55 | GALLS 3-IN01 SYSTEM FLEECE/LINING ONLY | JA785 | JA785 | OUTERWEAR | \$35.00 |
| 56 | 5 11 TACTICAL SIGNATURE DUTY JACKET | JAB38 | 48103 724 | OUTERWEAR | \$173.04 |
| 57 | SPORT TEK HOODED RAGLAN JACKET | JC406 | JST73 BLK | OUTERWEAR | \$35.00 |
| 58 | LION STATIONWEAR ACTION LINE JACKET | JC700 | 3432-40 | OUTERWEAR | \$65.00 |
| 59 | LION REMOVEABLE LINER FOR ACTION LINE JACKET | JC702 | 0794-40 | OUTERWEAR | \$32.00 |
| 60 | NEESE STORM TECH RAIN JACKET | RW082 | UN523-00-1 BLK | OUTERWEAR | \$92.70 |
| 61 | ANCHOR UNIFORMS MEN'S DARIEN TRENCH COAT | RW131 | 761MT NAV | OUTERWEAR | \$175.10 |
| 62 | 1 INCH NAVY TEXTWILL NAMESTRIP WITH SILVER EMBROIDERY | UA1035 | UA1035 | OUTERWEAR | \$2.06 |
| 63 | REVERSED AMERICAN FLAG FOR RIGHT ARM - WITHOUT VELCRO | UA156 | 500-914 | OUTERWEAR | \$2.06 |
| 64 | 112 WHT UPPER BLACK LOWER FELT BRIM - SINGLE SCRAMBLE GML40 GLD STRAP | HA015 | 112 LFUCG WHT | HEADWEAR | \$88.58 |
| 65 | ELBECO TEKS 3 HAT | HA037 | CAP 24 MDNV | HEADWEAR | \$12.86 |
| 66 | 112 NAVY UPPER BLACK LOWER WITH GML40 GLD STRAP GLD FD BUTTONS | HW029 | 112 NAVBLK GLD | HEADWEAR | \$75.00 |
| 67 | TRU SPEC BOONIE HAT | HW202 | 3210004 | HEADWEAR | \$12.36 |
| 68 | GALLS CLASSIC STYLE WATCH CAP WITH THINSULATE | HW301 | HW301 | HEADWEAR | \$12.00 |
| 69 | 5 11 TACTICAL FLEECE WATCH CAP | HW401 | 89250 724 | HEADWEAR | \$16.00 |
| 70 | 5 11 ADJUSTABLE UNIFORM HAT WITH LOGO | HW426 | 89260 724 | HEADWEAR | \$12.88 |
| 71 | GALLS FLEECE HAT | HW607 | HW607 | HEADWEAR | \$9.50 |
| 72 | UNDER ARMOUR FRIEND OR FOE STRETCH FIT CAP | HW642 | 1219733 465 | HEADWEAR | \$22.00 |
| 73 | CONVERTIBLE 112/114 BELL CROWN W/REMOVABLE BRAID | HD355 | 112/114CONV NAV | HEADWEAR | \$53.56 |
| 74 | NYLON LACE CHIN STRAP - GOLD | ZA3839 | GML-40 GLD | HEADWEAR | \$12.00 |
| 75 | NYLON LACE CHIN STRAP - SILVER | UN524 | SNL-40 | HEADWEAR | \$12.00 |
| 76 | 5 11 TACTICAL UNIFORM HAT , ONE SIZE | HW426 | 89260 | HEADWEAR | \$12.88 |
| 77 | NIKE DRI FIT CUSHION CREW SOCKS | FT573 | SX4446 | SOCKS & TIES | \$16.48 |
| 78 | 5 11 TACTICAL 6" DUTY SOCK (3 PACK) | FW340 | 50078 019 | SOCKS & TIES | \$21.56 |
| 79 | GALLS CUSHIONED BOOT SOCK | FW537 | 3008 | SOCKS & TIES | \$6.18 |
| 80 | LAWPRO DELUXE SHOE SHINE KIT | FW882 | QM-KIT | SOCKS & TIES | \$18.00 |

**Lexington-Fayette Urban County Government
Lexington Fire Emergency Services
Bid #70-2017**

| LINE ITEM | DESCRIPTION | GALLS ITEM # | MFG ITEM # | CATEGORY | Price Each |
|-----------|--|--------------|-------------|--------------|------------|
| 81 | LAWPRO POLYESTER 4 INCH HAND TIE | UA444 | 90072 BLK | SOCKS & TIES | \$3.75 |
| 82 | 5 11 TACTICAL 6" EVO BOOT | FT750 | 12311 019 | FOOTWEAR | \$106.61 |
| 83 | GALLS ATHLETIC OXFORD | FX305 | FX305 | FOOTWEAR | \$42.48 |
| 84 | GALLS HIGH GLOSS OXFORD | FX072 | FX072 | FOOTWEAR | \$42.48 |
| 85 | 5 11 TACTICAL MEN'S ZIPPER 6" TACTICAL ATAC QUARTER BOOT | FW138 | 12018 019 | FOOTWEAR | \$83.43 |
| 86 | MANGNUM 8" STEALTH FORCE ZIPPER WATERPROOF BOOT | FW141 | 5870 BLK | FOOTWEAR | \$96.00 |
| 87 | GALLS 8" COMPOSTIE TOE DUTY BOOT | FX069 | FX069 | FOOTWEAR | \$66.94 |
| 88 | BATES DELTA SPORT ICS ATHLETIC OXFORD | FW349 | E03204 BLK | FOOTWEAR | \$94.76 |
| 89 | BATES 6" ICS GORE-TEX WATERPROOF BOOT | SP930 | 2346 | FOOTWEAR | \$100.00 |
| 90 | BATES LITES HIGH GLOSS CHUKKA BOOT | FW573 | E00053 BLK | FOOTWEAR | \$115.00 |
| 91 | DANNER STRIKER TORRENT 8" WATERPROOF BOOT | FW610 | 43003 BLK | FOOTWEAR | \$176.00 |
| 92 | DANNER STRIKER TORRENT 8" WATERPROOF SIDE ZIP BOOT | FW611 | 43013 BLK | FOOTWEAR | \$204.96 |
| 93 | LAWPRO DISPATCH 2.0 LOW OXFORD | FW661 | 889 610 | FOOTWEAR | \$32.00 |
| 94 | DANNER 4 5" STRIKER TORRENT WATERPROOF BOOT | FW726 | 43027 BLK | FOOTWEAR | \$152.00 |
| 95 | GALLS 5" QUARTER DUTY BOOT | FX070 | FX070 | FOOTWEAR | \$40.00 |
| 96 | HAIX BLACK EAGLE TACTICAL 2 0 GTX HIGH | FX104 | 340003M BLK | FOOTWEAR | \$170.00 |
| 97 | HAIX BLACK EAGLE TACTICAL 2 0 GTX MID | FX105 | 340002M | FOOTWEAR | \$160.00 |
| 98 | HAIX BLACK EAGLE TACTICAL 2 0 GTX LOW | FX106 | 340001M | FOOTWEAR | \$152.00 |
| 99 | ROCKY 10" PARATROOPER SIDE ZIPPER BOOT | SP262 | 2090 | FOOTWEAR | \$118.18 |
| 100 | DANNER ACADIA 8" WATERPROOF DUTY BOOT | SP285 | 21210 | FOOTWEAR | \$305.00 |
| 101 | BATES 8" TACTICAL SPORT BOOT | SP402 | E02260 | FOOTWEAR | \$75.00 |
| 102 | BATES ULTRA LITE ZIPPER BOOT | SP403 | E02261 | FOOTWEAR | \$74.41 |
| 103 | ROCKY 7" PARATROOPER SIDE ZIPPER BOOT | SP420 | 2091 | FOOTWEAR | \$118.18 |
| 104 | BATES 8 SAFETY TOP SIDE ZIP | SP526 | E02263 | FOOTWEAR | \$98.88 |
| 105 | 5 11 TACTICAL 6" EVO WATERPROOF BOOT | FT751 | 12313 | FOOTWEAR | \$105.00 |
| 106 | 5 11 TACTICAL 8" A T A C ZIPPER BOOTS | SP583 | 12001 | FOOTWEAR | \$91.92 |
| 107 | 5 11 TACTICAL 6" ATAC BOOT | SP584 | 12002 | FOOTWEAR | \$82.40 |
| 108 | BATES 5" TACTICAL SPORT BOOT | SP620 | E02262 | FOOTWEAR | \$72.10 |
| 109 | 5 11 TACTICAL 8" ATAC STORM ZIPPER WATERPROOF BOOT | SP725 | 12004 | FOOTWEAR | \$118.95 |
| 110 | ROCKY PRO CELL LEATHER CHUKKA BOOT | SP750 | 501-8 | FOOTWEAR | \$92.70 |
| 111 | BATES 8" GX SIDE ZIP GORE-TEX BOOT | SP755 | E02268 | FOOTWEAR | \$115.00 |
| 112 | BATES 4" GX-4 NON METALLIC WATERPROOF BOOT | SP757 | E02266 | FOOTWEAR | \$104.03 |
| 113 | BATES 6" INDVUAL COMFORT SYSTEM ZIPPER BOOT | SP930 | 2346 | FOOTWEAR | \$94.25 |
| 114 | MAGNUM 6" STEALTH FORZE SIDE ZIPPER BOOT | SP940 | 5226 | FOOTWEAR | \$85.00 |
| 115 | DANNER PATROL QUARTER BOOT | ZI198 | 25200 | FOOTWEAR | \$295.00 |
| 116 | 5 11 TACTICAL WOMEN'S 8" ATAC SIDE ZIP BOOT | FW069 | 12007 | FOOTWEAR | \$90.63 |
| 117 | BATES WOMEN'S 8" TACTICAL SPORT ZIPPER BOOT | SP404 | E02700 | FOOTWEAR | \$80.34 |
| 118 | BATES WOMEN'S 5" TACTICAL BOOT | SP703 | 2762 | FOOTWEAR | \$72.10 |
| 119 | BATES WOMEN'S GX-8 NON METALLIC WATERPROO ZIPPER BOOT | SP756 | 2788 | FOOTWEAR | \$115.00 |
| 120 | BATES WOMEN'S GX-4 NON METALLIC WATERPROOF BOOT | SP758 | 2766 | FOOTWEAR | \$104.03 |

**Lexington-Fayette Urban County Government
Lexington Fire Emergency Services
Bid #70-2017**

| LINE ITEM | DESCRIPTION | GALLS ITEM # | MFG ITEM # | CATEGORY | Price Each |
|-----------|---|--------------|-------------------|----------------|------------|
| 121 | GALLS TRI-FOLD LEATHER COMPACT SIZE BADGE WALLET | BC005 | 79541 | BADGES | \$16.48 |
| 122 | BLACKINTON B544 SHIRT OR WALLET BADGE | BC161 | B544 | BADGES | \$45.00 |
| 123 | BLACKINTON B484 MALTESE CROSS BADGE | BC186 | B484 | BADGES | \$50.00 |
| 124 | PERFECT FIR BI FOLD WALLET WITH CREDIT CARD SLOTS AND ID WINDOW | BD037 | 107 BLK CSTM | BADGES | \$28.00 |
| 125 | STRONG TRI FOLD COMPANY SIZE LEATHER WALLET WITH RFID | BD123 | 7959R BLK | BADGES | \$24.00 |
| 126 | PERFECT FIT FIREFIGHTER RECESSED BADGE WALLET | BX495 | 105-FF | BADGES | \$32.00 |
| 127 | BLACKINTON SINGLE BUGLE PIN | CB056 | J50 | ACCESSORIES | \$6.00 |
| 128 | BLACKINTON DOUBLE BUGLE PIN | CB057 | J51 | ACCESSORIES | \$6.00 |
| 129 | BLACKINTON 2 CROSSED BUGLES PIN | CB058 | J52 | ACCESSORIES | \$6.00 |
| 130 | BLACKINTON 3 CROSSED BUGLES PIN | CB059 | J53 | ACCESSORIES | \$6.00 |
| 131 | BLACKINTON 4 CROSSED BUGLES PIN | CB060 | J54 | ACCESSORIES | \$6.00 |
| 132 | BLACKINTON 5 CROSSED BUGLES PIN | CB061 | J55 | ACCESSORIES | \$6.00 |
| 133 | LEXINGTON FIRE DEPT WITH VELCRO NAV/GLD/ROY | EG0780 | Q194262 ES2161364 | ACCESSORIES | \$3.00 |
| 134 | LEXINGTON FIRE DEPT WITH VELCRO BLK/GLD/ROY | EG0783 | Q194127 ES2159810 | ACCESSORIES | \$3.00 |
| 135 | LEXINGTON FIRE DEPT WITH VECRO NAV/SIL/ROY | EG0782 | Q194264 ES2161367 | ACCESSORIES | \$3.00 |
| 136 | LEXINGTON FIRE DEPT WITH VELCRO BLK/SIL/ROY | EG0784 | Q194128 ES2159813 | ACCESSORIES | \$3.00 |
| 137 | SERVING SINCE BLACK LETTERS | NT026 | SS110 BLK | ACCESSORIES | \$9.27 |
| 138 | BLACKINTON NAMETAG ONE LINE | NT097 | J3 1LN | ACCESSORIES | \$10.00 |
| 139 | 1 INCH SINGLE POLY NAMESTRIP UNAPPLIED | UA612N | UA612 | ACCESSORIES | \$3.00 |
| 140 | REBAR LEATHER SHEATH 4INCH | KN213 | 934825 | KNIVES / TOOLS | \$10.00 |
| 141 | SMITH & WESSON EXTREME OPS RESCUE KNIFE | KN452 | SWFR2S | KNIVES / TOOLS | \$20.60 |
| 142 | GERBER POWERFRAME FOLDING KNIFE | KN646 | 22-41964 | KNIVES / TOOLS | \$26.50 |
| 143 | SMITH AND WESSON FIRST REPOSE RESCUE KNIFE | KN348 | SWFRS | KNIVES / TOOLS | \$18.00 |
| 144 | LEATHERMAN SIDEKICK MULTI-TOOL | KN526 | 831429 | KNIVES / TOOLS | \$44.50 |
| 145 | SOG ESCAPE KNIFE WITH SEATBELT CUTTER AND TUNGSTEN GLASS BREAKER | KN556 | FF24 | KNIVES / TOOLS | \$40.50 |
| 146 | LEATHERMAN TOOLS CRATER C33 KNIFE | KN569 | 860011 | KNIVES / TOOLS | \$17.00 |
| 147 | LEATHERMAN TOOLS REBAR MULTI TOOL | KN575 | 831553 | KNIVES / TOOLS | \$58.00 |
| 148 | LEATHERMAN RAPTOR SHEARS | KN633 | 831741 | KNIVES / TOOLS | \$61.80 |
| 149 | STREAMLIGHT POLYTAC 90 FLASHLIGHT | FH052 | 88831 | FLASHLIGHTS | \$51.50 |
| 150 | STREAMLIGHT POLYTAC 90 FLASHLIGHT WITH GEARKEEPER | FH077 | 88832 | FLASHLIGHTS | \$63.86 |
| 151 | STREAMLIGHT KNUCKLEHEAD RECHARGABLE FIRE RESCUE LIGHT WITH CLIP | FH080 | 90657 | FLASHLIGHTS | \$158.62 |
| 152 | STREAMLIGHT KNUCKLEHEAD NON-RECHARGABLE FIRE RESCUE LIGHT WITH CLIP | FH081 | 90644 | FLASHLIGHTS | \$90.64 |
| 153 | RESPONDER RIGHT ANGLE LED 6 AA LIGHT | FH670 | 510304 | FLASHLIGHTS | \$72.00 |
| 154 | RESPONDER RIGHT ANGLE LED RECHARGEABLE LI-ION | FH671 | 510221 UTIL | FLASHLIGHTS | \$180.00 |
| 155 | PELICAN SUPER SUBRELITE 2000 | FL023 | 2000-010 | FLASHLIGHTS | \$36.00 |
| 156 | STREAMLIGHT AC OR DC CHARGE CORD FOR STREAMLIGHT STINGER | FL051 | 22060 | FLASHLIGHTS | \$19.50 |
| 157 | PELICAN WATERPROOF STEALTHLITE FLASHLIGHT | FL159 | 2400-010 | FLASHLIGHTS | \$36.50 |
| 158 | STREAMLIGHT SURVIVOR REPLACEMENT BATTERY | FL304 | 90338 | FLASHLIGHTS | \$41.20 |
| 159 | Streamlight ProPolymer Waterproof 4 AA Luxeon LED Flashlight | FL550 | 68344 | FLASHLIGHTS | \$40.00 |
| 160 | STREAMLIGHT SURVIVOR LED FLASHLIGHT WITH ALKALINE BATTERY PACK | FL596 | 90540 | FLASHLIGHTS | \$59.74 |

**Lexington-Fayette Urban County Government
Lexington Fire Emergency Services
Bid #70-2017**

| LINE ITEM | DESCRIPTION | GALLS ITEM # | MFG ITEM # | CATEGORY | Price Each |
|-----------|--|--------------|--------------|-------------|------------|
| 161 | STREAMLIGHT SURVIVOR LED FLASHLIGHT | FL597 | 90520 | FLASHLIGHTS | \$90.64 |
| 162 | STREAMLIGHT SURVIVOR LED FLASHLIGHT WITH AC/DC STEADY CHARGER | FL598 | 90503 | FLASHLIGHTS | \$120.00 |
| 163 | SUREFIRE 123A LITHIUM BATTERIES (2 PACK) | FL774 2 | SF2-CB | FLASHLIGHTS | \$4.15 |
| 164 | STREAMLIGHT FIRE VULCAN LED LANTERN WITH AC/DC | FL819 | 44450 | FLASHLIGHTS | \$185.40 |
| 165 | STREAMLIGHT STRION C4 LED FLASHLIGHT | FL858 | 74301 | FLASHLIGHTS | \$97.85 |
| 166 | STREAMLIGHT POLYTAC C4 LED FLASHLIGHT | FL877 | 88850 | FLASHLIGHTS | \$40.00 |
| 167 | GEN II LIGHTHAWK LED 4-CELL FLASHLIGHT W/ CHARGER BASE / 120V AC AND 12/24V DC PLUGS | FZ258 | 07611 UTIL | FLASHLIGHTS | \$280.00 |
| 168 | RESPONDER RA LED FLASHLIGHT W/ CHARGER BASE AND 12/24V DC PLUG | FZ259 | 510231 | FLASHLIGHTS | \$165.00 |
| 169 | VULCAN AC/DC MODEL | SL022 | 44000 | FLASHLIGHTS | \$123.60 |
| 170 | ST01 90116 STEADY CHARGER F/SURVIVOR | ZB469 | 90116 | FLASHLIGHTS | \$24.00 |
| 171 | CASIO G SHOCK CLASS X'LARGE WATCH | JW030 | GA100-1A1 | WATCHES | \$92.70 |
| 172 | SMITH & WESSON WATCH | JW141 | SWWW11B | WATCHES | \$40.00 |
| 173 | TIMEX EXPEDITION RUGGED CAT PLUS WATCH | JW162 | 3945-9003 GP | WATCHES | \$47.38 |
| 174 | GALLS ORIGINAL STREETPRO GEAR BAG | BG006 | BG006 | BAGS | \$28.00 |
| 175 | GALLS SQUARE GEAR BAG | BG051 | BG051 | BAGS | \$24.00 |
| 176 | GALLS BARREL BAG | BG140 | BG140 | BAGS | \$10.30 |
| 177 | GALLS DUFFEL BAG | BG186 | BG186 | BAGS | \$20.60 |
| 178 | GALLS DELUXE FIREFIGHTER BAG | BG197 | BG197 | BAGS | \$60.00 |
| 179 | GALLS DULUXE BARRELL BAG | BG230 | BG230 | BAGS | \$15.00 |
| 180 | 5 11 TACTICAL RUSH 24 BACKPACK | BG350 | BG350 | BAGS | \$110.00 |
| 181 | 5 11 TACTICAL RUSH 72 BACKPACK | BG351 | 58602 | BAGS | \$135.00 |
| 182 | 5 11 TACTICAL RED 8100 BAG | BG379 | 56878 | BAGS | \$67.79 |
| 183 | 5.11 TACTICAL TURNOUT POCKET ORGANIZER II | BG383 | 56875 | BAGS | \$22.65 |
| 184 | 5 11 TACTICAL RUSH 12 BACKPACK | BG403 | 56892 | BAGS | \$92.70 |
| 185 | 5.11 TACTICAL COVERT 18 BACKPACK | BG533 | 56961 | BAGS | \$118.45 |
| 186 | GALLS DELUXE SCBA MASK BAG | FE674 | SHG135 | BAGS | \$14.00 |
| 187 | GEARKEEPER TETHER CLIP | FH078 BLK | 88833 | BAGS | \$14.42 |
| 188 | FIVE STAR GEAR GI DPEC 3 DAY BACKPACK | MP171 | 6174000 | BAGS | \$87.55 |
| 189 | RINGERS IMPACT GLOVES | GL003 | GLOVE 143-09 | GLOVES | \$25.75 |
| 190 | RINGERS ROPE RESCUE GLOVES | GL144 | 353-09 | GLOVES | \$35.02 |
| 191 | RINGERS BARRIER EXTRICATION GLOVES | GL277 | 327-08 | GLOVES | \$62.00 |
| 192 | RINGERS SUPER CUFF RESCUE GLOVES | GL336 | 345 | GLOVES | \$28.84 |
| 193 | HEXARMIR EXT RESCUE BARRIER 4014 EXTRICATION GLOVES | GL614 | EXT4014 | GLOVES | \$49.00 |
| 194 | BOSTON LEATHER ANTI-SWAY LEATHER STRAP | FW649 | 5425-1 | DUTY GEAR | \$114.99 |
| 195 | BOSTON LEATHER RADIO HOLDER FOR HARRIS XG-75 | LH319 | 5609RC | DUTY GEAR | \$43.26 |
| 196 | GOULD & GOODRICH LEATHER TROUSER BELT | LP072 | B52 | DUTY GEAR | \$26.77 |
| 197 | GALLS GEAR LEATHER TROUSER BELT | LP157 | G4157 | DUTY GEAR | \$20.00 |
| 198 | LAWPRO DOUBLE GLOVE NYLON POUCH | NP036 | QM1328 | DUTY GEAR | \$10.00 |
| 199 | 5 11 TACTICAL OPERATOR BELT 1 75" | NP516 | 59405 | DUTY GEAR | \$37.08 |
| 200 | BOSTON LEATHER 57" RADIO STRAP | RC003 | 6543 | DUTY GEAR | \$34.00 |

**Lexington-Fayette Urban County Government
Lexington Fire Emergency Services
Bid #70-2017**

| LINE ITEM | DESCRIPTION | GALLS ITEM # | MFG ITEM # | CATEGORY | Price Each |
|-----------|---|--------------|-----------------|----------------|------------|
| 201 | BOSTON LEATHER ADJUSTABLE LEATHER RADIO HOLDER WITH D RINGS | RC009 | 5487RC | DUTY GEAR | \$33.99 |
| 202 | BLACKHAWK CQB/EMERGENCY RESCUE RIGGER BELT | TE041 | 41CQ01BK | DUTY GEAR | \$28.84 |
| 203 | CROSSFIRE SAFETY CORE EYEWEAR | EW181 | 1821 | SAFETY GLASSES | \$12.00 |
| 204 | CROSSFIRE SAFETY BLADE EYEWEAR | EW182 | 3021AF | SAFETY GLASSES | \$10.00 |
| 205 | CROSSFIRE SAFETY SNIPER EYEWEAR | EW183 | 924 | SAFETY GLASSES | \$14.00 |
| 206 | EDGE EYEWEAR DAKURA | EW340 | TSM216 | SAFETY GLASSES | \$30.90 |
| 207 | EDGE EYEWEAR KAZBEK | EW343 | SK116 | SAFETY GLASSES | \$12.36 |
| 208 | EDGE EYEWEAR RECLUS | EW345 | SR116 | SAFETY GLASSES | \$30.00 |
| 209 | EDGE EYEWEAR BLADE RUNNER XL WITH SMOKE POLARIZED GRADIENT | EW534 | TSBRG-XL716 BLK | SAFETY GLASSES | \$61.80 |
| 210 | EDGE EYEWEAR BLACK RUNNER XL | EW535 | SBR-XL61-G15 | SAFETY GLASSES | \$36.05 |
| 211 | ATLANTCO POLY/COTTON RIPSTOP 4 POCKET BDU SHIRT | SH110 | 9714006 | RESCUE | \$29.10 |
| 212 | 5 11 MENS SHORT SLEEVE TWILL PDU SHIRT | SR611 | 71177 750 | RESCUE | \$48.00 |
| 213 | GALLS 6 POCKET BDU PANTS | TR077 | 9716005 | RESCUE | \$27.81 |
| 214 | F145 - HONOR GUARD HAT BADGE | BC771 | F145 RH | HONOR GUARD | \$52.50 |
| 215 | SMITH & WARREN EAGLE TOP BADGE SHIELD | SZ0020 | S169 NI | HONOR GUARD | \$55.50 |
| 216 | SAFARILAND SAFARILAMINATE BUCKLELESS OUTER DUTY BELT | LP070 | 94-4 | ARSON | \$64.00 |
| 217 | SAFARILAND SAFARILAMINATE CUFF CASE WITH SNAP | LP081 | 90-2B | ARSON | \$25.00 |
| 218 | SAFARILAND SAFARILAMINATE DOUBLE MAGAZINE HOLDER | LP127 | 77-83-4HS | ARSON | \$31.92 |
| 219 | SAFARILAND SAFARILAMINATE MKIII DEFENSE SPRAY CASE | LP130 | 38-4-4HS | ARSON | \$24.46 |
| 220 | SAFARILAND SAFARILAMINATE MKIV DEFENSE SPRAY CASE | LP131 | 38-4HS | ARSON | \$27.81 |
| 221 | SAFARILAND GLOVE POUCH WITH VELCRO FLAP | LP203 | 33-4V | ARSON | \$15.50 |
| 222 | SAFARILAND ALS CONCEALMENT PADDLE HOLSTER - RIGHT | LP610 | 6378-83-411 | ARSON | \$46.61 |
| 223 | SAFARILAND ALS CONCEALMENT PADDLE HOLSTER - LEFT | LP610 | 6378-83-412 | ARSON | \$46.61 |
| 224 | BIANCHI ACCUMOLD BUCKLESLESS TROUSER BELT | NP161 | 17707 | ARSON | \$21.63 |
| 225 | BIANCHI ACCUMOLD BELT KEEPERS (4 PACK) | NP168 | 15635 | ARSON | \$9.79 |
| 226 | PEERLESS BLACK STANDARD HANDCUFFS | RS003 | 701C | ARSON | \$30.90 |
| 227 | PEERLESS BLACK HINGED HANDCUFFS | RS006 | 802C | ARSON | \$43.26 |
| 228 | SAFARILAND 6005 SLS TACTICAL HOLSTER - RIGHT | TE550 | 6005-83-121 | ARSON | \$185.00 |
| 229 | SAFARILAND 6005 SLS TACTICAL HOLSTER - LEFT | TE550 | 6005-83-122 | ARSON | \$185.00 |
| 230 | GALLS MOLDED SEAT ORGANIZER | VE046 | VE046 | ARSON | \$51.50 |
| 231 | SAFARILAND PADDLEBACK CUFF/MAG HOLDER - RIGHT | ZA964 | 573-83-411 | ARSON | \$33.99 |
| 232 | SAFARILAND PADDLEBACK CUFF/MAG HOLDER - LEFT | ZA964 | 573-83-412 | ARSON | \$33.99 |
| 233 | SAFARILAND 77 MAGAZINE HOLDER WITH STX FINISH | ZB122 | 77-83-13PBL | ARSON | \$30.64 |
| 234 | BLACK DIAMOND RUBBER FIRE BOOTS | FW652 | 6999451 | RECRUITS | \$164.80 |
| 235 | SHELBY KOALA COWHIDE GLOVES WITH GAUNTLET WRISTS | GL335 | 5228 BLU | RECRUITS | \$78.99 |
| 236 | HOWARD LEIGHT LEIGHTNING HEARING PROTECTORS | HP037 | 1010924 | RECRUITS | \$28.99 |
| 237 | DYNAMED CPR MASK WITH ONE WAY VALVE | RO007 | 820044 | RECRUITS | \$7.21 |
| 238 | LEXINGTON FIRE RECRUIT T SHIRTS | TZ061 | TS684 | RECRUITS | \$15.45 |
| 239 | LEXINGTON FIRE DEPARTMENT T SHIRTS - OFFICERS | TZ285 | TS684 | T SHIRTS | \$8.99 |
| 240 | LEXINGTON FIRE DEPARTMENT T SHIRTS - FIREFIGHTERS | TZ284 | TS684 | T SHIRTS | \$8.99 |

**Lexington-Fayette Urban County Government
Lexington Fire Emergency Services
Bid #70-2017**

| LINE ITEM | DESCRIPTION | GALLS ITEM # | MFG ITEM # | CATEGORY | Price Each |
|------------------|---|---------------------|-------------------|-----------------|-------------------|
| 241 | SUREFIRE 123A LITHIUM BATTERIES (6 PACK) | FL958 | SF6-BC | NEW | \$14.50 |
| 242 | SUREFIRE 123A LITHIUM BATTERIES (12 PACK) | FL774 12 | SF12-BB | NEW | \$22.50 |

Lexington-Fayette Urban County Government
Division of Police
Bid #70-2017

| LINE ITEM | Description | GALLS # | MFG # | CATEGORY | Price Each |
|-----------|--|-----------|---------------------|------------------------|------------|
| 1 | ELBECO DISTINCTION POLYESTER/WOOL LS SHIRT | SG908 | 840N | DUTY UNIFORM | \$84.00 |
| 2 | ELBECO DISTINCTION POLYESTER/WOOL SS SHIRT | SG909 | 8840N | DUTY UNIFORM | \$80.00 |
| 3 | ELBECO DISTINCTION LADIES CHOICE POLYESTER/WOOL LS SHIRT | SG916 | 9340LCN | DUTY UNIFORM | \$84.00 |
| 4 | ELBECO DISTINCTION LADIES CHOICE POLYESTER/WOOL SS SHIRT | SG917 | 9840LCN | DUTY UNIFORM | \$80.00 |
| 5 | ELBECO SHORT SLEEVE UNDERVEST SHIRT | SH084 | UVS102 | DUTY UNIFORM | \$46.00 |
| 6 | ELBECO LADIES CHOICE SHORT SLEEVE UNDERVEST SHIRT | SH085 | UVS104 DKNV | DUTY UNIFORM | \$46.00 |
| 7 | ELBECO UNDERVEST LONG SLEEVE SHIRT | SH086 | UVS101 | DUTY UNIFORM | \$42.00 |
| 8 | ELBECO LADIES CHOICE LONG SLEEVE UNDERVEST SHIRT | SH087 | UVS103 DKNV | DUTY UNIFORM | \$42.00 |
| 9 | ELBECO DISTINCTION FOUR POCKET TROUSER | TR036 | E494RN | DUTY UNIFORM | \$75.00 |
| 10 | ELBECO DISTINCTION HIDDEN CARGO POCKET TROUSER | TR038 | E444R | DUTY UNIFORM | \$80.00 |
| 11 | ELBECO DISTINCTION LADIES CHOICE FOUR POCKET TROUSER | TR060 | E9494LCN | DUTY UNIFORM | \$75.00 |
| 12 | ELBECO DISTINCTION LADIES CHOICE HIDDEN CARGO TROUSER | TT755 | E9444LC | DUTY UNIFORM | \$80.00 |
| 13 | LPD EMBLEM NO VELCRO | EG0769 | Q186581 ES2080405 | PATCHES | \$1.15 |
| 14 | LPD EMBLEM WITH VELCRO | EG0774 | Q188593 ES2105566 | PATCHES | \$3.18 |
| 15 | ASST CHIEF BADGE WITH VELCRO | EG0858 | Q198866 ES2186103 | PATCHES | \$2.37 |
| 16 | COMMANDER BADGE WITH VELCRO | EG0859 | Q198865 ES2186101 | PATCHES | \$2.37 |
| 17 | LIUTENANT BADGE WITH VELCRO | EG0860 | Q198884 ES2188098 | PATCHES | \$2.37 |
| 18 | SERGEANT BADGE WITH VELCO | EG0861 | Q198863 ES2186096 | PATCHES | \$2.37 |
| 19 | OFFICER BADGE WITH VELCRO | EG0862 | Q197103 ES2188234 | PATCHES | \$2.37 |
| 20 | KEYSTONE DUTY HAT WITH PERFORATED LEATHER BAND | HD934 | L5DKNVLEXPMTMN PLSB | HEADWEAR | \$65.00 |
| 21 | KEYSTONE DUTY HAT WITH ATHLETIC BAND | HD935 | P102 LPD NAV CMSB | HEADWEAR | \$60.00 |
| 22 | MIDWAY 8 POINT CAP WITH ONE EYELET | HW508 | STOCK 8 PT NAV | HEADWEAR | \$39.14 |
| 23 | MIDWAY COOL MAX 8 POINT CAP WITH ONE EYELET | HW510 | COOLMAX 8PT NAV | HEADWEAR | \$43.26 |
| 24 | MIDWAY CAP EXPANSION STRAP | HW512 GLD | EM-48G | HEADWEAR | \$10.00 |
| 25 | MIDWAY CAP EXPANSION STRAP | HW512 SIL | EM-48N | HEADWEAR | \$10.00 |
| 26 | NEESE HI VIS REVERSIBLE CAP COVER | RW332 | 475RCC BK-LI | HEADWEAR | \$10.30 |
| 27 | ELBECO MIC TAB | UZ340 | 7899 DKNV | UNIFORM ACC | \$2.75 |
| 28 | SPLIT PRONG UNIFORM CAP BUTTON - SILVER | UNI43 SP | PD BUTTONS SIL | UNIFORM ACC | \$3.00 |
| 29 | SPLIT PRONG UNIFORM CAP BUTTON - GOLD | UNI43 GP | PD BUTTONS GLD | UNIFORM ACC | \$3.00 |
| 30 | ELBECO BODYSHIELD EXTERNAL VEST CARRIER | BL801 | V3114B | OUTER CARRIER | \$75.00 |
| 31 | ELBECO SUSPENSION SYSTEM | NY018 | VSS1 | OUTER CARRIER | \$28.50 |
| 32 | 5 11 MENS SS SNAG FREE PERF POLO WITH LPD BADGE | SW724E | SW724 BLK | TACTICAL PANTS / POLOS | \$36.50 |
| 33 | VERTX PHANTOM LT 2 0 TACTICAL PANT | TJ300 | F1 VTX8001 | TACTICAL PANTS / POLOS | \$42.00 |
| 34 | WOMEN'S VERTX PHANTOM LT 2 0 TACTICAL PANT | TJ302 | F1 VTX8051 | TACTICAL PANTS / POLOS | \$42.00 |
| 35 | 5 11 TACTICAL PANT | TR135 | 74251 | TACTICAL PANTS / POLOS | \$43.26 |
| 36 | 5 11 TACLITE PRO PANT | TR506 | 74273 | TACTICAL PANTS / POLOS | \$40.00 |
| 37 | VERTX ORIGINAL PANT | TR639 | F1 VTX1000 | TACTICAL PANTS / POLOS | \$42.00 |
| 38 | 5 11 TACTICAL WOMEN'S PANT | TR641 | 84358 | TACTICAL PANTS / POLOS | \$43.26 |
| 39 | ELBECO TEK 3 CAP WITH EMBROIDERY | HA037 | CAP 24 MDNV | HEADWEAR | \$14.00 |
| 40 | GALLS CLASSIC STYLE WATCH CAP WITH THINSULATE | HW301 | HW301 | HEADWEAR | \$10.30 |
| 41 | FLEXFIT BALL WOOLY COMBED TWILL HAT WITH EMBROIDERY | HW679 | 6277 TPX19-4305 | HEADWEAR | \$12.50 |

Lexington-Fayette Urban County Government
Division of Police
Bid #70-2017

| LINE ITEM | Description | GALLS # | MFG # | CATEGORY | Price Each |
|-----------|--|--------------------|----------------|-----------|------------|
| 42 | SAFARILAND BUCKLELESS OUTER DUTY BELT | LP070 | 94 - 4 | DUTY GEAR | \$64.00 |
| 43 | SAFARILAND BUCKLELESS REVERSIBLE DUTY BELT | LP071 | 99 - 4 | DUTY GEAR | \$31.67 |
| 44 | SAFARILAND STANDARD CUFF CASE WITH SNAP | LP081 | 90-4HS | DUTY GEAR | \$25.00 |
| 45 | SAFARILAND DOUBLE MAG HOLDER | LP127 | 77-83-4HS | DUTY GEAR | \$32.50 |
| 46 | SAFARILAND MK3 DEFENSE SPRAY CASE | LP130 | 38-4-4HS | DUTY GEAR | \$25.50 |
| 47 | SAFARILAND 2 SNAP BELT KEEPERS | LP137 | 62-4-4HS | DUTY GEAR | \$19.95 |
| 48 | SAFARILAND DOUBLE CUFF CASE | LP177 | 290-4HS | DUTY GEAR | \$38.63 |
| 49 | SAFARILAND SURGICAL GLOVE POUCH | LP209 | 33-4V | DUTY GEAR | \$15.50 |
| 50 | AKER PADDLEBACK SINGLE CUFF CASE | LP233 | 77-83-4HS | DUTY GEAR | \$32.50 |
| 51 | GOULD & GOODRICH OPEN TOP PADDLE CUFF CASE | LP310 | 77-83-4HS | DUTY GEAR | \$30.90 |
| 52 | AKER PADDLEBACK MAG/CUFF HOLDER | LP345 | A519 | DUTY GEAR | \$46.00 |
| 53 | M26 AND X28 TASER CARTRIDGE | LP481 | 307-9-4 | DUTY GEAR | \$26.78 |
| 54 | GOULD & GOODRICH OPEN TOP STINGER LED HOLDER | LP596 | B673-7W | DUTY GEAR | \$27.81 |
| 55 | SAFARILAND ALS BELT SLIDE HOLSTER - RIGHT HAND | LP609 STX PRH 283 | 6377-283-411 | DUTY GEAR | \$39.91 |
| 56 | SAFARILAND ALS BELT SLIDE HOLSTER - LEFT HAND | LP609 STX PLH 283 | 6377-283-412 | DUTY GEAR | \$39.91 |
| 57 | SAFARILAND ALS PADDLE HOLSTER- RIGH HAND | LP610 | 6378-74 | DUTY GEAR | \$46.61 |
| 58 | SAFARILAND FLASHLIGHT CARRIER | LP629 | 306-1-4 | DUTY GEAR | \$21.12 |
| 59 | 67S BATON RING WITH SNAP | LP828 | 67S-4PBL | DUTY GEAR | \$8.00 |
| 60 | BIANCHI ACCUMOLD DUTY BELT | NP160 | 17379 | DUTY GEAR | \$39.14 |
| 61 | BIANCHI ACCUMOLD BUCKLELESS TROUSER BELT | NP161 | 17707 | DUTY GEAR | \$21.63 |
| 62 | BIANCHI ACCUMOLD DOUBLE MAG CASE | NP164 | 18471 | DUTY GEAR | \$25.50 |
| 63 | BIANCHI ACCUMOLD DOUBLE CUFF CASE | NP167 | 18771 | DUTY GEAR | \$25.50 |
| 64 | BIANCHI ACCUMOLD BELT KEEPERS (4 PACK) | NP168 | 15635 | DUTY GEAR | \$9.79 |
| 65 | BIANCHI ACCUMOLD MARK 3 DEFENSE SPRAY HOLDER | NP169 | 18205 | DUTY GEAR | \$18.03 |
| 66 | BIANCHI ACCUMOLD ELITE STINGER XT LIGHT HOLDER | NP362 | 22097 | DUTY GEAR | \$14.42 |
| 67 | BIANCHI ACCUMOLD SINGLE MAG POUCH | NP385 | 18201 | DUTY GEAR | \$16.50 |
| 68 | STREAMLIGHT NYLON HOLDER FOR STINGER LED & STINGER D LED | NP573 | 75927 | DUTY GEAR | \$18.54 |
| 69 | BIANCHI PATROLTEK NYLON SILENT KEY HOLDER | NP938 | 31313 | DUTY GEAR | \$10.89 |
| 70 | BIANCHI ACCUMOLD LIGHT HOLDER | ZD462 | 18457 | DUTY GEAR | \$18.54 |
| 71 | BIANCHI ACCUMOLD FLAT GLOVE POUCH | ZQ826 | 22960 | DUTY GEAR | \$15.19 |
| 72 | BIANCHI ACCUMOLD OPEN TOP LIGHT HOLDER STINGER XT | ZS645 | 22837 / 22838 | DUTY GEAR | \$12.00 |
| 73 | BIANCHI ACCUMOLD COVERED CUFF CASE WITH HIDDEN SNAP | ZT721 | 23013 | DUTY GEAR | \$20.60 |
| 74 | ALS/SLS LEVEL III MID DUTY HOLSTER W/ SENTRY NO HOOD GUARD | NP1122 BLK BRH 832 | 7360-832-481-S | DUTY GEAR | \$138.00 |
| 75 | ALS/SLS LEVEL III MID DUTY HOLSTER W/ SENTRY NO HOOD GUARD | NP1122 BLK BLH 832 | 7360-832-482-S | DUTY GEAR | \$138.00 |
| 76 | ALS/SLS LEVEL III MID DUTY HOLSTER W/ SENTRY NO HOOD GUARD | NP1122 BLK RH 832 | 7360-832-411-S | DUTY GEAR | \$130.00 |
| 77 | ALS/SLS LEVEL III MID DUTY HOLSTER W/ SENTRY NO HOOD GUARD | NP1122 BLK LH 832 | 7360-832-412-S | DUTY GEAR | \$130.00 |
| 78 | MONADNOCK 36" RIOT BATON POLYCARBONATE | BA020 | 1000036 | EQUIPMENT | \$62.00 |
| 79 | MONADNOCK 22" AUTOLOCK BATON W/ POWER SAFETY TIP | BA084 | 1000573 | EQUIPMENT | \$130.00 |
| 80 | MONADNOCK 22"/26" FRONT DRAW HOLDER AUTOLOCK | BA088 | 1000224 | EQUIPMENT | \$26.50 |
| 81 | MONADNOCK 28" AUTOLOCK EXPANDABLE BATON | BA089 | 1000568/121 | EQUIPMENT | \$130.00 |
| 82 | ASP 21" TALON EXPANDABLE BATON | BA232 | 22411 | EQUIPMENT | \$118.45 |

**Lexington-Fayette Urban County Government
Division of Police
Bid #70-2017**

| LINE ITEM | Description | GALLS # | MFG # | CATEGORY | Price Each |
|-----------|--|-------------------|---------------------|------------------------|------------|
| 83 | ASP ENVOY 50 ROTATING SCABBARD | BA282 | 52446 | EQUIPMENT | \$35.00 |
| 84 | GALLS ORIGINAL STREETPRO GEAR BAG | BG006 | BG006 BLK | EQUIPMENT | \$32.00 |
| 85 | GALLS STREEPRO PLUS GEAR BAG | BG185 | BG185 | EQUIPMENT | \$50.00 |
| 86 | STREAMLIGHT COLOR WAND FOR STREAMLIGHT SL-20X LIGHTS | FL098 | 22511 | EQUIPMENT | \$6.00 |
| 87 | STREAMLIGHT POLYSTINGER FLASHLIGHT W/ STANDARD CHARGER | FL169 | 78514 | EQUIPMENT | \$95.00 |
| 88 | STREAMLIGHT STINGER LED FLASHLIGHT W/ STANDARD CHARGER | FL622 | 75713 | EQUIPMENT | \$103.00 |
| 89 | STREAMLIGHT STINGER DS LED STANDARD CHARGE | FL652 AD | 75813 | EQUIPMENT | \$122.00 |
| 90 | BIANCHI ACCU, OLD PR24 HOLDER | NP175 | 14414 | EQUIPMENT | \$6.50 |
| 91 | SMITH & WESSON HINGED HANDCUFFS | RS012 | 350096 | EQUIPMENT | \$32.70 |
| 92 | DON HUM 1" HOBBLE SECURE STRAP | RS270 | A093300X BLK | EQUIPMENT | \$15.45 |
| 93 | 3M 3A HELMET WITH FACE SHIELD | TP154 | 98009006762 | EQUIPMENT | \$325.00 |
| 94 | MONADNOCK 36 IN LAPD RIOT BATON GROMMET TAPERED | ZC857 | 2710 LAPD STOP | EQUIPMENT | \$4.75 |
| 95 | DANNER 6" KINETIC GORE-TEX WATERPROOF BOOT | FW292 | 28015 | FOOTWEAR | \$143.17 |
| 96 | 5 11 TACTICAL 6" DUTY SOCK (3 PACK) | FW340 | 50078 | FOOTWEAR | \$21.56 |
| 97 | HAIX 6" AIRPOWER P7 BOOT | FW381 | 206214 | FOOTWEAR | \$210.00 |
| 98 | HAIX 8" AIRPOWER P7 BOOT | FW382 | 206215 | FOOTWEAR | \$230.00 |
| 99 | BATES LITES LEATHER LACE UP CHUKKA BOOT | FW575 | E00058 | FOOTWEAR | \$140.00 |
| 100 | BATES LITES LEATHER PADDED COLLAR CHUKKA | FW526 | E00078 | FOOTWEAR | \$130.00 |
| 101 | DANNER STRIKER TORRENT 8" WATERPROOF BOOT | FW610 | 43003 | FOOTWEAR | \$176.00 |
| 102 | DANNER 4 5" STRIKER TORRENT WATERPROOF BOOT | FW726 | 43027 | FOOTWEAR | \$152.00 |
| 103 | DANNER WOMEN'S 4 5" STRIKER TORRENT WATERPROOF BOOT | FW727 | 43029 | FOOTWEAR | \$152.00 |
| 104 | DANNER WOMEN'S 6" QUARTER BOOT | SP169 | 25200 | FOOTWEAR | \$300.00 |
| 105 | DANNER ACADIA 8" WATERPROOF DUTY BOOT | SP285 | 21210 | FOOTWEAR | \$305.00 |
| 106 | GALLS 11" DUTY SOCKS WITH EXTRA PADDING IN TOE/HEEL | SP567 | 6300G | FOOTWEAR | \$6.50 |
| 107 | DANNER ACADIA 8" 400G INSULATED WATERPROOF BOOT | SP598 | 22600 | FOOTWEAR | \$315.00 |
| 108 | DANNER 8" RECON INSULATED BOOT | SP601 | 69410 | FOOTWEAR | \$320.00 |
| 109 | BATES 5" TACTICAL SPORT BOOT | SP620 | E02262 | FOOTWEAR | \$72.10 |
| 110 | BATES WOMENS 6" TACTICAL SPORT BOOT | SP703 | 2762 | FOOTWEAR | \$72.10 |
| 111 | ROCKY PRO CELL LEATHER CHUKKA BOOT | SP750 | 501-8 | FOOTWEAR | \$92.70 |
| 112 | BATES HIGH SHINE PATROL OXFORD | SP883 | E22233 | FOOTWEAR | \$65.00 |
| 113 | DANNER MEN'S 6" QUARTER BOOT | ZI198 | 25200 | FOOTWEAR | \$295.00 |
| 114 | DANNER ACADIA SAFETY TOE BOOT | ZL966 | 22500 | FOOTWEAR | \$305.00 |
| 115 | GALLS DIE CUT LEATHER BADGE WALLET | BC261 | 79610 DIE CUT | ACCESSORIES / INSIGNIA | \$20.60 |
| 116 | QUIK-PIN DAMMITS (6 PACK) | BC942 | BC942 CLR | ACCESSORIES / INSIGNIA | \$4.12 |
| 117 | PLAIN 2 INCH TIE BAR - SILVER | JW176 SIL | J108 NI | ACCESSORIES / INSIGNIA | \$8.00 |
| 118 | PLAIN 2 INCH TIE BAR - GOLD | JW176 GLD | J108 GO | ACCESSORIES / INSIGNIA | \$8.00 |
| 119 | KLENCH NAMETAG FASTENERS | NT002 | K-FB1515 | ACCESSORIES / INSIGNIA | \$5.15 |
| 120 | REEVES SERVING SINCE BAR WITH BLUE LETTERS - SILVER | NT027 SIL | YSLE SIL | ACCESSORIES / INSIGNIA | \$12.00 |
| 121 | REEVES SERVING SINCE BAR WITH BLUE LETTERS - GOLD | NT027 GLD | YSLE GLD | ACCESSORIES / INSIGNIA | \$12.00 |
| 122 | BLACKINTON NAMETAG 2 5" X 0 5" ONE LINE - SILVER | NT095 SIL PLSH CB | J1 1LINE RH PLSH CB | ACCESSORIES / INSIGNIA | \$10.00 |
| 123 | BLACKINTON NAMETAG 2 5" X 0 5" ONE LINE - GOLD | NT095 GLD PLSH CB | J1 1LINE GP PLSH CB | ACCESSORIES / INSIGNIA | \$10.00 |

Lexington-Fayette Urban County Government
Division of Police
Bid #70-2017

| LINE ITEM | Description | GALLS # | MFG # | CATEGORY | Price Each |
|-----------|---|--------------|--------------------|------------------------|------------|
| 124 | FLYING CROSS "P" BUTTONS FOR UNIFORM JACKET (6 PACK) - GLD LG | UA318 LG GLD | 1-00190-36PB-13807 | ACCESSORIES / INSIGNIA | \$14.00 |
| 125 | FLYING CROSS "P" BUTTONS FOR UNIFORM JACKET (6 PACK) - GLD SM | UA318 SM GLD | 1-00190-24PB-13807 | ACCESSORIES / INSIGNIA | \$14.00 |
| 126 | FLYING CROSS "P" BUTTONS FOR UNIFORM JACKET (6 PACK) - SIL LG | UA318 LG SIL | 1-00190-24PB-11905 | ACCESSORIES / INSIGNIA | \$14.00 |
| 127 | FLYING CROSS "P" BUTTONS FOR UNIFORM JACKET (6 PACK) - SIL SM | UA318 SM SIL | 1-00190-38PB-11905 | ACCESSORIES / INSIGNIA | \$14.00 |
| 128 | LAWPRO WASHERS AND TOGGLES FOR UNIFORM JACKETS | UA319 | 6-00000-ACPB-00000 | ACCESSORIES / INSIGNIA | \$12.88 |
| 129 | GALLS FLEXIBLE WAIST BELT | UA331 | GA9074W44 | ACCESSORIES / INSIGNIA | \$10.00 |
| 130 | GALLS CLIP ON TIE | UA494 | 90010 061 | ACCESSORIES / INSIGNIA | \$5.00 |
| 131 | GALLS BREAKAWAY TIE | UA495 | 90111 61 | ACCESSORIES / INSIGNIA | \$6.00 |
| 132 | GALLS FLEXIBLE WAIST BELT AND SHIRT GARTER | UA725 | UA725 | ACCESSORIES / INSIGNIA | \$12.00 |
| 133 | GALLS SHIRT GARTER | UA760 | 9054 | ACCESSORIES / INSIGNIA | \$9.00 |
| 134 | A7010 SMALL SGT CHEVRONS (PAIR) | ZC516 | A7010 GP | ACCESSORIES / INSIGNIA | \$14.42 |
| 135 | A1973 SMALL LIT BARS (PAIR) | ZE123 | A1973 NI | ACCESSORIES / INSIGNIA | \$14.42 |
| 136 | A982-3 SMALL OAK LEAVES RHODIUM (PAIR) | ZY889 RH | A982-3 RH | ACCESSORIES / INSIGNIA | \$16.00 |
| 137 | A982-3 SMALL OAK LEAVES GOLD (PAIR) | ZY889 HG | A982-3 HG | ACCESSORIES / INSIGNIA | \$22.00 |
| 138 | A2015 SM EAGLES (PAIR) | CB030 | A2015 RH | ACCESSORIES / INSIGNIA | \$16.00 |
| 139 | GALLS REFLECTIVE SAFETY GLOVES | GL249 | 5G481 | TRAFFIC CONTROL | \$10.00 |
| 140 | RINGER HI-VIS TRAFFIC GLOVES | GL412 | 307 | TRAFFIC CONTROL | \$14.00 |
| 141 | GALLS 2 CELL LED TRAFFIC BATON | HS266 | HS266 | TRAFFIC CONTROL | \$14.00 |
| 142 | FOX 40 CUSHIONED WHISTLE | UA330 | 9600 WN | TRAFFIC CONTROL | \$7.50 |
| 143 | LEX POLICE CUSTOM SAFTEY VEST ANSI 3 | ZX064 | LHV43ANSIX3LPAD | TRAFFIC CONTROL | \$34.00 |
| 144 | 5 11 TACTICAL TAC DRY RAIN SHELL | RW141 | 46098 019 | RAINWEAR | \$110.00 |
| 145 | 5.11 TACTICAL PATROL RAIN PANT | RW135 | 46057 019 | RAINWEAR | \$90.00 |
| 146 | DAMASCUA SUB ZERO DUTY GLOVES | GL236 | PART DZ-9 BLK | RAINWEAR | \$32.96 |
| 147 | FLYING CROSS WATERPROOF DUTY JACKET. LINER. BLK "P" BUTTONS | JA843L | F1 59130WP 86 | OUTERWEAR | \$132.00 |
| 148 | FLYING CROSS FLEECE LINED QUARTER ZIP COMMANDO SWEATER | ST324 | F 1 740 86 | OUTERWEAR | \$85.00 |
| 149 | HANES NANO COTTON T SHIRT - PLAIN | ST342 | 4980 WHT | OUTERWEAR | \$6.18 |
| 150 | 5 11 TACTICAL UTILI T SHIRTS (3 PACK) | UA615 | 40016 010 | OUTERWEAR | \$30.37 |
| 151 | FLYING CROSS CROSS FX CLASS B UNIFORM PANTS | TJ260 | F1 FX57300 86 | K9 UNIFORMS | \$40.00 |
| 152 | FLYING CROSS CROSS FX CLASS B SS UNIFORM SHIRT | SJ404 | F1 FX5100 86 | K9 UNIFORMS | \$40.00 |
| 153 | FLYING CROSS CROSS FX CLASS B LS UNIFORM SHIRT | SJ406 | F1 FX5120 86 | K9 UNIFORMS | \$42.00 |
| 154 | GALLS THREE SEASON JACKET | JA085 | JA085 | K9 UNIFORMS | \$32.96 |
| 155 | MOCEAN TWO TONE VEST CARRIER | BP209 | 0568 RBBK | BIKE UNIFORMS | \$106.08 |
| 156 | MOCEAN WATER RESISTANT BIKE JACKET | JA377 | 6023SCRYBK | BIKE UNIFORMS | \$175.00 |
| 157 | MOCEAN MICRO FLEECE ZIP IN VEST LINE | JA379 | OC0032 | BIKE UNIFORMS | \$42.49 |
| 158 | MOCEAN METRO PIQUE COLOR BLOCK SHIRT | SH557 | 0354 BLK ROYAL | BIKE UNIFORMS | \$65.66 |
| 159 | MOCEAN LS COLOR BLOCK POLO | ST423 | 0355 BK/RB | BIKE UNIFORMS | \$77.25 |
| 160 | MOCEAN SUPPLEX ZIP OFF BIKE PANTS | TR240 | 2058Z BLK | BIKE UNIFORMS | \$102.99 |
| 161 | MOCEAN TECH NYLON BIKE PANTS | TR598 | 2080 BLK | BIKE UNIFORMS | \$40.50 |
| 162 | MOCEAN TECH ZIP OFF NYLON BIKE PANTS | TR599 | 2088Z BLK | BIKE UNIFORMS | \$52.00 |
| 163 | MOCEAN TECH STRETCH ZIP OFF BIKE PANTS | TR600 | 2098Z BLK | BIKE UNIFORMS | \$68.50 |
| 164 | MOCEAN TECH NYLON PLAIN BIKE SHORTS | TR601 | 1080 BLK | BIKE UNIFORMS | \$29.36 |

Lexington-Fayette Urban County Government
Division of Police
Bid #70-2017

| LINE ITEM | Description | GALLS # | MFG # | CATEGORY | Price Each |
|-----------|--|---------------|----------------------|---------------------|------------|
| 165 | MOCEAN TECH NYLON REFLECTIVE BIKE SHORTS | TR602 | 1081 BLK | BIKE UNIFORMS | \$34.25 |
| 166 | MOCEAN TECH STRETCH BIKE SHORTS | TR603 | 1090 BLK | BIKE UNIFORMS | \$44.03 |
| 167 | 5 11 TACLITE PRO SS SHIRT | SR570 BLK | 71175 019 | FSU UNIFORMS | \$46.00 |
| 168 | 5.11 TACLITE PRO LS SHIRT | SR571 BLK | 72175 019 | FSU UNIFORMS | \$48.00 |
| 169 | 5 11 TACLITE PRO PANTS | TR506 TUN | 74273 192 | FSU UNIFORMS | \$39.14 |
| 170 | FLYING CROSS DRESS COAT | JA380 | F1 38800 86 | DRESS UNIFORM | \$160.00 |
| 171 | FLYING CROSS COMMAND ZIP FRONT LS SHIRT | SH071 | F1 34W78Z | DRESS UNIFORM | \$45.00 |
| 172 | FLYING CROSS MENS POLYESTER TROUSERS | TR121 | F1 38200 86 | DRESS UNIFORM | \$40.00 |
| 173 | GALLS GEAR LEATHER TROUSER BELT | LP157 | LP157 | DRESS UNIFORM | \$20.00 |
| 174 | BATES LITES HI GLOSS OXFORD | SP068 | E00942 | DRESS UNIFORM | \$100.00 |
| 175 | HATCH ELITE WINTER SPECIALIST GLOVES | GL410 | EWS530 BLK | SAFETY OFFICERS | \$34.50 |
| 176 | CLASS 3 ANSI SAFETY VEST | HS688 | LHV-43ANSI-X3-ADJ-R | SAFETY OFFICERS | \$32.00 |
| 177 | 5 11 TACTICAL 3-IN-1 CLASS 3 PARKA | JA514 | 48033 | SAFETY OFFICERS | \$242.05 |
| 178 | BLACKHAWK MOLDED CORDURA NYLON INNER DUTY BELT | NP552 | 44B1 | SAFETY OFFICERS | \$18.54 |
| 179 | BLACKHAWK REINFORCED 2" DUTY BELT WITH LOOP INNER | NP809 | 44B4 | SAFETY OFFICERS | \$22.66 |
| 180 | ELBECO UFX ULTRA LIGHT SS HI VIS POLO | SG734 | K5218 HI VIS | SAFETY OFFICERS | \$67.98 |
| 181 | ELBECO UFX ULTRA LIGHT LS HI VIS POLO | SG735 | K5226 HI VIS | SAFETY OFFICERS | \$74.16 |
| 182 | NEESE REVERSIBLE WEATHERPROOF PANTS | TJ137 | 5010RPT BKLM | SAFETY OFFICERS | \$59.74 |
| 183 | 5 11 TACTICAL MOTORCYCLE BREECHES | TR407 | 74407 750 | SAFETY OFFICERS | \$95.00 |
| 184 | FLYING CROSS CROSS FX MENS CLASS A UNIFORM PANT | TJ262 | F1 FX57400 86 | TRAINING / RECRUITS | \$40.00 |
| 185 | FLYING CROSS CROSS FX CLASS A UNIFORM SHIRT | SJ400 | F1 FX57400 86 | TRAINING / RECRUITS | \$42.00 |
| 186 | FLYING CROSS CROSS FX WOMENS CLASS A UNIFORM SHIRT | SJ401 | F1 FX5000 88 | TRAINING / RECRUITS | \$42.00 |
| 187 | FLYING CROSS FCROSS FX WOMENS CLASS A UNIFORM PANT | TJ283 | F1 FX57400W 88 | TRAINING / RECRUITS | \$40.00 |
| 188 | PLASTIC NAMEPLATE | NT053 | NT053 | TRAINING / RECRUITS | \$3.00 |
| 189 | LEX PD ACADEMY LS T SHIRT WITH SCREEN PRINT | TS1098 | SW716 L100608 SPGY | TRAINING / RECRUITS | \$11.25 |
| 190 | LEX PD ACADEMY SS T SHIRT WITH SCREEN PRINT | TS1099 | TS658 L100608 SPGY | TRAINING / RECRUITS | \$14.00 |
| 191 | LEX PD ACADEMY SHORTS WITH SCREEN PRINT | TJ354 | TU253 L100608 BLK | TRAINING / RECRUITS | \$15.00 |
| 192 | SALOMON XA PRO 3D MID GTX FORCES 2 - BLK | FX039 BLK | L37348400 | TRAINING / RECRUITS | \$160.00 |
| 193 | SALOMON XA PRO 3D MID GTX FORCES 2 - GREEN | FX039 IGU | L37348500 IGU | TRAINING / RECRUITS | \$160.00 |
| 194 | SALOMON XA PRO 3D GTX FORCES | FT832 | L37348800 | TRAINING / RECRUITS | \$160.00 |
| 195 | LEX PD ACADEMY SWEATPANTS WITH SCREEN PRINT | SM843 BLK | 18200 BLK | TRAINING / RECRUITS | \$17.25 |
| 196 | LEX PD ACADEMY SWEATSHIRT WITH SCREEN PRINT | SQ309 SPGY | G12000 BLK | TRAINING / RECRUITS | \$22.50 |
| 197 | UPPER/LOWER ARM PROTECTOR (PAIR) | TP639 | GFA30 | RIOT GEAR | \$121.54 |
| 198 | LFUCG IMPERIAL HARD SHELL KNEE/SHIN GUARDS | TP838 | DSG100 LFUCG | RIOT GEAR | \$43.00 |
| 199 | LVL IIIA NAPE PAD TO CONNECT TO HELMET | TP775 | NAPE IIIA BLK | RIOT GEAR | \$37.00 |
| 200 | LXINGTON PD R20D TACTICAL CARRIER | BP749C BLK | LPD=RD1N00BV0J BLK | RIOT GEAR | \$128.50 |
| 201 | LXINGTON PD CUSTOM VELCRO PANELS | TB266 BLK WHT | IDPANEL 4X11 BLK WHT | RIOT GEAR | \$15.00 |



1340 Russell Cave Road
Lexington, KY 40505

November 28, 2017

Division of Central Purchasing
200 East Main Street, Room 338
Lexington, KY 40507

Re: ITB# 70-2017 Web-Based Quartermaster Program for Uniforms- MWDBE Good Faith Effort

To Whom it May Concern:

Galls, LLC ("Galls") made a good faith effort to meet the 10% MWDBE participation goal in bid# 70-2017. Those efforts are documented below.

Galls recognized that a portion of the work- namely sizing of recruit classes and various production needs- could be subcontracted to MWDBE and/or veteran owned firms (Section E(2)(k) of MWDBE Participation Goals.)

Galls requested a list of MWDBE and/or Veteran subcontractors or suppliers from LFUCG (Section E(2)(f)). Based on that list, Galls reached out to the following subcontractors: People Plus, Inc. Temporary Employment and Crown Services, Inc. (Section E(2)(i)) and provided each with adequate and timely information about the plans, specifications and requirements of the contract (Section E(2)(j)).

In negotiating with these parties (Section E(2)(l)), we reached the following results:

People Plus Inc. Temporary Employment

We spoke with Amanda Huddleston about staffing and she indicated they no longer qualify as a MWDBE due to a change in ownership. Galls therefore, discontinued any consideration based on their failure to qualify as a MWDBE.

Crown Services, Inc.

We spoke with Free Willoughby about staffing for the recruit class portion of the contract. Ms. Willoughby indicated that she could provide staffing, however due to the intermittent and inconsistent nature of sizing needs for the contract, lead times to provide employees could be lengthy. Based on the service expectations of the contract and Galls' dedication to being timely and responsive to the Customer's needs, Galls determined that it was not in the parties' best interest to utilize their services.

Galls reviewed the list of other MWDBE's and concluded that they did not serve a relative business function to the contract (Section E(2)(q)).

Please direct all questions to Patrick Sutton 859-433-7142 or Emily Love 859-266-7227, ext.-2162.

Thank you,

Tiffany Brewer
Manager, Contract Administration
Galls, LLC



Headquartered in Lexington, Kentucky, Galls, LLC ("Galls") is the largest distributor of public safety apparel and equipment in the industry. We currently stock over 65 million dollars in inventory, represent over 1600 manufacturers and maintain 4900 customer specific websites. Galls strives to become a partner to our customers by offering process efficiencies and expedient turnaround that ultimately save time and money beyond the price of the good. We hope you choose Galls as your uniform and equipment provider and guarantee the experience will exceed your expectations.


As required in the bid, we have outlined our response to the required information requested.

- 1) Website
- 2) Storefront
- 3) Local Representation

Galls currently operates and manages over 4900 customer specific websites including a website for LFUCG agencies. Our websites meet and exceed the specifications required. Below are images of current customers utilizing the various workflow configurations required in your solicitation. If required, Galls will present the website to LFUCG.

Website Utilizing Allotment

Secure Login Page






Restricted Viewing (1 of 2)



Restricted Viewing (2 of 2)





Order History & Sizes (1 of 3)

← → ↻ 🔒 www.galls.com https://www.galls.com/CG/BLMOP/PAMEN/ACCT_UPLR&PAHD=ONTRK17021131&PARID=834349341026

You're here: Home > My Account > Order History
 My Account | Local
 Change Your Location

[HOME](#) | [MY CART](#) | [REPORTS](#)

You have 0 items in your cart **Order History**

My Account

- Account Dashboard
- Address Book
- Phone Book
- Order Approval
- Order History**
- Orders Pending Approval
- Global Approval History

From Date:
 To Date:
 OR
 Cust PO #:
 OR
 Order #:
 OR
 Invoice #:

SEARCH

| ORDER # | CLUB / PO # | USERNAME | ORDER DATE | STATUS | ORDER TOTAL | VIEW ORDER | VIEW IMAGES |
|---------|-------------|----------------------------|---------------------|-----------|-------------|----------------------------|-------------|
| 8706873 | 7208 | JONATHAN_APPEL@SHERIFF.ORG | 08/01/2017 10:17:45 | Cancelled | 18.94 | View Order | |
| 8818481 | 7208 | JONATHAN_APPEL@SHERIFF.ORG | 08/28/2017 18:28:52 | Complete | 24.80 | View Order | |
| 8321582 | 7208 | JONATHAN_APPEL@SHERIFF.ORG | 05/26/2017 08:58:17 | Complete | 80.00 | View Order | |
| 8313787 | 7208 | JONATHAN_APPEL@SHERIFF.ORG | 08/26/2017 10:07:14 | Complete | 137.33 | View Order | |
| 7966223 | 7208 | JONATHAN_APPEL@SHERIFF.ORG | 10/27/2017 16:11:21 | Complete | 88.40 | View Order | |

*Most recent five orders shown by default

Order History & Sizes (2 of 3)

← → ↻ 🔒 www.galls.com https://www.galls.com/CG/BLMOP/PAMEN/ACCT_ORDR&PMCH=ND=00000008515481/PM/CL

You have 0 items in your cart **Order History**

Your Name: Jonathan Appel 7208 Order Number: 8618481 placed on 08/28/2017 18:28:52

- Account Dashboard
- Address Book
- Phone Book
- Order Approval
- Order History**
- Orders Pending Approval
- Global Approval History

| Order Summary | Billing Information | Payment Information |
|--|--|--|
| Merchandise: 24.80 Shipping: 0.00 Sales Tax: 0.00 Order Total: 24.80 | SHERWOOD CITY SHERIFF OFFICE 700 BUS BUS FAYETTE COUNTY, KY 40421-1600 | Purchase Order Number: 7208 On Account: 24.80 |

ORDER INVOICES

Shipping Information

Order Status: Complete
 Shipping Address: 8011 WEST BIRCHWOOD BLVD, CLARK COUNTY, KY 40302-1600
 Ship Method: Customer Choice

| LINE # | ITEM | DESCRIPTION | STATUS | TRACKING | QTY | TOTAL PRICE |
|--------|-------------------|---|----------|----------|-----|-------------|
| 1 | TUBS, 1 PCH 18 LB | SHERWOOD SHERIFF PL MENS POLY TROMBER 0.1M BLANK BTM'S & FREE DON P.E.H | Complete | | 1 | 24.80 |
| 2 | LAZER | PIESB NG PANTS | Complete | | 1 | 0.00 |
| 3 | HPLC | H PLANT | Complete | | 1 | 0.00 |

CALL US



Lexington-Fayette Urban County Government Web-Based Quartermaster Program ITB# 70-2017 Galls, LLC Response

Shopping Cart

Shopping Cart

| ITEM NUMBER | DESCRIPTION | QTY | UNIT PRICE | TOTAL PRICE | REMOVE |
|-------------|-------------------------------------|-----|------------|-------------|--------|
| SP28-11A-B | Boots of Tactical Boot View/Edit | 1 | \$72.90 | \$72.90 | |

Items in cart: 1 Tax: 0.00 Merchandise Total: \$72.90

Powered by Galls

© 2017 Galls. All Rights Reserved.
Year: PROD Date/Time: 18/17/2017 12:08:17 AM (0575-627496177924383P)

Allotment Overage Management

Secure Checkout

Order Information

First Name: [Field]
Last Name: [Field]
Street Address: [Field]
Phone Number: [Field]

Payment Method: [Field]

Order Summary

Merchandise Total: \$199.47
Shipping: \$0.00
Sales Tax: \$0.00
Order Total: \$199.47

Payment Information

Card Type: [Field]
Card Number: [Field]
Expiration Date: [Field]
Security Code: [Field]

CONTINUE



Order Confirmation



Your Current Location
DLE - 2112 - Child Protective Services
[Change Your Location](#)

[My Account](#) | [Logout](#)

[9 items in your cart](#) | **\$0.00**

[Keyboard Shortcuts](#)

[HOME](#) [MY CART](#)

Thank you, Test User!

Your order number is: 8697158

Thank you for your order!

Please keep your order number for your records

[CONTINUE SHOPPING](#)

[Contact Us](#)
[Returns Info](#)
[Store Policy](#)

[Product Sizing Info | Fitting Locations](#)
[How To Order \(Video\)](#)
[Approver How To \(Video\)](#)
[Terms & Conditions](#)
[Privacy](#)



Shipped Orders

← → ↻ 🔒 https://galls.com/CGBB5RCH7PA?MODE=DISPATCHPG+CG&LMOH+&PAMENU+ACCT_ORDR&PMOHNO=00000006497855&PMRE ☆ ☰ ✎ 🗑

Welcome, **TEST USER** Currently viewing as **RONALD G. BURLOCK, MTS (Admin)**

GALLS [Your Current Location](#) [Sign Out](#) [My Account](#) [Logout](#)

Account Overview: **DLE - 2112 - Child Protective Services** **9 items in your cart** | **\$0.00**

Address: **DLE - 2112 - Child Protective Services** **1000 S. MAIN ST. #100**

Shipping: **Standard** **\$7.99** **\$7.99** **\$7.99**

[HOME](#) [MY CART](#) [MY GALLS](#)

You have 1 item in your cart [Order History](#)

My Account **Order History**

Account Overview: **DLE - 2112 - Child Protective Services** **Order Number: 8697158** placed on **04/20/2018**

Order Summary Billing Information Payment Information

Item: **8697158** **8697158** **8697158** **8697158**

Item Name: **8697158** **8697158** **8697158** **8697158**

Item Price: **8697158** **8697158** **8697158** **8697158**

Item Qty: **8697158** **8697158** **8697158** **8697158**

Item Total: **8697158** **8697158** **8697158** **8697158**

Order Total: **8697158**

[Order History](#) [GALLS](#)

Shipping Information

Order Status: **Shipped**

Shipping Address: **DLE - 2112 - Child Protective Services**

Item Shipped: **8697158**

| Line # | ITEM | DESCRIPTION | UNIT PRICE | QUANTITY | TOTAL PRICE |
|---|---------|-------------|------------|----------|-------------|
| 1 | 8697158 | 8697158 | 8697158 | 1 | 8697158 |
| <ul style="list-style-type: none"> 8697158 8697158 8697158 | | | | | |
| 2 | 8697158 | 8697158 | 8697158 | 1 | 8697158 |
| 3 | 8697158 | 8697158 | 8697158 | 1 | 8697158 |
| 4 | 8697158 | 8697158 | 8697158 | 1 | 8697158 |
| 5 | 8697158 | 8697158 | 8697158 | 1 | 8697158 |



Voucher Approval (3 of 4)

galls.com

MY CART REPORTS PACKAGES INVENTORY MANAGEMENT

Order # 9199541 - Pending Approval **APPROVE** **REJECT**

Item # 01947 TAN 001 ABB Description: Color: Tan Qty: 1 Price: \$79.30 Total Price: \$79.30

Item # TUS19 BLK 03 38 Description: Color: Black Qty: 1 Price: \$279.00 Total Price: \$279.00

Total Items: 2 Total Price: \$358.30

GO BACK **UPDATE ORDER**

Voucher Approval (4 of 4)

galls.com

MY CART REPORTS PACKAGES INVENTORY MANAGEMENT

You have 8 Items in your cart! **Global Approval History**

Approval Status: Pending Approval

| ORDER ID | ITEM # | DESCRIPTION | DATE | STATUS | APPROVED BY | LOCATION | TOTAL | AMOUNT PAID |
|----------|--------|-------------|------------|------------------|-------------|-------------------|----------|-------------|
| 9199541 | 01947 | TAN 001 ABB | 10/11/2017 | Pending Approval | Jim Gentry | Police Department | \$79.30 | 0.00 |
| 9199541 | TUS19 | BLK 03 38 | 10/11/2017 | Pending Approval | Jim Gentry | Police Department | \$279.00 | 0.00 |
| 9199541 | 01947 | TAN 001 ABB | 10/11/2017 | Pending Approval | Jim Gentry | Police Department | \$79.30 | 0.00 |
| 9199541 | TUS19 | BLK 03 38 | 10/11/2017 | Pending Approval | Jim Gentry | Police Department | \$279.00 | 0.00 |



Administrative Functions & Other Desired Features

Manually Adjust Allotments by Administrators

The screenshot shows the 'User Maintenance' page for user 'Allen@cityoflex.com'. The 'Adjustment Amount' is set to 750. A table below lists various allotments with columns for 'ADJUSTMENT ACCOUNT', 'BALANCE', 'DATE', 'ADMITTED BY', and 'REASON'. A blue arrow points to the 'Adjustment Amount' field, and another blue arrow points to the 'Damaged Uniforms' entry in the table.

| ADJUSTMENT ACCOUNT | BALANCE | DATE | ADMITTED BY | REASON |
|--------------------|---------|------------|-------------|--|
| \$15.78 | \$5.28 | 08/05/2017 | Admin | Order #8853138 |
| \$11.00 | \$4.53 | 08/28/2017 | ELITE CODE | Purchase of AR 15 Case 1 up to 88 Item 1 - wrong |
| \$47.26 | \$15.63 | 08/23/2017 | Admin | Order #8853138 |
| \$80.00 | \$62.81 | 08/17/2017 | Admin Ryan | Showers TEST |
| \$98.00 | \$12.81 | 08/17/2017 | Admin Ryan | Showers TEST |
| \$80.00 | \$62.81 | 07/12/2017 | Admin Ryan | Showers TEST |
| \$70.00 | \$17.81 | 07/18/2017 | Admin Ryan | Showers TEST |
| \$80.00 | \$62.81 | 08/15/2017 | Admin Ryan | Showers TEST |
| \$60.00 | \$12.81 | 08/12/2017 | Admin Ryan | Showers TEST |
| \$15.78 | \$62.81 | 08/12/2017 | Admin | Order #8853138 |
| \$20.74 | \$78.17 | 08/10/2017 | F1 BIE F001 | Purchase of two Vauxo SMART patches and 2 Vauxo MPD caps |
| \$80.00 | \$68.81 | 04/27/2017 | Admin Ryan | |
| \$80.00 | \$48.31 | 04/27/2017 | Sasha Ryan | |
| \$60.00 | \$68.81 | 04/27/2017 | Admin Ryan | |

Add / Delete Users Manually

The screenshot shows the 'New User Information' form in the 'User Maintenance' section. The form includes fields for Username, First Name, Last Name, Email Address, Role (set to 'Serial'), and Active status. A dropdown menu for 'Locations' is open, showing a list of departments such as 'Blue Police', 'Crim Squad', 'Crim Team', 'Criming Unit', 'Crim Unit', 'Holt Unit', 'Intelligence Services', 'Intelligence', 'R-9', 'Municipal Police Dept. 154B', 'Medical Center', 'Municipal Police', 'Municipal Police', 'Parking Enforcement', 'Recruit Unit', 'Recruit Unit', 'Recruit Unit', 'SMART Program', 'SMART Team', 'Training Team', and '154B'. A 'Password' field and a 'Confirm Password' field are also present, along with a 'Force Password Change' checkbox. A blue arrow points to the 'Locations' dropdown menu.



Reports & Reports Dashboard (2 of 3)

galls.com - 10.10.10.10 - 10.10.10.10 - 10.10.10.10 - 10.10.10.10 - 10.10.10.10 - 10.10.10.10 - 10.10.10.10 - 10.10.10.10 - 10.10.10.10 - 10.10.10.10

Itemized Sales Report

My Reports

- Report Dashboard
- Attendance Report
- Order History Sales Report
- Itemized Sales Report**
- Attendance Activity Report
- Order Fulfillment Hist. Report
- Inventory Report
- Open Order Ship Report

Itemized Sales Report

Order Date: [] TO []

Invoice Date: [] TO []

Customer PO#: []

Line Total \$: []

Order Status: Select

Order Types: Vegetable Cakes Only

Order #

User ID

Locations:

- All
- Lexington Police Dept
- Lexington Police Dept

Business Method: Report Generated

Printed: 09/27/2017 15:13:17

UNPRINT REPORT



Reports & Reports Dashboard (3 of 3) Allotment Report Example

| Report Date: 09/27/2017 15:13:17 | Employee Allotment Report | | | | | | | | | |
|----------------------------------|---------------------------|-------------|-------------|---------------------|----------------|-----------------|--------|-----------|---------------------------|--|
| User ID | First Name | Last Name | User Status | Department | Role | Total Allotment | Used | Available | Allotment Expiration Date | |
| 4 | AALAN@CITYO | ALAN | Active | Patrol - Main I | Bike Patr User | 517.70 | 497.41 | 20.29 | 01/01/2018 | |
| 5 | AANALLA@CITY | ANALLA | Active | Patrol - Main II | Bike Patr User | 544.36 | 289.11 | 255.25 | 01/01/2018 | |
| 9 | ABECKFIELD@C | BECKFIELD | Active | Patrol - Main I | Bike Patr User | 519.29 | 272.13 | 247.16 | 01/01/2018 | |
| 7 | ABERKOWITZ@ | BERKOWITZ | Active | Patrol - Main II | Bike Patr User | 740.18 | 601.20 | 138.98 | 01/01/2018 | |
| 8 | ABITTERMAN@ | BITTERMAN | Active | Patrol - Main II | COMM User | 940.51 | 0.00 | 940.51 | 01/01/2018 | |
| 9 | ABOHN@CITYO | BOHN | Active | Parking Enforcement | User | 367.12 | 177.45 | 189.67 | 01/01/2018 | |
| 10 | ABOL@CITYO | ALEXANDER | Active | Patrol - Main II | Detective User | 568.84 | 500.00 | 68.84 | 01/01/2018 | |
| 11 | ABRAMLETT@C | BRAMLETT | Active | Patrol - Main II | Bike Patr User | 526.04 | 377.84 | 148.20 | 01/01/2018 | |
| 12 | ABRUCE@CITY | BRUCE | Active | Patrol - Main II | Honor Gr User | 943.19 | 544.26 | 398.93 | 01/01/2018 | |
| 13 | ABUSH-EMMART | BUSH-EMMART | Active | Patrol - Main | User | 163.54 | 136.56 | 26.98 | 01/01/2018 | |
| 14 | ACALDECOURT | ANDRIA | Active | Crossing Guard | User | 165.00 | 20.50 | 144.50 | 01/01/2018 | |
| 15 | ACHAMBERLIN | AMY | Active | Patrol - Main II | COMM User | 5.00 | 5.00 | 0.00 | 01/01/2018 | |
| 16 | ACOUTTS@CIT | ANDRYA | Active | Patrol - Main II | Bike Patr User | 650.78 | 241.51 | 409.27 | 01/01/2018 | |
| 17 | ADEUCHARS@ | CANDREW | Active | Patrol - Main | User | 566.32 | 566.32 | 0.00 | 01/01/2018 | |
| 18 | ADEUCHARME | AUSTIN | Inactive | Patrol - Main | User | 523.92 | 380.64 | 143.28 | 01/01/2018 | |
| 19 | ADYHR@CITYO | ANGELA | Active | Patrol - Main II | Bike Patr User | 5.00 | 5.00 | 0.00 | 01/01/2018 | |
| 20 | AEBLY@CITYO | ADRIA | Active | Patrol - Main II | Bike Patr User | 1000.00 | 0.00 | 1000.00 | 01/01/2018 | |
| 21 | AFIORE@CITY | CANTHONY | Active | Patrol - Main II | Bike Patr User | 496.22 | 326.75 | 171.47 | 01/01/2018 | |
| 22 | AHORNING@C | ANTHONY | Active | Patrol - Main II | Bike Patr User | 975.23 | 286.30 | 688.93 | 01/01/2018 | |
| 23 | AJTURNER@C | TIANN | Inactive | Patrol - Main II | Detective User | 413.53 | 413.53 | 0.00 | 01/01/2018 | |
| 24 | AKAMOSKE@C | ANGELA | Active | Patrol - Main II | Detective User | 657.26 | 168.02 | 489.24 | 01/01/2018 | |
| 25 | AKLEINFELDT | AMY | Active | Patrol - Main II | Bike Patr User | 666.66 | 386.43 | 280.22 | 01/01/2018 | |



Package Ordering

The screenshot shows the 'Package Ordering' section of the Galls website. At the top, there is a navigation bar with 'NEW!' and 'MY CART' highlighted. Below this is a 'Packages' section with a search bar and a table of items. A blue arrow points to the 'ACADEMY 2 - 18 M' package. The table lists various training packages with columns for 'PACKAGE NAME', 'ADD DATE', and 'USER'. A 'NEW!' badge is visible in the bottom right corner of the package list.

| PACKAGE NAME | ADD DATE | USER |
|------------------------------------|---------------------|---------------------|
| ACADEMY 2 - 18 M | 02-15-2017 08:42:14 | EDSWANTRY@GALLS.COM |
| LEARNER 2199 - JESUS UPP-18 | 07-22-2016 08:28:59 | EDSWANTRY@GALLS.COM |
| LEARNER - ACADEMY 2199 - FEMALE | 07-22-2016 14:57:29 | EDSWANTRY@GALLS.COM |
| RECRUIT - ACADEMY 2199 - M | 07-22-2016 14:04:02 | EDSWANTRY@GALLS.COM |
| RECRUIT - GRADUATION 2199 - FEMALE | 07-22-2016 14:03:16 | EDSWANTRY@GALLS.COM |
| RECRUIT - GRADUATION 2199 - M | 07-22-2016 14:02:59 | EDSWANTRY@GALLS.COM |
| RECRUIT - ACADEMY 2199 - FEMALE | 07-22-2016 14:01:59 | EDSWANTRY@GALLS.COM |
| SAFETY OFFICER - FEMALE | 07-22-2016 15:23:34 | EDSWANTRY@GALLS.COM |
| SAFETY OFFICER - M | 07-22-2016 15:17:34 | EDSWANTRY@GALLS.COM |
| TRST | 04-08-2015 14:46:30 | EDSWANTRY@GALLS.COM |

Full Catalog Availibilty (1 of 2)

The screenshot shows the 'Full Catalog Availibilty' page of the Galls website. The page features a large 'POLICE' badge for the Lexington Division of Police. A blue arrow points to the 'Shop for Public Job' dropdown menu on the left side of the page. The main content area displays a welcome message for the Lexington Division of Police and a list of product categories.

Welcome, Lexington Division of Police
Only when you call with Full Catalog Availibilty, we Galls is committed to delivering top-quality products quickly to you, with the best service around.

- Shop for Public Job
- Uniforms
- Duty Uniforms
- Access
- Personal
- Dispatch
- Emergency Vest Carriers
- Tactical Pants & Poles
- Monitor
- Duty Gear
- Assignment
- Footwear
- Accessories & Badges
- Utility Control
- Reference
- Customer, Officer, Trainee
- ED Uniforms
- Miss Poles
- PAU Uniforms
- Training
- Officer Officers
- Worked List



Full Catalog Availability (2 of 2)

The screenshot shows the desktop version of the Galls website. At the top, there is a navigation bar with the Galls logo and a search bar. Below the navigation bar, there is a main content area with a header image of police officers and a text block that reads "Welcome To Your Exclusive Access To Galls Full Product Offering." Below this, there is a grid of six product categories, each with a representative image and a discount percentage:

- ARMED / HEAVY CONTROL: 20% OFF
- SALE / PROMOTION: 20% OFF
- UNIFORMS: 18% OFF
- DRY CLEAN: 15% OFF
- WEAPONS / EQUIPMENT: 10% OFF
- SHOES: 18% OFF

A blue arrow points to the "UNIFORMS" category.

Mobile Web

The screenshot shows the mobile web version of the Galls website. The top navigation bar is blue and contains the Galls logo and a search bar. Below the navigation bar, there is a main content area with a header image of a police badge and a text block that reads "Welcome, Patrick Anderson". Below this, there is a "Uniforms" section with a "Shop Full Catalog" button. On the right side, there is a vertical navigation menu with the following items:

- Uniforms
- Duty Uniforms
- External Vest Carriers
- Tactical Pants & Poles
- Handwear
- Duty Gear
- Equipment
- Footwear
- Accessories & Insignia
- Traffic Control
- Rainwear
- Outerwear, Gloves, T-shirts
- K9 Uniforms
- Bike Patrol



Asset & Inventory Management



[Home](#) | [My Cart](#) | [Reports](#) | [Shop Full Catalog](#) | [Inventory Management](#) | [Site Maintenance](#)

Add Cart Item
 Add Item
 Add Item

[Click Here to Add Item](#)

Inventory

[Inventory](#) | [Galls Receiving](#) | [Non-Galls Receiving](#) | [Agency Issues](#)

Parent Category:

Category Description:

Response:

[Add](#)

CATEGORIES

- [Accessories](#)
- [Jackets](#)
- [Shirts and Polo](#)
- [Junior Accessories](#)
- [T-Shirts](#)
- [Accessories](#)
- [Shirts](#)



[Home](#) | [My Cart](#) | [Reports](#) | [Shop Full Catalog](#) | [Inventory Management](#) | [Site Maintenance](#)

Add Cart Item
 Add Item
 Add Item

[Click Here to Add Item](#)

Transaction History

[Inventory](#) | [Galls Receiving](#) | [Non-Galls Receiving](#) | [Agency Issues](#)

[Cancel](#)

From Date:

To Date:

User:

[Go](#)

| USER | CATEGORY | TYPE | AMOUNT | ITEM | QTY | AMOUNT |
|---------|-------------|-----------------|-----------------|---------------|-----------|-----------|
| GC14728 | Accessories | Trainers | Galls Receiving | TRAINER 32 CB | 2 | 11,200.00 |
| GC14713 | Jackets | Galls Receiving | JACKET 32 CB | 1 | 11,200.00 | |
| GC14711 | Shirts | Galls Receiving | SHIRT 32 CB | 1 | 11,200.00 | |
| GC14711 | Trainers | Galls Receiving | TRAINER 32 CB | 2 | 11,200.00 | |
| GC14712 | Shirts | Galls Receiving | SHIRT 32 CB | 1 | 11,200.00 | |
| GC14712 | Trainers | Galls Receiving | TRAINER 32 CB | 2 | 11,200.00 | |
| GC14713 | Trainers | Galls Receiving | TRAINER 32 CB | 1 | 11,200.00 | |
| GC14713 | Shirts | Galls Receiving | SHIRT 32 CB | 1 | 11,200.00 | |
| GC14713 | Trainers | Galls Receiving | TRAINER 32 CB | 2 | 11,200.00 | |
| GC14713 | Shirts | Galls Receiving | SHIRT 32 CB | 1 | 11,200.00 | |
| GC14713 | Trainers | Galls Receiving | TRAINER 32 CB | 1 | 11,200.00 | |

[Print](#)



Local Storefront

Galls is headquartered and operates a local branch operation in Lexington Kentucky. Galls' local branch operation is open during the hours outlined in the bid requirements and will maintain a specific area for each LFUCG agency.

Galls Headquarters
1340 Russell Cave Rd
Lexington, KY 40505

Galls Branch Location
1300 Russell Cave Rd
Lexington, KY 40505

Representation

Galls will provide Lexington Police multiple contacts to manage the contract including an outside sales representative, a strategic account manager, and branch manager. Below are the key company contacts that will manage your contract.

Emily Love
Strategic Account Manager
Love-emily@galls.com
800-876-4242 X 2162

Robert Schneider
Regional Account Executive
Schneider-robert@galls.com
859-629-8304

Lynn Manley
Branch Manager
Manley-lynn@galls.com
859-266-7227 X 2308

Deborah Dennison
Director Strategic Accounts
Dennison-deborah@galls.com

Patrick Sutton
District Sales Manager
Sutton-patrick@galls.com
859-433-7142



Galls, LLC References

1. Beth Keller
Administrative Specialist
Cincinnati Police Supply Unit
800 EVANS ST
CINCINNATI, OH 45204
513-352-2518
Beth.Keller@cincinnati-oh.gov

2. Angela Bowens-Turner
Data/Report Analyst
Logistical Support Unit
3493 Donald Lee Hollowell Pkwy
Atlanta, Ga. 30331
404-546-6921 office
404-546-9281 efax
abturner@atlantaga.gov

3. Phyllis Holcomb
Administrative Branch Manager
KSP Supply Branch
94 Airport Rd
Frankfort, KY 40601
Office 502-782-2060
Direct 502-782-2051
Cell # 502-229-7593
Fax # 502-226-2166
Phyllis.Holcomb@ky.gov



CERTIFICATE OF LIABILITY INSURANCE

9/30/2018

DATE (MM/DD/YYYY)

9/22/2017

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).


| | | |
|---|--|-----------------------|
| PRODUCER Lockton Companies 76 Batterson Park Road Farmington CT 06032 860-678-4000 | CONTACT NAME: PHONE (A/C, No, Ext): E-MAIL ADDRESS: | FAX (A/C, No): |
| | INSURER(S) AFFORDING COVERAGE | |
| INSURED 1345090 Galls, LLC 1340 Russell Cave Road Lexington KY 40505 | INSURER A: Liberty Insurance Corporation NAIC # 42404 | |
| | INSURER B: Liberty Mutual Fire Insurance Company 23035 | |
| | INSURER C: XL Specialty Insurance Company 37885 | |
| | INSURER D: The Ohio Casualty Insurance Company 24074 | |
| | INSURER E: | |
| | INSURER F: | |

COVERAGES **CERTIFICATE NUMBER:** 11469874 **REVISION NUMBER:** XXXXXXXX

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

| INSR LTR | TYPE OF INSURANCE | ADDL INSD | SUBR WVD | POLICY NUMBER | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | LIMITS |
|----------|--|-----------|----------|--------------------|-------------------------|-------------------------|---|
| A | <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GENTL AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER: | N | N | TB7-Z11-261104-037 | 9/30/2017 | 9/30/2018 | EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 300,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 \$ |
| B | AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY <input checked="" type="checkbox"/> Comp: \$1,000 <input checked="" type="checkbox"/> Coll: \$1,000 | N | N | AS2-Z11-261104-027 | 9/30/2017 | 9/30/2018 | COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ XXXXXXXX BODILY INJURY (Per accident) \$ XXXXXXXX PROPERTY DAMAGE (Per accident) \$ XXXXXXXX \$ XXXXXXXX |
| C | <input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> DED RETENTION \$ 10,000 | N | N | US00080358LI17A | 9/30/2017 | 9/30/2018 | EACH OCCURRENCE \$ 10,000,000 AGGREGATE \$ 10,000,000 \$ XXXXXXXX |
| B | WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below | N/A | N | WC2-Z11-261104-017 | 9/30/2017 | 9/30/2018 | <input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E L EACH ACCIDENT \$ 1,000,000 E L DISEASE - EA EMPLOYEE \$ 1,000,000 E L DISEASE - POLICY LIMIT \$ 1,000,000 |
| D | Excess Umbrella | N | N | ECO (18) 58276018 | 9/30/2017 | 9/30/2018 | Limit: \$15,000,000; XS \$10,000,000 |

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

| | |
|--|--|
| CERTIFICATE HOLDER 11469874 EVIDENCE OF INSURANCE | CANCELLATION See Attachment SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE  |
|--|--|