



LEXINGTON

Lexington-Fayette Urban County Government

Lexington, Kentucky
Horse Capital of the World

Division of Central Purchasing

Date of Issue: April 16, 2018

INVITATION TO BID #58-2018 Horticulture Products for Golf Courses

Bid Opening Date: April 30, 2018 **Bid Opening Time:** 2:00 PM
Address: 200 East Main Street, 3rd Floor, Room 338, Lexington, Kentucky 40507
Type of Bid: Price Contract

Pre Bid Meeting: N/A **Pre Bid Time:** N/A
Address: N/A

Sealed bids will be received in the office of the Division of Central Purchasing, 200 East Main Street, Lexington, Kentucky, until **2:00 PM**, prevailing local time on **04/30/2018**. Bids must be received by the above-mentioned date and time. Mailed bids should be sent to:

Division of Central Purchasing
200 East Main Street, Room 338
Lexington, KY 40507, (859) 258-3320

The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. **Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.** All bids must be signed and have the company name and address, bid invitation number, and the name of the bid on the outside of the envelope.

Bids are to include all shipping costs to the point of delivery located at: Various Locations, Lexington, KY

| | | |
|--|--|--|
| <input checked="" type="checkbox"/> Bid Specifications Met | <p align="center">Check One:</p> <input type="checkbox"/> Exceptions to Bid Specifications. <i>Exceptions shall be itemized and attached to bid proposal submitted.</i> | <p align="center">Proposed Delivery:</p> <u>3-5</u> days after acceptance of bid. |
| <p>Procurement Card Usage—The Lexington-Fayette Urban County Government may be using Procurement Cards to purchase goods and services and also to make payments. Will you accept Procurement Cards? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> | | |

Submitted by: _____
Firm Name SiteOne Landscape Systems
1385 East 36th Street
Cleveland, Ohio 44114

Address

City, State & Zip

Bid must be signed: _____ Director
(original signature) Signature of Authorized Company Representative – Title

Keith McGinty

Representative's Name (Typed or printed)
216-706-9250 248-581-1433
Area Code - Phone – Extension *Fax #*
bids@SiteOne.com

E-Mail Address

The Affidavit in this bid must be completed before your firm can be considered for award of this contract.

AFFIDAVIT

Comes the Affiant, Keith McGinty, and after being first duly sworn under penalty of perjury as follows:

1. His/her name is Keith McGinty and he/she is the individual submitting the bid or is the authorized representative of SiteOne Landscape Supply the entity submitting the bid (hereinafter referred to as "Bidder")
2. Bidder will pay all taxes and fees, which are owed to the Lexington-Fayette Urban County Government at the time the bid is submitted, prior to award of the contract and will maintain a "current" status in regard to those taxes and fees during the life of the contract.
3. Bidder will obtain a Lexington-Fayette Urban County Government business license, if applicable, prior to award of the contract.
4. Bidder has authorized the Division of Central Purchasing to verify the above-mentioned information with the Division of Revenue and to disclose to the Urban County Council that taxes and/or fees are delinquent or that a business license has not been obtained.
5. Bidder has not knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky within the past five (5) years and the award of a contract to the Bidder will not violate any provision of the campaign finance laws of the Commonwealth.
6. Bidder has not knowingly violated any provision of Chapter 25 of the Lexington-Fayette Urban County Government Code of Ordinances, known as "Ethics Act."
7. Bidder acknowledges that "knowingly" for purposes of this Affidavit means, with respect to conduct or to circumstances described by a statute or ordinance defining an offense, that a person is aware or should have been aware that his conduct is of that nature or that the circumstance exists.

Further, Affiant sayeth naught. [Signature]

STATE OF Ohio
COUNTY OF Cuyahoga

The foregoing instrument was subscribed, sworn to and acknowledged before me by Keith McGinty on this the 27th day of April, 2018.



MONIQUE POTTS
Notary Public - State of Ohio
Recorded in Cuyahoga County
My Commission Expires 2/22/2021

[Signature]
NOTARY PUBLIC, STATE AT LARGE

Please refer to Section II. Bid Conditions, Item "U" prior to completing this form.

I. GREEN PROCUREMENT

A. ENERGY

The Lexington-Fayette Urban County Government is committed to protecting our environment and being fiscally responsible to our citizens.

The Lexington-Fayette Urban County Government mandates the use of Energy Star compliant products if they are available in the marketplace (go to [www.Energystar.gov](http://www.energystar.gov)). If these products are available, but not submitted in your pricing, your bid will be rejected as non-compliant.

ENERGY STAR is a government program that offers businesses and consumers energy-efficient solutions, making it easy to save money while protecting the environment for future generations.

Key Benefits

These products use 25 to 50% less energy
Reduced energy costs without compromising quality or performance
Reduced air pollution because fewer fossil fuels are burned
Significant return on investment
Extended product life and decreased maintenance

B. GREEN SEAL CERTIFIED PRODUCTS

The Lexington-Fayette Urban County Government is also committed to using other environmentally friendly products that do not negatively impact our environment. Green Seal is a non-profit organization devoted to environmental standard setting, product certification, and public education.

Go to www.Greenseal.org to find available certified products. These products will have a reduced impact on the environment and on human health. The products to be used must be pre-approved by the LFUCG prior to commencement of any work in any LFUCG facility. If a Green Seal product is not available, the LFUCG must provide a signed waiver to use an alternate product. Please provide information on the Green Seal products being used with your bid response.

C. GREEN COMMUNITY

The Lexington-Fayette Urban County Government (LFUCG) serves as a principal, along with the University of Kentucky and Fayette County Public Schools, in the Bluegrass Partnership for a Green Community. The Purchasing Team component of the Partnership collaborates on economy of scale purchasing that promotes and enhances environmental initiatives. Specifically, when applicable, each principal is interested in obtaining best value products and/or services which promote environment initiatives via solicitations and awards from the other principals.

If your company is the successful bidder on this Invitation For Bid, do you agree to extend the same product/service pricing to the other principals of the Bluegrass Partnership for a Green Community (i.e. University of Kentucky and Fayette County Schools) if requested?

Yes _____ No _____

II. Bid Conditions

- A. No bid may be withdrawn for a period of sixty (60) days after the date and time set for opening.
- B. No bid may be altered after the date and time set for opening. In the case of obvious errors, the Division of Central Purchasing may permit the withdrawal of a bid. The decision as to whether a bid may be withdrawn shall be that of the Division of Central Purchasing.
- C. Acceptance of this proposal shall be enactment of an Ordinance by the Urban County Council.
- D. The bidder agrees that the Urban County Government reserves the right to reject any and all bids for either fiscal or technical reasons, and to award each part of the bid separately or all parts to one vendor.
- E. Minor exceptions may not eliminate the bidder. The decision as to whether any exception is minor shall be entirely that of the head of the requisitioning Department or Division and the Director of the Division of Central Purchasing. The Urban County Government may waive technicalities and Informalities where such waiver would best serve the interests of the Urban County Government.
- F. Manufacturer's catalogue numbers, trade names, etc., where shown herein are for descriptive purposes and are to guide the bidder in interpreting the standard of quality, design, and performance desired, and shall not be construed to exclude proposals based on furnishing other types of materials and/or services. However, any substitution or departure proposed by the bidder must be clearly noted and described; otherwise, it will be assumed that the bidder intends to supply items specifically mentioned in this Invitation for Bids.
- G. The Urban County Government may require demonstrations of the materials proposed herein prior to acceptance of this proposal.
- H. Bids must be submitted on this form and must be signed by the bidder or his authorized representative. Unsigned bids will not be considered.
- I. Bids must be submitted prior to the date and time indicated for opening. Bids submitted after this time will not be considered.
- J. All bids mailed must be marked on the face of the envelope:

"Bid on #58-2018 Horticulture Products for Golf Courses"

and addressed to: Division of Central Purchasing
 200 East Main Street, Room 338
 Lexington, Kentucky 40507

The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.

- K. Bidder is requested to show both unit prices and lot prices. In the event of error, the unit price shall prevail.
- L. A certified check or Bid Bond in the amount of XX percent of the bid price must be attached hereto. This check must be made payable to the Lexington-Fayette Urban County Government, and will be returned when the material and/or services specified herein have been delivered in accordance with specifications. In the event of failure to perform within the time period set forth in this bid, it is agreed the certified check may be cashed and the funds retained by the Lexington-Fayette Urban County Government as liquidated damages. Checks of unsuccessful bidders will be returned when the bid has been awarded.
- M. The delivery dates specified by bidder may be a factor in the determination of the successful bidder.
- N. Tabulations of bids received may be mailed to bidders. Bidders requesting tabulations must enclose a stamped, self-addressed envelope with the bid.
- O. The Lexington-Fayette Urban County Government is exempt from Kentucky Sales Tax and Federal Excise Tax on materials purchased from this bid invitation. Materials purchased by the bidder for construction

projects are not tax exempt and are the sole responsibility of the bidder.

- P. All material furnished hereunder must be in full compliance with OSHA regulations.
- Q. If more than one bid is offered by one party, or by any person or persons representing a party, all such bids shall be rejected.
- R. Signature on the face of this bid by the Bidder or his authorized representative shall be construed as acceptance of and compliance with all terms and conditions contained herein.
- S. The Entity (regardless of whether construction contractor, non-construction contractor or supplier) agrees to provide equal opportunity in employment for all qualified persons, to prohibit discrimination in employment because of race, color, creed, national origin, sex or age, and to promote equal employment through a positive, continuing program from itself and each of its sub-contracting agents. This program of equal employment opportunity shall apply to every aspect of its employment policies and practices.
- T. The Kentucky Equal Employment Opportunity Act of 1978 (KRS 45.560-45.640) requires that any county, city, town, school district, water district, hospital district, or other political subdivision of the state shall include in directly or indirectly publicly funded contracts for supplies, materials, services, or equipment hereinafter entered into the following provisions:

During the performance of this contract, the contractor agrees as follows:

- (1) The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, age or national origin;*
- (2) The contractor will state in all solicitations or advertisements for employees placed by or on behalf of the contractors that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, age or national origin;*
- (3) The contractor will post notices in conspicuous places, available to employees and applicants for employment, setting forth the provisions of the non-discrimination clauses required by this section; and*
- (4) The contractor will send a notice to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding advising the labor union or workers' representative of the contractor's commitments under the nondiscrimination clauses.*

The Act further provides:

KRS 45.610. Hiring minorities - Information required

- (1) For the length of the contract, each contractor shall hire minorities from other sources within the drawing area, should the union with which he has collective bargaining agreements be unwilling to supply sufficient minorities to satisfy the agreed upon goals and timetable.*
- (2) Each contractor shall, for the length of the contract, furnish such information as required by KRS 45.560 to KRS 45.640 and by such rules, regulations and orders issued pursuant thereto and will permit access to all books and records pertaining to his employment practices and work sites by the contracting agency and the department for purposes of investigation to ascertain compliance with KRS 45.560 to 45.640 and such rules, regulations and orders issued pursuant thereto.*

KRS 45.620. Action against contractor - Hiring of minority contractor or subcontractor

- (1) If any contractor is found by the department to have engaged in an unlawful practice under this chapter during the course of performing under a contract or subcontract covered under KRS 45.560 to 45.640, the department shall so certify to the contracting agency and such certification shall be binding upon the contracting agency unless it is reversed in the course of judicial review.*
- (2) If the contractor is found to have committed an unlawful practice under KRS 45.560 to 45.640, the contracting agency may cancel or terminate the contract, conditioned upon a program for future compliance approved by the contracting agency and the department. The contracting agency may*

declare such a contractor ineligible to bid on further contracts with that agency until such time as the contractor complies in full with the requirements of KRS 45.560 to 45.640.

- (3) *The equal employment provisions of KRS 45.560 to 45.640 may be met in part by a contractor by subcontracting to a minority contractor or subcontractor. For the provisions of KRS 45.560 to 45.640, a minority contractor or subcontractor shall mean a business that is owned and controlled by one or more persons disadvantaged by racial or ethnic circumstances.*

KRS 45.630 Termination of existing employee not required, when

Any provision of KRS 45.560 to 45.640 notwithstanding, no contractor shall be required to terminate an existing employee upon proof that that employee was employed prior to the date of the contract.

KRS 45.640 Minimum skills

Nothing in KRS 45.560 to 45.640 shall require a contractor to hire anyone who fails to demonstrate the minimum skills required to perform a particular job.

It is recommended that all of the provisions above quoted to be Included as special conditions in each contract. In the case of a contract exceeding \$250,000, the contractor is required to furnish evidence that his work-force in Kentucky is representative of the available work-force in the area from which he draws employees, or to supply an Affirmative Action plan which will achieve such representation during the life of the contract.

- U. Any party, firm or individual submitting a proposal pursuant to this invitation must be in compliance with the requirements of the Lexington-Fayette Urban County Government regarding taxes and fees before they can be considered for award of this invitation and must maintain a "current" status with regard to those taxes and fees throughout the term of the contract. The contractor must be in compliance with Chapter 13 from the Code of Ordinances of the Lexington-Fayette Urban County Government. The contractor must be in compliance with Ordinance 35-2000 pursuant to contractor registration with the Division of Building Inspection. If applicable, said business must have a Fayette County business license.

Pursuant to KRS 45A.343 and KRS 45A.345, the contractor shall

- (1) *Reveal any final determination of a violation by the contractor within the previous five year period pursuant to KRS Chapters 136 (corporation and utility taxes), 139 (sales and use taxes), 141 (income taxes), 337 (wages and hours), 338 (occupational safety and health of employees), 341 (unemployment and compensation) and 342 (labor and human rights) that apply to the contractor; and*
- (2) *Be in continuous compliance with the above-mentioned KRS provisions that apply to the contractor for the duration of the contract.*

A contractor's failure to reveal the above or to comply with such provisions for the duration of the contract shall be grounds for cancellation of the contract and disqualification of the contractor from eligibility for future contracts for a period of two (2) years.

- V. Vendors who respond to this invitation have the right to file a notice of contention associated with the bid process or to file a notice of appeal of the recommendation made by the Director of Central Purchasing resulting from this invitation.

Notice of contention with the bid process must be filed within 3 business days of the bid/proposal opening by (1) sending a written notice, including sufficient documentation to support contention, to the Director of the Division of Central Purchasing or (2) submitting a written request for a meeting with the Director of Central Purchasing to explain his/her contention with the bid process. After consulting with the Commissioner of Finance the Chief Administrative Officer and reviewing the documentation and/or hearing the vendor, the Director of Central Purchasing shall promptly respond in writing findings as to the compliance with bid processes. If, based on this review, a bid process irregularity is deemed to have occurred the Director of Central Purchasing will consult with the Commissioner of Finance, the Chief Administrative Officer and the Department of Law as to the appropriate remedy.

Notice of appeal of a bid recommendation must be filed within 3 business days of the bid recommendation by (1) sending a written notice, including sufficient documentation to support appeal, to the Director, Division of Central Purchasing or (2) submitting a written request for a meeting with the Director of Central Purchasing to explain his appeal. After reviewing the documentation and/or hearing the vendor and consulting with the Commissioner of Finance and the Chief Administrative Officer, the Director of Central Purchasing shall in writing, affirm or withdraw the recommendation.

III. Procurement Contract Bid Conditions

- A. The terms of this agreement shall be for 1 year(s) from the date of acceptance of this contract by the Lexington-Fayette Urban County Government. This agreement may be automatically extended for an additional 1 year(s) renewal. This contract may be canceled by either party thirty (30) days after delivery by canceling party of written notice of intent to cancel to the other contracting party.
- B. Price Changes (**Space Checked Applies**)
 - (XXX) 1. Prices quoted in response to the Invitation shall be firm prices for the first 90 days of the Procurement Contract. After 90 days, prices may be subject to revision and such changes shall be based on general industry changes. Revision may be either increases or decreases and may be requested by either party. There will be no more than one (1) price adjustment per quarter. Requests for price changes shall be received in writing at least twenty (20) days prior to the effective date and are subject to written acceptance before becoming effective. Proof of the validity of a request for revision shall be responsibility of the requesting party. The Lexington-Fayette Urban County Government shall receive the benefit of any decline that the seller shall offer his other accounts.
 - () 2. No provision for price change is made herein. Prices are to be firm for the term of this contract.
 - () 3. See bid specifications.
- C. If any contract item is not available from the vendor, the Lexington-Fayette Urban County Government, at its option, may permit the item to be back-ordered or may procure the item on the open market.
- D. All invoices must bear reference to the Lexington-Fayette Urban County Government Purchasing document numbers which are being billed.
- E. This contract may be canceled by the Lexington-Fayette Urban County Government if it is determined that the Bidder has failed to perform under the terms of this agreement, such cancellation to be effective upon receipt of written notice of cancellation by the Bidder.
- F. No substitutions for articles specified herein may be made without prior approval of the Division of Central Purchasing.

EQUAL OPPORTUNITY AGREEMENT

Standard Title VI Assurance

The Lexington Fayette-Urban County Government, (hereinafter referred to as the "Recipient") hereby agrees that as a condition to receiving any Federal financial assistance from the U.S. Department of Transportation, it will comply with Title VI of the Civil Rights Act of 1964, 78Stat.252, 42 U.S.C. 2000d-4 (hereinafter referred to as the "Act"), and all requirements imposed by or pursuant to Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, (49 CFR, Part 21) Nondiscrimination In Federally Assisted Program of the Department of Transportation – Effectuation of Title VI of the Civil Rights Act of 1964 (hereinafter referred to as the "Regulations") and other pertinent directives, no person in the United States shall, on the grounds of race, color, national origin, sex, age (over 40), religion, sexual orientation, gender identity, veteran status, or disability be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any program or activity for which the Recipient receives Federal financial assistance from the U.S. Department of Transportation, including the Federal Highway Administration, and hereby gives assurance that will promptly take any necessary measures to effectuate this agreement. This assurance is required by subsection 21.7(a) (1) of the Regulations.

The Law


- Title VII of the Civil Rights Act of 1964 (amended 1972) states that it is unlawful for an employer to discriminate in employment because of race, color, religion, sex, age (40-70 years) or national origin.
- Executive Order No. 11246 on Nondiscrimination under Federal contract prohibits employment discrimination by contractor and sub-contractor doing business with the Federal Government or recipients of Federal funds. This order was later amended by Executive Order No. 11375 to prohibit discrimination on the basis of sex.
- Section 503 of the Rehabilitation Act of 1973 states: *The Contractor will not discriminate against any employee or applicant for employment because of physical or mental disability.*
- Section 2012 of the Vietnam Era Veterans Readjustment Act of 1973 requires Affirmative Action on behalf of disabled veterans and veterans of the Vietnam Era by contractors having Federal contracts.
- Section 206(A) of Executive Order 12086, Consolidation of Contract Compliance Functions for Equal Employment Opportunity, states: *The Secretary of Labor may investigate the employment practices of any Government contractor or sub-contractor to determine whether or not the contractual provisions specified in Section 202 of this order have been violated.*

The Lexington-Fayette Urban County Government practices Equal Opportunity in recruiting, hiring and promoting. It is the Government's intent to affirmatively provide employment opportunities for those individuals who have previously not been allowed to enter into the mainstream of society. Because of its importance to the local Government, this policy carries the full endorsement of the Mayor, Commissioners, Directors and all supervisory personnel. In following this commitment to Equal Employment Opportunity and because the Government is the benefactor of the Federal funds, it is both against the Urban County Government policy and illegal for the Government to let contracts to companies which knowingly or unknowingly practice discrimination in their employment practices. Violation of the above mentioned ordinances may cause a contract to be canceled and the contractors may be declared ineligible for future consideration.

Please sign this statement in the appropriate space acknowledging that you have read and understand the provisions contained herein. Return this document as part of your application packet.

Bidders

I/We agree to comply with the Civil Rights Laws listed above that govern employment rights of minorities, women, veteran status, disability and age.



Signature



Name of Business

GENERAL PROVISIONS OF BID CONTRACT


By signing the below, bidder acknowledges that it understands and agrees with the following provisions related to its bid response and the provision of any goods or services to LFUCG upon selection by LFUCG pursuant to the bid request:

1. Bidder shall comply with all Federal, State & Local regulations concerning this type of service or good. All applicable state laws, ordinances and resolutions (including but not limited to Section 2-33 (Discrimination due to sexual orientation or gender identity) and Chapter 13 (Licenses and Regulations) of the Lexington-Fayette Urban County Government Code of Ordinances, and Resolution No. 484-17 (Minority, Women, and Veteran-Owned Businesses)) and the regulations of all authorities having jurisdiction over the project shall apply to the contract, and shall be deemed to be incorporated herein by reference.
2. Failure to submit ALL forms and information required by LFUCG may be grounds for disqualification.
3. Addenda: All addenda and IonWave Q&A, if any, must be considered by the bidder in making its response, and such addenda shall be made a part of the requirements of the bid contract. Before submitting a bid response, it is incumbent upon bidder to be informed as to whether any addenda have been issued, and the failure of the bidder to cover any such addenda may result in disqualification of that response.
4. Bid Reservations: LFUCG reserves the right to reject any or all bid responses, to award in whole or part, and to waive minor immaterial defects in proposals. LFUCG may consider any alternative proposal that meets its basic needs.
5. Liability: LFUCG is not responsible for any cost incurred by bidder in the preparation of its response.
6. Changes/Alterations: Bidder may change or withdraw a proposal at any time prior to the opening; however, no oral modifications will be allowed. Only letters, or other formal written requests for modifications or corrections of a previously submitted proposal which is addressed in the same manner as the bid response, and received by LFUCG prior to the scheduled closing time for receipt of bids, will be accepted. The bid response when opened, will then be corrected in accordance with such written request(s), provided that the written request is contained in a sealed envelope which is plainly marked "modifications of bid response".
7. Clarification of Submittal: LFUCG reserves the right to obtain clarification of any point in a bid or to obtain additional information from any bidder.
8. Bribery Clause: By his/her signature on its response, bidder certifies that no employee of his/hers, any affiliate or subcontractor, has bribed or attempted to bribe an officer or employee of the LFUCG.
9. Additional Information: While not necessary, the bidder may include any product brochures, software documentation, sample reports, or other documentation that may assist LFUCG in better understanding and evaluating the bid response. Additional documentation shall not serve as a substitute for other documentation which is required by the LFUCG to be submitted with the bid response.
10. Ambiguity, Conflict or other Errors: If a bidder discovers any ambiguity, conflict, discrepancy, omission or other error in the bid request of LFUCG, it shall immediately notify LFUCG of such error in writing and request modification or clarification of the document if allowable by the LFUCG.
11. Agreement to Bid Terms: In submitting its bid response, the bidder agrees that it has carefully examined the specifications and all provisions relating to LFUCG's bid request, including but not limited to the bid contract. By submission of its bid response, bidder states that it understands the meaning, intent and requirements of LFUCG's bid request and agrees to the same. The successful bidder shall warrant that it is familiar with and understands all provisions herein and shall warrant that it can comply with them. No additional compensation to bidder shall be authorized for services, expenses, or goods reasonably covered under these provisions that the bidder omits from its bid response.
12. Cancellation: LFUCG may unilaterally terminate the bid contract with the selected bidder(s) at any time, with or without cause, by providing at least thirty (30) days advance written notice unless a different advance

written notice period is negotiated prior to contract approval. Payment for services or goods received prior to termination shall be made by the LFUCG provided these goods or services were provided in a manner acceptable to the LFUCG. Payment for those goods and services shall not be unreasonably withheld.

13. Assignment of Contract: The selected bidder(s) shall not assign or subcontract any portion of the bid contract with LFUCG without the express written consent of LFUCG. Any purported assignment or subcontract in violation hereof shall be void. It is expressly acknowledged that LFUCG shall never be required or obligated to consent to any request for assignment or subcontract; and further that such refusal to consent can be for any or no reason, fully within the sole discretion of LFUCG.
14. No Waiver: No failure or delay by LFUCG in exercising any right, remedy, power or privilege hereunder, nor any single or partial exercise thereof, nor the exercise of any other right, remedy, power or privilege shall operate as a waiver hereof or thereof. No failure or delay by LFUCG in exercising any right, remedy, power or privilege under or in respect of this bid proposal or bid contract shall affect the rights, remedies, powers or privileges of LFUCG hereunder or shall operate as a waiver thereof.
15. Authority to do Business: Each bidder must be authorized to do business under the laws of the Commonwealth of Kentucky and must be in good standing and have full legal capacity to provide the goods or services specified in the bid proposal. Each bidder must have all necessary right and lawful authority to submit the bid response and enter into the bid contract for the full term hereof including any necessary corporate or other action authorizing the bidder to submit the bid response and enter into this bid contract. If requested, the bidder will provide LFUCG with a copy of a corporate resolution authorizing this action and/or a letter from an attorney confirming that the proposer is authorized to do business in the Commonwealth of Kentucky. All bid responses must be signed by a duly authorized officer, agent or employee of the bidder.
16. Governing Law: This bid request and bid contract shall be governed by and construed in accordance with the laws of the Commonwealth of Kentucky. In the event of any proceedings regarding this matter, the bidder agrees that the venue shall be the Fayette County Circuit Court or the U.S. District Court for the Eastern District of Kentucky, Lexington Division and that the bidder expressly consents to personal jurisdiction and venue in such Court for the limited and sole purpose of proceedings relating to these matters or any rights or obligations arising thereunder.
17. Ability to Meet Obligations: Bidder affirmatively states that there are no actions, suits or proceedings of any kind pending against bidder or, to the knowledge of the bidder, threatened against the bidder before or by any court, governmental body or agency or other tribunal or authority which would, if adversely determined, have a materially adverse effect on the authority or ability of bidder to perform its obligations under this bid response or bid contract, or which question the legality, validity or enforceability hereof or thereof.
18. Price Discrepancy: When applicable, in case of price discrepancy, unit bid price written in words will prevail followed by unit price written in numbers then total amount bid per line item.
19. Bidder understands and agrees that its employees, agents, or subcontractors are not employees of LFUCG for any purpose whatsoever. Bidder is an independent contractor at all times related to the bid response or bid contract.
20. Contractor [or Vendor or Vendor's Employees] will not appropriate or make use of the Lexington-Fayette Urban County Government (LFUCG) name or any of its trade or service marks or property (including but not limited to any logo or seal), in any promotion, endorsement, advertisement, testimonial or similar use without the prior written consent of the government. If such consent is granted LFUCG reserves the unilateral right, in its sole discretion, to immediately terminate and revoke such use for any reason whatsoever. Contractor agrees that it shall cease and desist from any unauthorized use immediately upon being notified by LFUCG.
21. If any term or provision of this bid contract shall be found to be illegal or unenforceable, the remainder of the contract shall remain in full force and such term or provision shall be deemed stricken.


Signature


Date

WORKFORCE ANALYSIS FORM

SiteOne Landscape Supply

Name of Organization: _____

| Categories | Total | White (Not Hispanic or Latino) | | Hispanic or Latino | | Black or African-American (Not Hispanic or Latino) | | Native Hawaiian and Other Pacific Islander (Not Hispanic or Latino) | | Asian (Not Hispanic or Latino) | | American Indian or Alaskan Native (not Hispanic or Latino) | | Two or more races (Not Hispanic or Latino) | | Total | | | |
|--------------------|-------|-----------------------------------|---|-----------------------|---|---|---|--|---|-----------------------------------|---|---|---|---|---|-------|---|--|--|
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| Administrators | | | | Please See Attachment | | | | | | | | | | | | | | | |
| Professionals | | | | | | | | | | | | | | | | | | | |
| Superintendents | | | | | | | | | | | | | | | | | | | |
| Supervisors | | | | | | | | | | | | | | | | | | | |
| Foremen | | | | | | | | | | | | | | | | | | | |
| Technicians | | | | | | | | | | | | | | | | | | | |
| Protective Service | | | | | | | | | | | | | | | | | | | |
| Para-Professionals | | | | | | | | | | | | | | | | | | | |
| Office/Clerical | | | | | | | | | | | | | | | | | | | |
| Skilled Craft | | | | | | | | | | | | | | | | | | | |
| Service/Maintenanc | | | | | | | | | | | | | | | | | | | |
| Total: | | | | | | | | | | | | | | | | | | | |

Prepared by: Human Resource Dept. Date: 4, 27, 18
 (Name and Title) Revised 2015-Dec-15

**DIRECTOR, DIVISION OF CENTRAL PURCHASING
LEXINGTON-FAYETTE URBAN COUNTY GOVERNMENT
200 EAST MAIN STREET
LEXINGTON, KENTUCKY 40507**

**NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE
EQUAL EMPLOYMENT OPPORTUNITIES AND DBE CONTRACT PARTICIPATION**

The Lexington-Fayette Urban County Government has set a goal that not less than ten percent (10%) of the total value of this contract be subcontracted to MBE/WBE's, and set a goal that not less than three percent (3%) of the total value of this contract be subcontracted to Veteran-Owned Small Businesses. The goal for the utilization of Certified MBE/WBE's and Veteran-Owned Small Businesses as subcontractors are recommended goals. Contractors who fail to meet such goals will be expected to provide written explanations to the Director of the Division of Central Purchasing of efforts they have made to accomplish the recommended goals and the extent to which they are successful in accomplishing the recommended goals will be a consideration in the procurement process.

For assistance in locating MBE/WBE Subcontractors contact Sherita Miller at 859/258-3320 or by writing the address listed below:

Sherita Miller, Division of Central Purchasing
Lexington-Fayette Urban County Government
200 East Main Street – Room 338
Lexington, Kentucky 40507
smiller@lexingtonky.gov

Lexington-Fayette Urban County Government
MWDBE PARTICIPATION GOALS

A. GENERAL

- 1) The LFUCG request all potential contractors to make a concerted effort to include Minority-Owned (MBE), Woman-Owned (WBE), Disadvantaged (DBE) Business Enterprises and Veteran-Owned Small Businesses (VOSB) as subcontractors or suppliers in their bids.
- 2) Toward that end, the LFUCG has established 10% of total procurement costs as a Goal for participation of Minority-Owned, Woman-Owned and Disadvantaged Businesses on this contract.
- 3) **It is therefore a request of each Bidder to include in its bid, the same goal (10%) for MWDBE participation and other requirements as outlined in this section.**
- 4) The LFUCG has also established a 3% of total procurement costs as a Goal for participation for of Veteran-Owned Businesses.
- 5) **It is therefore a request of each Bidder to include in its bid, the same goal (3%) for Veteran-Owned participation and other requirements as outlined in this section.**

B. PROCEDURES

- 1) The successful bidder will be required to report to the LFUCG, the dollar amounts of all payments submitted to Minority-Owned, Woman-Owned or Veteran-Owned subcontractors and suppliers for work done or materials purchased for this contract. (See Subcontractor Monthly Payment Report)
- 2) Replacement of a Minority-Owned, Woman-Owned or Veteran-Owned subcontractor or supplier listed in the original submittal must be requested in writing and must be accompanied by documentation of Good Faith Efforts to replace the subcontractor / supplier with another MWDBE Firm; this is subject to approval by the LFUCG. (See LFUCG MWDBE Substitution Form)
- 3) For assistance in identifying qualified, certified businesses to solicit for potential contracting opportunities, bidders may contact:
 - a) The Lexington-Fayette Urban County Government, Division of Central Purchasing (859-258-3320)
- 4) The LFUCG will make every effort to notify interested MWDBE and Veteran-Owned subcontractors and suppliers of each Bid Package, including information on the scope of work, the pre-bid meeting time and location, the bid date, and all other pertinent information regarding the project.

C. DEFINITIONS

- 1) A Minority-Owned Business Enterprise (MBE) is defined as a business which is certified as being at least 51% owned, managed and controlled by persons of African American, Hispanic, Asian, Pacific Islander, American Indian or Alaskan Native Heritage.

- 2) A Woman-Owned Business Enterprise (WBE) is defined as a business which is certified as being at least 51% owned, managed and controlled by one or more women.
- 3) A Disadvantaged Business (DBE) is defined as a business which is certified as being at least 51% owned, managed and controlled by a person(s) that are economically and socially disadvantaged.
- 4) A Veteran-Owned Small Business (VOSB) is defined as a business which is certified as being at least 51% owned, managed and controlled by a veteran and/or a service disabled veteran.
- 5) Good Faith Efforts are efforts that, given all relevant circumstances, a bidder or proposer actively and aggressively seeking to meet the goals, can reasonably be expected to make. In evaluating good faith efforts made toward achieving the goals, whether the bidder or proposer has performed the efforts outlined in the Obligations of Bidder for Good Faith Efforts outlined in this document will be considered, along with any other relevant factors.

D. OBLIGATION OF BIDDER FOR GOOD FAITH EFFORTS

- 1) **The bidder shall make a Good Faith Effort to achieve the Participation Goal for MWDBE and Veteran-Owned subcontractors/suppliers. The failure to meet the goal shall not necessarily be cause for disqualification of the bidder; however, bidders not meeting the goal are required to furnish with their bids written documentation of their Good Faith Efforts to do so.**
- 2) Award of Contract shall be conditioned upon satisfaction of the requirements set forth herein.
- 3) The Form of Proposal includes a section entitled "MWDBE Participation Form". The applicable information must be completed and submitted as outlined below.
- 4) **Failure to submit this information as requested may be cause for rejection of bid or delay in contract award.**

E. DOCUMENTATION REQUIRED FOR GOOD FAITH EFFORTS

- 1) Bidders reaching the Goal are required to submit only the MWDBE Participation Form." The form must be fully completed including names and telephone number of participating MWDBE firm(s); type of work to be performed; estimated value of the contract and value expressed as a percentage of the total Lump Sum Bid Price. The form must be signed and dated, and is to be submitted with the bid.
- 2) Bidders not reaching the Goal must submit the "MWDBE Participation Form", the "Quote Summary Form" and a written statement documenting their Good Faith Effort to do so. If bid includes no MWDBE and/or Veteran participation, bidder shall enter "None" on the subcontractor / supplier form). In addition, the bidder must submit written proof of their Good Faith Efforts to meet the Participation Goal:
 - a. Advertised opportunities to participate in the contract in at least two (2) publications of general circulation media; trade and professional association publications; small and minority business or trade publications; and publications or trades targeting minority, women and disadvantaged businesses not less than fifteen (15) days prior to the deadline for submission

- of bids to allow MWDBE firms and Veteran-Owned businesses to participate.
- b. Included documentation of advertising in the above publications with the bidders good faith efforts package
 - c. Attended LFUCG Central Purchasing Economic Inclusion Outreach event
 - d. Attended pre-bid meetings that were scheduled by LFUCG to inform MWDBEs and/or Veteran-Owned businesses of subcontracting opportunities
 - e. Sponsored Economic Inclusion event to provide networking opportunities for prime contractors and MWDBE firms and Veteran-Owned businesses.
 - f. Requested a list of MWDBE and/or Veteran subcontractors or suppliers from LFUCG and showed evidence of contacting the companies on the list(s).
 - g. Contacted organizations that work with MWDBE companies for assistance in finding certified MWDBE firms and Veteran-Owned businesses to work on this project. Those contacted and their responses should be a part of the bidder's good faith efforts documentation.
 - h. Sent written notices, by certified mail, email or facsimile, to qualified, certified MWDBEs and/or Veteran-Owned businesses soliciting their participation in the contract not less than seven (7) days prior to the deadline for submission of bids to allow them to participate effectively.
 - i. Followed up initial solicitations by contacting MWDBEs and Veteran-Owned Businesses to determine their level of interest.
 - j. Provided the interested MWDBE firm and/or Veteran-Owned business with adequate and timely information about the plans, specifications, and requirements of the contract.
 - k. Selected portions of the work to be performed by MWDBE firms and/or Veteran-Owned businesses in order to increase the likelihood of meeting the contract goals. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate MWDBE and Veteran participation, even when the prime contractor may otherwise perform these work items with its own workforce
 - l. Negotiated in good faith with interested MWDBE firms and Veteran-Owned businesses not rejecting them as unqualified without sound reasons based on a thorough investigation of their capabilities. Any rejection should be so noted in writing with a description as to why an agreement could not be reached.
 - m. Included documentation of quotations received from interested MWDBE firms and Veteran-Owned businesses which were not used due to uncompetitive pricing or were rejected as unacceptable and/or copies of responses from firms indicating that they would not be submitting a bid.
 - n. Bidder has to submit sound reasons why the quotations were considered unacceptable. The fact that the bidder has the ability and/or desire to perform the contract work with its own

forces will not be considered a sound reason for rejecting a MWDBE and/or Veteran-Owned business's quote. Nothing in this provision shall be construed to require the bidder to accept unreasonable quotes in order to satisfy MWDBE and Veteran goals.

o. Made an effort to offer assistance to or refer interested MWDBE firms and Veteran-Owned businesses to obtain the necessary equipment, supplies, materials, insurance and/or bonding to satisfy the work requirements of the bid proposal

p. Made efforts to expand the search for MWBE firms and Veteran-Owned businesses beyond the usual geographic boundaries.

q. Other--any other evidence that the bidder submits which may show that the bidder has made reasonable good faith efforts to include MWDBE and Veteran participation.

Note: Failure to submit any of the documentation requested in this section may be cause for rejection of bid. Bidders may include any other documentation deemed relevant to this requirement which is subject to review by the MBE Liaison. Documentation of Good Faith Efforts must be submitted with the Bid, if the participation Goal is not met.



LEXINGTON

MINORITY BUSINESS ENTERPRISE PROGRAM

Sherita Miller, MPA
Minority Business Enterprise Liaison
Division of Central Purchasing
Lexington-Fayette Urban County Government
200 East Main Street
Lexington, KY 40507
smiller@lexingtonky.gov
859-258-3323

OUR MISSION: The mission of the Minority Business Enterprise Program is to facilitate the full participation of minority and women owned businesses in the procurement process and to promote economic inclusion as a business imperative essential to the long term economic viability of Lexington-Fayette Urban County Government.

To that end the city council adopted and implemented Resolution 484-2017 – A Certified Minority, Women and Disadvantaged Business Enterprise ten percent (10%) minimum goal and a three (3%) minimum goal for Certified Veteran-Owned Small Businesses and Certified Service Disabled Veteran – Owned Businesses for government contracts.

The resolution states the following definitions shall be used for the purposes of reaching these goals (a full copy is available in Central Purchasing):

Certified Disadvantaged Business Enterprise (DBE) – a business in which at least fifty-one percent (51%) is owned, managed and controlled by a person(s) who is socially and economically disadvantaged as defined by 49 CFR subpart 26.

Certified Minority Business Enterprise (MBE) – a business in which at least fifty-one percent (51%) is owned, managed and controlled by an ethnic minority (i.e. African American, Asian American/Pacific Islander, Hispanic Islander, Native American/Native Alaskan Indian) as defined in federal law or regulation as it may be amended from time-to-time.

Certified Women Business Enterprise (WBE) – a business in which at least fifty-one percent (51%) is owned, managed and controlled by a woman.

Certified Veteran-Owned Small Business (VOSB) – a business in which at least fifty-one percent (51%) is owned, managed and controlled by a veteran who served on active duty with the U.S. Army, Air Force, Navy, Marines or Coast Guard.

Certified Service Disabled Veteran Owned Small Business (SDVOSB) – a business in which at least fifty-one percent (51%) is owned, managed and controlled by a disabled veteran who served on active duty with the U.S. Army, Air Force, Navy, Marines or Coast Guard.

The term “Certified” shall mean the business is appropriately certified, licensed, verified, or validated by an organization or entity recognized by the Division of Purchasing as having the appropriate credentials to make a determination as to the status of the business.

We have compiled the list below to help you locate certified MBE, WBE and DBE certified businesses. Below is a listing of contacts for LFUCG Certified MWDBEs and Veteran-Owned Small Businesses in (<https://lexingtonky.ionwave.net>)

| Business | Contact | Email Address | Phone |
|--|--|--|--------------|
| LFUCG | Sherita Miller | smiller@lexingtonky.gov | 859-258-3323 |
| Commerce Lexington – Minority Business Development | Tyrone Tyra | ttyra@commercelexington.com | 859-226-1625 |
| Tri-State Minority Supplier Diversity Council | Susan Marston | smarston@tsmsdc.com | 502-365-9762 |
| Small Business Development Council | Shawn Rogers UK SBDC | shawn.rogers@uky.edu | 859-257-7666 |
| Community Ventures Corporation | Phyllis Alcorn | palcorn@cvky.org | 859-231-0054 |
| KY Transportation Cabinet (KYTC) | Melvin Bynes | Melvin.bynes2@ky.gov | 502-564-3601 |
| KYTC Pre-Qualification | Shella Eagle | Shella.Eagle@ky.gov | 502-782-4815 |
| Ohio River Valley Women's Business Council (WBENC) | Sheila Mixon | smixon@orvwbc.org | 513-487-6537 |
| Kentucky MWBE Certification Program | Yvette Smith, Kentucky Finance Cabinet | Yvette.Smith@ky.gov | 502-564-8099 |
| National Women Business Owner's Council (NWBOC) | Janet Harris-Lange | janet@nwvoc.org | 800-675-5066 |
| Small Business Administration | Robert Coffey | robertcoffey@sba.gov | 502-582-5971 |
| LaVoz de Kentucky | Andres Cruz | lavozdeky@yahoo.com | 859-621-2106 |
| The Key News Journal | Patrice Muhammad | production@keynewsjournal.com | 859-685-8488 |



LFUCG MWDBE PARTICIPATION FORM

Bid/RFP/Quote Reference # _____

The MWDBE and/or veteran subcontractors listed have agreed to participate on this Bid/RFP/Quote. If any substitution is made or the total value of the work is changed prior to or after the job is in progress, it is understood that those substitutions must be submitted to Central Purchasing for approval immediately. **Failure to submit a completed form may cause rejection of the bid.**

| MWDBE Company, Name, Address, Phone, Email | MBE WBE or DBE | Work to be Performed | Total Dollar Value of the Work | % Value of Total Contract |
|--|----------------|----------------------|--------------------------------|---------------------------|
| 1. | | N/A | | |
| 2. | | | | |
| 3. | | | | |
| 4. | | | | |

The undersigned company representative submits the above list of MWDBE firms to be used in accomplishing the work contained in this Bid/RFP/Quote. Any misrepresentation may result in the termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and false claims.

Company

Company Representative

Date

Title



LEXINGTON

LFUCG MWDBE PARTICIPATION FORM

Bid/RFP/Quote Reference # _____

The MWDBE and/or veteran subcontractors listed have agreed to participate on this Bid/RFP/Quote. If any substitution is made or the total value of the work is changed prior to or after the job is in progress, it is understood that those substitutions must be submitted to Central Purchasing for approval immediately. **Failure to submit a completed form may cause rejection of the bid.**

| MWDBE Company, Name, Address, Phone, Email | MBE WBE or DBE | Work to be Performed | Total Dollar Value of the Work | % Value of Total Contract |
|--|----------------|----------------------|--------------------------------|---------------------------|
| 1. | | N/A | | |
| 2. | | | | |
| 3. | | | | |
| 4. | | | | |

The undersigned company representative submits the above list of MWDBE firms to be used in accomplishing the work contained in this Bid/RFP/Quote. Any misrepresentation may result in the termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and false claims.

Company

Company Representative

Date

Title



LEXINGTON

LFUCG MWDBE SUBSTITUTION FORM

Bid/RFP/Quote Reference # _____

The substituted MWDBE and/or veteran subcontractors listed below have agreed to participate on this Bid/RFP/Quote. These substitutions were made prior to or after the job was in progress. These substitutions were made for reasons stated below and are now being submitted to Central Purchasing for approval. By the authorized signature of a representative of our company, we understand that this information will be entered into our file for this project. **Failure to submit this form may cause rejection of the bid.**

| SUBSTITUTED MWDBE Company Name, Address, Phone, Email | MWDBE Formally Contracted/ Name, Address, Phone, Email | Work to Be Performed | Reason for the Substitution | Total Dollar Value of the Work | % Value of Total Contract |
|---|--|----------------------|-----------------------------|--------------------------------|---------------------------|
| 1. | | N/A | | | |
| 2. | | | | | |
| 3. | | | | | |
| 4. | | | | | |

The undersigned acknowledges that any misrepresentation may result in termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and false claims.

Company

Company Representative

Date

Title



LEXINGTON

MWDBE QUOTE SUMMARY FORM

Bid/RFP/Quote Reference # _____

The undersigned acknowledges that the minority and/or veteran subcontractors listed on this form did submit a quote to participate on this project. Failure to submit this form may cause rejection of the bid.

| | |
|---------------------|------------------------|
| Company Name | Contact Person |
| Address/Phone/Email | Bid Package / Bid Date |

| MWDBE Company Address | Contact Person | Contact Information (work phone Email, cell) | Date Contacted | Services to be performed | Method of Communication (email, phone meeting, ad, event etc) | Total dollars \$\$ Do Not Leave Blank (Attach Documentation) | MBE * AA HA AS NA Female | Veteran |
|-----------------------|----------------|--|----------------|--------------------------|---|--|--------------------------|---------|
| | | | | | | | | |
| | | | | N/A | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

(MBE designation / AA=African American / HA= Hispanic American/AS = Asian American/Pacific Islander/ NA= Native American)

The undersigned acknowledges that all information is accurate. Any misrepresentation may result in termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and claims.

Company

Company Representative

Date

Title



LEXINGTON

LFUCG SUBCONTRACTOR MONTHLY PAYMENT REPORT

The LFUCG has a 10% goal plan adopted by city council to increase the participation of minority and women owned businesses in the procurement process. The LFUCG also has a 3% goal plan adopted by cited council to increase the participation of veteran owned businesses in the procurement process. In order to measure that goal LFUCG will track spending with MWDDBE and Veteran contractors on a monthly basis. By the signature below of an authorized company representative, you certify that the information is correct, and that each of the representations set forth below is true. Any misrepresentation may result in termination of the contract and/or prosecution under applicable Federal and State laws concerning false statements and false claims. Please submit this form monthly to the Division of Central Purchasing/ 200 East Main Street / Room 338 / Lexington, KY 40507.

Bid/RFP/Quote # _____

Total Contract Amount Awarded to Prime Contractor for this Project _____

| | | |
|--------------------------|--------------------|-----|
| Project Name/ Contract # | Work Period/ From: | To: |
| Company Name: | Address: | |
| Federal Tax ID: | Contact Person: | |

| Subcontractor Vendor ID (name, address, phone, email) | Description of Work | Total Subcontract Amount | % of Total Contract Awarded to Prime for this Project | Total Amount Paid for this Period | Purchase Order number for subcontractor work (please attach PO) | Scheduled Project Start Date | Scheduled Project End Date |
|---|---------------------|--------------------------|---|-----------------------------------|---|------------------------------|----------------------------|
| | | | N/A | | | | |
| | | | No subcontractors will be used | | | | |
| | | | | | | | |

By the signature below of an authorized company representative, you certify that the information is correct, and that each of the representations set forth below is true. Any misrepresentations may result in the termination of the contract and/or prosecution under applicable Federal and State laws concerning false statements and false claims.

Company

Company Representative

Date

Title

LFUCG STATEMENT OF GOOD FAITH EFFORTS

Bid/RFP/Quote # _____

N/A

By the signature below of an authorized company representative, we certify that we have utilized the following Good Faith Efforts to obtain the maximum participation by MWDBE and Veteran-Owned business enterprises on the project and can supply the appropriate documentation.

_____ Advertised opportunities to participate in the contract in at least two (2) publications of general circulation media; trade and professional association publications; small and minority business or trade publications; and publications or trades targeting minority, women and disadvantaged businesses not less than fifteen (15) days prior to the deadline for submission of bids to allow MWDBE firms and Veteran-Owned businesses to participate.

_____ Included documentation of advertising in the above publications with the bidders good faith efforts package

_____ Attended LFUCG Central Purchasing Economic Inclusion Outreach event

_____ Attended pre-bid meetings that were scheduled by LFUCG to inform MWDBEs and/or Veteran-Owned Businesses of subcontracting opportunities

_____ Sponsored Economic Inclusion event to provide networking opportunities for prime contractors and MWDBE firms and Veteran-Owned businesses

_____ Requested a list of MWDBE and/or Veteran subcontractors or suppliers from LFUCG and showed evidence of contacting the companies on the list(s).

_____ Contacted organizations that work with MWDBE companies for assistance in finding certified MWBDE firms and Veteran-Owned businesses to work on this project. Those contacted and their responses should be a part of the bidder's good faith efforts documentation.

_____ Sent written notices, by certified mail, email or facsimile, to qualified, certified MWDBEs soliciting their participation in the contract not less than seven (7) days prior to the deadline for submission of bids to allow them to participate effectively.

_____ Followed up initial solicitations by contacting MWDBEs and Veteran-Owned businesses to determine their level of interest.

_____ Provided the interested MWBDE firm and/or Veteran-Owned business with adequate and timely information about the plans, specifications, and requirements of the contract.

_____ Selected portions of the work to be performed by MWDBE firms and/or Veteran-Owned businesses in order to increase the likelihood of meeting the contract goals. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate MWDBE and Veteran participation, even when the prime contractor may otherwise perform these work items with its own workforce

_____ Negotiated in good faith with interested MWDBE firms and Veteran-Owned businesses not rejecting them as unqualified without sound reasons based on a thorough investigation of their capabilities. Any rejection should be so noted in writing with a description as to why an agreement could not be reached.

N/A

_____ Included documentation of quotations received from interested MWDBE firms and Veteran-Owned businesses which were not used due to uncompetitive pricing or were rejected as unacceptable and/or copies of responses from firms indicating that they would not be submitting a bid.

_____ Bidder has to submit sound reasons why the quotations were considered unacceptable. The fact that the bidder has the ability and/or desire to perform the contract work with its own forces will not be considered a sound reason for rejecting a MWDBE and/or Veteran-Owned business's quote. Nothing in this provision shall be construed to require the bidder to accept unreasonable quotes in order to satisfy MWDBE and Veteran goals.

_____ Made an effort to offer assistance to or refer interested MWDBE firms and Veteran-Owned businesses to obtain the necessary equipment, supplies, materials, insurance and/or bonding to satisfy the work requirements of the bid proposal

_____ Made efforts to expand the search for MWBE firms and Veteran-Owned businesses beyond the usual geographic boundaries.

_____ Other--any other evidence that the bidder submits which may show that the bidder has made reasonable good faith efforts to include MWDBE and Veteran participation.

NOTE: Failure to submit any of the documentation requested in this section may be cause for rejection of bid. Bidders may include any other documentation deemed relevant to this requirement which is subject to approval by the MBE Liaison. Documentation of Good Faith Efforts must be submitted with the Bid, if the participation Goal is not met.

The undersigned acknowledges that all information is accurate. Any misrepresentations may result in termination of the contract and/or be subject to applicable Federal and State laws concerning false statements and claims.

Company

Company Representative

Date

Title

Lexington-Fayette Urban County Government
Division of Parks and Recreation

BID# 58-2018 GOLF COURSE HORTICULTURAL BID

***ALL BIDDERS MUST FURNISH SPECIFICATION
(NOT MSDS SHEETS) SHEETS FOR ALL PRODUCTS BEING BID
AS PART OF THE BID PACKAGE TO MEET BID REQUIREMENTS.
BIDS NOT FULFILLING THIS REQUIREMENT WILL NOT BE ACCEPTED.***

FERTILIZERS

1. FAIRWAY FERTILIZER

Approximate ratio of 4-1-2. A minimum of 90% of the nitrogen derived from urea and methylene urea of which a minimum of 21.0% is derived from water insoluble methylene urea. The phosphorus derived from ammoniated phosphate and the potassium for potassium sulfate.

Product to be non-burning, ready-to-use, granular particles, largely dust-free. No inert or filler used.

24-0-11 50% Poly Plus
2 Fe Mn

| | | | | |
|----------|--------------|------------------|-------------------|--------------|
| Analysis | <u>50</u> | <u>181.5 lbs</u> | _____ | <u>17.02</u> |
| | Lbs. per bag | Rate Per Acre | Active Ingredient | Unit Price |

2. GREENS FERTILIZER

Approximate ratio 3-0-2. All the Nitrogen derived from Urea and Methylene Urea. A minimum of 33.2 percent is from water-insoluble methylene urea: the remaining 66.8 percent derived from water-soluble urea and methylene urea. Potash (16%) and sulfur (8%) derived from potassium sulfate. Other nutrients: magnesium (2%), boron (0.02%), copper (0.05%), iron (0.10%), manganese (0.05%), molybdenum (0.005%) and zinc (0.05%).

Product to be non-burning, ready to use, granular particles, largely dust free.

21-4-11E 95% Poly Plus
3 Mo S P Fe Mn

| | | | | |
|----------|--------------|------------------|-------------------|--------------|
| Analysis | <u>50</u> | <u>207.4 lbs</u> | _____ | <u>32.62</u> |
| | Lbs. per Bag | Rate Per Acre | Active Ingredient | Unit Price |

3. STARTER FERTILIZER – GREENS GRADE

Approximate ratio of 3-4-1 or equivalent. A minimum of 97% of the nitrogen derived from urea and methylene urea of which a minimum of 3 % is from water insoluble methylene urea.

Product to be dry applied, granular, and non-burning particles. Ingredients reacted and condensed to form a cellular, self-supported product.

12-24-14E 50% Poly Plus
3 Mo S P Fe Mn

| | | | | |
|----------|--------------|------------------|-------------------|--------------|
| Analysis | <u>50</u> | <u>181.5 lbs</u> | _____ | <u>28.64</u> |
| | Lbs. per Bag | Rate Per Acre | Active Ingredient | Unit Price |

4. 17-3-19

Starter fertilizer.

Active Ingredient: Nitrogen, Phosphate, Potash

Rate: Variety

| | | | | |
|--|--------------|---------------|-------------------|------------|
| 14-20-4 20% Poly Plus 30% Bio 0.36 Fe | 50 | 5.00 lbs | | 15.23 |
| Analysis | Lbs. per Bag | Lbs. Per 1000 | Active Ingredient | Unit Price |
| 18-24-12 25% Poly Plus | 50 lb | 4.167 | | 18.71 |

5. 16-3-6 W/DIMENSION FAIRWAY GRADE

A selective herbicide that provides pre-emergence control of listed annual grasses and broadleaf weeds in established cool and warm season turf grasses

Total Nitrogen 16% (1.2% Ammoniacal Nitrogen, 14.8% Urea Nitrogen), Available Phosphoric Acid 3%, Soluble Potash 6%.

Active Ingredient: Dithlopyr 0.13%

| | | | | |
|---|--------------|---------------|-------------------|------------|
| Dimension 0.15% 13-0-5 30% Poly Plus | 50 | 3.82 lbs | Dithlopyr 0.15% | 19.54 |
| Analysis | Lbs. per Bag | Lbs. Per 1000 | Active Ingredient | Unit Price |

6. HIGH POTASSIUM FERTILIZER

Approximate Ratio of 0-0-50. All nitrogen derived from urea and methylene urea of which 3.3% is derived from water-insoluble methylene urea. Remaining nitrogen derived from water soluble urea and slowly available methylene urea. Potash and sulfur derived from potassium sulfate.

The product to be non-burning when used as directed, dust-free, ready-to-use, homogeneous, high density granules. Contains no inert filler. No chloride containing salts.

| | | | | |
|------------|--------------|---------------|-------------------|------------|
| 0-0-50 SOP | 50 | 2.00 lbs | Sulfate of Potash | 25.16 |
| Analysis | Lbs. per Bag | Lbs. per 1000 | Active Ingredient | Unit Price |

7. TURF FERTILIZER

Approximate ratio of 2-0-1 or equivalent, plus 5% manganese. 100% of the nitrogen derived from urea and methylene urea. 5.1% is from water-insoluble methylene urea; the remaining water-soluble urea and slowly available methylene urea. Nitrogen availability in dry form in soluble fraction 40-50%

Product to be non-burning, ready to use, dust free, composed of dense homogeneous granules.

28-0-3 20% PolyPlus
35% Bio 0.7 Fe 50 155.6 _____ 13.86/bag
Analysis Lbs. per Bag Lbs. Per Acre Active Ingredient Unit Price

8. FLUID FERTILIZER

Approximate ratio 18-1-2. Nitrogen is derived from urea and water soluble nitrogen with 54% being treason nitrogen.

A clean, true solution with a good range of tank mix compatibility's.

GREEN FLO 18-3-6 50% CRN 2x2.5gal 68oz _____ 69.12
Analysis Gal. per Case Oz. per 1000 Active Ingredient Price per Case

9. ROUGH GRADE FERTILIZER

Approximate 2-1-1 Ratio: Nitrogen source to be derived from Urea.

32-5-7
50% PolyPlus 50 136.13 _____ 17.87/bag
Analysis Lbs. per Bag Lbs per Acre Active Ingredient Unit Price

10. PREEMERGENT FOR GREENS AND FINE TURF 10-3-10, .13 dithiopyr

18-6-15
 .164% Dithiopyr/65% Nutralene

NO BI

| Analysis | Lbs per Bag | Lbs per 1000 | Active Ingredient | Unit Price |
|----------|-------------|--------------|-------------------|------------|
|----------|-------------|--------------|-------------------|------------|

11. UREA 40-0-0

40% nitrogen based granular fertilizer
 50 Pound Bags

12.63 spreadable UREA

13.26 sprayable (easy to dissolve) Urea Prill
 Price per bag

12. Urea 35-0-0

35% nitrogen based granular
 50 lb bags

LESCO GREEN FLO 30-0-0 50% CRN

29.27

Price per bag 2.5 GALLON

13. Phosphite

Liquid foliar

Active Ingredient: Phosphite 25-40% (Approx.) Kiphite 7LP Systemic Fung. T/D

80.08

Price per bag 2.5 gallon

HERBICIDES

1. DITHLOPYR

A selective herbicide that provides pre-emergence control of listed annual grasses and broadleaf weeds in established cool and warm season turfgrasses.

Active Ingredient: Dithlopyr 40 %

DIMENSION 2EW

1 quart
Rate per Acre

Dithlopyr
Active Ingredient

578.75 / 2.5 GALLON
Unit Price

2. TRIMEC BENTGRASS, OR SUITABLE SUBSTITUTE

A broad spectrum herbicide which contains .5 lbs. of 2,4-D; 1.5 lbs. of MCPP and .2 lbs of Dicamba. Can be used on bentgrass fairways, tees and greens. *Eliminate-D*

3-4 pints
Rate per Acre

Dimethylamine Salt 81.93 / per 2.5 gallon
Active Ingredient Unit Price

3. TRIMEC CLASSIC, OR SUITABLE SUBSTITUTE

A broad spectrum herbicide which contains 2.03 lbs 2, 4-D, 1.08 lbs MCPP and 0.21 lbs Dicamba. *Three-Way Selective*

3-4 pints
Pints per Acre

Dimethylamine Salt of 2,4-D 63.31 / per 2.5 gallon
Active Ingredient Unit Price

4. PACLOBUTRAZOL, OR SUITABLE SUBSTITUTE

Active ingredient: Paclobutrazol (22.3%)

Rate: 64 fluid ounces treats 2-10 acres (depending on rate applied)

| | | | |
|-------------------------------------|---|---|---|
| <u>2-3 gallons</u> Rate Per 1000 | <u>4 x 1 gallon</u> Gallons per case | <u>Paclobutrazol</u> Active Ingredient | <u>822.68</u> Pac-Low Price per Case |
| 1 gallon | 16 x 1 gallon | Paclobutrazol | 7072.00 - Trimit 2's (Agency) |

5. PRIMO MAX (Agency)

A plant growth regulator that improves the quality of cool season turf grasses.

Active Ingredient: Trinexapac-ethyl 11.3%

Rate: 6-10 oz. /Acre every 10-14 days

| | | | |
|---|--|-------------------------------------|----------------------------------|
| <u>4 x 1 gallon</u> Gallons per Case | <u>Trinexapac-ethyl</u> Active Ingredient | <u>7.0 fl. oz.</u> Rate per 1000 | <u>1160.00</u> Price per Case |
|---|--|-------------------------------------|----------------------------------|

6. TRINEXAPAC-ETHYL

Active Ingredient: Trinexapac-ethyl 11.3% (Approx.) T-NEX

Rate: Approx. 1.5-3 lbs. /acre

| | | | |
|---|---|-----------------------------------|---------------------------------|
| <u>2 x 1 gallon</u> Gallons per Case | <u>Trinexapac-ethyl 12.5</u> Active Ingredient | <u>7.0 fl oz</u> Rate per 1000 | <u>271.60</u> Price per Case |
|---|---|-----------------------------------|---------------------------------|

7. NUTSEDGE CONTROL

Sedgehammer

A post-emergence herbicide for control of yellow nutsedge.

Active Ingredients: Halosulfuron Methyl, 75%

| | | | |
|--------------------|----------------------------|----------------------|----------------|
| <u>10 x 1.33oz</u> | <u>Halosulfuron-Methyl</u> | <u>75% 0.9 grams</u> | <u>790.60</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

8. ACCLAIM

For postemergence annual and perennial grass control in turf grass including sod farms, commercial and residential turf, and ornamentals.

Active Ingredient: Fenoxaprop-p-ethyl, 6.59%

Rate: 16-39 oz. /acre

| | | | |
|---------------------|---------------------------|--------------------------|----------------|
| <u>4 x 1 gallon</u> | <u>Fenoxaprop-p-ethyl</u> | <u>6.59% 0.46 fl. oz</u> | <u>2334.60</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

9. TENACITY (Agency)

Herbicide for the selective contact and residual control of weeds in ornamental turf grasses.

Active Ingredient: Mesotrione, 40%

Rate: 5-8 oz. /acre

| | | | |
|---------------------|-----------------------|-----------------|----------------|
| <u>4 x 1 gallon</u> | <u>Mesotrione 40%</u> | <u>1 gallon</u> | <u>3072.00</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

4. BIFENTHRIN

To control pests and insects.

Active Ingredient: Bifenthrin, 7.9%

Rate: .25-1 oz. /1000 sq. ft.

| | | | |
|---------------------|------------------------|----------------|----------------|
| <u>4 x 1 gallon</u> | <u>Bifenthrin 7.9%</u> | <u>25-1 oz</u> | <u>160.76</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

5. TRIPLE CROWN, OR SUITABLE SUBSTITUTE (AGENCY)

Insect control.

Active Ingredient: Zeta-Cypermethrin, 2.7%

Rate: 10-15 oz. /Acre

| | | | |
|---------------------|-------------------------------|------------------|----------------|
| <u>4 x 1 gallon</u> | <u>Zeta-Cypermethrin 2.7%</u> | <u>0.23-0.34</u> | <u>880.00</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

6. ACELEPRYN (AGENCY)

Insect control.

Active Ingredient: Chlorantranileiprole, 18.4%

Rate: 8 oz. /acre

| | | | |
|-------------------|-----------------------------------|---------------------|----------------|
| <u>4 x 2.4 oz</u> | <u>Chlorantranileiprole 18.4%</u> | <u>0.55 fl. oz.</u> | <u>3910.00</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

FUNGICIDES

1. SUBDUE MAXX (Agency)

A systemic fungicide for the control of Pythium.

Active Ingredient: Metalaxyl 21.3%

Rate: 1 -2 ounces per 1000 square feet.

| | | | |
|---------------------|---------------|------------------------|----------------|
| <u>4 x 1 gallon</u> | <u>1-2 oz</u> | <u>Metalaxyl 21.3%</u> | <u>2080.00</u> |
| Gallons per Case | Rate per 1000 | Active Ingredient | Price per Case |
| Mefenoxam ZAQ | | Mefenoxam 22.5% | 893.90 |
| 2 x 1 gallon | | | |

2. IPRADIONE Lesco 18 Plus

A broad spectrum foliar fungicide for the prevention and control of a wide range of diseases such as leaf spot, pink snow mold, dollar spot, brown patch, gray snow mold, red thread, mildew and fusarium blight.

Active Ingredient: Iprodione 23.3% (Approx.)

Rate: 2 ounces per 1,000 square foot at 10-14 day intervals for red thread.

| | | | |
|------------------|------------------|------------------------|----------------|
| <u>5 gallon</u> | <u>2-4 fl oz</u> | <u>Iprodione 23.3%</u> | <u>229.34</u> |
| Gallons per Case | Rate per 1000 | Active Ingredient | Price per Case |

3. PROPIONAZOLE

Banner is a preventive systemic fungicide that controls dollar spot, brown spot and other diseases.

Active Ingredient: Propiconazole 14.3% (Approx.)

Rate: 1 oz. per 1000 sq. ft.

| | | | |
|---------------------|--------------------|----------------------------|----------------|
| <u>6 x 1 gallon</u> | <u>1-2 fl. oz.</u> | <u>Propiconazole 14.3%</u> | <u>1296.00</u> |
| Gallons per case | Rate per 1000 | Active Ingredient | Price per Case |
| 5 gallon | 1-2 fl. oz. | Propiconazole 14.3% | 301.86 |

Banner Max (Agency)
Spectator Ultra 1.3
page 12

4. CHLORONEB, FLOWABLE ONLY

For the control of pythium and snow mold. Rate: 4 oz. per 1,000 sq. ft.

Active Ingredient: Chloroneb 65%

NO BID

| | | | |
|------------------|---------------|-------------------|----------------|
| | | | |
| Gallons per Case | Rate per 1000 | Active Ingredient | Price per Case |

5. FENARIMOL

Locally systemic fungicide for the control of specified diseases on turf grasses.

Active Ingredient: Fenarimol 11.6% (Approx.)

Rate: .75 - 3.75 oz/1000 sq. ft. at 14-21 day intervals.

NO BID

| | | | |
|------------------|---------------|-------------------|----------------|
| | | | |
| Gallons per Case | Rate per 1000 | Active Ingredient | Price per case |

6. MANCOZEB

A fungicide for the prevention & control of dollar spot, brown patches & pythium on turf.

Active Ingredient: Mancozeb 37% (Approx.)

Rate: 6-8 oz./1000 sq. ft.

| | | | |
|------------------|---------------|-------------------|----------------|
| 5 gallon | 6-8 oz | Mancozeb 37% | 122.64 |
| Gallons per Case | Rate per 1000 | Active Ingredient | Price per case |

7. BAYER SIGNATURE (Agency)

A systemic fungicide to be used in a seasonal program for the control of Pythium blight and Yellow tuft on common turf grasses, golf courses, and other turf areas.

Active Ingredient: Aluminum Tris 80 %

Rate: 4 oz. per 1,000 sq. ft. at 14-day interval
8 oz. per 1,000 sq. ft. at 21-day interval

| | | | |
|--------------|-------------------|--------------------------|----------------|
| <u>44 lb</u> | <u>4-8 fl. oz</u> | <u>Aluminum Tris 80%</u> | <u>1190.00</u> |
| LBS per Case | Rate per 1000 | Active Ingredient | Price Per Case |

8. SIGNATURE XTRA STRESSGARD (Agency)

Active Ingredient: Aluminum tris, 60%

Rate: 2-6 oz. /1000 sq. ft.

| | | | |
|-------------------|--------------------------|---------------|----------------|
| <u>4 x 5.5 lb</u> | <u>Aluminum Tris 60%</u> | <u>2-6 oz</u> | <u>640.00</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

9. CHLOROTHALONIL Manicure Ultra 82.5 %

Wettable powder for broad-spectrum disease control of dollar spot, brown patch and leaf spot.

Active Ingredient: Chlorothalonil 82.5% (Approx.)

RATE: .92 oz - 3.7 oz/1000 7-14 day intervals

| | | | |
|-----------------|----------------------|-----------------------------|----------------|
| <u>4 x 5 lb</u> | <u>1.82-3.75 oz.</u> | <u>Chlorothalonil 82.5%</u> | <u>159.92</u> |
| Lbs. per Case | Rate per 1000 | Active Ingredient | Price per case |

10. CHLOROTHALONIL, FLOWABLE *Manicure 6FL*

For broad spectrum disease control of dollar spot, brown patch, and leaf spot.

Active Ingredient: Chlorothalonil, 54% (Approx.)

Rate: 2-8 oz. /1000 sq. ft.

| | | | |
|-----------------------|-----------------------|--------------------|----------------|
| <u>2 x 2.5 gallon</u> | <u>Chlorothalonil</u> | <u>2-3.6 fl oz</u> | <u>233.70</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

11. AZOXYSTROBIN, FLOWABLE *Heritage (Agency)*

A broad spectrum, preventative fungicide with systemic and curative properties recommended for control of many turf diseases.

Active Ingredient: Azoxystrobin, 50% Approx.

RATE: .2 - .4/1000 14-28 day intervals

| | | | |
|------------------|-------------------|-------------------------|----------------|
| <u>6 x 1 lb</u> | <u>0.2-0.4 oz</u> | <u>Azoxystrobin 50%</u> | <u>1902.00</u> |
| Gallons per Case | Rate per 1000 | Active Ingredient | Price per case |

12. FLUTULONIL *ProStar 70 WDG*

A systemic fungicide for control of brown patch, fairy ring, yellow patch and large brown patch.

RATE: 2-3oz. /1,000 sq. ft. at 14-30 day intervals

Active Ingredients: Flutolonil 70%

| | | | |
|-----------------|-------------------|-----------------------|----------------|
| <u>4 x 3 lb</u> | <u>1.5-2.2 oz</u> | <u>Flutolonil 70%</u> | <u>853.32</u> |
| Lbs. per Case | Rate per 1000 | Active Ingredient | Price per case |

13. **VINCLOZOLIN**

A contact fungicide to be applied preventatively to protect plant tissues from infection from: Brown Patch, Dollar Spot, Fusarium Patch, Pink Snow mold, Gray snow mold, Leaf spots, Pink patch, Red Threat.

Rate: 1 oz. per 1000 at 10-28 day intervals

Active Ingredient: Vinclozolin [3-(3, 5-dichlorophenyl) – 5-ethenyl-5-methyl-2-oxazolidinedione] 50%

NO BID

| | | | |
|------------------|---------------|-------------------|----------------|
| | | | |
| Gallons per case | Rate per 1000 | Active Ingredient | Price per case |

14. **THIOPLIANATE METHYL**

A systemic fungicide for the prevention and control of dollar spot, brown patch, summer patch and leaf rot.

RATE: 2-4 oz./1,000 sq. ft. 7-14 day intervals

Active Ingredients: Thiopliante Methyl 45% (Approx.)

| | | | |
|------------------------|----------------------------|-------------------------------|----------------|
| <u>2 x 2.5 gallons</u> | <u>14.2 fl oz per Acre</u> | <u>Thiopliante Methyl 45%</u> | <u>236.10</u> |
| Gallons per Case | Rate per 1000 | Active Ingredient | Price per case |

15. **EMERALD (Agency)**

A systemic anilide fungicide for the control of dollar spot, and bentgrass dead spot.

Active Ingredients: Boscalid, 3 pyridinecarboxamide, 2-chloro-N-(4'-chloro(1,1'-biphenyl)-2-y) 70%

| | | | |
|----------------------|--------------------|----------------------|----------------|
| <u>10 x 0.49 lbs</u> | <u>0.13 - 0.18</u> | <u>Same as above</u> | <u>1568.00</u> |
| Lbs. Per Case. | Rate per 1000 | Active Ingredient | Price per Case |

16. DACONIL ACTION (Agency)

A flowable fungicide for control of turf diseases. Such as Dollar spot, anthracnose, leaf spot, brown blight, red threat, Pythium control.

Active Ingredients: Chlorothalonil 53.94%,

| | | |
|-------------------|------------------------------|-------------------|
| <u>217.50</u> | <u>Chlorothalonil 53.94%</u> | <u>25 fl. oz.</u> |
| Price per 2.5 gal | Active Ingredient | Rate Per 1000 |

17. FLUAZINAM Secure (Agency)

For use to control diseases of turf grasses.

Active Ingredients: Fluazinam 40%

Rate: .5 oz. /1000 sq. ft.

| | | | |
|-------------------------|----------------------|---------------|----------------|
| <u>12 x 0.5 gallons</u> | <u>Fluazinam 40%</u> | <u>0.5 oz</u> | <u>3630.00</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |
| <u>2 x 2.5 gallons</u> | <u>Fluazinam 40%</u> | <u>0.5 oz</u> | <u>2940.00</u> |

18. XZEMPLAR (Agency)

For disease control on turf grass.

Active Ingredient: Fluxapyroxad 26.55%

Rate: 7-12 oz. /Acre

| | | | |
|--------------------|----------------------------|---------------------|----------------|
| <u>4 x 11.4 oz</u> | <u>Fluxapyroxad 26.55%</u> | <u>7-12 oz/Acre</u> | <u>820.80</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

19. TEBUCONAZOLE

For disease control.

Active Ingredient: Tebuconazole 38.7% (Approx.)

Rate: .6 oz. /1000 sq. ft.

| | | | |
|---------------------|---------------------------|---------------|----------------|
| <u>4 X 1 gallon</u> | <u>Tebuconazole 38.7%</u> | <u>.6 oz</u> | <u>306.24</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

20. ENCLAVE

For disease control.

Active Ingredient: Chlorothalonil 28.7%, Iprodione 9.4%, Thiophanate methyl 9.4%, Tebuconazole 2.8%.

Rate: 4 oz. /acre

| | | | |
|-----------------------|----------------------|------------------|----------------|
| <u>2 X 2.5 gallon</u> | <u>Same As Above</u> | <u>4 oz/Acre</u> | <u>490.00</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

21. VELISTA (AGENCY)

For disease control.

Active Ingredient: N-[2-(1,3-dimethylbutyl)-3-thienyl]-1-methyl-3-(trifluoromethyl)-1H-pyrazole-4-carboxamide 50%

Rate: 13-30 oz. /Acre

| | | | |
|------------------|----------------------|----------------------|----------------|
| <u>6 X 22 oz</u> | <u>Same As Above</u> | <u>13-30 oz/Acre</u> | <u>1227.60</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

22. INTERFACE (Agency)

For disease control.

Active Ingredient: Iprodione 23.10%

Rate: 3-7 oz. /1000 sq. ft.

| | | | |
|-----------------------|-------------------------|---------------|----------------|
| <u>2 x 2.5 gallon</u> | <u>Iprodione 23.10%</u> | <u>3-7 oz</u> | <u>772.50</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

23. KPHITE 7LP

For disease control.

Active Ingredient: Mono- and dipotassium salts of Phosphorous Acid 56%

Rate: 3-6 oz. /1000 sq. ft.

| | | | |
|-----------------------|-------------------|---------------|----------------|
| <u>2 x 2.5 gallon</u> | <u>Salts Phos</u> | <u>3-6 oz</u> | <u>160.16</u> |
| Gallons per Case | Active Ingredient | Rate per 1000 | Price per Case |

MISCELLANEOUS

1. WETTING AGENT LESCO-Wet Plus

A blend of non-ionic surfactants

$\frac{178.80}{\text{Price per Case}}$ 2x2.5 gallons

2. TURF MARKER & COLORANT LESCOFlo Ultra

A blue spray indicator that mixes completely with water-soluble pesticides and fertilizers to show exactly where you sprayed.

$\frac{253.94}{\text{Price per Case}}$ 2x2.5 gallons

3. PH ACIDIFIER Revolution

A safe-to-use liquid ph acidifier and nonionic surfactant specially designed to modify spray solution ph. Break down from alkaline hydrolysis can reduce insecticide and fungicide performance.

$\frac{2 \times 2.5 \text{ gallons}}{\text{Units per case}}$

$\frac{518.76}{\text{Price per case}}$ - Revolution

2 x 2.5 gallons

222.50 - Dispatch

4. PIGMENT COLORANT

Pigment designed to improve turf appearance. Green pigment spray additive.

28.74 Conform (1 gallon)
Price per gallon
17.71 per gallon LESCO Tracker Blue (2.5 gallons)
38.12 per gallon LESCO Green (2.5 gallons)

5. PAR LESCO Tracker SPF

122.28
Price per gallon

6. TANK CLEANER LESCO Sol

Chemicals used to clean spray tanks. Removes residue and neutralizes leftover chemicals.

69.84 per 12 x 2 lb/case
Price per case

7. DEFOAMER LESCO Recede

Foam suppressant.

50.88 per 12 x 16 oz/case
Price per case

LESCO® 24-0-11

LESCO PROFESSIONAL TURF FERTILIZER

For use in Rotary Spreaders Only SGN 240

50 lb COVERS 12,000 sq ft

Contains LESCO® Poly Plus® Polymer Coated Urea to provide a uniform growth with extended nitrogen feeding.

DIRECTIONS FOR USE: This LESCO product is a professional quality turf fertilizer for use on all lawn areas. The best results with this product are obtained when it is applied to actively growing grass, and watered into the turf soon after application. Avoid mowing immediately following application to prevent pick-up.

For best results, sweep or blow the fertilizer off walks and painted surfaces following application to avoid discoloration.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn/garden.

Recommended applications are at the rate of one pound of nitrogen per 1,000 sq ft. Actual rates and timing of applications will vary with weather, soil and turf conditions.

IN MARYLAND, APPLY THIS PRODUCT AT NO MORE THAN 0.9 LBS NITROGEN PER 1,000 SQ. FT.

For additional LESCO, Inc. product assistance call 1-800-347-4272.

COVERAGE: 50 pounds of LESCO 24-0-11 Fertilizer covers approximately 12,000 sq ft at the application rate of one pound of nitrogen (4.2 pounds of fertilizer) per 1,000 sq ft.

GUARANTEED ANALYSIS

| | |
|--|--------|
| TOTAL NITROGEN (N)..... | 24.00% |
| 24.00% Urea Nitrogen* | |
| SOLUBLE POTASH (K ₂ O)..... | 11.00% |
| IRON (Fe)..... | 2.00% |
| 0.02% Water Soluble Iron (Fe) | |
| MANGANESE (Mn)..... | 1.00% |
| 0.14% Water Soluble Manganese (Mn) | |

DERIVED FROM: Polymer Coated Urea, Urea, Muriate of Potash, Iron Sulfate, Manganese Sulfate.

| | |
|--|-------|
| CHLORINE (Cl) Max..... | 9.00% |
| *10.80% Slowly Available Urea Nitrogen from Polymer Coated Urea. | |

ROTARY SPREADER SETTINGS: Apply LESCO Fertilizers and Combination Products only with a rotary spreader. The following rotary spreader settings are approximate for the application rates of one pound of nitrogen per 1,000 square feet. You may need to adjust the setting depending on walking speed, spreader condition and product. An extended Spreader Setting listing can be found at www.lesco.com.

| ROTARY SPREADER | SETTINGS |
|----------------------------|----------|
| LESCO – All Rotary Models | #15 |
| PermaGreen | 15 |
| Cyclone®/ Spyker®/ Z-Spray | 4 1/2 |
| Vicon (LESCO Pendulum) | 28 |
| Lely® | 4 1/2 II |



WARNING

Harmful if inhaled. Eye and skin irritant. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc., including but not limited to such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc. All such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc., harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use.

LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC., REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL LESCO, INC., BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES. LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to LESCO, Inc., Attn: RA Dept, 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the item number found on this bag.

Information regarding the contents and levels of metals in the product is available on the Internet at <http://www.lesco.com/privacy.html>. Poly Plus is comprised of Polymer Coated Urea. LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. SCOTTS is a registered trademark of The SCOTT Company. Cyclone and Spyker are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C. Van Der Lely N.V. N:Reg:JWP/Reg:J Private/Msr:Lib1_ERIEVIEW ADDR:Landscape Style Msr:Lib1/ art Lib1 Rev: 7/2015 VT

F1560

Net Weight 50 lb (22.7 kg)

Manufactured for: LESCO, Inc.
1385 East 36th Street
Cleveland, OH 44114-4114

098631

PP

LESCO 21-4-11

LESCO® ELITE® PROFESSIONAL TURF FERTILIZER

For use in Rotary Spreaders Only

Contains LESCO® Poly Plus® Polymer Coated Urea to provide a uniform growth with extended nitrogen feeding.

50 lb COVERS 10,500 sq ft SGN 100

DIRECTIONS FOR USE: This LESCO product is a professional quality turf fertilizer for use on all lawn areas. The best results with this product are obtained when it is applied to actively growing grass, and watered into the turf soon after application. Avoid mowing immediately following application to prevent pick-up.

For best results, sweep or blow the fertilizer off walks and painted surfaces following application to avoid discoloration.

Recommended applications are at the rate of one half and one pound of nitrogen per 1,000 sq ft. Actual rates and timing of applications will vary with weather, soil and turf conditions.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn/garden.

According to state law in Maryland, this product may not be applied at an application rate of more than 0.9 lbs. Nitrogen per 1,000 sq. ft.

For additional LESCO, Inc. product assistance call 1-800 347-4272.

COVERAGE: 50 pounds of LESCO 21-4-11 Fertilizer covers approximately 10,500 square feet at the application rate of one pound of nitrogen (4.7 pounds of fertilizer) per 1,000 sq. ft.

GUARANTEED ANALYSIS

| | |
|---|--------|
| TOTAL NITROGEN (N)..... | 21.00% |
| 0.85% Ammoniacal Nitrogen | |
| 20.15% Urea Nitrogen* | |
| AVAILABLE PHOSPHATE (P ₂ O ₅)..... | 4.00% |
| SOLUBLE POTASH (K ₂ O)..... | 11.00% |
| SULFUR (S) | 3.95% |
| 3.95% Combined Sulfur (S) | |
| IRON (Fe) | 1.40% |
| 0.14% Water Soluble Iron (Fe) | |
| MANGANESE (Mn) | 0.70% |
| 0.07% Water Soluble Manganese (Mn) | |

DERIVED FROM: Polymer Coated Urea, Urea, Ammonium Phosphate, Sulfate of Polash, Iron Sulfate, Manganese Sulfate.

CHLORINE (Cl) Max.....2.00%

*17.95% Slowly Available Urea Nitrogen from Polymer Coated Urea.

ROTARY SPREADER SETTINGS: Apply LESCO Fertilizers and Combination Products only with a rotary spreader. The following rotary spreader settings are approximate for the application rates of one half and one pound of nitrogen per 1,000 square feet. You may need to adjust the setting depending on walking speed, spreader condition and product. An extended Spreader Setting listing can be found at www.lesco.com.

| ROTARY SPREADER | SETTINGS | |
|-------------------------|----------|--------|
| | 0.5 lb | 1.0 lb |
| LESCO Calibration Gauge | #9 | #12 |
| SCOTT'S® R&A | G½ | I |
| Cyclone® or Spyker® | 2½ | 3 |
| LESCO Pendulum | - | 18 |
| Lely® | - | 3½ II |

This fertilizer contains phosphorus and may not be used on turf in the state of Maryland except when 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory identified under § 8-603.7 of the Agriculture Article, Annotated Code of Maryland, performed no more than 3 years before the application; 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State; or 3) Reestablishing or repairing a turf area

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc., including but not limited to such factors as manner of use or application, weather or weather conditions outside the range considered normal at the applicator's site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc. All such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors. LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use. LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL LESCO, INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES. LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc. Information concerning the raw materials composing this product can be obtained by writing to LESCO, Inc., Attn: RA Dept, 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the item number found on the bag.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.lesco.com/metal.htm>. Poly Plus is comprised of Polymer Coated Urea. LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. SCOTT'S is a registered trademark of The SCOTT Company. Cyclone and Spyker are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C Van Der Lely N.V. G:\REGULW\RegulPrint\Mstbls\Enevew Addn Lndscpe Lbls\F Fertilizer Lbls.doc Rev. 10/31/13 VT

098545
PP
F1561
Net Weight 50 lb (22.7 kg)
Manufactured for: LESCO, Inc.
1385 East 36th Street
Cleveland, OH 44114-4114



12-24-14

LESCO® ELITE® PROFESSIONAL TURF FERTILIZER

For use in Rotary Spreaders Only

Contains LESCO® Poly Plus® Polymer Coated Urea to provide a uniform growth with extended nitrogen feeding.

50 lb COVERS 12,000 sq ft

SGN 100

DIRECTIONS FOR USE: This LESCO product is a professional quality turf fertilizer for use on all lawn areas. The best results with this product are obtained when it is applied to actively growing grass, and watered into the turf soon after application. Avoid mowing immediately following application to prevent pick-up.

For best results, sweep or blow the fertilizer off walks and painted surfaces following application to avoid discoloration.

Use as a phosphorus supplement to correct soil deficiencies or as a starter fertilizer. Actual rates and timing of applications will vary with weather, soil and turf conditions.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn/garden.

For additional LESCO, Inc. product assistance call 1-800-347-4272.

COVERAGE: 50 pounds of LESCO 12-24-14 Fertilizer covers approximately 12,000 sq ft at the application rate of one pound of phosphate (4.2 pounds of fertilizer) per 1,000 sq ft.

GUARANTEED ANALYSIS

| | |
|--|--------|
| TOTAL NITROGEN (N)..... | 12.00% |
| 5.05% Ammoniacal Nitrogen | |
| 8.95% Urea Nitrogen* | |
| AVAILABLE PHOSPHATE (P ₂ O ₅)..... | 24.00% |
| SOLUBLE POTASH (K ₂ O)..... | 14.00% |
| SULFUR (S)..... | 5.15% |
| 5.15% Combined Sulfur (S) | |
| IRON (Fe)..... | 0.23% |
| 0.02% Water Soluble Iron (Fe) | |
| MANGANESE (Mn)..... | 0.21% |
| 0.02% Water Soluble Manganese (Mn) | |
| DERIVED FROM: Polymer Coated Urea, Urea, Ammonium Phosphate, Sulfate of Potash, Iron Sulfate, Manganese Sulfate. | |
| CHLORINE (Cl) Max..... | 2.00% |
| *5.40% Slowly Available Urea Nitrogen from Polymer Coated Urea. | |

ROTARY SPREADER SETTINGS: Apply LESCO Fertilizers and Combination Products only with a rotary spreader. The following rotary spreader settings are approximate for the application rates of one half and one pound of phosphate per 1,000 square feet. You may need to adjust the setting depending on walking speed, spreader condition and product. An extended Spreader Setting listing can be found at www.lesco.com.

| ROTARY SPREADER | SETTINGS | |
|-------------------------|----------|--------|
| | 0.5 lb | 1.0 lb |
| LESCO Calibration Gauge | #9 | #11 |
| PermaGreen | #9 | #11 |
| Cyclone® or Spyrker® | 2 1/2 | 3 |
| LESCO Pendulum | - | 18 |
| Lety® | - | 3 II |



WARNING

Harmful if inhaled. Eye and skin irritant. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product once, unopened, and the purchase price will be refunded. The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc., including but not limited to such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc.. All such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors. LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assumes the risk of any such use. LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL LESCO, INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES. LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept, 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the item number found on this bag. Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>. Poly Plus is comprised of Polymer Coated Urea. LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. SCOTTIS is a registered trademark of The SCOTT Company. Cyclone and Spyrker are registered trademarks of Spyrker Spreaders, LLC. Lety is a registered trademark of C Van Der Lely N.V. G:\REGUL\WPRegul Print\Mstr\06\Enview Add'l Lesco\p Lbl\Fertilizer Lbls.doc Rev. 8/7/17 VT

098544

PP

F1560
Net Weight 50 lb (22.7 kg)
Manufactured for: LESCO, Inc.
1385 East 36th Street
Cleveland, OH 44114-4114

LESCO®

14-20-4

LESCO PROFESSIONAL TURF FERTILIZER

For use in Rotary Spreaders Only
Contains LESCO® Poly Plus® Polymer Coated Urea to provide uniform growth with extended nitrogen feeding.
50 lb COVERS 10,000 sq ft SGN 240

DIRECTIONS FOR USE: This LESCO product is a professional quality turf fertilizer for use on all lawn areas. The best results with this product are obtained when it is applied to actively growing grass, and watered into the turf soon after application. Avoid mowing immediately following application to prevent pick-up.

For best results, sweep or blow the fertilizer off walks and painted surfaces following application to avoid discoloration.

Recommended applications are at the rate of one pound of phosphate per 1,000 sq ft. Actual rates and timing of applications will vary with weather, soil and turf conditions.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn/garden.

For additional LESCO, Inc. product assistance call 1-800 347-4272.

COVERAGE: 50 pounds of LESCO 14-20-4 Fertilizer covers approximately 10,000 sq ft at the application rate of one pound of phosphate (5.00 pounds of fertilizer) per 1,000 sq ft.

GUARANTEED ANALYSIS

Table with 2 columns: Component and Percentage. Includes TOTAL NITROGEN (N), AVAILABLE PHOSPHATE (P2O5), SOLUBLE POTASH (K2O), and IRON (Fe).

DERIVED FROM: Polymer Coated Urea, Urea, Ammonium Phosphate, Murials of Potash, Biosolids.
*2.52% Slowly Available Urea Nitrogen From Polymer Coated Urea.

ROTARY SPREADER SETTINGS Apply LESCO Fertilizers and Combination Products only with a rotary spreader. The following rotary spreader settings are approximate for the application rates of one pound of phosphate per 1,000 square feet. You may need to adjust the setting depending on walking speed, spreader condition and product. An extended Spreader Setting listing can be found at www.lesco.com.

Table with 2 columns: ROTARY SPREADER and SETTINGS. Lists models like LESCO - All Rotary Models, PermaGreen, Cyclone, and Vicon with their respective settings.

This lawn/turf fertilizer contains phosphorous and is intended only for nonagricultural use on (i) turf during its first growing season, (ii) on turf areas being repaired or renovated, and (iii) on turf where a soil test performed within the last 3 years indicates a phosphorous deficiency. This fertilizer is not intended for the routine maintenance of turf.



WARNING

Harmful if inhaled. Eye and skin irritant. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc. All such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use.

LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE), RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC., REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL LESCO, INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES. LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept. 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the item number found on this bag.

Information regarding the contents and levels of metals in the product is available on the Internet at http://www.aapfco.org/metals.htm.

Poly Plus is composed of Polymer Coated Urea. LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. SCOTTS is a registered trademark of The SCOTT Company. Cyclone and Spyker are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C Van Der Lely N.V. N Regulatory/WP/Regul Private/MSB/bt_ERVIEW ADDRESS/Landscape Style Master Lbl/Fertilizer Labels Rev. 7/28/15 VT

50117

PP

F1560

Net Weight 50 lb (22.7 kg)

Manufactured for: LESCO, Inc.
1385 East 36th Street
Cleveland, OH 44114-4114

LESCO®

18-24-12

LESCO PROFESSIONAL STARTER FERTILIZER

For use in Rotary Spreaders Only SGN 240 Contains LESCO® Poly Plus® Polymer Coated Urea to provide a uniform growth with extended nitrogen feeding. 50 lb COVERS 12,000 sq ft

DIRECTIONS FOR USE: This LESCO product is a professional quality turf fertilizer for use on all lawn areas. The best results with this product are obtained when it is applied to actively growing grass, and watered into the turf soon after application. Avoid mowing immediately following application to prevent pick-up.

For best results, sweep or blow the fertilizer off walks and painted surfaces following application to avoid discoloration.

For use as a phosphorus supplement on existing lawns to correct a soil deficiency or as a starter fertilizer in lawn establishment.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn/garden.

According to state law in Maryland, this product may not be applied at an application rate of more than 0.9 lbs. Nitrogen per 1,000 sq. ft.

For additional LESCO, Inc. product assistance call 1-800 347-4272.

COVERAGE: 50 pounds of LESCO 18-24-12 Fertilizer covers approximately 12,000 sq ft at the application rate of one pound of phosphate (4.2 pounds of fertilizer) per 1,000 sq ft.



WARNING

Harmful if inhaled. Eye and skin irritant. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)..... 18.00%
9.20% Ammoniacal Nitrogen
8.80% Urea Nitrogen*
AVAILABLE PHOSPHATE (P2O5).....24.00%
SOLUBLE POTASH (K2O)..... 12.00%

DERIVED FROM: Polymer Coated Urea, Urea, Ammonium Phosphate, Muriate of Potash.

CHLORINE (Cl) Max.....9.00%
*4.05% Slowly Available Urea Nitrogen from Polymer Coated Urea.

ROTARY SPREADER SETTINGS: Apply LESCO Fertilizers and Combination Products only with a rotary spreader. The following rotary spreader settings are approximate for the application rates of one pound of phosphate per 1,000 square feet. You may need to adjust the setting depending on walking speed, spreader condition and product. An extended Spreader Setting listing can be found at www.lesco.com.

Table with 3 columns: ROTARY SPREADER, SETTINGS, and LESCO All Rotary Models. Lists settings for PermaGreen, Cyclone® Spyker® /Z-Spray, Vicon (LESCO Pendulum), and Lely®.

This fertilizer contains phosphorus and may not be used on turf in the state of Maryland except when 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory identified under § 8-803.7 of the Agriculture Article, Annotated Code of Maryland, performed no more than 3 years before the application 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State, or 3) Reestablishing or repairing a turf area.

In Virginia this lawn/turf fertilizer contains phosphorus and is only for nonagricultural use on (i) turf during its first growing season, (ii) on turf areas being repaired or renovated, and (iii) on turf where a soil test performed within the last 3 years indicates a phosphorus deficiency. This fertilizer is not for the routine maintenance of turf.

In NH, no fertilizer sold at retail that is intended for use on newly established or repaired lawns, or for lawns testing deficient in phosphorus shall exceed an application rate of one pound per 1000 square feet annually of available phosphate.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc. All such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors. LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use. LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC., REPLACEMENT OF THE PRODUCT OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY, IN NO EVENT SHALL LESCO, INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES. LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc. Information concerning the raw materials composing this product can be obtained by writing to LESCO, Inc., Attn: RA Dept, 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.safco.org/metals.htm.

Poly Plus is comprised of Polymer Coated Urea. LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. SCOTTS is a registered trademark of The SCOTT Company. Cyclone and Spyker are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C Van Der Lely N.V. NRegistryW/PRegul Private/MstrLbh_ERVIEW ADDRESS/Landscape Style Master Label/WE VALUE Rev. 7/28/15 VT

098627 PP

F1560 Net Weight 50 lb (22.7 kg)

Manufactured for: LESCO, Inc. 1385 East 36th Street Cleveland, OH 44114-4114

LESCO DIMENSION* 0.15% Plus Fertilizer

NOT FOR USE on leafy green crops or other recommended uses or, for unrestricted annual production, or for research purposes.
 Do not use this product on any crop unless recommended on label or for unrestricted annual production, or for research purposes.

Contains LEICOD Poly Phosphate Control Urea to provide a uniform growth with optimum nitrogen timing.
ACTION INGREDIENTS:
 Dimethyl Urea 1.00%
 Polyphosphate Control Urea 1.00%
 Urea 1.00%
NET WEIGHT: 25.00 LBS.
NET CONTENTS: 25.00 LBS.

Produced by ILS, P.O. Box 100, Le Sueur, MN 56001.
 Please refer to label before using this product. Use only according to label instructions.
 NOTICE: Before using this product, read and follow the Precautions, Warnings, Statements, Directions for Use, and the Storage and Disposal Instructions. If the Warnings, Statements, Directions for Use, and the Storage and Disposal Instructions do not contain the information you need, contact your retailer for a copy of the complete Material Safety Data Sheet (MSDS) for this product.

KEEP OUT OF REACH OF CHILDREN CAUTION

| Precaution | First Aid |
|--------------------------|---|
| If in contact with eyes: | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by your poison control center or doctor. Do not get product inside clothing. |
| If on skin or clothing: | Wash skin thoroughly with plenty of water for 15-20 minutes. Remove clothing worn while using if it has been soiled. Call a poison control center or doctor for treatment advice. Wash all immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| If inhaled: | Move person to fresh air. If person is not breathing, call 911 or an ambulance. Have your artificial respiration, if possible. Call a poison control center or doctor for further treatment advice. |

KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. See back panel for more information.
 Avoid the product contact with children. Do not allow children to play with or use this product. Do not allow children to play with or use this product. Do not allow children to play with or use this product.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
 CAUTION: Causes eye irritation. Irritation of the respiratory tract. Avoid contact with eyes or clothing. Avoid breathing dust. Wear protective eyewear such as goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Flushes contaminated clothing and wash before reuse. Precaution or temporarily restricted use concept with handling. This material may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS
 This product is toxic to fish and highly toxic to other aquatic organisms including systems and shrimp. Use with care when applying to turf areas adjacent to any body of water. Do not use on areas treated with any aquatic organisms. Do not apply directly to water or to areas where animals gather to drink, or to livestock areas where the animals may water. Do not apply where runoff conditions exist that may cause runoff. Do not use on areas where runoff conditions exist that may cause runoff.


DIRECTIONS FOR USE
 Use in a rotation of 13-0-5 to use this product as your primary fertilizer for the following:

GENERAL INFORMATION
 This product is a fertilizer that provides several of nitrogen, other plant nutrients, and beneficial acids to some leafy green and vegetable crops, including golf course lawns, sods, and lawns. This product will not cause any damage to plants when used according to label directions.
 This product may be used on annual, biennial, or perennial plants and ornamental plants that are not recommended. Do not use on areas treated with any aquatic organisms. Do not use on areas treated with any aquatic organisms. Do not use on areas treated with any aquatic organisms. Do not use on areas treated with any aquatic organisms.

| Component | Concentration |
|----------------------------|---------------|
| Urea | 1.00% |
| Polyphosphate Control Urea | 1.00% |
| Dimethyl Urea | 1.00% |
| Urea | 1.00% |
| Polyphosphate Control Urea | 1.00% |
| Dimethyl Urea | 1.00% |
| Urea | 1.00% |
| Polyphosphate Control Urea | 1.00% |
| Dimethyl Urea | 1.00% |

| Component | Concentration |
|----------------------------|---------------|
| Urea | 1.00% |
| Polyphosphate Control Urea | 1.00% |
| Dimethyl Urea | 1.00% |
| Urea | 1.00% |
| Polyphosphate Control Urea | 1.00% |
| Dimethyl Urea | 1.00% |
| Urea | 1.00% |
| Polyphosphate Control Urea | 1.00% |
| Dimethyl Urea | 1.00% |

DO NOT apply this product to certain sensitive crops including: tobacco, citrus, and certain ornamentals.
 Do not use this product on areas treated with any aquatic organisms. Do not use on areas treated with any aquatic organisms. Do not use on areas treated with any aquatic organisms. Do not use on areas treated with any aquatic organisms.



Revolving, Overlapping, or Sparging
 Revolving, overlapping or sparging of treated areas with this product should be delayed until 12 weeks from the date of application. Revolving, overlapping or sparging before 12 weeks after application may prevent optimum performance of this product. When revolving or overlapping, proper rotation practice must be followed. However, if sparging with previous systems in the fall, winter or later after a single application, this product may be used on the same area as long as the previous system was applied in the fall.

- PRECAUTIONS**
- Do not use on areas that cause Pesticide Resistance.
 - The only pre-emergence application tested showed limited tolerance to this product. Pre-emergence applications may only affect on crops if applied before emergence. Do not use on areas treated with any aquatic organisms. Do not use on areas treated with any aquatic organisms.
 - Do not use on areas treated with any aquatic organisms. Do not use on areas treated with any aquatic organisms.
 - Do not use on areas treated with any aquatic organisms. Do not use on areas treated with any aquatic organisms.
 - Do not use on areas treated with any aquatic organisms. Do not use on areas treated with any aquatic organisms.
 - Do not use on areas treated with any aquatic organisms. Do not use on areas treated with any aquatic organisms.

13-0-5

GUARANTEED ANALYSIS

| | |
|---|--------|
| TOTAL NITROGEN (N) | 13.00% |
| 13.00% Urea Nitrogen* | |
| SOLUBLE PHOSPHORUS (P ₂ O ₅) | 0.00% |
| DERIVED FROM: Polymer Coated Urea, Urea, Urea of Potash, CHLORIDE (Cl) Max. | 2.75% |

*13.00% Urea Nitrogen from Polymer Coated Urea

APPLICATION DIRECTIONS - Control of Weeds
 Pre-emergence and Early Post-emergence Control
 This product provides pre-emergence control of weeds including the large, annual, and perennial species when applied prior to the emergence of weeds. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil.

APPLICATION DIRECTIONS - Control of Weeds
 Pre-emergence and Early Post-emergence Control
 This product provides pre-emergence control of weeds including the large, annual, and perennial species when applied prior to the emergence of weeds. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil.

| Product | Rate | Rate | Rate |
|-------------------------|--------------------|--------------------|--------------------|
| 13-0-5 (Pre-emergence) | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft |
| 13-0-5 (Post-emergence) | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft |
| 13-0-5 (Pre-emergence) | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft |
| 13-0-5 (Post-emergence) | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft |

APPLICATION DIRECTIONS - Control of Weeds
 Pre-emergence and Early Post-emergence Control
 This product provides pre-emergence control of weeds including the large, annual, and perennial species when applied prior to the emergence of weeds. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil.

APPLICATION DIRECTIONS - Control of Weeds
 Pre-emergence and Early Post-emergence Control
 This product provides pre-emergence control of weeds including the large, annual, and perennial species when applied prior to the emergence of weeds. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil.

| Product | Rate | Rate | Rate |
|-------------------------|--------------------|--------------------|--------------------|
| 13-0-5 (Pre-emergence) | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft |
| 13-0-5 (Post-emergence) | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft |
| 13-0-5 (Pre-emergence) | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft |
| 13-0-5 (Post-emergence) | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft | 1.00 lb/1000 sq ft |

APPLICATION DIRECTIONS - Control of Weeds
 Pre-emergence and Early Post-emergence Control
 This product provides pre-emergence control of weeds including the large, annual, and perennial species when applied prior to the emergence of weeds. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil.

APPLICATION DIRECTIONS - Control of Weeds
 Pre-emergence and Early Post-emergence Control
 This product provides pre-emergence control of weeds including the large, annual, and perennial species when applied prior to the emergence of weeds. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil.

APPLICATION DIRECTIONS - Control of Weeds
 Pre-emergence and Early Post-emergence Control
 This product provides pre-emergence control of weeds including the large, annual, and perennial species when applied prior to the emergence of weeds. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil.

APPLICATION DIRECTIONS - Control of Weeds
 Pre-emergence and Early Post-emergence Control
 This product provides pre-emergence control of weeds including the large, annual, and perennial species when applied prior to the emergence of weeds. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil. It is most effective when applied to bare soil.

7/20215 PP
 ILS, P.O. Box 100, Le Sueur, MN 56001.
 1-800-441-1111

LESCO Stonewall® 0.37% Plus Fertilizer

For color preservation, avoid grass and landscape areas in residential lawns. Stonewall Plus Fertilizer will cause yellowing and loss of color in lawns and landscape areas. Stonewall Plus Fertilizer is not intended for use on lawns or landscape areas.

ACTIVE INGREDIENTS:
 Polyphosphate 1.00%
 Potassium Nitrate 0.37%
 Urea 1.00%
 Urea Nitrogen 0.37%

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

DO NOT FEED TO LIVESTOCK OR OTHER ANIMALS
POISON

First Aid:
 If in eyes: Flush eyes with plenty of water for 15-20 minutes.
 If on skin: Wash thoroughly with plenty of water for 15-20 minutes.
 If inhaled: Move to fresh air. If breathing is difficult, give oxygen.
 If swallowed: Drink plenty of water. Do not induce vomiting.

USE PRECAUTIONS:
 Do not apply to lawns or landscape areas.
 Do not apply to water bodies or streams.
 Do not apply to roads or highways.

STORAGE AND DISPOSAL:
 Store in original container in a dry, cool, well-ventilated area.
 Do not store in plastic bags.
 Do not store in metal containers.

INSTRUCTIONS FOR USE:
 Apply to lawns and landscape areas.
 Apply to roads and highways.
 Apply to water bodies and streams.

USE PRECAUTIONS:
 Do not apply to lawns or landscape areas.
 Do not apply to water bodies or streams.
 Do not apply to roads or highways.

APPLICATION DIRECTIONS:
 Apply to lawns and landscape areas.
 Apply to roads and highways.
 Apply to water bodies and streams.

ESTABLISHED TURF:
 This product is a selective pre-emergent herbicide. It is intended for use on established lawns and landscape areas. It will control weeds and grasses that are not susceptible to the active ingredient.

LANDSCAPE COMMERCE:
 This product is a selective pre-emergent herbicide. It is intended for use on landscape areas. It will control weeds and grasses that are not susceptible to the active ingredient.

LANDSCAPE COMMERCE:
 This product is a selective pre-emergent herbicide. It is intended for use on landscape areas. It will control weeds and grasses that are not susceptible to the active ingredient.

Guaranteed Analysis:

| | |
|--------------------|--------|
| Total Nitrogen (N) | 13.00% |
| Urea Nitrogen | 0.37% |
| Urea | 1.00% |
| Polyphosphate | 1.00% |
| Potassium Nitrate | 0.37% |

DERIVED FROM: Urea, Polyphosphate, Potassium Nitrate.

POWERED BY: U-Plex™ - Zeal Nutrition™

SPREADER SETTINGS:
 Apply to lawns and landscape areas.
 Apply to roads and highways.
 Apply to water bodies and streams.

LANDSCAPE COMMERCE:
 This product is a selective pre-emergent herbicide. It is intended for use on landscape areas. It will control weeds and grasses that are not susceptible to the active ingredient.

Guaranteed Analysis:

| | |
|--------------------|--------|
| Total Nitrogen (N) | 13.00% |
| Urea Nitrogen | 0.37% |
| Urea | 1.00% |
| Polyphosphate | 1.00% |
| Potassium Nitrate | 0.37% |

DERIVED FROM: Urea, Polyphosphate, Potassium Nitrate.

POWERED BY: U-Plex™ - Zeal Nutrition™

REGISTERED TRADE NAMES:

| Trade Name | Manufacturer | Product Name |
|--|--------------------------------------|-----------------------|
| Stonewall Plus <td>LESCO <td>0.37% Plus Fertilizer</td> </td> | LESCO <td>0.37% Plus Fertilizer</td> | 0.37% Plus Fertilizer |
| Stonewall <td>LESCO <td>0.37% Plus Fertilizer</td> </td> | LESCO <td>0.37% Plus Fertilizer</td> | 0.37% Plus Fertilizer |
| Stonewall Plus Fertilizer <td>LESCO <td>0.37% Plus Fertilizer</td> </td> | LESCO <td>0.37% Plus Fertilizer</td> | 0.37% Plus Fertilizer |

REGISTERED TRADE NAMES:
 This product is a selective pre-emergent herbicide. It is intended for use on established lawns and landscape areas. It will control weeds and grasses that are not susceptible to the active ingredient.

REGISTERED TRADE NAMES:

| Trade Name | Manufacturer | Product Name |
|--|--------------------------------------|-----------------------|
| Stonewall Plus <td>LESCO <td>0.37% Plus Fertilizer</td> </td> | LESCO <td>0.37% Plus Fertilizer</td> | 0.37% Plus Fertilizer |
| Stonewall <td>LESCO <td>0.37% Plus Fertilizer</td> </td> | LESCO <td>0.37% Plus Fertilizer</td> | 0.37% Plus Fertilizer |
| Stonewall Plus Fertilizer <td>LESCO <td>0.37% Plus Fertilizer</td> </td> | LESCO <td>0.37% Plus Fertilizer</td> | 0.37% Plus Fertilizer |

REGISTERED TRADE NAMES:
 This product is a selective pre-emergent herbicide. It is intended for use on established lawns and landscape areas. It will control weeds and grasses that are not susceptible to the active ingredient.

REGISTERED TRADE NAMES:
 This product is a selective pre-emergent herbicide. It is intended for use on established lawns and landscape areas. It will control weeds and grasses that are not susceptible to the active ingredient.

LESCO®

28-0-3

LESCO PROFESSIONAL TURF FERTILIZER

For use in Rotary Spreaders Only

SGN 240

Contains LESCO® Poly Plus® Polymer Coated Urea to provide a uniform growth with extended nitrogen feeding. 50 lb COVERS 14,000 sq ft

DIRECTIONS FOR USE: This LESCO product is a professional quality turf fertilizer for use on all lawn areas. The best results with this product are obtained when it is applied to actively growing grass, and watered into the turf soon after application. Avoid mowing immediately following application to prevent pick-up.

For best results, sweep or blow the fertilizer off walks and painted surfaces following application to avoid discoloration.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn/garden.

Recommended applications are at the rate of one pound of nitrogen per 1,000 sq ft. Actual rates and timing of applications will vary with weather, soil and turf conditions.

For additional LESCO, Inc. product assistance call 1-800 347-4272.

According to state law in Maryland, this product may not be applied at an application rate of more than 0.9 lbs. Nitrogen per 1,000 sq. ft.

COVERAGE: 50 pounds of LESCO 28-0-3 Fertilizer covers approximately 14,000 sq ft at the application rate of one pound of nitrogen (3.57 pounds of fertilizer) per 1,000 sq ft.

GUARANTEED ANALYSIS

| | |
|--|--------|
| TOTAL NITROGEN (N)..... | 28.00% |
| 26.70% Urea Nitrogen* | |
| 1.30% Water Insoluble Nitrogen | |
| SOLUBLE POTASH (K ₂ O)..... | 3.00% |
| IRON (Fe)..... | 0.70% |
| 0.70% Water Soluble Iron (Fe) | |

DERIVED FROM: Polymer Coated Urea, Urea, Muriste of Potash, Biosolids.

| | |
|---|-------|
| CHLORINE (Cl) Max..... | 2.33% |
| *5.04% Slowly Available Urea Nitrogen from Polymer Coated Urea. | |

ROTARY SPREADER SETTINGS: Apply LESCO Fertilizers and Combination Products only with a rotary spreader. The following rotary spreader settings are approximate for the application rates of one pound of nitrogen per 1,000 square feet. You may need to adjust the setting depending on walking speed, spreader condition and product. An extended Spreader Setting listing can be found at www.lesco.com.

| ROTARY SPREADER | SETTINGS |
|---------------------------|----------|
| LESCO – All Rotary Models | #14 |
| ParmaGreen | 14 |
| Cyclone®/ Spyke® /Z-Spray | 4 1/4 |
| Vicon (LESCO Pendulum) | 22 |
| Lely® | 4 II |



WARNING

Harmful if inhaled. Eye and skin irritant. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc. All such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use.

LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL LESCO, Inc. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES. LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to LESCO, Inc., Attn: RA Dept, 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.htm

Poly Plus is a composite of Polymer Coated Urea LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. SCOTTS is a registered trademark of The SCOTT Company. Cyclone and Spyke are registered trademarks of Spyke Spreaders, LLC. Lely is a registered trademark of C Van Der Lely N.V. G REGULWPRegu PivateMstr LbfEnrview AddrLandscape Mstr LbfF enlizer Lbf088707.doc Rev. 7/28/15 VT

098638

PP

F1560

Net Weight 50 lb (22.7 kg)

Manufactured for: LESCO, Inc.
1385 East 36th Street
Cleveland, OH 44114-4114

LESCO®

Green Flo™

18-3-6

NPK Fertilizer Solution with TRIAZONE™ Slow-Release Nitrogen plus Iron

GUARANTEED ANALYSIS

| | |
|---|--------|
| TOTAL NITROGEN (N) | 18.00% |
| 9.00% Urea Nitrogen | |
| 9.00% Water Soluble Nitrogen* | |
| AVAILABLE PHOSPHATE (P ₂ O ₅)..... | 3.00% |
| SOLUBLE POTASH (K ₂ O)..... | 6.00% |
| SULFUR (S)..... | 1.00% |
| 1.00% Combined Sulfur (S) | |
| IRON (Fe) TOTAL | 0.10% |
| 0.02% Chelated Iron (Fe) | |

DERIVED FROM: Urea, Urea-Triazone Solution, Tetrapotassium Pyrophosphate, Potassium Thiosulfate, Iron Sulfate, Iron HEDTA.

*9.00% Slowly Available Nitrogen from Urea-Triazone™ Solution.

According to state law in Maryland, this product may not be applied at an application rate of more than 0.7 lbs. Nitrogen per 1,000 sq. ft.

DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES. DO NOT APPLY IF HEAVY RAIN IS EXPECTED. APPLY THIS PRODUCT ONLY TO YOUR LAWN/GARDEN.



Harmful if inhaled. Eye and skin irritant. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

F1560

Distributed by:
LESCO, Inc.

1385 East 36th Street
Cleveland, OH 44114-4114

LESCO is registered and Green Flo is a trademark of
LESCO Technologies, LLC.

Triazone is a trademark of Tessenderlo Kerley, Inc.

#052447

T front

READ LABEL CAREFULLY

PRECAUTIONARY STATEMENTS: Avoid prolonged or repeated contact with eyes, skin and clothing. Safety goggles or a full face shield should be worn. Wear appropriate protective equipment to protect skin, such as rubber or plastic aprons, rubber gloves and boots. Avoid breathing mist or vapor. Keep containers closed. Wash thoroughly after handling. May cause gastro-intestinal distress if swallowed.

FIRST AID: In case of contact with eyes, immediately flush eyes with water for at least 15 minutes. Seek immediate medical attention if irritation occurs. In case of skin contact, flush skin with water. If irritation occurs, seek immediate medical attention. Remove and wash contaminated clothing before reuse. If swallowed, give large amounts of water and induce vomiting by touching back of throat with finger unless unconscious. Seek immediate medical attention.

HANDLING AND STORAGE: Minimize skin exposure. Store mini-bulks and smaller containers out of the sun in an area of moderate temperature. Do not re-use containers. Avoid containers, piping or fittings made of copper containing alloys or galvanized metal. Dispose of containers in accordance with local regulations and requirements.

IN CASE OF SPILL: Contain spill and maximize recovery. Keep spill out of water sources. Exercise caution in area of spill for slippery conditions. Dispose of spilled material in accordance with regulatory requirements.

NET WEIGHT: 26.5 lb 12.03 kg
NET VOLUME: 2.5 gal 9.46 l
2.5 gal

LESCO

32-5-7

LESCO PROFESSIONAL TURF FERTILIZER

For use in Rotary Spreaders Only

SGN 240

50 lb COVERS 16,000 sq ft

Contains LESCO® Poly Plus® Polymer Coated Urea to provide a uniform growth with extended nitrogen feeding.

DIRECTIONS FOR USE: This LESCO product is a professional quality turf fertilizer for use on all lawn areas. The best results with this product are obtained when it is applied to actively growing grass, and watered into the turf soon after application. Avoid mowing immediately following application to prevent pick-up.

For best results, sweep or blow the fertilizer off walks and painted surfaces following application to avoid discoloration.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn/garden.

Recommended applications are at the rate of one pound of nitrogen per 1,000 sq ft. Actual rates and timing of applications will vary with weather, soil and turf conditions.

According to state law in Maryland, this product may not be applied at an application rate of more than 0.9 lbs. Nitrogen per 1,000 sq. ft.

For additional LESCO, Inc. product assistance call 1-800 347-4272.

COVERAGE: 50 pounds of LESCO 32-5-7 Fertilizer covers approximately 16,000 sq ft at the application rate of one pound of nitrogen (3.1 pounds of fertilizer) per 1,000 sq ft.

GUARANTEED ANALYSIS

| | |
|--|--------|
| TOTAL NITROGEN (N)..... | 32.00% |
| 1.90% Ammoniacal Nitrogen | |
| 30.10% Urea Nitrogen* | |
| AVAILABLE PHOSPHATE..... | 5.00% |
| SOLUBLE POTASH (K ₂ O)..... | 7.00% |

DERIVED FROM: Polymer Coated Urea, Urea, Ammonium Phosphate, Muriate of Potash.

CHLORINE (Cl) Max.5.50%

*14.40% Slowly Available Urea Nitrogen from Polymer Coated Urea.

ROTARY SPREADER SETTINGS: Apply LESCO Fertilizers and Combination Products only with a rotary spreader. The following rotary spreader settings are approximate for the application rates of one pound of nitrogen per 1,000 square feet. You may need to adjust the setting depending on walking speed, spreader condition and product. An extended Spreader Setting listing can be found at www.lesco.com.

| ROTARY SPREADER | SETTINGS |
|----------------------------|----------|
| LESCO – All Rotary Models | #14 |
| PermaGreen | 14 |
| Cyclone®/ Spykor® /Z-Spray | 4 1/2 |
| Vicon (LESCO Pendulum) | 22 |
| Lely® | 4 II |

This fertilizer contains phosphorus and may not be used on turf in the state of Maryland except when 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory identified under § 6-803.7 of the Agriculture Article, Annotated Code of Maryland, performed no more than 3 years before the application; 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State; or 3) Reestablishing or repairing a turf area.



WARNING

Harmful if inhaled. Eye and skin irritant. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. Buyer and/or User assumes all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc.. All such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors. LESCO, Inc. warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use. LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC., REPLACEMENT OF THE PRODUCT OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY, IN NO EVENT SHALL LESCO, INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES. LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc. Information concerning the raw materials comprising this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept., 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.lesco.org/metals.htm>. Poly Plus is comprised of Polymer Coated Urea. LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. SCOTTS is a registered trademark of The SCOTT Company. Cyclone and Spykor are registered trademarks of Spykor Spreaders, LLC. Lely is a registered trademark of G Van Dor Lely N.V. N RegultWPRRegal PrivatMstLbf_ERIEVIEW ADDR/Landscape Styk/Mkr/LbStFert Lbls Rev. 8/5/16 VT

F1560

Net Weight 50 lb (22.7 kg)

Manufactured for: LESCO, Inc.
1385 East 36th Street
Cleveland, OH 44114-4114

008624

PP

LESCO

46-0-0

LESCO PROFESSIONAL TURF FERTILIZER

For use In Rotary Spreaders Only

This product is suitable for spreadable applications SGN 250

50 lb COVERS 23,000 sq ft

DIRECTIONS FOR USE: This LESCO product is a professional quality turf fertilizer for use on all lawn areas. The best results with this product are obtained when it is applied to actively growing grass, and watered into the turf soon after application. Avoid mowing immediately following application to prevent pick-up.

For best results, sweep or blow the fertilizer off walks and painted surfaces following application to avoid discoloration.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn/garden.

Recommended applications are at the rate of one pound of nitrogen per 1,000 sq ft. Actual rates and timing of applications will vary with weather, soil and turf conditions.

According to state law in Maryland, this product may not be applied at an application rate of more than 0.7 lbs. Nitrogen per 1,000 sq. ft.

For additional LESCO, Inc. product assistance call 1-800 347-4272.

COVERAGE: 50 pounds of LESCO 46-0-0 Fertilizer covers approximately 23,000 sq ft at the application rate of one pound of nitrogen (2.17 pounds of fertilizer) per 1,000 sq ft.

GUARANTEED ANALYSIS

TOTAL NITROGEN (N).....46.00%
46.00% Urea Nitrogen

DERIVED FROM: Urea.

ROTARY SPREADER SETTINGS: Apply LESCO Fertilizers and Combination Products only with a rotary spreader. The following rotary spreader settings are approximate for the application rates of one pound of nitrogen per 1,000 square feet. You may need to adjust the setting depending on walking speed, spreader condition and product. An extended Spreader Setting listing can be found at www.lesco.com.

| ROTARY SPREADER | SETTINGS |
|---------------------------|----------|
| LESCO All Rotary Models | #12 |
| PermaGreen | 12 |
| Cyclone®/ Spyker®/Z-Spray | 3/4 |
| Vicon (LESCO Pendulum) | 18 |
| Lely® | 3/4" |



WARNING

Harmful if inhaled. Eye and skin irritant. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc., including but not limited to such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc. All such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors. LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal site conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use.

LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC., REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY, IN NO EVENT SHALL LESCO, INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES. LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept. 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the term number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>.

LESCO is a registered trademark and the sweeping design is a trademark of LESCO Technologies, LLC. SCOTTS is a registered trademark of The SCOTT Company. Cyclone and Spyker are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C Van Der Lely N.V.

N:\Regul\N\Regul Private\Mstr\LIBERIE\VIEW ADDR\ Landscape_Syfo_Mstr_Lbts\Fert Libs Rev. 5/12/15 VT

F1560

Net Weight 50 lb (22.7 kg)

Manufactured for LESCO, Inc.
1385 East 36th Street
Cleveland, OH 44114-4114

098525
PP

LESCO® 46-0-0

LESCO® PROFESSIONAL TURF FERTILIZER

For use in Rotary Spreaders Only

The product is suitable for spray applications SGN 200
50 lb COVERS 23,000 sq ft

DIRECTIONS FOR USE: This LESCO product is a professional quality turf fertilizer for use on all lawn areas. The best results with this product are obtained when it is applied to actively growing grass, and watered into the turf soon after application. Avoid mowing immediately following application to prevent pick-up.

For best results, sweep or blow the fertilizer off walks and painted surfaces following application to avoid discoloration.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden and sweep any product that lands on the driveway, sidewalk or street, back onto your lawn/garden.

Recommended applications are at the rate of one pound of nitrogen per 1,000 sq ft. Actual rates and timing of applications will vary with weather, soil and turf conditions.

According to state law in Maryland, this product may not be applied at an application rate of more than 0.7 lbs. Nitrogen per 1,000 sq. ft.

For additional LESCO, Inc. product assistance call 1-800 347-4272.

COVERAGE: 50 pounds of LESCO 46-0-0 Fertilizer covers approximately 23,000 sq ft at the application rate of one pound of nitrogen (2.17 pounds of fertilizer) per 1,000 sq ft.

ROTARY SPREADER SETTINGS: Apply LESCO Fertilizers and Combination Products only with a rotary spreader. The following rotary spreader settings are approximate for the application rates of one pound of nitrogen per 1,000 square feet. You may need to adjust the setting depending on walking speed, spreader condition and product. An extended Spreader Setting listing can be found at www.lesco.com


| ROTARY SPREADER | SETTINGS |
|------------------------------|----------|
| LESCO – All Rotary Models | #12 |
| PermaGreen | 12 |
| Cyclone® / Spyker® / Z-Spray | 3¼ |
| Vicon (LESCO Pendulum) | 18 |
| Lely® | 3¼ II |

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)..... 46.00%

46.00% Urea Nitrogen

DERIVED FROM: Urea.



F1560

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc. All such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assumes the risk of any such use.

LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL LESCO, Inc. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept, 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the Item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>

LESCO is a registered trademark and the sweeping design is a trademark of LESCO Technologies, LLC. SCOTTS is a registered trademark of The SCOTT Company. Cyclone and

Spyker are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C Van Der Lely N.V.

G VREGULWPERIEVIEWAprnd Lbl - Word098524 DOC

Rev 10/13/14 VT

NET WEIGHT 50 lb (22.7 kg)

Made in U.S.A. Distributed by LESCO, Inc. • 1385 East 36th Street • Cleveland, OH 44114-4114

#098524

T

NAME
Urea

CAS #
57-13-6

LESCO®

Green Flo™ 30-0-0

A Slow-Release Nitrogen Fertilizer Solution Containing Triazone™

GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 30.00%
15.00% Urea Nitrogen
15.00% Water Soluble Nitrogen*

DERIVED FROM: Urea-Triazone Solution.

*15.00% Slowly Available Nitrogen from Urea-Triazone™ Solution

According to state law in Maryland, this product may not be applied at an application rate of more than 0.9 lbs. Nitrogen per 1,000 sq. ft.

DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES. DO NOT APPLY IF HEAVY RAIN IS EXPECTED. APPLY THIS PRODUCT ONLY TO YOUR LAWN/GARDEN.



Harmful if inhaled. Eye and skin irritant. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

F1560

Manufactured For:
LESCO, Inc.
1385 East 36th Street
Cleveland, OH 44114-4114

LESCO is registered and Green Flo is a trademark of
LESCO Technologies, LLC.
Triazone is a trademark of Tessenderlo Kerley, Inc.

#052452
T
front

READ LABEL CAREFULLY

PRECAUTIONARY STATEMENTS: Avoid prolonged or repeated contact with eyes, skin and clothing. Safety goggles or a full face shield should be worn. Wear appropriate protective equipment to protect skin, such as rubber or plastic aprons, rubber gloves and boots. Avoid breathing mist or vapor. Keep containers closed. Wash thoroughly after handling. May cause gastro-intestinal distress if swallowed.

FIRST AID: In case of contact with eyes, immediately flush eyes with water for at least 15 minutes. Seek immediate medical attention if irritation occurs. In case of skin contact, flush skin with water. If irritation occurs, seek immediate medical attention. Remove and wash contaminated clothing before reuse. If swallowed, give large amounts of water and induce vomiting by touching back of throat with finger unless unconscious. Seek immediate medical attention.

HANDLING AND STORAGE: Minimize skin exposure. Store mini-bulks and smaller containers out of the sun in an area of moderate temperature. Do not re-use containers. Avoid containers, piping or fittings made of copper containing alloys or galvanized metal. Dispose of containers in accordance with local regulations and requirements.

IN CASE OF SPILL: Contain spill and maximize recovery. Keep spill out of water sources. Exercise caution in area of spill for slippery conditions. Dispose of spilled material in accordance with regulatory requirements.

| | | |
|--------------------|---------|----------|
| NET WEIGHT: | 26.2 lb | 11.90 kg |
| NET VOLUME: | 2.5 gal | 9.46 l |

KPHITE® 7LP

SYSTEMIC FUNGICIDE BACTERICIDE

A SYSTEMIC FUNGICIDE BACTERICIDE FOR THE CONTROL OF DOWNY MILDEW, PHYTOPHTHORA, PYTHIUM, AND VARIOUS OTHER DISEASES ON GREENHOUSE CROPS, INDOOR AND OUTDOOR ORNAMENTALS, BEDDING PLANTS AND FORESTRY APPLICATIONS AND DOMESTIC TREES INCLUDING CONIFERS, PINES, OAKS AND TURF

ACTIVE INGREDIENT:

Mono- and dipotassium salts of Phosphorous Acid* 56.0%

OTHER INGREDIENTS:..... 44.0%

TOTAL: 100.0%

*Contains 7.03 lbs./gallon of active ingredients, mono- and dipotassium salts of Phosphorous Acid. Equivalent to 4.41 lbs. Phosphorous Acid/gallon.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See inside booklet for First Aid and additional precautionary statements.

NET CONTENTS: 2-1/2 gallons (9.463 liters) Other _____
 30 gallons (113.6 liters)
 55 gallons (208.2 liters)

MANUFACTURED BY:
PLANT FOOD SYSTEMS INC.
2827 Union St. P.O. Box 775
Zellwood, FL 32798


EPA Reg No. 73806-1
EPA Est. No. 73806-FL-001

PLANT FOOD SYSTEMS

Specimen Label



Dow AgroSciences



®Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

Provides control of listed annual grasses and broadleaf weeds in:

- Established lawns
- Commercial sod farms
- Ornamental and sports turf (including but not limited to sport fields, golf course fairways, roughs, tee boxes, unimproved turfgrass areas)
- Container grown ornamentals
- Field-grown ornamentals
- Landscape ornamentals
- Non-cropland such as: airports, barrow ditches, cemeteries, communication transmission lines, electrical power and utility rights-of-way, fencerows, gravel pits, hard-surface cracks, industrial sites, military lands, mining and drilling areas, non-irrigation ditch banks, gas and oil pads, parking lots, petroleum tank yards, pipelines, pump stations, railroads, roadsides, debris retention areas, service roads, solar fields, storage areas or yards, substations, vacant lots and other non-crop residential and commercial areas
- Natural areas (open space) such as: restoration sites, campgrounds, parks, prairie management, trails and trailheads, recreation areas, wildlife openings and wildlife habitat and management areas
- Christmas tree farms

In New York State, this product may be used by commercial applicators only, at no more than 2 pints (0.5 lb active ingredient) per acre per year. In Nassau and Suffolk counties of New York, do not exceed 1 pint per acre per year of this product (equivalent to 0.25 lb of active ingredient per acre).

| | | |
|-------|---|-----------|
| GROUP | 3 | HERBICIDE |
|-------|---|-----------|

| | |
|--|------|
| Active Ingredient | |
| dithiopyr: S,S'-dimethyl 2-(difluoromethyl)-4-(2-methylpropyl)-6-(trifluoromethyl)-3,5-pyridinedicarbothioate..... | 24% |
| Other Ingredients..... | 76% |
| Total..... | 100% |

Contains petroleum distillates
Contains 240 grams per liter or 2 lb active ingredient per U.S. gallon.

Precautionary Statements

Hazards to Humans and Domestic Animals

EPA Reg. No. 62719-542

WARNING

Causes Skin Irritation • Causes Moderate Eye Irritation • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals

Do not get on skin or on clothing. Avoid contact with eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE):

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category B on an EPA chemical-resistance category selection chart.

WPS Uses: Applicators and other handlers who handle this product for any use covered by the Worker Protection Standard (40 CFR Part 170) – in general, agricultural plant uses are covered - must wear:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves ≥14 mils such as barrier laminate or butyl rubber
- Chemical-resistant footwear plus socks

WPS Uses: Mixers and loaders must wear:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves ≥14 mils such as barrier laminate or butyl rubber
- Chemical-resistant footwear plus socks
- Chemical-resistant apron

Non-WPS Uses: Applicators and other handlers, mixers and loaders who handle this product for any use NOT covered by the Worker Protection Standard (40 CFR Part 170) – in general, agricultural plant uses are covered - must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves >14 mils such as barrier laminate or butyl rubber

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them. Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
 - Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
 - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

First Aid

If on skin or on clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 day or night, for emergency treatment information.

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

Environmental Hazards


This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may be hazardous to aquatic organisms in water adjacent to treated areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwater or rinsate.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all Directions for Use carefully before applying.

REFORMULATION OR REPACKAGING OF THIS PRODUCT IS PROHIBITED.



LESCO®

Eliminate-D™ Broadleaf Herbicide

NOT FOR USE on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

FOR USE ON ORNAMENTAL LAWNS AND TURFGRASSES

(such as residential and commercial sites, athletic fields, parks, and recreational areas)

(Contains 0.19 pound Dicamba; 0.73 pound MECOPROP-p and 0.49 pound 2,4-D per Gallon)

ACTIVE INGREDIENTS:

| | |
|--|-------|
| Dimethylamine Salt of Dicamba (3,6-Dichloro-o-anisic Acid)* | 2.64% |
| Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid** | 6.61% |
| Dimethylamine Salt of (+)-R-2-(2-methyl-4-Chlorophenoxy)propionic acid***‡ | 9.97% |

| | |
|-------------------|---------|
| OTHER INGREDIENTS | 80.78% |
| TOTAL | 100.00% |

(Isomer Specific Method by AOAC 14th Edition #6.321)

* Equivalent to 2.19% or 0.19 lb. of (3,6-dichloro-o-anisic) acid per gallon.

** Equivalent to 5.49% or 0.49 lb. of 2,4-Dichlorophenoxyacetic acid per gallon.

*** ‡ Equivalent to 8.24% or 0.73 lb. of (+)-R-2-(2-methyl-4-chlorophenoxy) propionic acid per gallon.

‡ **CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p**

KEEP OUT OF REACH OF CHILDREN CAUTION - PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

**SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL
PRECAUTIONARY STATEMENTS**

TM

EPA REG. NO. 10404-44

EPA EST. NO. 228-IL-1 (two letters)
First Letter(s) of lot number indicated manufacturing site.

MANUFACTURED FOR: **LESCO, Inc.** • 1385 EAST 36TH STREET • CLEVELAND, OH 44114-4114



#10153225

Net Contents
2.5 Gal.
(9.5 L)

14519000

LESCO Three-Way Selective Herbicide

| | |
|---|------------------------|
| ACTIVE INGREDIENTS: | |
| Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid* | 30.56% |
| Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy) propionic Acid** ‡ | 8.17% |
| Dimethylamine Salt of Dicamba (3,6-Dichloro-o-anisic Acid)*** | 2.77% |
| OTHER INGREDIENTS: | 58.50% |
| TOTAL | 100.00% |
| Isomer Specific Method, Equivalent to: | |
| *2,4-Dichlorophenoxyacetic Acid | 25.38%, 2.38 lbs./gal. |
| ** (+)-R-2-(2-Methyl-4-Chlorophenoxy) propionic Acid | 6.75%, 0.63 lbs./gal. |
| ***3,6-Dichloro-o-anisic Acid | 2.30%, 0.22 lbs./gal. |
| ‡ CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p. | |

KEEP OUT OF REACH OF CHILDREN DANGER – PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)
SEE INSIDE BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID

| | |
|-------------------------------|--|
| If in eyes | <ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. |
| If swallowed | <ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| If on skin or clothing | <ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. |
| If inhaled | <ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. |

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact CHEMTREC at 1-800-424-9300 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER – PELIGRO

Corrosive, causes irreversible eye damage. Do not get in eyes, or on skin or clothing. Harmful if swallowed or inhaled.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates, and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not apply when weather conditions favor drift from target area. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other spraying. When cleaning equipment, do not pour the wastewater on the ground, spray or drain over a large area away from wells and other water sources. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not contaminate domestic or irrigation waters.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

ENVIRONMENTAL HAZARDS (continued)

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP-p, have been associated with mixing/loading and disposal sites. Caution should be exercised when handling these herbicides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS. NOTE: Do not apply this product by air. Apply with ground equipment only. Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Your local government may forbid liquids and pesticides in their landfills. **Pesticide Storage:** Always use original container to store pesticides in a secured warehouse or storage building. Store at temperatures above 32°F. If allowed to freeze, remix before using. This does not alter the product. Containers should be opened in well-ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed, or other pesticides. **Pesticide Disposal:** Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed, labeled container for proper disposal. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Handling:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

LESCO is a registered trademark and the sweeping design is a trademark of LESCO Technologies, LLC.
EPA Reg. No. 10404-43 EPA Est. No. 228-IL-1

Any lot number beginning with (E) = 070989-IA-001
F1560

Manufactured for LESCO, Inc.
1385 East 36th Street • Cleveland, OH 44114-4114

PULL HERE TO OPEN
PRESS TO RESEAL

RV011311(2)

QUALI-PRO

Pac-Low™

**PLANT GROWTH
REGULATOR**



For use on non-residential turfgrass

ACTIVE INGREDIENT:

Pacllobutrazol (R*, R*)-(±)-β-[4-chlorophenyl)
methyl]-α-(1,1-dimethylethyl)-1H-1,2,4-triazole-
1-ethanol.....22.3%

OTHER INGREDIENTS: 77.7%

TOTAL: 100.0%

Contains 2 lbs active ingredient per gallon.

See inside panel for First Aid statements

Shake container thoroughly before use.

CONTENTS: 1 GALLON



**KEEP OUT OF
REACH OF CHILDREN
CAUTION**

Si usted no entiende la etiqueta, busque a
alguien para que se la explique a usted en
detalle. (If you do not understand the label, find
someone to explain it to you in detail.)

EPA Reg. No. 62097-24-53883
EPA Est. No. 53883-TX-002

Distributed by:
**Control
Solutions Inc.**
5903 Genoa-Red Bluff
Pasadena, TX 77507



PULL HERE TO OPEN ►



Trimmit® 2SC

Plant Growth Regulator For Turfgrass

Active Ingredient:

Pacllobutrazol

(±)-(R*,R*)-beta-[(4-chlorophenyl)methyl]-alpha-(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol 22.3%

Other Ingredients: 77.7%

Total: 100.0%

Contains 2 lbs. active ingredient per gallon.

EPA Reg. No. 100-1014

EPA Est. 5905-IA-01

Product of the United Kingdom

Formulated in the USA

1 gallon

Net Contents

**KEEP OUT OF
REACH OF
CHILDREN.
CAUTION**

See additional precautionary
statements and directions for use
inside booklet.

SCP 1014B-L2C 0808



syngenta®

QUALI-PRO

T-Nex[®]

**PLANT GROWTH REGULATOR
FOR TURF GROWTH MANAGEMENT**

Contains trinexapac-ethyl, the active ingredient used in Primo MAXX[®]



A micro emulsion concentrate used to manage growth and improve quality and stress tolerance of turf edging and warm- and cool-season turfgrasses.

ACTIVE INGREDIENT:

Trinexapac-ethyl:12.0%

OTHER INGREDIENTS:.....88.0%

TOTAL:.....100.0%

*Contains 1 pound of active ingredient per gallon

**KEEP OUT OF
REACH OF CHILDREN
CAUTION**

See additional precautionary statements and directions for use inside booklet.

EPA Reg. No. 53883-353
EPA Est. No. 53883-TX-002

CONTENTS: 1 GALLON

GROUP 23 GROWTH REGULATOR



Manufactured by:

**Control
Solutions Inc.**

5903 Genoa-Red Bluff
Pasadena, TX 77507



SEDGEHAMMER™

TURF HERBICIDE

SEDGEHAMMER is a selective herbicide for the control of nutsedge and other weeds in turfgrass and landscaped areas

| | |
|---|----------------------|
| ACTIVE INGREDIENT: * Halosulfuron-methyl | % by Wt |
| OTHER INGREDIENTS: | 75.0% |
| | 25.0% |
| | Total: 100.0% |

Read the entire label before using this product. Use only according to label instructions. Read "NOTICE OF CONDITIONS OF SALE AND WARRANTY AND LIABILITY LIMITATIONS" before buying or using. If terms are not acceptable, return at once unopened.

THIS IS AN END-USE PRODUCT. GOWAN DOES NOT INTEND AND HAS NOT REGISTERED IT FOR REFORMULATION. SEE INDIVIDUAL CONTAINER LABEL FOR REPACKAGING LIMITATIONS.

KEEP OUT OF REACH OF CHILDREN

CAUTION

| FIRST AID | |
|---|---|
| IF IN EYES | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. • Call poison control center or physician for treatment advice. |
| IF SWALLOWED | <ul style="list-style-type: none"> • Call poison control center or physician immediately for treatment advice. • Remove visible particles from mouth. • Have person rinse mouth thoroughly with water, spit out rinse water. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| <ul style="list-style-type: none"> • Have the product container or label with you when calling a poison control center or physician, or going for treatment. • FOR MEDICAL EMERGENCIES INVOLVING THIS PRODUCT, CALL TOLL FREE 1-888-478-0798. • This product is identified as SEDGEHAMMER Turf Herbicide, EPA Reg. No. 81880-1-10163. | |

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

CAUSES MODERATE EYE IRRITATION. HARMFUL IF SWALLOWED. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, or enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

NET CONTENTS ___ OUNCES

EPA Reg. No. 81880-1-10163
EPA Est. No. 065387-AR-003



Distributed by:
Gowan Company
P.O. Box 5569
Yuma, AZ 85366-5569

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION!
CAUSE OF IRRITATION TO EYES
Avoid contact with eyes or clothing.

PEST AID

- If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- If on face: Wash face thoroughly with water. Do not use soap, lotions, or cosmetics.
- If on clothing: Remove contaminated clothing and launder separately.

- Show the product container or label with you when calling a poison control center or physician or going for treatment.
- This product is classified by EPA as Pesticide: PMA Non-Selective Herbicide. EPA Reg. No. 424-428-10001.

ENVIRONMENTAL HAZARDS: This product is considered to be relatively harmless to crops and other desirable plants. However, ingestion of this product or large quantities of freshly applied material may result in temporary gastrointestinal irritation (vomiting, diarrhea, etc.). In such situations are observed, provide the animal with plenty of fresh water to prevent dehydration. Call a veterinarian if symptoms persist for more than 24 hours.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear: Impervious short-sleeved long pants, long-sleeved shirt, and socks. Follow manufacturer's instructions for cleaning/washing procedures for protective equipment. If there are no such instructions, use soap and water for all surfaces that may be contaminated.

When handlers use closed equipment, enclosed cabs, or cabs with a protective enclosure, the requirements listed in Worker Protection Standard (WPS) for Agricultural Pests are (40 CFR 155.242 (b) (4-11)). The WPS PPE requirements may be reduced or modified as specified in the WPS.

Other Safety Recommendations

- Avoid inhalation.
- Wash hands before eating, drinking, smoking, using tobacco, or using the toilet.
- Remove clothing immediately if symptoms occur. Shower thoroughly and put on clean clothing.

Environmental Hazards

Do not apply directly to water. Do not apply directly to streams or rivers or to areas below the flood plain. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Physical or Chemical Hazards

Apply portions of this product should be stored, used, and applied using only stainless steel, aluminum, plastic or plastic-lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL CONTAINERS OR SPRAY TANKS). This product is spray solutions of this product used with such containers and tanks to produce herbicide and which may have a highly combustible gas mixture. The gas mixture could flash or explode causing serious personal injury if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product as any amount inconsistent with the labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may use it in the absence of application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard (40 CFR Part 155). Refer to supplemental labeling under "AGRICULTURAL USE REQUIREMENTS" for the DIRECTIONS FOR USE section for information about this product.

LESCO®

PROSECUTOR®

Non-selective Herbicide

The complete broad-spectrum postemergence herbicide for industrial, turf and ornamental weed control.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION IS LIKELY TO RESULT.

Keep out of reach of children.
CAUTION!

#069291
Net Contents 30 Gal.

Distributed by: LESCO, Inc. 1385 East 36th Street, Cleveland, OH 44114-4114 U.S.A.

LESCO and Prosecutor are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC

Carefully follow detailed instructions in label booklet.

Keep out of reach of children.

CAUTION!

Read precautions on side panel.

Read the entire label before using this product.

Use only according to label instructions.

Read the "CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY" statement, which appears on the label booklet, before buying or using. If terms are not acceptable, return to store unopened.

ACTIVE INGREDIENT

Glyphosate, N-(phosphonomethyl)glycine as the basis of its supplementary salt 41.0%
OTHER INGREDIENTS 59.0%
100.0%

*Contains 480 grams per liter or 4 pounds per U.S. gallon of the active ingredient glyphosate on the basis of its supplementary salt. Equivalent to 356 grams per liter or 3 pounds per U.S. gallon of the acid glyphosate.

THIS IS AN FRO-3E PRODUCT. LESCO INC. DOES NOT INTEND AND HAS NOT REGISTERED IT FOR REFORMULATION OR REPACKAGING.

This product is protected by U.S. Patent Nos. 5,843,915; 5,703,015; 6,158,133; 6,121,189; 6,127,250. No license granted under any non-U.S. patents.

EPA Reg. No. 524-636-10404

EPA Est. 524-A-1 (1) or 524-A-1 (B)

Label user-part 1, 2 or 3 indicates appropriate subdivision number

©2018

212157-4255X2

Non-Agricultural Use Requirements

The requirements on this label apply to uses of this product that are NOT within the scope of the Worker Protection Standard (40 CFR Part 155) or agricultural pesticides. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Keep people and pets off treated areas until spray solution has dried to prevent transfer of this product to non-target vegetation.

Storage and Disposal

Proper pesticide storage and disposal are essential to protect against exposure to people and the environment due to leaks and spills caused by product or container malfunctions. Do not allow this product to contaminate water, landfills, food or feed by storage or disposal.

PREVENTION OF SPILLS: Store pesticides away from food, feed, food, seed, fertilizers, and veterinary supplies. Keep a spill kit on hand to prevent spills and contamination.

PREVENTIVE MEASURES: To avoid spills, use all material in this pesticide packaging promptly by application according to label directions. If excess material is available after treatment, transfer to a waste disposal facility or pesticide disposal program. Such programs are often run by state or local governments or by industry. All disposal must be in accordance with applicable Federal, state and local regulations and procedures.

CONTAINER HANDLING AND DISPOSAL: Immediately container: Do not reuse for containers to hold materials other than pesticides or other pesticides (residuals). After emptying and cleaning, if they be allowable to temporarily hold residues or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. To remove or to take out and fill a tank and tank, measure at least one revolution for 30 seconds. Repeat the container on its end and tip it back and forth several times. Empty the extra into application equipment or a mix tank or store stands for later use as directed. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to stop. Hold container upside down over application equipment or mix tank or collect residue for later use as directed. Invert pressure spray device to the side of the container and rinse at about 40 PSI for at least 30 seconds. Open for 10 seconds after the flow begins to stop.

Once properly rinsed, some agricultural sprayer tanks and mix tanks can be taken to a cleaning collection site or packed up for recycling. To find the nearest site contact your chemical dealer. If recycling is not available, dispose of in accordance with Federal, state and local regulations and procedures, which may include protecting the properly rinsed container and disposing of it in a sanitary landfill.

(See label booklet for Complete Directions for Use.)

For product information or assistance in using this product call your nearest LESCO Inc. representative.





GROUP 4A INSECTICIDE

LESCO® Bandit 2F

INSECTICIDE

For foliar and systemic insect control in turfgrass (including sod farms), landscape ornamentals, fruit and nut trees and interior plantscapes.

ACTIVE INGREDIENT:

*Imidacloprid, 1-[[[6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimin 21.4%

OTHER INGREDIENTS: 78.6%

TOTAL: 100.0%

*Contains 2 pounds of imidacloprid per gallon.

SHAKE WELL BEFORE USING.

EPA Reg. No. 432-1312

STOP - READ THE LABEL BEFORE USE

KEEP OUT OF REACH OF CHILDREN

CAUTION

PARA EL USUARIO: Si usted no lee o entiende inglés, no use este producto hasta que le hayan explicado completamente las instrucciones que figuran en la etiqueta.

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

For **MEDICAL** And **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577 For **PRODUCT USE** Information Call 1-800-331-2867

See inside leaflet for complete First Aid Instructions, Precautionary Statements, Directions for Use and Storage and Disposal Instructions.

Net Contents

1 Gallon

80894015

80940416B 131205AV1

Produced for:
Bayer Environmental Science
A Division of Bayer CropScience LP
2 T. W. Alexander Drive
Research Triangle Park, NC 27709

Cyonara 9.7
Insecticide

Contains Sigma Technology

For use by commercial applicators for use in, on and around buildings and structures for the control of listed pest, including on lawns, ornamental trees and shrubs around residential, institutional, public, commercial, agricultural and industrial buildings; and parks, recreational areas and athletic fields.

Active Ingredient:

Lambda-cyhalothrin¹:

| | | |
|-------------------------------------|--|--------|
| | (1)-cyano-(3-phenoxyphenyl)methyl-3-(2-chloro-3,3,3-trifluoro-1-propenyl)- | |
| 2,2-dimethylcyclopropanecarboxylate | | 9.7% |
| Other Ingredients: | | 90.3% |
| | Total: | 100.0% |

¹Synthetic pyrethroid

KEEP OUT OF REACH OF CHILDREN
WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Net Contents _____

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

See additional precautionary statements and directions for use in booklet.

WARNING

May be fatal if swallowed. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist or vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

| First Aid | |
|---|---|
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall® International (866) 897-8050 for emergency medical treatment information. | |
| If swallowed: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Do not give any liquid to the person. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continuing rinsing eye. • Call a poison control center or doctor for treatment advice. |
| If on skin or clothing: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. |
| If inhaled: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice. |



QUALI-PRO

Mefenoxam 2 AQ

Fungicide

An aqueous flowable fungicide for the control of certain diseases in various turf, nursery, and ornamental crops caused by the Oomycete class of fungi.

Contains mefenoxam, the active ingredient used in Subdue MAXX®. Quali-Pro® Mefenoxam 2 AQ is not manufactured or distributed by Syngenta Crop Protection, Inc.

| ACTIVE INGREDIENT: | % BY WT. |
|---|-----------------|
| Mefenoxam*: (R)-2-[(2,6-dimethylphenyl) methoxyacetyl amino]propionic acid methyl ester . . . | 22.5% |
| OTHER INGREDIENTS: | 77.5% |
| TOTAL: | 100.0% |

*Contains 2 lbs. active ingredient per gallon.

EPA Reg. No. 66222-216

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

For additional precautionary, handling, and use statements, see inside of this booklet.

Manufactured for: **Makhteshim Agan of North America, Inc.**
3120 Highwoods Blvd, Suite 100 - Raleigh, NC 27604

13864; 13866; 13865; 13849

EPA 112310/032411/Rev C



LESCO®

SPECTATOR™ Ultra 1.3 FUNGICIDE

**Broad Spectrum and Systemic Disease Control for Turf and Ornamentals and
A Flare Root-Injected* Systemic Fungicide for Control of Selected Diseases in Trees**
* Flare Root-Injected uses are not registered for use in CA & NY.

ACTIVE INGREDIENT:

| | |
|---------------------------------|--------|
| Propiconazole | 14.3% |
| OTHER INGREDIENTS: | 85.7% |
| TOTAL | 100.0% |

Contains 1.3 lbs. active Ingredient per gallon

KEEP OUT OF REACH OF CHILDREN WARNING / AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

See inside label booklet for FIRST AID and PRECAUTIONARY STATEMENTS

**For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840**

TM

EPA Reg. No. 228-623-10404

EPA Est. No. indicated by the first two letters of the batch
number on this package: (AL) 228-IL-002, (GR) 34704-MS-002

Distributed by: **LESCO, Inc.** • 1385 East 36th Street • Cleveland, OH 44114-4114

LESCO and Manicure are registered trademarks and Spectator, LESCO 18 Plus,
and the sweeping design are trademarks of LESCO Technologies, LLC.



10160225

**Net Contents
2.5 Gal.
(9.46 L)**

13004000

LESCO®

MANICURE® ULTRA

TURF AND ORNAMENTAL ACCU STICK™ FUNGICIDE

| | | |
|---|--------|--|
| ACTIVE INGREDIENT: | | |
| Chlorothalonil (tetrachloroisophthalonitrile) | 82.5% | |
| OTHER INGREDIENTS: | 17.5% | |
| TOTAL: | 100.0% | |

KEEP OUT OF REACH OF CHILDREN WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

| FIRST AID | |
|--|--|
| IF INHALED | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice. |
| IF ON SKIN OR CLOTHING | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. |
| IF IN EYES | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| IF SWALLOWED | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have affected person sip a glass of water if able to swallow. • Do not induce vomiting unless told by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| Have the product container or label with you when calling a poison control center or doctor or going for treatment. | |
| Emergency phone numbers: | 1-800-858-7378 NPIC (human and animal health) 1-800-424-9300 CHEMTREC (transportation and spills) |
| NOTES TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Persons having a temporary allergic reaction respond to treatment with antihistamines or steroid creams and/or systemic steroids. | |

EPA Reg. No. 60083-3-10404
EPA Est. No. 70015-GA-001 (Lot No. begins with CB); EPA Est. No. 86555-MO-001 (Lot No. begins with AF)

#084897
NET CONTENTS: 5 lbs (2.27 kg)

Distributed by: **LESCO, Inc.**
1385 East 36th Street
Cleveland, OH 44114-4114



PEEL BACK BOOK HERE AND RESEAL AFTER OPENING



ACTIVE INGREDIENT: Chlorothalonil (tetrachloroisophthalonitrile) 54.0%
OTHER INGREDIENTS: 46.0%
TOTAL: 100.0%

Contains 6.0 Pounds Chlorothalonil Per Gallon (720 grams per liter).

**KEEP OUT OF REACH OF CHILDREN
 WARNING - AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

| FIRST AID | |
|---|--|
| IF INHALED | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. • Call a poison control center or doctor for further treatment advice. |
| IF ON SKIN OR CLOTHING | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. |
| IF IN EYES | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| IF SWALLOWED | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have affected person sip a glass of water if able to swallow. • Do not induce vomiting unless told by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. | |
| Emergency phone numbers: | (800) 858-7378 NPIC (human and animal health) (800) 424-9300 CHEMTREC (transportation and spills) |
| NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Persons having a temporary allergic reaction respond to treatment with antihistamines or steroid creams and/or systemic steroids. | |

#084901



1 00 72169 84901 5

NET CONTENTS: 2.5 gal (9.5 L)

Distributed by: **LESCO, Inc.**
 1385 East 36th Street
 Cleveland, OH 44114-4114

EPA Reg. No. 60063-7-10404
 EPA Est. No. 70815-GA-001 (Lot No. begins with CB)
 EPA Est. No. 086555-MO-001 (Lot No. begins with AF)
 EPA Est. No. 070989-AR-001 (Lot No. begins with OS)
 EPA 021913 (11/04)





Heritage
Fungicide

GROUP 11 FUNGICIDE

PULL HERE TO OPEN ►

syngenta

Fungicide

Broad spectrum fungicide for control of plant diseases.

Active Ingredient

| | |
|---|-------------|
| Azoxystrobin: methyl (E)-2-[2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl]-3-methoxyacrylate* | 50% |
| Other Ingredients: | 50% |
| Total: | 100% |

Contains 0.5 lb. a.i./lb. product

*IUPAC

KEEP OUT OF REACH OF CHILDREN. CAUTION

See additional precautionary statements and directions for use inside booklet.

Reformulation is prohibited. See individual container labels for repackaging limitations.

EPA Reg. No. 100-1093

EPA Est. 67545-AZ-1

Product of the United Kingdom

**SCP 1093A-L1C 0811
349432**

1 pound
Net Weight



ProStar[®] 70 WDG

FUNGICIDE

For Use on Turf and Ornamentals

A Systemic Fungicide for Management of Foliar, Soilborne, Cutting and Bulb Diseases Caused by Basidiomycete Fungi in Greenhouses, Saran and Shade Houses, Outdoor Container and Field-Grown Ornamental Nursery Stock.

ACTIVE INGREDIENT:

| | |
|--|--------|
| FLUTOLANIL: N-[3-(1-methylethoxy) phenyl]-2-(trifluoromethyl)benzamide | 70.0% |
| OTHER INGREDIENTS | 30.0% |
| TOTAL | 100.0% |

EPA Reg. No. 432-1477

EPA Est. No. 67545-AZ-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

For MEDICAL And TRANSPORTATION Emergencies ONLY
Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information 1-800-331-2867

Net Weight
3 Pounds

79422377

79555806 071205A1

GROUP 29 FUNGICIDE

PULL HERE TO OPEN ►



SECURE™

syngenta®

Fungicide

Active Ingredient:

Fluazinam* 40.0%

Other Ingredients: 60.0%

Total: 100.0%

*3-chloro-N-[3-chloro-2,6-dinitro-4-trifluoromethyl)phenyl]-5-trifluoromethyl-2-pyridinamine (CA)

Contains 4.17 pounds fluazinam per gallon (500 grams per liter)

KEEP OUT OF REACH OF CHILDREN

WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use in booklet.

Read entire label carefully and use only as directed.

EPA Reg. No. 71512-20-100

EPA Est. 1022-TN-001

SCPPL 71512-20-L1 0612
4013312

2.5 gallons

Net Contents

TM

LESCO®

LESCO-**Wet**TM

PLUS

**Concentrated, All-Purpose Non-Ionic Wetting Agent.
Maximizes water management programs.**

ACTIVE INGREDIENTS:

Non-Ionic Surfactants 87.6%
Water12.4%

Keep Out of Reach of Children
Read All Directions Before Using


WARNING

Hazard statements:

Combustible liquid
Harmful if swallowed or in contact with skin

Precautionary statements:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking
Wash hands thoroughly after handling
Do not eat, drink or smoke when using this product
Wear protective gloves/protective clothing/eye protection/face protection
IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell
IF ON SKIN: Wash with plenty of soap and water
Call a POISON CENTER/doctor/physician if you feel unwell
Specific treatment (see back panel)
If swallowed, rinse mouth
Take off contaminated clothing and wash it before reuse
In case of fire: Use water or fire extinguisher for extinction
Store in a well-ventilated place. Keep cool
Dispose of contents in accordance with state and local regulations



#069383

Net Contents: 2.5 gallons (9.46 Liters)

20.74 lbs

TM

Distributed by LESCO, Inc., 1385 East 36th Street, Cleveland, OH 44114-4114

JO 2-2-15

LESCO®

LESCOFlo™ Ultra

Superior Non-Ionic Wetting Agent for Turf and Ornamentals

INGREDIENTS:

Non-Ionic Surfactant 100%

Keep Out of Reach of Children
Read All Directions Before Using

WARNING

Hazard statements:

May cause an allergic skin reaction
Causes eye irritation
Harmful to aquatic life

Precautionary statements:

Avoid breathing dust/fume/gas/mist/vapours/spray
Wash hands thoroughly after handling
Contaminated work clothing should not be allowed out of the workplace
Avoid release to the environment
Wear protective gloves/protective clothing/eye protection/face protection
IF ON SKIN: Wash with plenty of soap and water
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Specific treatment (see back panel)
If skin irritation or rash occurs: Get medical advice/attention
If eye irritation persists: Get medical advice/attention
Take off contaminated clothing and wash it before reuse
Dispose of contents in accordance with state and local regulations



#084570

Net Contents: 2.5 gallons (9.46 Liters)

21.53 lbs

TM

Distributed by LESCO, Inc., 1385 East 36th Street, Cleveland, OH 44114-4114

JO 2-28-15



CONTAINS NON-PLANT FOOD INGREDIENTS:

Guaranteed Analysis:

Active Ingredient 100.0% Modified Alkylated Polyol

US Patent No. 7399730

European Patent No. 1740043

Australian Patent No. 2005231468

Patents pending worldwide

NOT RECOMMENDED FOR USE AS A FERTILIZER SUBSTITUTE

All ingredients are exempt from the requirements of a tolerance as specified in 40 CFR 140.1001(c)
NOT A PLANT FOOD INGREDIENT.

For chemical emergency spill, leak, fire, exposure or accident,
call CHEMTREC day or night. Domestic North America 800-424-9300.
International call 703-527-3887 (collect calls accepted).

55 Gallons / 208 Liters



LOT NO:

Aquatrols

1273 Imperial Way • Paulsboro, NJ 08066 USA
1-800-257-7797 • www.aquatrols.com

KEEP OUT OF REACH OF CHILDREN CAUTION

Read entire label for additional precautionary statements
FOR PROFESSIONAL OR INDUSTRIAL USE ONLY

GENERAL INFORMATION

REVOLUTION is a new surfactant chemistry specifically designed for optimization of rootzone moisture and maintenance of fine turf performance.

REVOLUTION is recommended for use on fine turf-grasses such as those found on golf courses, athletic fields, and other highly maintained areas. REVOLUTION will improve rootzone moisture distribution, particularly under stress conditions as a result of high evaporative demand. REVOLUTION will ensure efficient water use and maximize turf quality under stress conditions.

REVOLUTION may be safely applied at any time during the growing season.

DIRECTIONS FOR USE

Standard Program: Apply 6.6 oz/1000 ft² of REVOLUTION in 2 gallons of water (185 ml/100m² in 6 L of water). Apply monthly beginning at least one month prior to the onset of stress conditions. For best results, apply at least 1/3 inch (7.5 mm) of irrigation after application. If runoff or puddling occur, water in using cyclic soak runs until 1/3 inch (7.5 mm) is achieved. Irrigate before next mowing.

TANK MIXING

REVOLUTION can be safely applied in a tank mix with a range of commonly used turf chemicals and fertilizers at rates not exceeding 6 fl oz. NOTE: Tank mix combinations containing REVOLUTION have not been tested on all varieties of every turfgrass species or under all possible growing conditions. If user is unfamiliar with the performance of REVOLUTION in tank mixes under user's growing conditions, a limited area of turfgrass should be tested prior to large-scale application. The user should always exercise reasonable judgment and caution when using this and all other turf products.

For more detailed information call 1-800-257-7797.

STORAGE AND DISPOSAL

- Keep container tightly closed. Store in original container only. Keep in a secure and locked storage area. Do not add water to the contents of this container.
- Triple rinse container, empty rinse water into spray or stock tank. Dispose of empty containers in accordance with federal, state and local law.

PRECAUTIONARY STATEMENTS

- CAUTION MAY CAUSE IRRITATION. DO NOT GET IN EYES.
- AVOID BREATHING VAPORS OR MISTS.
- AVOID USING PRODUCT IN A MANNER AS TO DIRECTLY, OR THROUGH DRIFT, EXPOSE WORKERS OR OTHER PERSONS.
- ALWAYS CONSULT THE MATERIAL SAFETY DATA SHEET FOR SPECIFIC INSTRUCTIONS.
- APPLICATORS AND OTHER HANDLERS MUST WEAR GOGGLES OR A FACIAL SPLASH SHIELD, CHEMICAL RESISTANT GLOVES, SUCH AS NITRILE RUBBER ≥ 14 MILS OR NEOPRENE RUBBER ≥ 14 MILS, COVERALLS OR LONG SLEEVED SHIRT AND LONG PANTS, SHOES PLUS SOCKS.
- KEEP OUT OF REACH OF CHILDREN.

FIRST AID MEASURES IN CASE OF CONTACT

- EYE: DO NOT RUB EYES. Immediately flush eyes with large amounts of water for 15 minutes lifting the lower and upper lids. Seek medical attention if necessary.
- SKIN: Remove contaminated clothing and immediately wash affected area with large amounts of water for at least 5 minutes. If irritation or redness persists, seek medical attention as needed.
- INGESTION: Give large amounts of water to drink. Seek medical attention if necessary. Induce vomiting only upon advice from a physician.
- INHALATION: Move individual to fresh air and check to ensure adequate respiration. Seek medical attention if necessary.

Applicators and other handlers should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove protective clothing and equipment after handling. Wash the outside of gloves before removing. Wash thoroughly and change into clean clothing.

For technical information and Material Safety Data Sheet (MSDS), contact Aquatrols at 1-800-257-7797 or visit our website at www.aquatrols.com.

CONDITIONS OF SALE LIMITATION OF LIABILITY AND REMEDIES AQUATROLS CORPORATION OF AMERICA

Injury to the crop on which the product is applied may result from the occurrence of extraordinary or unusual weather conditions, the failure to follow the label directions or good application practices, all of which are beyond the control of the seller. In addition, failure to follow label directions may cause injury to other crops, animals, man, or the environment.

This product is to be used and applied according to the label directions by professionals trained in the use of agricultural chemicals.

This material is not intended for use by, nor should be used by, consumers. The seller warrants that this product conforms to the chemical description on the label.

The seller makes no other warranties or representations of any kind, expressed or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the seller for any cause of action relating to the handling or use of this product is claim for damage, and in no event shall damages or any other recovery of any kind against the seller exceed the price of the product which causes the alleged loss, damage, injury or other claim. The seller shall not be liable and any and all claims against the seller are waived, for special, indirect, incidental or consequential damages or expenses, of any nature including but not limited to, loss of profits or income, or any liability incurred by the buyer to any third party in any way arising out of or relating to the handling, repackaging from original container or the relabeling by the buyer or user, or use of this product, whether or not based on the seller's negligence, breach of warranty, strict liability in tort or any other cause of action.

The seller offers this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.asptco.org/metals.htm>

AQUATROLS PERFORMANCE GUARANTEE

Aquatrols guarantees you will be satisfied with the performance of this product when used as directed, or your money back. Simply send proof of purchase and a brief reason for dissatisfaction to, Aquatrols, 1273 Imperial Way, Paulsboro, NJ 08066, USA.



LESCO® TRACKER®

Spray Indicator Dye

- See where you spray
- Eliminate skipping and overlapping
- Detect clogged nozzles
- Save time, material and money
- Compatible, inert and non-reactive in tank mixes

Keep Out of Reach of Children
CAUTION
Read All Directions Before Using

PRECAUTIONARY STATEMENTS
May cause temporary skin and eye irritation. In case of accidental eye contact, flush eyes with water. If irritation persists, obtain medical attention. Wash exposed skin areas with soap and water.

See side panel for directions for use

Net Contents: 2.5 gallons (9.46 Liters) #008820

TM

Distributed by LESCO, Inc., 1385 East 36th Street, Cleveland, OH 44114-4114

LESCO[®] Conform[™]

Adjuvant for spray solutions to adjust pH for optimal performance

PRINCIPAL FUNCTIONING AGENTS-100%

20%.....Alkyl polyethoxy ether

18%.....2-hydroxy-1,2,3-propanetricarboxylic acid

61%.....Inert

Keep Out of Reach of Children

WARNING

Read All Directions Before Using

Hazard statements:

Causes skin irritation

Causes eye irritation

Toxic to aquatic life

Precautionary statements:

Wash hands thoroughly after handling

Avoid release to the environment

Wear protective gloves/protective clothing/eye protection/face protection

IF ON SKIN: Wash with plenty of soap and water

If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

If skin irritation occurs: Get medical advice/attention

If eye irritation persists: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Do not take internally. If ingested, call physician or poison control center immediately

Use proper hygiene when handling


Impervious gloves and goggles/safety glasses/safety shield are

recommended for use with the concentrate



#091129

Net Contents: 1 gallon (3.78 L)



LESCO, Inc. • 1385 East 36th Street • Cleveland, OH 44114-4114

TM
JO 4/15/15

LESCO[®]

GREEN TURF PAINT

Restores a Natural Green Color
to Dormant or Discolored Turf

- Adds look of health and beauty to warm and cool season turfgrasses.
- Will not wash off or wear off turf.
- Fall application on dormant turf lasts through winter
- Recommended for use on athletic fields, golf course greens, tees and fairways, commercial and residential lawns.
- Easy spray application through any type of conventional sprayer.
- In-season application for discolored or stressed grass.
- Non-phytotoxic – will not harm grass plants.

#008423

Net Content: 2.5 gallons (9.46 Liters)



TM

LESCO, Inc. • 1385 East 36th Street • Cleveland, OH 44114-4114

2LBL000299 rev. 06/10



LESCO[®]



Tracker[®] SPF



For Turf Use

- A natural green color
- Lasts longer than dyes
- Visually enhances spray applications

**Keep out of Reach of Children
CAUTION
Read All Directions Before Using**

#291195

Net Contents: 1 gallon (3.78 L)

LESCO, Inc. • 1385 East 36th Street • Cleveland, OH 44114-4114

™

LESCO[®] LESCOSol[™] Spray Tank Cleaner

- 1/2 Pound Treats 50 Gallons
- Effective on hard-to-remove Chemicals
- Safe for Agricultural, Turf and Pest Control Use

DANGER
KEEP OUT OF REACH OF CHILDREN
SEE BACK LABEL FOR USE DIRECTIONS

Hazard statements: Causes severe skin burns and eye damage. Harmful to aquatic life.
Precautionary statements: Do not breathe dust/fume/gas/aerosol/vapour/spray.
Wash hands thoroughly after handling. Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container according to state and local regulations.

#023232
Net Contents: 32 oz.

Distributed by LESCO, Inc.
LESCO, Inc., 1385 East 36th Street, Cleveland, OH 44114-4114

DIRECTIONS FOR USE
100 GALLON (OR LARGER) TANKS: Dissolve 1 pound (16 oz.) in 100 gallons water. Close boom valves. Agitate vigorously. Open bypass valve and circulate solution with pump for 15 minutes. Use hose or hand boom to thoroughly wash all internal parts of tank and cover. Open boom valves allowing solution to flow through boom and nozzles. Refill tank with 50 gallons water. Circulate for ten minutes emptying tank by spraying through boom and nozzles. If changing chemicals, a second rinse with 25 gallons of water is recommended. Do not rinse when storing rig at end of season - leave protective coating.

1 to 100 GALLONS TANKS: Fill tank half full of water. Add 1 oz. of LESCOsol for every six gallons of tank volume.
Example: for a 50 gallon tank, use 1/2 lb. (8 oz.)

RINSE TESTING

Certain pesticides, including but not limited to 2,4-D's and Sulfonyleurea, are difficult to remove from the tank. Pesticides are extremely active at very low rates and must be completely removed from the tank to prevent crop damage. Do not apply LESCOsol or rinseate directly to plants. Rinseate levels may be tested by several different methods; two are suggested here.

Method One: Retain a sample of the rinseate solution. Apply to sensitive plants such as an ornamental flower, tomato, or cotton. Observe treated plant for 48 hours or longer, and do not use tank during the test period. If plant damage occurs, reclean the tank until the rinseate is pesticide free.

Method Two: Retain a sample of rinseate solution and submit to a qualified testing laboratory for analysis. Operators of multiple chemical use equipment and growers of high value or sensitive crops may wish to use all available testing methods to prevent accidental contamination and plant damage.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product of your unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. To the extent consistent with applicable law, Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc., including but not limited to, such factors as manner of use or application, weather or weather conditions outside the normal operational range, all at the discretion and/or the free choice in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such claims.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is major ability for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc., and Buyer and/or User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES OR DAMAGES INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC., REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. IN NO EVENT SHALL LESCO, INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

LESCO, Inc. offers the product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials comprising the product can be obtained by writing to: LESCO, Inc., Attn: RA Dept, 1385 East 36th Street, Cleveland, OH 44114-4114, referring to the item number found on this bag. Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.lesco.com/metal>.
© Copyright 2010 LESCO, Inc. LESCO and the sweeping design are trademarks of LESCO Technologies, LLC.

JO 4-27-10



—32 oz.
—30 oz.
—28 oz.
—26 oz.
—24 oz.
—22 oz.
—20 oz.
—18 oz.
—16 oz.
—14 oz.
—12 oz.
—10 oz.
—8 oz.
—6 oz.
—4 oz.

LESCO® Recede™ Liquid Antifoam

- Prevents Unwanted Foaming During Applications
- Controls Existing Foam in Spray Tanks
- Convenient Squeeze Bottle Application



NET CONTENTS: 16 fl. oz.
#060727

Distributed by LESCO, Inc. • 1385 East 36th Street • Cleveland, OH 44114-4114

DESCRIPTION

LESCO Recede is specifically designed to control unwanted foaming during spray applications including recirculating sprayers and other high agitation equipment. LESCO Recede is extremely effective at controlling existing foam on contact as well as preventing additional formation of foam.

LESCO Recede is a Polydi-methylsiloxane approved for use as a spray adjuvant under 40 CFR 180.1001 (c) at labeled rates.

DIRECTIONS FOR USE:

TO PREVENT FOAMING: Squirt LESCO Recede directly into liquid.

TO CONTROL EXISTING FOAM: Stop tank agitation, if possible. Squirt LESCO Recede across the surface of the foam head. Use sparingly. A small amount of LESCO Recede is usually sufficient to reduce most foams to acceptable levels.

CLOSED SYSTEM USE: LESCO Recede must be used in a manner which complies with the requirements for closed system handling. Use LESCO Recede before closing system.

Keep Out of Reach of Children

CAUTION

Read All Directions Before Using

PRECAUTIONARY STATEMENTS

May cause temporary skin or eye irritation.

In case of accidental eye contact, flush eyes with water. If irritation persists, obtain medical attention. Wash exposed skin areas with soap and water.

WARRANTY LESCO warrants that this product, when used in accordance with label directions under normal conditions, is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

3BTL000091 4/08

© Copyright 2001 LESCO, Inc.

LESCO is a registered trademark of LESCO, Inc. 01/01
Recede is a trademark of LESCO, Inc.

die black 195

| | |
|----------------------------------|--------------------------|
| Customer: Pace (19514rev) | Die Size: 6 x 7.5 |
| File Name: Lesco 060727 | Distortion: 94.89 |
| Date: 7-29-15 | Step: 1 x 1 |
| Operator: LC | Dist. Step: 0 x 0 |
| Linescreen: | |