

ORDINANCE NO. \_\_\_\_\_ - 2016

AN ORDINANCE AMENDING SECTION 16-43(7) OF THE CODE OF ORDINANCES OF THE LEXINGTON-FAYETTE URBAN COUNTY GOVERNMENT RELATING TO SANITARY SEWER LOCAL LIMITS ON CHEMICAL CONSTITUENT CONTRIBUTORS TO THE TOWN BRANCH AND WEST HICKMAN CREEK WASTEWATER TREATMENT PLANTS, TO REFLECT NEW LIMITS APPROVED BY THE KENTUCKY DIVISION OF WATER.

---

BE IT ORDAINED BY THE COUNCIL OF THE LEXINGTON-FAYETTE URBAN COUNTY GOVERNMENT:

Section 1 – That Section 16-43(7) of the Code of Ordinances be and hereby is amended to read as follows:

(7) Any water or wastes containing the following chemical constituents and/or similar objectionable or toxic substances that exceed the following limits:

TABLE INSET:

Constituents	Contributors to Town Branch WWTP (mg/l)	Contributors to West Hickman Creek WWTP (mg/l)
(a) Arsenic	0.95	1.00
(b) Cadmium	0.009	0.032
(c) Chromium, Total	2.77	2.77
(d) Chromium, Hexavalent	0.34	1.62
(e) Copper	0.42	3.38
(f) Cyanide, Total	0.18	0.86
(g) Lead	0.24	0.49
(h) Mercury	0.006	0.005
(i) Nickel	2.39	3.98
(j) Selenium	0.26	0.70
(k) Silver	0.49	0.59
(l) Zinc	3.24	4.10

All other similar objectionable or toxic substances shall be reviewed by the director, division of sanitary sewers, prior to any discharge into the public sewer. Upon the promulgation of the Federal Categorical Pretreatment Standards for a particular industrial subcategory, the Federal Standard, if more stringent than limitations imposed under this chapter for sources in that subcategory, shall immediately supersede the limitations imposed under this chapter.

Section 2 – That this Ordinance shall become effective on the date of its passage.

PASSED URBAN COUNTY COUNCIL:

---

MAYOR

ATTEST:

---

CLERK OF THE URBAN COUNTY COUNCIL

PUBLISHED:

921-16\_MC\_X:\Cases\WATER-AIR\16-LE0001\LEG\00545482.DOC