

INVITATION TO BID

Bid Invitation Number: #77-2011

Date of Issue: 08/23/2011

Sealed bids will be received in the office of the Division of Central Purchasing, 200 East Main Street, Lexington, Kentucky, until **2:00 PM**, prevailing local time on **09/07/2011**. Bids must be received by the above-mentioned date and time. Mailed bids should be sent to:

**Division of Central Purchasing
200 East Main Street, Room 338
Lexington, KY 40507, (859) 258-3320**

The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.

All bids must have the company name and address, bid invitation number, and the commodity/service on the outside of the envelope.

Bids are to include all shipping costs to the point of delivery located at: 1795 Old Frankfort Pike, Lexington, Kentucky 40504

Bid Security Required: ☐ Yes ☒ No Performance Bond Required: ☐ Yes ☒ No
Cashier Check, Certified Check, Bid Bond (Personal checks and company checks will not be acceptable).

Commodity/Service
Police Recruit Equipment

<p style="text-align: center;"><u>Check One:</u></p> <p><input checked="" type="checkbox"/> Bid Specifications Met</p> <p><input type="checkbox"/> Exceptions to Bid Specifications. <i>Exceptions shall be itemized and attached to bid proposal submitted.</i></p>	<p style="text-align: center;"><u>Proposed Delivery:</u></p> <p><u>30</u> days after acceptance of bid.</p>
<p><u>Procurement Card Usage</u></p> <p><input type="checkbox"/> Yes The Lexington-Fayette Urban County Government will be using Procurement Cards to</p> <p><input checked="" type="checkbox"/> No purchase goods and services and also to make payments. Will you accept Procurement Cards?</p>	

Submitted by:

Bluegrass Uniforms
Firm
3533 Dahlia Way
Address
Bowling Green, KY. 42101
City, State & Zip

**Bid must be signed:
(original signature)**

Eric Colson - Sales Rep.
Signature of Authorized Company Representative – Title
ERIC COLSON
Representative's Name (Typed or printed)
859-806-5774 270-843-6661
Area Code - Phone - Extension Fax #
eric@bluegrassuniforms.com
E-Mail Address

The Affidavit in this bid must be completed before your firm can be considered for award of this contract.

AFFIDAVIT

Comes the Affiant, Elizabeth Mullannix, and after being first duly sworn under penalty of perjury as follows:

1. His/her name is Eric Colson and he/she is the individual submitting the bid or is the authorized representative of

Bluegrass Uniforms,

the entity submitting the bid (hereinafter referred to as "Bidder").

2. Bidder will pay all taxes and fees, which are owed to the Lexington-Fayette Urban County Government at the time the bid is submitted, prior to award of the contract and will maintain a "current" status in regard to those taxes and fees during the life of the contract.

3. Bidder will obtain a Lexington-Fayette Urban County Government business license, if applicable, prior to award of the contract.

4. Bidder has authorized the Division of Central Purchasing to verify the above-mentioned information with the Division of Revenue and to disclose to the Urban County Council that taxes and/or fees are delinquent or that a business license has not been obtained.

5. Bidder has not knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky within the past five (5) years and the award of a contract to the Bidder will not violate any provision of the campaign finance laws of the Commonwealth.

6. Bidder has not knowingly violated any provision of Chapter 25 of the Lexington-Fayette Urban County Government Code of Ordinances, known as "Ethics Act."

7. Bidder acknowledges that "knowingly" for purposes of this Affidavit means, with respect to conduct or to circumstances described by a statute or ordinance defining an offense, that a person is aware or should have been aware that his conduct is of that nature or that the circumstance exists.

Further, Affiant sayeth naught.

STATE OF Kentucky

COUNTY OF Scott

The foregoing instrument was subscribed, sworn to and acknowledged before me by Eric Colson with Bluegrass Uniforms on this the 13 day of September, 2011.

My Commission expires: January 12, 2014

Elizabeth Mullannix
NOTARY PUBLIC, STATE AT LARGE

Please refer to Section II. Bid Conditions, Item "U" prior to completing this form.

I. GREEN PROCUREMENT

A. ENERGY

The Lexington-Fayette Urban County Government is committed to protecting our environment and being fiscally responsible to our citizens.

The Lexington-Fayette Urban County Government mandates the use of Energy Star compliant products if they are available in the marketplace (go to www.Energystar.gov). If these products are available, but not submitted in your pricing, your bid will be rejected as non-compliant.

ENERGY STAR is a government program that offers businesses and consumers energy-efficient solutions, making it easy to save money while protecting the environment for future generations.

Key Benefits

These products use 25 to 50% less energy
Reduced energy costs without compromising quality or performance
Reduced air pollution because fewer fossil fuels are burned
Significant return on investment
Extended product life and decreased maintenance

B. GREEN SEAL CERTIFIED PRODUCTS

The Lexington-Fayette Urban County Government is also committed to using other environmentally friendly products that do not negatively impact our environment. Green Seal is a non-profit organization devoted to environmental standard setting, product certification, and public education.

Go to www.Greenseal.org to find available certified products. These products will have a reduced impact on the environment and on human health. The products to be used must be pre-approved by the LFUCG prior to commencement of any work in any LFUCG facility. If a Green Seal product is not available, the LFUCG must provide a signed waiver to use an alternate product. Please provide information on the Green Seal products being used with your bid response.

C. GREEN COMMUNITY

The Lexington-Fayette Urban County Government (LFUCG) serves as a principal, along with the University of Kentucky and Fayette County Public Schools, in the Bluegrass Partnership for a Green Community. The Purchasing Team component of the Partnership collaborates on economy of scale purchasing that promotes and enhances environmental initiatives. Specifically, when applicable, each principal is interested in obtaining best value products and/or services which promote environment initiatives via solicitations and awards from the other principals.

If your company is the successful bidder on this Invitation For Bid, do you agree to extend the same product/service pricing to the other principals of the Bluegrass Partnership for a Green Community (i.e. University of Kentucky and Fayette County Schools) if requested?

Yes X No

II. Bid Conditions

- A. No bid may be withdrawn for a period of sixty (60) days after the date and time set for opening.
- B. No bid may be altered after the date and time set for opening. In the case of obvious errors, the Division of Central Purchasing may permit the withdrawal of a bid. The decision as to whether a bid may be withdrawn shall be that of the Division of Central Purchasing.
- C. Acceptance of this proposal shall be enactment of an Ordinance by the Urban County Council.
- D. The bidder agrees that the Urban County Government reserves the right to reject any and all bids for either fiscal or technical reasons, and to award each part of the bid separately or all parts to one vendor.
- E. Minor exceptions may not eliminate the bidder. The decision as to whether any exception is minor shall be entirely that of the head of the requisitioning Department or Division and the Director of the Division of Central Purchasing. The Urban County Government may waive technicalities and informalities where such waiver would best serve the interests of the Urban County Government.
- F. Manufacturer's catalogue numbers, trade names, etc., where shown herein are for descriptive purposes and are to guide the bidder in interpreting the standard of quality, design, and performance desired, and shall not be construed to exclude proposals based on furnishing other types of materials and/or services. However, any substitution or departure proposed by the bidder must be clearly noted and described; otherwise, it will be assumed that the bidder intends to supply items specifically mentioned in this Invitation for Bids.
- G. The Urban County Government may require demonstrations of the materials proposed herein prior to acceptance of this proposal.
- H. Bids must be submitted on this form and must be signed by the bidder or his authorized representative. Unsigned bids will not be considered.
- I. Bids must be submitted prior to the date and time indicated for opening. Bids submitted after this time will not be considered.
- J. All bids mailed must be marked on the face of the envelope:

"Bid on #77-2011 – Police Recruit Equipment"

and addressed to: Division of Central Purchasing
 200 East Main Street, Room 338
 Lexington, Kentucky 40507

The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.

- K. Bidder is requested to show both unit prices and lot prices. In the event of error, the unit price shall prevail.
- L. A certified check or Bid Bond in the amount of XX percent of the bid price must be attached hereto. This check must be made payable to the Lexington-Fayette Urban County Government, and will be returned when the material and/or services specified herein have been delivered in accordance with specifications. In the event of failure to perform within the time period set forth

in this bid, it is agreed the certified check may be cashed and the funds retained by the Lexington-Fayette Urban County Government as liquidated damages. Checks of unsuccessful bidders will be returned when the bid has been awarded.

- M. The delivery dates specified by bidder may be a factor in the determination of the successful bidder.
- N. Tabulations of bids received may be mailed to bidders. Bidders requesting tabulations must enclose a stamped, self-addressed envelope with the bid.
- O. The Lexington-Fayette Urban County Government is exempt from Kentucky Sales Tax and Federal Excise Tax on materials purchased from this bid invitation. Materials purchased by the bidder for construction projects are not tax exempt and are the sole responsibility of the bidder.
- P. All material furnished hereunder must be in full compliance with OSHA regulations.
- Q. If more than one bid is offered by one party, or by any person or persons representing a party, all such bids shall be rejected.
- R. Signature on the face of this bid by the Bidder or his authorized representative shall be construed as acceptance of and compliance with all terms and conditions contained herein.
- S. The Entity (regardless of whether construction contractor, non-construction contractor or supplier) agrees to provide equal opportunity in employment for all qualified persons, to prohibit discrimination in employment because of race, color, creed, national origin, sex or age, and to promote equal employment through a positive, continuing program from itself and each of its sub-contracting agents. This program of equal employment opportunity shall apply to every aspect of its employment policies and practices.
- T. The Kentucky Equal Employment Opportunity Act of 1978 (KRS 45.560-45.640) requires that any county, city, town, school district, water district, hospital district, or other political subdivision of the state shall include in directly or indirectly publicly funded contracts for supplies, materials, services, or equipment hereinafter entered into the following provisions:

During the performance of this contract, the contractor agrees as follows:

- (1) The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, age or national origin;*
- (2) The contractor will state in all solicitations or advertisements for employees placed by or on behalf of the contractors that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, age or national origin;*
- (3) The contractor will post notices in conspicuous places, available to employees and applicants for employment, setting forth the provisions of the non-discrimination clauses required by this section; and*
- (4) The contractor will send a notice to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding advising the labor union or workers' representative of the contractor's commitments under the nondiscrimination clauses.*

The Act further provides:

KRS 45.610. Hiring minorities - Information required

- (1) For the length of the contract, each contractor shall hire minorities from other sources*

within the drawing area, should the union with which he has collective bargaining agreements be unwilling to supply sufficient minorities to satisfy the agreed upon goals and timetable.

- (2) *Each contractor shall, for the length of the contract, furnish such information as required by KRS 45.560 to KRS 45.640 and by such rules, regulations and orders issued pursuant thereto and will permit access to all books and records pertaining to his employment practices and work sites by the contracting agency and the department for purposes of investigation to ascertain compliance with KRS 45.560 to 45.640 and such rules, regulations and orders issued pursuant thereto.*

KRS 45.620. Action against contractor - Hiring of minority contractor or subcontractor

- (1) *If any contractor is found by the department to have engaged in an unlawful practice under this chapter during the course of performing under a contract or subcontract covered under KRS 45.560 to 45.640, the department shall so certify to the contracting agency and such certification shall be binding upon the contracting agency unless it is reversed in the course of judicial review.*
- (2) *If the contractor is found to have committed an unlawful practice under KRS 45.560 to 45.640, the contracting agency may cancel or terminate the contract, conditioned upon a program for future compliance approved by the contracting agency and the department. The contracting agency may declare such a contractor ineligible to bid on further contracts with that agency until such time as the contractor complies in full with the requirements of KRS 45.560 to 45.640.*
- (3) *The equal employment provisions of KRS 45.560 to 45.640 may be met in part by a contractor by subcontracting to a minority contractor or subcontractor. For the provisions of KRS 45.560 to 45.640, a minority contractor or subcontractor shall mean a business that is owned and controlled by one or more persons disadvantaged by racial or ethnic circumstances.*

KRS 45.630 Termination of existing employee not required, when

Any provision of KRS 45.560 to 45.640 notwithstanding, no contractor shall be required to terminate an existing employee upon proof that that employee was employed prior to the date of the contract.

KRS 45.640 Minimum skills

Nothing in KRS 45.560 to 45.640 shall require a contractor to hire anyone who fails to demonstrate the minimum skills required to perform a particular job.

It is recommended that all of the provisions above quoted to be included as special conditions in each contract. In the case of a contract exceeding \$250,000, the contractor is required to furnish evidence that his work-force in Kentucky is representative of the available work-force in the area from which he draws employees, or to supply an Affirmative Action plan which will achieve such representation during the life of the contract.

- U. Any party, firm or individual submitting a proposal pursuant to this invitation must be in compliance with the requirements of the Lexington-Fayette Urban County Government regarding taxes and fees before they can be considered for award of this invitation and must maintain a "current" status with regard to those taxes and fees throughout the term of the

contract. The contractor must be in compliance with Chapter 13 from the Code of Ordinances of the Lexington-Fayette Urban County Government. The contractor must be in compliance with Ordinance 35-2000 pursuant to contractor registration with the Division of Building Inspection. If applicable, said business must have a Fayette County business license.

Pursuant to KRS 45A.343 and KRS 45A.345, the contractor shall

- (1) Reveal any final determination of a violation by the contractor within the previous five year period pursuant to KRS Chapters 136 (corporation and utility taxes), 139 (sales and use taxes), 141 (income taxes), 337 (wages and hours), 338 (occupational safety and health of employees), 341 (unemployment and compensation) and 342 (labor and human rights) that apply to the contractor; and*
- (2) Be in continuous compliance with the above-mentioned KRS provisions that apply to the contractor for the duration of the contract.*

A contractor's failure to reveal the above or to comply with such provisions for the duration of the contract shall be grounds for cancellation of the contract and disqualification of the contractor from eligibility for future contracts for a period of two (2) years.

- V. Vendors who respond to this invitation have the right to file a notice of contention associated with the bid process or to file a notice of appeal of the recommendation made by the Director of Central Purchasing resulting from this invitation.

Notice of contention with the bid process must be filed within 3 business days of the bid/proposal opening by (1) sending a written notice, including sufficient documentation to support contention, to the Director of the Division of Central Purchasing or (2) submitting a written request for a meeting with the Director of Central Purchasing to explain his/her contention with the bid process. After consulting with the Commissioner of Finance the Chief Administrative Officer and reviewing the documentation and/or hearing the vendor, the Director of Central Purchasing shall promptly respond in writing findings as to the compliance with bid processes. If, based on this review, a bid process irregularity is deemed to have occurred the Director of Central Purchasing will consult with the Commissioner of Finance, the Chief Administrative Officer and the Department of Law as to the appropriate remedy.

Notice of appeal of a bid recommendation must be filed within 3 business days of the bid recommendation by (1) sending a written notice, including sufficient documentation to support appeal, to the Director, Division of Central Purchasing or (2) submitting a written request for a meeting with the Director of Central Purchasing to explain his appeal. After reviewing the documentation and/or hearing the vendor and consulting with the Commissioner of Finance and the Chief Administrative Officer, the Director of Central Purchasing shall in writing, affirm or withdraw the recommendation.

III. Procurement Contract Bid Conditions

- A. The terms of this agreement shall be for 1 year from the date of acceptance of this contract by the Lexington-Fayette Urban County Government. This agreement may be extended for an additional 1 year renewal upon the written agreement of the bidder and the Lexington-Fayette Urban County Government. Said agreement must be in writing and must be executed prior to the expiration of the current agreement.
- B. Price Changes (Space Checked Applies)
 - (XXX) 1. Prices quoted in response to the Invitation shall be firm prices for the first 90 days of the Procurement Contract. After 90 days, prices may be subject to revision and such changes shall be based on general industry changes. Revision may be either increases or decreases and may be requested by either party. There will be no more than one (1) price adjustment per quarter. Requests for price changes shall be received in writing at least twenty (20) days prior to the effective date and are subject to written acceptance before becoming effective. Proof of the validity of a request for revision shall be responsibility of the requesting party. The Lexington-Fayette Urban County Government shall receive the benefit of any decline that the seller shall offer his other accounts.
 - ☐ 2. No provision for price change is made herein. Prices are to be firm for the term of this contract.
 - ☐ 3. Procurement Level Contract
- C. If any contract item is not available from the vendor, the Lexington-Fayette Urban County Government, at its option, may permit the item to be back-ordered or may procure the item on the open market.
- D. All invoices must bear reference to the Lexington-Fayette Urban County Government Purchasing document numbers which are being billed.
- E. This contract may be canceled by either party thirty (30) days after delivery by canceling party of written notice of intent to cancel to the other contracting party.
- F. This contract may be canceled by the Lexington-Fayette Urban County Government if it is determined that the Bidder has failed to perform under the terms of this agreement, such cancellation to be effective upon receipt of written notice of cancellation by the Bidder.
- G. No substitutions for articles specified herein may be made without prior approval of the Division of Central Purchasing.

EQUAL OPPORTUNITY AGREEMENT

The Law

- Title VII of the Civil Rights Act of 1964 (amended 1972) states that it is unlawful for an employer to discriminate in employment because of race, color, religion, sex, age (40-70 years) or national origin.
- Executive Order No. 11246 on Nondiscrimination under Federal contract prohibits employment discrimination by contractor and sub-contractor doing business with the Federal Government or recipients of Federal funds. This order was later amended by Executive Order No. 11375 to prohibit discrimination on the basis of sex.
- Section 503 of the Rehabilitation Act of 1973 states:

The Contractor will not discriminate against any employee or applicant for employment because of physical or mental handicap.

- Section 2012 of the Vietnam Era Veterans Readjustment Act of 1973 requires Affirmative Action on behalf of disabled veterans and veterans of the Vietnam Era by contractors having Federal contracts.
- Section 206(A) of Executive Order 12086, Consolidation of Contract Compliance Functions for Equal Employment Opportunity, states:

The Secretary of Labor may investigate the employment practices of any Government contractor or sub-contractor to determine whether or not the contractual provisions specified in Section 202 of this order have been violated.

The Lexington-Fayette Urban County Government practices Equal Opportunity in recruiting, hiring and promoting. It is the Government's intent to affirmatively provide employment opportunities for those individuals who have previously not been allowed to enter into the mainstream of society. Because of its importance to the local Government, this policy carries the full endorsement of the Mayor, Commissioners, Directors and all supervisory personnel. In following this commitment to Equal Employment Opportunity and because the Government is the benefactor of the Federal funds, it is both against the Urban County Government policy and illegal for the Government to let contracts to companies which knowingly or unknowingly practice discrimination in their employment practices. Violation of the above mentioned ordinances may cause a contract to be canceled and the contractors may be declared ineligible for future consideration.


Please sign this statement in the appropriate space acknowledging that you have read and understand the provisions contained herein. Return this document as part of your application packet.

Bidders

I/We agree to comply with the Civil Rights Laws listed above that govern employment rights of minorities, women, Vietnam veterans, handicapped and aged persons.



Signature



Name of Business

Lexington-Fayette Urban County Government
Division of Police
Police Recruit Equipment

The Lexington-Fayette Urban County Government is accepting bids to establish a price contract for Recruit Equipment for the Division of Police, 1795 Old Frankfort Pike, Lexington, Kentucky, 40504, per the following specifications.

NOTES TO BIDDERS:

1. Bid prices shall be applicable for all Division of Police Officers, in accordance with their uniform allowances and/or for reimbursement. (This would require contract vendors to sell equipment to individual officers at the contract price).
2. The LFUCG reserves the right to award this bid by line item, section, or as a whole, and in the best interests of LFUCG.
3. This bid will be evaluated and awarded based on best value criteria, which shall be comprised of 80% cost, 10% best delivery date, and 10% prior performance history by vendor.
4. Bid prices shall include all measurements and alterations, which shall be completed within two (2) days of receipt of article of clothing. Alterations are to include:
 - Hemming Pants
 - Adjusting Shirt Sleeve Length
 - Tapering Shirts
 - Adjusting Pant Waist & Stride Size
5. All patches are to be supplied by vendor and sewn on uniforms when delivered.
6. All items shall be delivered within thirty (30) days. After thirty (30) days the Division of Police has the option of purchasing items from another vendor.
7. Failure to meet these firm delivery requirements will result in termination of the contract. Vendor may note quicker than required delivery times in the pricing section below, since best delivery time is an evaluation criteria.
8. If bidding an Equal, vendor may be required to produce a sample for evaluation purposes. Brands and model numbers are given to establish specifications for material, quality, and workmanship. Failure to comply with this request may result in rejection of the bid.
9. For questions concerning these specifications, please contact Theresa Maynard, Division of Central Purchasing at (859) 258-3320 or theresam@lexingtonky.gov, or Lt. Lawrence Weathers, Division of Police at (859) 258-3600

Item	SECTION IA - CLASS "A" UNIFORM ITEMS	Model #	Delivery Time	Price
1	Men's Class A - Short Sleeve Shirt: Flying Cross by Fechheimer Model #687R9226, w/ patches on both sleeves and alterations - or equal.			\$ No Bid
2	Women's Class A - Short Sleeve Shirt: Flying Cross by Fechheimer Model #287R9226, w/ patches on both sleeves and alterations - or equal.			\$ No Bid
3	Men's Class A - Long Sleeve Shirt: Flying Cross by Fechheimer Model #334W9326, w/ patches on both sleeves and alterations - or equal.			\$ No Bid
4	Men/Women Class A MPD Convertible Collar Long Sleeve Shirt			\$ No Bid
5	Women's Class A - Long Sleeve Shirt: Flying Cross by Fechheimer Model #234W9326, w/ patches on both sleeves and alterations - or equal.			\$ No Bid
6	Men's Class A - Summer Pants: Fechheimer Brothers Company Trouser Model #32247 w/ alterations - or equal.			\$ No Bid
7	Men's Class A - Winter Pants: Fechheimer Brothers Company Trouser Model #32217, w/ alterations - or equal.			\$ No Bid
8	Women's Class A - Summer Pants: Fechheimer Brothers Company Trouser Model #32247WT, w/ alterations - or equal.			\$ No Bid
9	Women's Class A - Winter Pants: Fechheimer Brothers Company Trouser Model #32217WT, w/ alterations - or equal.			\$ No Bid

Item	SECTION IA - CLASS "A" ACCESSORIES	Model #	Delivery Time	Price
10	Class A - Summer Hat: Stratton Model S-42 w/ 3 piece strap, rain cover and silver acorns - or equal.	S-42	30 DAYS	\$ 71.00
11	Class A - Winter Hat: Stratton Model F-42 - or equal.	F-42	30 DAYS	\$ 65.00
12	Tie: Samuel Broome, 900-61 Navy Blue, w/ button hole attachment feature - or equal.	900-61	30 DAYS	\$ 4.00
13	Buttons: Waterbury Chrome (not nickel) "P" buttons w/ keepers and washers - or equal.	B-100	30 DAYS	\$ 1.25
14	Name Tag Plate: Reeves N800 Clutchback, Silver w/ blue letters (1/2" x 2 3/8") - or equal	N800	30 DAYS	\$ 9.00
15	Serving Since Plate: Reeves YTSSP Clutchback, Silver w/ blue letters (1/4" x 1 7/8") - equal.	YTSSP	30 DAYS	\$ 8.75
16	P.D. Pins: Blackington, Model #A7365, Silver, (5/16" x 11/16") - or equal.	A7365	30 DAYS	\$ 7.00



Item	SECTION II - CLASS "B" UNIFORM ITEMS	Model #	Delivery Time	Price
17	Class B - Short Sleeve Shirt: Blauer StreetGear Style #8713 & 8713W, w/ round subdue patches on both sleeves, subdue badge on left chest, name strip and alterations - or equal.	8713 8713W	30 DAYS	\$ 39.00
18	Class B - Long Sleeve Shirt: Blauer StreetGear Style #8703 & 8703W, w/ round subdue patches on both sleeves, subdue badge on left chest, name strip and alterations - or equal.	8703 8703W	30 DAYS	\$ 44.00

19	Class B - Long Pants: Blauer StreetGear Style #8810 & 8810W, w/ alterations - or equal.	8810 8810 W	30 Days	\$ 52. ⁰⁰
20	Baseball Cap: Flex Fit black w/ subdue letters - or equal.	6377	30 Days	\$ 10. ⁰⁰
21	Baseball Cap: Blauer Style #8150 w/ subdue letters - or equal.	8154	30 Days	\$ 12. ⁰⁰

Item	SECTION III - COLD WEATHER ACCESSORIES	Model #	Delivery Time	Price
21	Blauer Jacket: Model #9905Z, Crosstech Public Safety Fabric, Navy Color, w/ velcro for both shoulders and badge patches, includes subdue and standard patches w/ hood and matching name strip - or equal.	9905Z	30 Days	\$ 224. ⁰⁰
22	Blauer Sweater - Model# 225 Navy with badge and name plate pin holes	225	30 Days	\$ 70. ⁰⁰
23	Blauer Trooper Hat - Model #9111, Goretex, Navy Color - or equal.	9111	30 Days	\$ 25. ⁰⁰
24	Blauer Gloves: Model #9100, Gore-Tex Fabric - or equal.	9100	30 Days	\$ 36. ⁰⁰

SECTION IV - DUTY EQUIPMENT

Item	Section IVA - Safariland Basketweave	Model #	Delivery Time	Price
25	Safariland Basketweave 2 1/4" Outer Duty Belt: Model #94-4 - or equal.	94-4	30 DAYS	\$ 50. ⁰⁰
26	Safariland Basketweave Trouser Inner Belt: Model #99-3-4 - or equal.	99-3-4	30 DAYS	\$ 25. ⁰⁰
27	Safariland Basketweave Polystinger Flashlight Holder: Model #306-11-4 - or equal.	306-11-4	30 DAYS	\$ 18. ⁰⁰
28	Safariland Basketweave Handcuff Case: Model #90-4HS, w/ hidden snaps - or equal.	90-4HS	30 DAYS	\$ 22. ⁵⁰
29	Safariland Basketweave Double Handcuff Case: Model #290-4HS, w/ hidden snaps - or equal.	290-4HS	30 DAYS	\$ 29. ⁵⁰
30	Safariland Basketweave Double Magazine Holder: Model #77-83-4HS, for Glock Model 17 or 22, w/ hidden snaps - or equal	77-83-4HS	30 DAYS	\$ 27. ⁰⁰
31	Safariland Basketweave MKIII Mace Case: Model #38-4-4HS, w/ hidden snaps - or equal.	38-4-4HS	30 DAYS	\$ 18. ⁷⁵
32	Safariland Basketweave 6295-S SSII Holster: Model #SA016295-83-181-S-2(Right) or #SA016295-83-182-S-2 (Left) for Glock 17 or 22 - or equal.	SA016295-83-181-S-2		\$ No Bid
33	Safariland Basketweave ALS Mid-Ride Level II: Model #6360-83-81-SH (right) or #6360-83-82-SH (left) - or equal	6360-83-81-SH 6360-83-82-SH	30 DAYS	\$ 114. ⁰⁰
34	Safariland Basketweave Glove Holder: Model # 33-4V w/ hidden snaps - or equal.	33-4V	30 DAYS	\$ 12. ⁰⁰
35	Safariland Basketweave Belt Keepers: Model #62-4HS, w/ hidden snaps, 4 pack - or equal.	62-4HS	30 DAYS	\$ 15. ⁰⁰

Item	Section IVB - Safariland Nylok	Model #	Delivery Time	Price
36	Safariland Nylok Outer Duty Belt: Model #4301-2 - or equal.	4301-2	30 DAYS	\$ No Bid
37	Safariland Nylok Inner Belt: Model #4325-2 - or equal.	4325-2	30 DAYS	\$ 18.00
38	Safariland Nylok Belt Keeper: Model #4200-2BL - or equal.	4200-2BL	30 DAYS	\$ No Bid
39	Safariland Nylok Polystinger Flashlight Holder: Model #4230-1-4BL - or equal.	4230-1-4BL	30 DAYS	\$ No Bid
40	Safariland Nylok Glove Holder: Model #4600-4BL - or equal.	4600-4BL	30 DAYS	\$ No Bid
41	Safariland Nylok Handcuff Case: Model #4250-2BL - or equal.	4250-2BL	30 DAYS	\$ No Bid
42	Safariland Nylok Double Handcuff Case: Model #4260-2BL - or equal	4260-2BL	30 DAYS	\$ No Bid
43	Safariland Nylok 7295-S SSII Holster: Model #SA01-7295-83-191(Right) or #SA01-7295-83-192(Left), for Glock 17 or 22 - or equal.	SA01-7295-83-191 7295-83-192	30 DAYS	\$ No Bid
44	Safariland Nylok ALS Mid-Ride Level II: Model #6360-83-131 (right) or #6360-83-132 (left) - or equal	6360-83-131 -132	30 DAYS	\$ 82.00
45	Safariland ALS Belt Slide Holster (Off Duty): Model #6351 - or equal	 6377	30 DAYS	\$ 30.00
46	Safariland ALS Paddle Holster (Off Duty): Model #6358 - or equal	 6378	30 DAYS	\$ 33.00
47	Safariland Nylok Magazine Holder: Model #4110-76-2BL, for Glock 17 or 22 - or equal.	4110-76-2BL	30 DAYS	\$ No Bid
48	Safariland Nylok MKIII Mace Case: Model #4271-2BL - or equal.	4271-2BL	30 DAYS	\$ No Bid

Item	Section IVC - Bianchi Nylon	Model #	Delivery Time	Price
49	Bianchi Nylon Belt Keeper: Model #6406, 4 pack - or equal	6406	30 DAYS	\$ 6.00
50	Bianchi Nylon AccuMold Covered Cuff Case: Model #7300 - or equal	7300	30 DAYS	\$ 14.50
51	Bianchi Nylon AccuMold Double Covered Cuff Case: Model #7317 - or equal	7317	30 DAYS	\$ 19.50
52	Bianchi Nylon AccuMold Double Magazine Pouch: Model #7302 - or equal	7302	30 DAYS	\$ 17.50
53	Bianchi Nylon AccuMold OC Spray Pouch: Model #7307 - or equal	7307	30 DAYS	\$ 16.50
54	Bianchi Nylon AccuMold Compact Light Pouch: Model #7311 - or equal	7311	30 DAYS	\$ 15.75
55	Bianchi Nylon AccuMold Flat Glove Pouch: Model #7328 - or equal	7328	30 DAYS	\$ 11.00

Item	SECTION V - BATON EQUIPMENT	Model #	Delivery Time	Price
56	Monadnock 22" Autolock Baton: Model #9030, w/Power Safety Tip, Black Gun Finish – or equal	9130	30 DAYS	\$ 94.50
57	Monadnock Front Draw Clip-On Holder: Model #3038, Plain Finish – or equal			\$ No Bid
58	Monadnock 36" Polycarbonate Riot Baton: Model #2004 - or equal	2204	30 DAYS	\$ 43.50

Item	SECTION VI - O. C. EQUIPMENT	Model #	Delivery Time	Price
59	O. C.: First Defense Mark III Model #SD085 - or equal			\$ No Bid
60	Inert O. C.: First Defense Mark III - or equal			\$ No Bid

Item	Section VII - MISCELLANEOUS EQUIPMENT	Model #	Delivery Time	Price
61	Badge/ID Case: Strong Brand, w/ Agency Badge Cutout - or equal	85500	30 DAYS	\$ 16.00
62	Riot Face Shield: Paulson MFG., Model # DK5-H.150HM, NIJ Certified - or equal	DK5-H.150HM		\$ 49.75
63	Ballistic Kevlar Helmet: Second Chance PASGT Ballistic Helmet IIIA model #HELMPAS650-Blk - or equal	774	30 DAYS	\$ 238.00
64	Book Bag: Galls Street Pro Black Gear Bag Model #BG006 or equal.	PBG081	30 DAYS	\$ 32.00
65	Boots (Mens): Danner Radical Striker 45, Black, GTX Model #42900 - or equal	42975	30 DAYS	\$ 109.00
66	Boots (Womens): Danner Radical Striker 45, Black, GTX Model #42910 - or equal	42970	30 DAYS	\$ 109.00
67	Flashlight & Traffic Cone: Streamlight Polystinger Rechargeable FL169, Model #76514 and w/ Streamlight Polystinger Traffic Cone - Orange, FL169, Model # 75903 - or equal	76514		\$ 89.00
68	ANSI 111 Traffic Vest: Model # ZX064			\$ No Bid
69	Gas Mask: Advantage 1000 Model #1487(small) #1488(medium) #1489(large)			\$ No Bid
10	Gas Mask Carrier: Galls Model #TE210 w/ adjustable drop leg and belt adjust or equal			\$ No Bid
71	Glock 17: 9MM Semi-Auto w/ Trijicon Night Sights, w/ 3-17 Rd. Magazines, 8 lb. Trigger - or equal			\$ No Bid
72	Glock 17: 9MM Semi-Auto Magazine, 17 rd. - or equal			\$ No Bid
73	Glock 22: .40 caliber, Semi-Auto w/ Trijicon Night Sights, w/ 3 magazines, 8lb Trigger - or equal			\$ No Bid
74	Glock 22: .40 caliber, Semi-Auto Magazine, 17 round or equal			\$ No Bid
75	X-26 Taser			\$ No Bid
76	Taser Cartridge Model # XP 25'			\$ No Bid

77	Taser Single Cartridge Pouch Basketweave: Model# TA2006BW			\$ ^{No} _{BID}
78	Taser Single Cartridge Pouch Nyllok: Model# TA2006NY			\$ ^{No} _{BID}
79	Handcuffs: Smith & Wesson, Model #300 or equal	300	30 DAYS	\$ 32.50
80	RIPP Restraint Leg Hobble: Model #H-100 - or equal			\$ ^{No} _{BID}
81	Shoes (Men): Bates Leather Dress Shoe, Model 112 or equal	112	30 DAYS	\$ 80.00
82	Shoes (Womens): Bates Leather Dress Shoe, Model 752 or equal	752	30 DAYS	\$ 80.00
83	Travel Bag: Galls Street Pro Plus Gear Bag Model #SH-G-023, large/black - or equal			\$ ^{No} _{BID}
84	Whistle: Fox 40 Cushion Mouth Whistle w/ Lanyard model #9600-WN - or equal			\$ ^{No} _{BID}
85	Sony Digital Recorder: Model #ICD-ST 25 - BID#124-2003 ORD #12004 - or equal			\$ ^{No} _{BID}
86	5:11 Tactical Pants: Khaki and Black	74273	30 DAYS	\$ 40.00
87	Blauer Goretex Rainsuit Jacket: Model #9691 Level III / Black, w/velcro for both shoulders and badge patches	9691	30 DAYS	\$ 215.00
88	Blauer Goretex Rainsuit Trousers: Model #9134 blk	9134	30 DAYS	\$ 109.00
89	Shoulder Patch: Lexington Division of Police Class A shoulder patch to match current design specifications			\$ ^{No} _{BID}
90	Shoulder Patch: Lexington Division of Police Class A shoulder patch <u>with velcro backing</u> to match current design specifications			\$ ^{No} _{BID}
91	Shoulder Patch: Lexington Division of Police Class B shoulder patch to match current design specifications			\$ ^{No} _{BID}
92	Shoulder Patch: Lexington Division of Police Class B shoulder patch <u>with velcro backing</u> to match current design specifications			\$ ^{No} _{BID}
93	Badge Patch: Lexington Division of Police Class A badge patch to match current design specifications			\$ ^{No} _{BID}
94	Badge Patch: Lexington Division of Police Class A badge patch <u>with velcro backing</u> to match current design specifications			\$ ^{No} _{BID}
95	Badge Patch: Lexington Division of Police Class B badge patch to match current specifications			\$ ^{No} _{BID}
96	Badge Patch: Lexington Division of Police Class B badge patch <u>with velcro backing</u> to match current specifications			\$ ^{No} _{BID}
97	Protective Glasses: Model #71MB-000 Apollo Shooting Glasses (Clear) or equal			\$ ^{No} _{BID}
98	Protective Glasses: Model #71MB-002 Apollo Shooting Glasses (Gray) or equal			\$ ^{No} _{BID}
99	Radio Holder (Nylon): Motorola Nylon Holder Model #NTN7247A or equal			\$ ^{No} _{BID}



Lexington-Fayette Urban County Government
DEPARTMENT OF FINANCE & ADMINISTRATION

Jim Gray
Mayor

Jane C. Driskell
Commissioner

ADDENDUM #1

Bid Number: #77-2011

Date: September 2, 2011

Subject: Police Recruit Equipment


Please address inquiries to:
Theresa Maynard (859) 258-3320

TO ALL PROSPECTIVE BIDDERS:

Please be advised of the clarifications to the above referenced bid:

The opening date shall be Tuesday, September 13th, 2011 at 2:00 PM.


Please see the attached revised specifications for items #1, #2, #3, #5, #6, #7, & #68


Brian Marcum, Director
Division of Central Purchasing

All other terms and conditions of the Bid and specifications are unchanged. This letter should be signed, attached to and become a part of your Bid.

COMPANY NAME: Bluegrass Un. forms

ADDRESS: 3533 Dahlia Way Bowling Green, KY 42101

SIGNATURE OF BIDDER: 

MEN'S SHIRT SPECIFICATIONS
Flying Cross by Fechheimer Item: 687R9226

FABRIC:

Content:

55% Dacron Polyester / 45% Wool

Weight:

8.0 – 8.5 oz. / linear yard

COLOR:


French Blue with Navy

STYLE:

To be Flying Cross Model 687R9226. Dress style, plain reverse front, full cut tapered fit, convertible sport collar, short sleeves and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps and yoke. Exterior badge holder with metal eyelets. Matching inside yoke of high lustre PolyTwill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.

COLLAR:

Convertible sport collar shall be one piece. Collar points to measure 3-1/8" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 2 1/2" long, 3/8" minimum width, and to be fused to under side of collar interlining. Stays applied directly to collar material itself unacceptable. Collar topstitched 1/4" off the edge. Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.




FRONT:

To be made with a sport shirt front with each front having turnback facings approximately 3" in width. The right front shall have one button at the neck and one button at the bottom to align with the buttonholes on the left front. There shall be five horizontal eyelets on the right front with a protective piece behind the eyelets held in place by five tacks between eyelets. Buttons and eyelets shall be spaced 3 1/2" apart from center to center and shall align with functional buttonholes on the left front. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable.

SHOULDER STRAPS:


Navy Blue shoulder straps to be two-piece pointed, 1/8" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to have functional buttonhole to align to horizontal eyelets on the shoulder of the shirt. There shall be a protective piece of cloth under the sewn eyelets to protect the wearer from the toggles. Points of the shoulder straps shall be tacked down to the shoulder and interlined with #250 Dacron. Edge stitched shoulder strap construction unacceptable.



BADGE REINFORCEMENT


Exterior holder to finish 1-1/8" wide by 2-1/4" deep with two metal eyelets positioned vertically 1-1/4" apart with bottom eyelet centered 1-1/4" above left pocket flap.

METAL EYELET BADGE TAB



POCKETS:

Two breast patch pockets with mitered corners and 1-1/2" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pocket to measure 5-5/8" wide, 6" deep. Left breast pocket to have 1- 1/2" pencil stitch. Each pocket shall have a vertical eyelet for insertion of metal buttons and shall align with the buttonholes in the flaps. Each pocket to have hook Velcro, 3/4" long by 1/2" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement.




FLAPS:

Navy Blue flaps to be two-piece deep scalloped design to measure 5-7/8" across and 2-3/4" in depth at center point, 2-1/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/2" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/8" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a well-sewn buttonhole centered on the flap to align with the vertical eyelet on the pocket.

FLAP

TOPSTITCHED FLAP



SLEEVES:

Sleeves are to be straight and whole and to have a 3/4" hem and to finish at a minimum of 9 1/2" long from shoulder seam.

BUTTONS:

First grade 19-ligne pearlescent.

SEWING:

Collar to be topstitched 1/4" off the edge and shoulder straps and pocket flaps to be topstitched 1/8" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, pocket flaps and shoulder straps and top center to be interlined with #250 Dacron.

MILITARY CREASES:

There shall be five pressed in military creases on all shirts. One crease on each front to be centered vertically. Front creases shall not be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

EMBLEMS:

Each sleeve shall have a department emblem sewn 1" down from shoulder seam centered on sleeve.

CONVERTABILITY:

This garment shall be designed to accommodate removable metal buttons having eyelets on the shoulder, pockets and button front. Protective pieces shall be sewn on the inside of the garment on the shoulders and on the inside of the right front.

CONSTRUCTION:

Collar, flaps and straps are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

COUNTRY OF MANUFACTURE:

Assembled in the U.S.A.

STOCK SIZES:

Shirts must be available in the following sizes:

Neck sizes: 14-1/2 to 18-1/2, 19, 20, 21, 22

WOMEN'S SHIRT SPECIFICATIONS
Flying Cross by Fechheimer Item: 287R9226

FABRIC:

Content:

55% Dacron Polyester / 45% Wool

Weight:

8.0 – 8.5 oz. / linear yard

COLOR:


French Blue with Navy

STYLE:

To be Flying Cross Model 287R9226. Dress style, plain reverse front, full cut tapered fit, convertible sport collar, short sleeves and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps and yoke. Exterior badge holder with metal eyelets. Matching inside yoke and banana band of high lustre PolyTwill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.

COLLAR:

Convertible sport collar shall be one piece. Collar points to measure 2-7/8" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 2 1/2" long, 3/8" minimum width, and to be fused to under side of collar interlining. Stays applied directly to collar material itself unacceptable. Collar topstitched 1/4" off the edge. Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.




FRONT:

To be made with a sport shirt front with each front having turnback facings approximately 3" in width. The left front shall have one button at the neck and one button at the bottom to align with the buttonholes on the right front. There shall be four horizontal eyelets on the left front with a protective piece behind the eyelets held in place by four tacks between eyelets. Buttons and eyelets shall be spaced 3 1/2" apart from center to center and shall align with functional buttonholes on the right front. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable.

SHOULDER STRAPS:

Navy Blue shoulder straps to be two-piece pointed, 1/8" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched




approximately 2" from sleeve seam. Shoulder strap to have functional buttonhole to align to horizontal eyelets on the shoulder of the shirt. There shall be a protective piece of cloth under the sewn eyelets to protect the wearer from the toggles. Points of the shoulder straps shall be tacked down to the shoulder and interlined with #250 Dacron. Edge stitched shoulder strap construction unacceptable.

BADGE REINFORCEMENT


Exterior holder to finish 1-1/8" wide by 2-1/4" deep with two metal eyelets positioned vertically 1-1/4" apart with bottom eyelet centered 1-1/4" above left pocket flap.

METAL EYELET BADGE TAB



POCKETS:

Two breast patch pockets with mitered corners and 1-1/4" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pocket to measure 5" wide, 5" deep. Left breast pocket to have 1- 1/4" pencil stitch. Each pocket shall have a vertical eyelet for insertion of metal buttons and shall align with the buttonholes in the flaps. Each pocket to have hook Velcro, 3/4" long by 1/2" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement.




FLAPS:

Navy Blue flaps to be two-piece deep scalloped design to measure 5-1/4" across and 2-1/4" in depth at center point, 1-3/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/4" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/8" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a well-sewn buttonhole centered on the flap to align with the vertical eyelet on the pocket.

FLAP

TOPSTITCHED FLAP



SLEEVES:

Sleeves are to be straight and whole and to have a 3/4" hem and to finish at a minimum of 8 1/2" long from shoulder seam.

BUTTONS:

First grade 19-ligne pearlescent.

SEWING:

Collar to be topstitched 1/4" off the edge and shoulder straps and pocket flaps to be topstitched 1/8" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, pocket flaps and shoulder straps and top center to be interlined with #250 Dacron.

MILITARY CREASES:

There shall be five pressed in military creases on all shirts. One crease on each front to be centered vertically. Front creases shall not be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

EMBLEMS:

Each sleeve shall have a department emblem sewn 1" down from shoulder seam centered on sleeve.

CONVERTABILITY:

This garment shall be designed to accommodate removable metal buttons having eyelets on the shoulder, pockets and button front. Protective pieces shall be sewn on the inside of the garment on the shoulders and on the inside of the right front.

CONSTRUCTION:

Collar, flaps and straps are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

COUNTRY OF MANUFACTURE:

Assembled in the U.S.A.

STOCK SIZES:

Shirts must be available in the following sizes:

Bust sizes: 28-52

MEN'S SHIRT SPECIFICATIONS
Flying Cross by Fechheimer Item: 334W9326

FABRIC:

Content:

55% Dacron Polyester / 45% Wool

Weight:

11.0 – 11.5 oz. / linear yard

COLOR:


French Blue with Navy

STYLE:

To be Flying Cross Model 334W9326. Dress style, top center placket front, full cut tapered fit, banded collar, long sleeves with square cuffs, and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps and yoke. Exterior badge holder with metal eyelets. Matching inside yoke and band of high lustre PolyTwill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.


COLLAR & STAND:

Collar points to measure 3-1/8" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 3" long, 3/8" minimum width, and to be fused to under side of collar interlining. Stays applied directly to collar material itself unacceptable. Collar height at rear 1-1/2". Collar topstitched 1/8" off the edge. Collar stand to measure 1-5/16" at rear and band to be interlined with "Crease-N-Tack." Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.




FRONT:

The left front shall have a top center placket 1-1/2" wide with two rows of stitches 7/8" apart. The right front shall have one button on the collar stand and one button at the bottom to align with the buttonholes on the left front. There shall be five horizontal eyelets on the right front with a protective piece behind the eyelets held in place by five tacks between eyelets. Buttons and eyelets shall be spaced 3 1/2" apart from center to center and shall align with functional buttonholes on the left front. Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable.



SHOULDER STRAPS:

Navy Blue shoulder straps to be two-piece pointed, 1/8" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched




approximately 2" from sleeve seam. Shoulder strap to have functional buttonhole to align to horizontal eyelets on the shoulder of the shirt. There shall be a protective piece of cloth under the sewn eyelets to protect the wearer from the toggles. Points of the shoulder straps shall be tacked down to the shoulder and interlined with #250 Dacron. Edge stitched shoulder strap construction unacceptable.

BADGE REINFORCEMENT


Exterior holder to finish 1-1/8" wide by 2-1/4" deep with two metal eyelets positioned vertically 1-1/4" apart with bottom eyelet centered 1-1/4" above left pocket flap.

METAL EYELET BADGE TAB



POCKETS:

Two breast patch pockets with mitered corners and 1-1/2" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pocket to measure 5-5/8" wide, 6" deep. Left breast pocket to have 1- 1/2" pencil stitch. Each pocket shall have a vertical eyelet for insertion of metal buttons and shall align with the buttonholes in the flaps. Each pocket to have hook Velcro, 3/4" long by 1/2" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement.




FLAPS:

Navy Blue flaps to be two-piece deep scalloped design to measure 5-7/8" across and 2-3/4" in depth at center point, 2-1/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/2" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/8" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a well-sewn buttonhole centered on the flap to align with the vertical eyelet on the pocket.

FLAP


TOPSTITCHED FLAP



SLEEVES:

Sleeve shall have a round one piece elbow reinforcement and vent facing. Lower facing shall measure approximately 1/2" wide.

**BANJO ELBOW
REINFORCEMENT**



CUFFS:

Two piece 1/2-inch hemmed cuff with 1/8" topstitching. Cuffs to measure 2 1/2" in depth with square corners. Cuffs to have two eyelets and corresponding buttonholes set vertically with one button and buttonhole in center of facing. Each cuff shall have a protective piece of cloth sewn the horizontal eyelets to protect the wearer from toggles. Cuffs to have woven interlining of #250 Dacron.

BUTTONS:

First grade 19-ligne pearlescent.

SEWING:

Collar, shoulder straps, pocket flaps and cuffs to be topstitched 1/8" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, cuffs, pocket flaps, shoulder straps and top center to be interlined with #250 Dacron. Collar band interlining to be "Crease-N-Tack".

MILITARY CREASES:

There shall be five pressed in military creases on all shirts. One crease on each front to be centered vertically. Front creases shall not be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

EMBLEMS:

Each sleeve shall have a department emblem sewn 1" down from shoulder seam centered on sleeve.

CONVERTABILITY:

This garment shall be designed to accommodate removable metal buttons having eyelets on the shoulder, cuffs, pockets and button front. Protective pieces shall be sewn on the inside of the garment on the shoulders, cuffs and on the inside of the right front.

CONSTRUCTION:

Collar, flaps, straps and cuffs are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

COUNTRY OF MANUFACTURE:

Assembled in the U.S.A.

STOCK SIZES:

Shirts must be available in the following sizes:

Sleeve lengths: 32-37 inches

Neck sizes: 14-1/2 to 18-1/2, 19, 20, 21, 22

WOMEN'S SHIRT SPECIFICATIONS
Flying Cross by Fechheimer Item: 234W9326

FABRIC:

Content:

55% Dacron Polyester / 45% Wool

Weight:

11.0 – 11.5 oz. / linear yard

COLOR:


French Blue with Navy

STYLE:

To be Flying Cross Model 234W9326. Dress style, top center placket front, full cut tapered fit, banded collar, long sleeves with square cuffs, and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps and yoke. Exterior badge holder with metal eyelets. Matching inside yoke and band of high lustre PolyTwill. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.


COLLAR & STAND:

Collar points to measure 2-7/8" long with ultrasonically fused-in Mylar stays. Collar to have woven interlining of #250 Dacron. Stays to be 2-1/2" long, 3/8" minimum width, and to be fused to under side of collar interlining. Stays applied directly to collar material itself unacceptable. Collar height at rear 1-1/2". Collar topstitched 1/8" off the edge. Collar stand to measure 1-5/16" at rear and band to be interlined with "Crease-N-Tack." Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.




FRONT:

The right front shall have a top center placket 1-1/2" wide with two rows of stitches 7/8" apart. The left front shall have one button on the collar stand and one button at the bottom to align with the buttonholes on the right front. There shall be four horizontal eyelets on the left front with a protective piece behind the eyelets held in place by four tacks between eyelets. Buttons and eyelets shall be spaced 3 1/2" apart from center to center and shall align with functional buttonholes on the right front. Top center placket to have woven interlining of #250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable.



SHOULDER STRAPS:

Navy Blue shoulder straps to be two-piece pointed, 1/8" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched




approximately 2" from sleeve seam. Shoulder strap to have functional buttonhole to align to horizontal eyelets on the shoulder of the shirt. There shall be a protective piece of cloth under the sewn eyelets to protect the wearer from the toggles. Points of the shoulder straps shall be tacked down to the shoulder and interlined with #250 Dacron. Edge stitched shoulder strap construction unacceptable.

BADGE REINFORCEMENT


Exterior holder to finish 1-1/8" wide by 2-1/4" deep with two metal eyelets positioned vertically 1-1/4" apart with bottom eyelet centered 1-1/4" above left pocket flap.

**METAL EYELET
 BADGE TAB**



POCKETS:

Two breast patch pockets with mitered corners and 1-1/4" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pocket to measure 5" wide, 5" deep. Left breast pocket to have 1- 1/4" pencil stitch. Each pocket shall have a vertical eyelet for insertion of metal buttons and shall align with the buttonholes in the flaps. Each pocket to have hook Velcro, 3/4" long by 1/2" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement.




FLAPS:

Navy Blue flaps to be two-piece deep scalloped design to measure 5-1/4" across and 2-1/4" in depth at center point, 1-3/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/4" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/8" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap construction unacceptable. Under side of the flap to have looped Velcro 3/4" long by 1/2" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a well-sewn buttonhole centered on the flap to align with the vertical eyelet on the pocket.

FLAP


TOPSTITCHED FLAP



SLEEVES:

Sleeve shall have a round one piece elbow reinforcement and vent facing. Lower facing shall measure approximately 1/2" wide.

**BANJO ELBOW
REINFORCEMENT**



CUFFS:

Two piece 1/2-inch hemmed cuff with 1/8" topstitching. Cuffs to measure 2 1/2" in depth with square corners. Cuffs to have two eyelets and corresponding buttonholes set vertically with one button and buttonhole in center of facing. Each cuff shall have a protective piece of cloth sewn the horizontal eyelets to protect the wearer from toggles. Cuffs to have woven interlining of #250 Dacron.

BUTTONS:

First grade 19-ligne pearlescent.

SEWING:

Collar, shoulder straps, pocket flaps and cuffs to be topstitched 1/8" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

THREAD:

All sewing threads to be color fast polyester wrap to match.

INTERLININGS:

Collar, cuffs, pocket flaps, shoulder straps and top center to be interlined with #250 Dacron. Collar band interlining to be "Crease-N-Tack".

MILITARY CREASES:

There shall be five pressed in military creases on all shirts. One crease on each front to be centered vertically. Front creases shall not be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

EMBLEMS:

Each sleeve shall have a department emblem sewn 1" down from shoulder seam centered on sleeve.

CONVERTABILITY:

This garment shall be designed to accommodate removable metal buttons having eyelets on the shoulder, cuffs, pockets and button front. Protective pieces shall be sewn on the inside of the garment on the shoulders, cuffs and on the inside of the left front.

CONSTRUCTION:

Collar, flaps, straps and cuffs are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

COUNTRY OF MANUFACTURE:

Assembled in the U.S.A.

STOCK SIZES:

Shirts must be available in the following sizes:

Bust sizes: 28-52

Sleeve lengths:

28, 30	Regular = 30"	
32, 34	Regular = 30"	Long = 31"
36, 38	Regular = 31"	Long = 32"
40, 42	Regular = 32"	Long = 33"
44, 46	Regular = 33"	Long = 34"
48 & Up	Regular = 34"	Long = 35"

MODEL NUMBER:

To be Fechheimer Brothers Company #32247 – Lexington PD

FABRIC:

RAEFORD #3933U 55% DACRON/45% WOOL TROPICAL WEAVE 10-10 1/2 OZ./LINEAR YARD (60" WIDTH) THREE (3) PLY IN WARP AND FILLING BREAKING STRENGTH: 110 LBS WARP 100 LBS FILLING CONSTRUCTION: 50 ENDS/INCH 40 PICKS/INCH COLOR: FRENCH BLUE #114 Fabric may be dry cleaned or laundered in home washing machine.

DESIGN:

Trouser shall be manufactured from a men's uniform trouser pattern. The trouser styling shall incorporate a plain front, two (2) quarter top front pockets, two (2) hip pockets, and a watch pocket. Trouser to be straight leg style.

POCKETING:

The pocketing shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 X 64 count. Pocketing must have a durable press finish and the color of the pocketing must be cadet blue.

POCKET DESIGN:

The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 5 3/4" measured from the bottom of the pocket opening. Front pockets to have straight bartacks (use of triangle bartacks will be cause for rejection) at the top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Pocket facings to be made of the basic fabric and must measure a minimum of 3" in width at the top.

The two hip pockets shall have a minimum opening of 5 1/2" and a minimum depth of 5 3/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on a REECE PW Machine and the welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have firm straight bartacks for reinforcing strength (triangle bartacks are unacceptable). The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab.

The watch pocket shall be located on the right front at the waistband. This pocket shall have a minimum opening and depth of 2 3/4". The front of the pocket shall be made of pocketing fabric and the back of the pocket shall be made of basic fabric and the two pieces are securely stitched together. Each corner of the pocket opening shall have firm straight bartacks.

WAISTBAND:

The waistband shall be constructed using the "closed method" and shall measure 2" wide when finished. The waistband curtain is to be made of the same fabric and color as the pocketing material and must be attached to the trouser with a zig-zag stitch. The waistband must contain BAN-ROL to prevent roll over and have three strand snugtex to keep shirts tucked in. The waistband closure shall be accomplished with a crushproof hook and eye. The hook and eye shall be reinforced with stays made of non-woven fabric that are anchored by the topstitching for the fly facing and curtain. This topstitching must be to the top of the waistband. The waistband shall be set on and closed using a lockstitch (use of a chainstitch is unacceptable) to stitch in the band seam through the outer fabric and the waistband curtain. The waistband must be topstitched 1/16" below the waistband seam for added strength.

FLY:

Trouser to have a metal memory lock zipper. There shall be a French Fly tab closure on the inside of the right fly. The tab to be double ply made of the basic cloth (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric as the waistband curtain and pocketing. The fly lining shall be sewn to the left fly below the zipper in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape.

BELT LOOPS:

There shall be a minimum of 7 belt loops, 6 of which are to be Keystone style. Keystone loops shall measure 1 3/4" in width at the top and 1 1/4" at the bottom. The center back loop shall be a 3/4" wide straight loop. The Keystone loops shall be sewn into the bottom of the waistband and the top of the loops shall be caught into the waistband curtain seam with a Rocap machine. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband.

STRIPING:

Trousers are to have a 3/4" Navy blue cloth that shall extend from the bottom of the waistband to the bottom of the trouser leg.

STITCHING, PRESSING & FINISHING:

Trouser must be stitched with matching thread and all stitching to show must be 10-11 stitches per inch. Trouser must be neatly pressed on Hothead Presses and properly shaped. Outseams and inseams must be pressed open. Trouser must be cleaned and finished to eliminate loose threads.

LABELS:

Trouser must have a care label permanently affixed that also indicates the size. A paper ticket showing the size, fabric content, cut number, and WPL number must be on the outside of the waistband.

STOCK SIZES:

Trouser must be available in the following stock sizes:

REGULAR RISE: 28 - 52 (EVEN ONLY OVER 38)
SHORT RISE: 28 - 40 (EVEN ONLY)
LONG RISE: 32 - 42 (EVEN ONLY)

MODEL NUMBER:

To be Fechheimer Brothers Company trouser #32217 – Lexington PD

FABRIC:

RAEFORD #646 55% DACRON / 45% WOOL ELASTIQUE WEAVE 16 ½ - 17 OZ./LINEAR YARD (60" WIDTH) BREAKING STRENGTH: 210 LBS WARP 135 LBS FILLING CONSTRUCTION: 125 ENDS/INCH 85 PICKS/INCH METHOD OF DYEING: STOCK DYE COLOR: FRENCH BLUE #114

DESIGN:

Trouser shall be manufactured from a men's uniform trouser pattern. The trouser styling shall incorporate a plain front, two (2) quarter top front pockets, and two (2) hip pockets. Trouser to be straight leg style.

POCKETING:

The pocketing shall be 70% Polyester / 30% cotton, 2.9 oz. Per square yard (60" width) with a minimum 78 x 64 count. Pocketing must have a durable press finish and the color of the pocketing must be cadet blue.

POCKET DESIGN:

The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 5 ¾" measured from the bottom of the opening. Front pockets to have straight bartacks (use of triangle bartacks will be cause for rejection) at the top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Pocket facings to be made of the basic fabric and must measure a minimum of 3" in width at the top.

The two (2) hip pockets shall have a minimum opening of 5 ½" and a minimum depth of 5 ¾" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on a REECE PW Machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pocket welts shall be cause for rejection). The corners of the hip pocket openings shall have firm straight bartacks for reinforcement (triangle bartacks are unacceptable). The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab.

The watch pocket shall be located on the right front at the waistband. This pocket shall have a minimum opening and depth of 2 ¾". The front of the pocket shall be made of pocketing fabric and the back of the pocket shall be made of basic fabric and the two pieces are securely stitched together. Each corner of the pocket opening shall have firm straight bartacks.

WAISTBAND:

The waistband shall be constructed using the "closed method" and shall measure 2" wide when finished. The waistband curtain is to be made of the same fabric and color as the pocketing material and shall be attached to the trouser with a zig-zag stitch. The waistband must contain BAN-ROL to prevent roll over and have three strand snuxtex to keep shirts tucked in. The waistband closure shall be accomplished with a crushproof hook and eye. The hook and eye shall be reinforced with stays made of a non-woven fabric that are anchored by the topstitching for the fly facing and curtain. This topstitching must be to the top of the waistband.. The waistband must be topstitched 1/16" below the waistband seam for added strength.

FLY:

Trouser shall have a metal memory lock zipper. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic cloth (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric as the waistband curtain and pocketing. The fly lining shall be sewn to the left fly below the zipper in a neat and durable manner. A button shall be located on the left fly corresponding with the french Fly tab to provide a clean and comfortable closure. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape.

Page 2

To be Fechheimer Brothers Company trouser #32217 – Lexington PD

BELT LOOPS:

There shall be a minimum of seven belt loops 3/4 " in width of double thickness. Each loop must have a non-woven interlining. All loops (except for the back center loop) must be sewn into the bottom of the waistband ("dropped" belt loops are cause for rejection) and the top of the belt loops shall be caught into the waistband curtain seam with a Rocap machine. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband.

STITCHING, PRESSING & FINISHING:

Trouser must be stitched with matching thread and all stitching to show must be 10-11 stitches per inch. Trouser must be neatly pressed on Hothead Presses and properly shaped. Outseams and inseams must be pressed open. Trouser must be oven baked after pressing. Trouser must be cleaned and finished to eliminate loose threads.

CLOTH STRIPING:

Trousers are to have a 3/4" Navy blue cloth that shall extend from the bottom of the waistband to the bottom of the trouser leg.

LABELS:

Trouser must have a care label permanently affixed that also indicates the size. A paper ticket showing the size, fabric content, cut number and WPL number must be on the outside of the waistband. Garment must be made in the United States of America and bear a union label.

STOCK SIZES:

Trouser must be available from stock in the following is sizes:

REGULAR RISE:	28 - 54 (EVEN SIZES ONLY ABOVE 38)
LONG RISE:	28 - 40 (EVEN SIZES ONLY)
SHORT RISE:	32 - 42 (EVEN SIZES ONLY)

LHV-43ANSI-X3-ADJ-R

1. Vest Background Material – ANSI/ISEA 107-2004 certified

- a. Vest fabric shall be woven with 70 denier textured polyester yarn with a ripstop construction.
- b. Count shall be 102 x 98.
- c. Vest fabric shall be fluorescent lime/yellow per ANSI/ISEA 107-2004.
- d. Vest fabric shall maintain color and appearance when subjected to outdoor weathering.
- e. Finished weight of fabric to be 2.2 oz per square yard +/- .2

2. Vest Retroreflective Trim – ANSI/ISEA 107-2004 certified

- a. Trim shall consist of exposed lens, wide angle silver retroreflective material. 3M™ Scotchlite™ Reflective Material –8710 Silver Transfer Film or equivalent.
- b. Trim shall be 2 inches wide.
- c. Trim shall be thermo fuse bonded to background material of vest.
- d. Trim **initial retroreflective performance**: shall be ANSI 107-2004 Level 2 compliant.

Table 5 Minimum coefficient of retroreflection, (R_A in cd/lx/m^2) for Level 2

Observation angle	Entrance angle			
	5°	20°	30°	40°
0.2° (12')	330	290	180	65
0.33° (20')	250	200	170	60
1°	25	15	12	10
1.5°	10	7	5	4

- e. Trim **physical and retroreflective performance**: shall be ANSI 107-2004, Level 2 compliant. The coefficient of retroreflectivity (R_A) shall exceed 100 (at 0.2° (12') observation angle and 5° entrance angle) and shall not delaminate, crack or blister after the following physical performance tests:

Physical Test

Test Method

Abrasion

EN 530, Method 2 (5000 cycles)

Flexing

ISO 7854, Method A (7500 cycles)

Folding at Cold Temperatures

ISO 4675 @ (-20±1)°C, (-5°F)

Physical Test

Test Method

Temperature Variation	12 hours at $(50\pm 2)^{\circ}\text{C}$, (120°F) immediately followed by 20 hours at $(-30\pm 2)^{\circ}\text{C}$, (-20°F)
Home Wash	ISO 6330 Method 2A , 50 cycles @ 60°C (140°F)
Dryclean	ISO 3175 Method 9.1 20 cycles
Influence of Rainfall	EN 471, Annex A
Solvent Resistance	Wipe with soft cloth wet with kerosene, gasoline, or Methanol

3. Care Labeling:

Wash: Machine wash warm, 40°C (105°F)



Bleach: Do not bleach



Dry: Tumble dry low



Iron: Do not iron



Dry Clean: Do not dry clean



4. Class 2 Vest Trim Placement

a. Minimum areas of visible material

Background Material	1240 in ²
---------------------	----------------------


Retroreflective Trim

310in²

b. Vest trim placement: two horizontal stripes and one vertical stripe over each shoulder on the front, one horizontal and one vertical stripe over each shoulder on the back, and two bands encircling each sleeve.


Front

Back



5. Garment Label

The garment label will need the following items listed: the garment manufacturer, ANSI/ISEA 107-2004, fabric type, reflective trim, model # or code, size, pictogram of garment showing Class and Level of reflective material, and washing guide with FTC symbols and/or words. Example of label below:

Gall's	
ANSI/ISEA 107-2004	
100% Polyester	
3M™ Scotchlite™ Reflective Material	
Model #: abc	
Size: M / XL	
	Class 3

6. Hook and Loop front Closure

1" x 6" lime hook shall be attached to one side of the front closure, and 1" x 6" loop shall be attached to the other side.

The hook and loop shall meet or exceed the following specifications:

Peel Strength Dry – Min 2.1 lbs, Average 2.56 lbs. Wet – Min 2.1 lbs Average 2.96 lbs.

Shear Strength Dry – Min 13.0 lbs, Average 15.25 lbs. Wet – Min 13.0 lbs., Average 14.95 lbs.

Hooks per square inch: Min 350.

7. Binding

Binding shall be black cotton. Binding shall finish at 3/8".

8. Adjustable Side Closures

4.5"x12" Lime-Yellow belt shall attach to each side of the back. The belt shall be the same fabric of the vest. The belt will have 2" 3M 8710 reflective stripe laminated to the middle the entire length of the fabric. A 1" piece of lime or orange hook shall run on the back side of the belt, at the end of the strip and shall run the entire width. 1" wide lime loop will run the entire width of the front of the vest, on both sides of the horizontal reflective stripe. Most can fit within 2 size ranges. (M-XL and 2X/4X)

9. Equipment Cutout

The pattern shall consist of cutouts on the bottom of each side. Cutouts shall allow for access to equipment (ie. gun, radio).



Lexington-Fayette Urban County Government
DEPARTMENT OF FINANCE & ADMINISTRATION

Jim Gray
Mayor

Jane C. Driskell
Commissioner

ADDENDUM #2

Bid Number: #77-2011

Date: September 7, 2011

Subject: Police Recruit Equipment

Please address inquiries to:
Theresa Maynard (859) 258-3320

TO ALL PROSPECTIVE BIDDERS:

Please be advised of the clarifications to the above referenced bid:

Please see the attached revised specifications for the following items:

Item #61: Duty Badge Case with single ID-Side open, height 2.89", width 2.52", badge shape 321 (see page 2)

Item #86, 5.11 Tactical Pants shall be 65/35 polyester and cotton twill

Item #87, there is no lettering on the rain jacket

Brian Marcum, Director
Division of Central Purchasing

All other terms and conditions of the Bid and specifications are unchanged. This letter should be signed, attached to and become a part of your Bid.

COMPANY NAME: Bluegrass Uniforms

ADDRESS: 3533 Dahlia Way Bowling Green, KY 42101

SIGNATURE OF BIDDER: [Handwritten Signature]

STRONG LEATHER CO. BADGE SHAPE 321



DUTY BADGE CASE
WITH SINGLE ID-SIDE OPEN

BLACK LEATHER IMPRINTED: NO

MAX. CARD SIZE 2 3/4" X 4 3/8"
FITS THE FOLLOWING BADGES:
BLACKINTON C6334

ITEM NO.
85500-321




1207

MODEL

BADGE

SHAPE



HEIGHT 2.89"

WIDTH 2.52"

BADGE SHAPE 321

