

## INVITATION TO BID

Bid Invitation Number: #122-2011

Date of Issue: 11/08/2011

Sealed bids will be received in the office of the Division of Central Purchasing, 200 East Main Street, Lexington, Kentucky, until **2:00 PM**, prevailing local time on **11/22/2011**. Bids must be received by the above-mentioned date and time. Mailed bids should be sent to:

**Division of Central Purchasing  
200 East Main Street, Rm 338  
Lexington, KY 40507, (859) 258-3320**

**The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.**

All bids must have the company name and address, bid invitation number, and the commodity/service on the outside of the envelope.

Bids are to include all shipping costs to the point of delivery located at: 600 Larmie, Lexington, KY 40503

Bid Security Required: ☐ Yes ☒ No      Performance Bond Required: ☐ Yes ☒ No  
*Cashier Check, Certified Check, Bid Bond (Personal checks and company checks will not be acceptable).*

<b>Commodity/Service</b>
<b>Swimming Pool Supplies</b>
See specifications

<p style="text-align: center;"><b><u>Check One:</u></b></p> <p><input type="checkbox"/> Bid Specifications Met</p> <p><input checked="" type="checkbox"/> Exceptions to Bid Specifications. <i>Exceptions shall be itemized and attached to bid proposal submitted.</i></p>	<p style="text-align: center;"><b><u>Proposed Delivery:</u></b></p> <p>_____ days after acceptance of bid.</p>
<p style="text-align: center;"><b><u>Procurement Card Usage</u></b></p> <p><input checked="" type="checkbox"/> Yes    The Lexington-Fayette Urban County Government will be using Procurement Cards to</p> <p><input type="checkbox"/> No      purchase goods and services and also to make payments. Will you accept Procurement Cards?</p>	

Submitted by:

RECREATION SUPPLY Co.  
Firm  
575 Airport Rd.  
Address  
Bismarck ND 58504  
City, State & Zip

**Bid must be signed:  
(original signature)**

Jann M. Frazier  
Signature of Authorized Company Representative – Title  
JANN M. FRAZIER  
Representative's Name (Typed or printed)

800-437-8072      800-850-0262  
Area Code - Phone – Extension      Fax #

jmfrazier@recreasupply.com  
E-Mail Address

**The Affidavit in this bid must be completed before your firm can be considered for award of this contract.**

**AFFIDAVIT**

Comes the Affiant, JANN FRAZIER, and after being first duly sworn under penalty of perjury as follows:

1. His/her name is JANN FRAZIER and he/she is the individual submitting the bid or is the authorized representative of

RECREATION SUPPLY COMPANY INC.

the entity submitting the bid (hereinafter referred to as "Bidder").

2. Bidder will pay all taxes and fees, which are owed to the Lexington-Fayette Urban County Government at the time the bid is submitted, prior to award of the contract and will maintain a "current" status in regard to those taxes and fees during the life of the contract.

3. Bidder will obtain a Lexington-Fayette Urban County Government business license, if applicable, prior to award of the contract.

4. Bidder has authorized the Division of Central Purchasing to verify the above-mentioned information with the Division of Revenue and to disclose to the Urban County Council that taxes and/or fees are delinquent or that a business license has not been obtained.

5. Bidder has not knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky within the past five (5) years and the award of a contract to the Bidder will not violate any provision of the campaign finance laws of the Commonwealth.

6. Bidder has not knowingly violated any provision of Chapter 25 of the Lexington-Fayette Urban County Government Code of Ordinances, known as "Ethics Act."

7. Bidder acknowledges that "knowingly" for purposes of this Affidavit means, with respect to conduct or to circumstances described by a statute or ordinance defining an offense, that a person is aware or should have been aware that his conduct is of that nature or that the circumstance exists.

Further, Affiant sayeth naught.


Jann Frazier

STATE OF North Dakota

COUNTY OF Burleigh

The foregoing instrument was subscribed, sworn to and acknowledged before me by Jann Frazier on this the 14 day of November, 2011.

My Commission expires: Oct 6, 2017



Jamie Wise  
NOTARY PUBLIC, STATE AT LARGE

***Please refer to Section II. Bid Conditions, Item "U" prior to completing this form.***

## **I. GREEN PROCUREMENT**

### **A. ENERGY**

The Lexington-Fayette Urban County Government is committed to protecting our environment and being fiscally responsible to our citizens.

The Lexington-Fayette Urban County Government mandates the use of Energy Star compliant products if they are available in the marketplace (go to [www.Energystar.gov](http://www.Energystar.gov)). If these products are available, but not submitted in your pricing, your bid will be rejected as non-compliant.

ENERGY STAR is a government program that offers businesses and consumers energy-efficient solutions, making it easy to save money while protecting the environment for future generations.

#### Key Benefits

These products use 25 to 50% less energy  
Reduced energy costs without compromising quality or performance  
Reduced air pollution because fewer fossil fuels are burned  
Significant return on investment  
Extended product life and decreased maintenance

### **B. GREEN SEAL CERTIFIED PRODUCTS**

The Lexington-Fayette Urban County Government is also committed to using other environmentally friendly products that do not negatively impact our environment. Green Seal is a non-profit organization devoted to environmental standard setting, product certification, and public education.

Go to [www.Greenseal.org](http://www.Greenseal.org) to find available certified products. These products will have a reduced impact on the environment and on human health. The products to be used must be pre-approved by the LFUCG prior to commencement of any work in any LFUCG facility. If a Green Seal product is not available, the LFUCG must provide a signed waiver to use an alternate product. Please provide information on the Green Seal products being used with your bid response.

### **C. GREEN COMMUNITY**

**The Lexington-Fayette Urban County Government (LFUCG) serves as a principal, along with the University of Kentucky and Fayette County Public Schools, in the Bluegrass Partnership for a Green Community. The Purchasing Team component of the Partnership collaborates on economy of scale purchasing that promotes and enhances environmental initiatives. Specifically, when applicable, each principal is interested in obtaining best value products and/or services which promote environment initiatives via solicitations and awards from the other principals.**

**If your company is the successful bidder on this Invitation For Bid, do you agree to extend the same product/service pricing to the other principals of the Bluegrass Partnership for a Green Community (i.e. University of Kentucky and Fayette County Schools) if requested?**

Yes ✓ No

## II. Bid Conditions

- A. No bid may be withdrawn for a period of sixty (60) days after the date and time set for opening.
- B. No bid may be altered after the date and time set for opening. In the case of obvious errors, the Division of Central Purchasing may permit the withdrawal of a bid. The decision as to whether a bid may be withdrawn shall be that of the Division of Central Purchasing.
- C. Acceptance of this proposal shall be enactment of an Ordinance by the Urban County Council.
- D. The bidder agrees that the Urban County Government reserves the right to reject any and all bids for either fiscal or technical reasons, and to award each part of the bid separately or all parts to one vendor.
- E. Minor exceptions may not eliminate the bidder. The decision as to whether any exception is minor shall be entirely that of the head of the requisitioning Department or Division and the Director of the Division of Central Purchasing. The Urban County Government may waive technicalities and informalities where such waiver would best serve the interests of the Urban County Government.
- F. Manufacturer's catalogue numbers, trade names, etc., where shown herein are for descriptive purposes and are to guide the bidder in interpreting the standard of quality, design, and performance desired, and shall not be construed to exclude proposals based on furnishing other types of materials and/or services. However, any substitution or departure proposed by the bidder must be clearly noted and described; otherwise, it will be assumed that the bidder intends to supply items specifically mentioned in this Invitation for Bids.
- G. The Urban County Government may require demonstrations of the materials proposed herein prior to acceptance of this proposal.
- H. Bids must be submitted on this form and must be signed by the bidder or his authorized representative. Unsigned bids will not be considered.
- I. Bids must be submitted prior to the date and time indicated for opening. Bids submitted after this time will not be considered.
- J. All bids mailed must be marked on the face of the envelope:

**"Bid on #122-2011"**

and addressed to:      Division of Central Purchasing  
                                 200 East Main Street, Room 338  
                                 Lexington, Kentucky 40507

**The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.**

- K. Bidder is requested to show both unit prices and lot prices. In the event of error, the unit price shall prevail.
- L. A certified check or Bid Bond in the amount of XX percent of the bid price must be attached hereto. This check must be made payable to the Lexington-Fayette Urban County Government, and will be returned when the material and/or services specified herein have been delivered in accordance with specifications. In the event of failure to perform within the time period set forth

in this bid, it is agreed the certified check may be cashed and the funds retained by the Lexington-Fayette Urban County Government as liquidated damages. Checks of unsuccessful bidders will be returned when the bid has been awarded.

- M. The delivery dates specified by bidder may be a factor in the determination of the successful bidder.
- N. Tabulations of bids received may be mailed to bidders. Bidders requesting tabulations must enclose a stamped, self-addressed envelope with the bid.
- O. The Lexington-Fayette Urban County Government is exempt from Kentucky Sales Tax and Federal Excise Tax on materials purchased from this bid invitation. Materials purchased by the bidder for construction projects are not tax exempt and are the sole responsibility of the bidder.
- P. All material furnished hereunder must be in full compliance with OSHA regulations.
- Q. If more than one bid is offered by one party, or by any person or persons representing a party, all such bids shall be rejected.
- R. Signature on the face of this bid by the Bidder or his authorized representative shall be construed as acceptance of and compliance with all terms and conditions contained herein.
- S. The Entity (regardless of whether construction contractor, non-construction contractor or supplier) agrees to provide equal opportunity in employment for all qualified persons, to prohibit discrimination in employment because of race, color, creed, national origin, sex or age, and to promote equal employment through a positive, continuing program from itself and each of its sub-contracting agents. This program of equal employment opportunity shall apply to every aspect of its employment policies and practices.
- T. The Kentucky Equal Employment Opportunity Act of 1978 (KRS 45.560-45.640) requires that any county, city, town, school district, water district, hospital district, or other political subdivision of the state shall include in directly or indirectly publicly funded contracts for supplies, materials, services, or equipment hereinafter entered into the following provisions:

During the performance of this contract, the contractor agrees as follows:

- (1) The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, age or national origin;*
- (2) The contractor will state in all solicitations or advertisements for employees placed by or on behalf of the contractors that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, age or national origin;*
- (3) The contractor will post notices in conspicuous places, available to employees and applicants for employment, setting forth the provisions of the non-discrimination clauses required by this section; and*
- (4) The contractor will send a notice to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding advising the labor union or workers' representative of the contractor's commitments under the nondiscrimination clauses.*

The Act further provides:

KRS 45.610. Hiring minorities - Information required

- (1) For the length of the contract, each contractor shall hire minorities from other sources*

*within the drawing area, should the union with which he has collective bargaining agreements be unwilling to supply sufficient minorities to satisfy the agreed upon goals and timetable.*

- (2) *Each contractor shall, for the length of the contract, furnish such information as required by KRS 45.560 to KRS 45.640 and by such rules, regulations and orders issued pursuant thereto and will permit access to all books and records pertaining to his employment practices and work sites by the contracting agency and the department for purposes of investigation to ascertain compliance with KRS 45.560 to 45.640 and such rules, regulations and orders issued pursuant thereto.*

KRS 45.620. Action against contractor - Hiring of minority contractor or subcontractor

- (1) *If any contractor is found by the department to have engaged in an unlawful practice under this chapter during the course of performing under a contract or subcontract covered under KRS 45.560 to 45.640, the department shall so certify to the contracting agency and such certification shall be binding upon the contracting agency unless it is reversed in the course of judicial review.*
- (2) *If the contractor is found to have committed an unlawful practice under KRS 45.560 to 45.640, the contracting agency may cancel or terminate the contract, conditioned upon a program for future compliance approved by the contracting agency and the department. The contracting agency may declare such a contractor ineligible to bid on further contracts with that agency until such time as the contractor complies in full with the requirements of KRS 45.560 to 45.640.*
- (3) *The equal employment provisions of KRS 45.560 to 45.640 may be met in part by a contractor by subcontracting to a minority contractor or subcontractor. For the provisions of KRS 45.560 to 45.640, a minority contractor or subcontractor shall mean a business that is owned and controlled by one or more persons disadvantaged by racial or ethnic circumstances.*

KRS 45.630 Termination of existing employee not required, when

*Any provision of KRS 45.560 to 45.640 notwithstanding, no contractor shall be required to terminate an existing employee upon proof that that employee was employed prior to the date of the contract.*

KRS 45.640 Minimum skills

*Nothing in KRS 45.560 to 45.640 shall require a contractor to hire anyone who fails to demonstrate the minimum skills required to perform a particular job.*

It is recommended that all of the provisions above quoted to be included as special conditions in each contract. In the case of a contract exceeding \$250,000, the contractor is required to furnish evidence that his work-force in Kentucky is representative of the available work-force in the area from which he draws employees, or to supply an Affirmative Action plan which will achieve such representation during the life of the contract.

- U. Any party, firm or individual submitting a proposal pursuant to this invitation must be in compliance with the requirements of the Lexington-Fayette Urban County Government regarding taxes and fees before they can be considered for award of this invitation and must maintain a "current" status with regard to those taxes and fees throughout the term of the contract. The contractor must be in compliance with Chapter 13 from the Code of Ordinances

of the Lexington-Fayette Urban County Government. The contractor must be in compliance with Ordinance 35-2000 pursuant to contractor registration with the Division of Building Inspection. If applicable, said business must have a Fayette County business license.

Pursuant to KRS 45A.343 and KRS 45A.345, the contractor shall

- (1) *Reveal any final determination of a violation by the contractor within the previous five year period pursuant to KRS Chapters 136 (corporation and utility taxes), 139 (sales and use taxes), 141 (income taxes), 337 (wages and hours), 338 (occupational safety and health of employees), 341 (unemployment and compensation) and 342 (labor and human rights) that apply to the contractor; and*
- (2) *Be in continuous compliance with the above-mentioned KRS provisions that apply to the contractor for the duration of the contract.*

A contractor's failure to reveal the above or to comply with such provisions for the duration of the contract shall be grounds for cancellation of the contract and disqualification of the contractor from eligibility for future contracts for a period of two (2) years.

- V. Vendors who respond to this invitation have the right to file a notice of contention associated with the bid process or to file a notice of appeal of the recommendation made by the Director of Central Purchasing resulting from this invitation.

Notice of contention with the bid process must be filed within 3 business days of the bid/proposal opening by (1) sending a written notice, including sufficient documentation to support contention, to the Director of the Division of Central Purchasing or (2) submitting a written request for a meeting with the Director of Central Purchasing to explain his/her contention with the bid process. After consulting with the Commissioner of Finance the Chief Administrative Officer and reviewing the documentation and/or hearing the vendor, the Director of Central Purchasing shall promptly respond in writing findings as to the compliance with bid processes. If, based on this review, a bid process irregularity is deemed to have occurred the Director of Central Purchasing will consult with the Commissioner of Finance, the Chief Administrative Officer and the Department of Law as to the appropriate remedy.

Notice of appeal of a bid recommendation must be filed within 3 business days of the bid recommendation by (1) sending a written notice, including sufficient documentation to support appeal, to the Director, Division of Central Purchasing or (2) submitting a written request for a meeting with the Director of Central Purchasing to explain his appeal. After reviewing the documentation and/or hearing the vendor and consulting with the Commissioner of Finance and the Chief Administrative Officer, the Director of Central Purchasing shall in writing, affirm or withdraw the recommendation.

### **III. Procurement Contract Bid Conditions**

- A. The terms of this agreement shall be for 1 year from the date of acceptance of this contract by the Lexington-Fayette Urban County Government. This agreement may be extended for an additional 1 year renewal upon the written agreement of the bidder and the Lexington-Fayette Urban County Government. Said agreement must be in writing and must be executed prior to the expiration of the current agreement.
- B. Price Changes (**Space Checked Applies**)
  - (XXX) 1. Prices quoted in response to the Invitation shall be firm prices for the first 90 days of the Procurement Contract. After 90 days, prices may be subject to revision and such changes shall be based on general industry changes. Revision may be either increases or decreases and may be requested by either party. There will be no more than one (1) price adjustment per quarter. Requests for price changes shall be received in writing at least twenty (20) days prior to the effective date and are subject to written acceptance before becoming effective. Proof of the validity of a request for revision shall be responsibility of the requesting party. The Lexington-Fayette Urban County Government shall receive the benefit of any decline that the seller shall offer his other accounts.
  - () 2. No provision for price change is made herein. Prices are to be firm for the term of this contract.
  - () 3. Procurement Level Contract
- C. If any contract item is not available from the vendor, the Lexington-Fayette Urban County Government, at its option, may permit the item to be back-ordered or may procure the item on the open market.
- D. All invoices must bear reference to the Lexington-Fayette Urban County Government Purchasing document numbers which are being billed.
- E. This contract may be canceled by either party thirty (30) days after delivery by canceling party of written notice of intent to cancel to the other contracting party.
- F. This contract may be canceled by the Lexington-Fayette Urban County Government if it is determined that the Bidder has failed to perform under the terms of this agreement, such cancellation to be effective upon receipt of written notice of cancellation by the Bidder.
- G. No substitutions for articles specified herein may be made without prior approval of the Division of Central Purchasing.



## EQUAL OPPORTUNITY AGREEMENT

---

### The Law

Title VII of the Civil Rights Act of 1964 (amended 1972) states that it is unlawful for an employer to discriminate in employment because of race, color, religion, sex, age (40-70 years) or national origin.

Executive Order No. 11246 on Nondiscrimination under Federal contract prohibits employment discrimination by contractor and sub-contractor doing business with the Federal Government or recipients of Federal funds. This order was later amended by Executive Order No. 11375 to prohibit discrimination on the basis of sex.

Section 503 of the Rehabilitation Act of 1973 states:

*The Contractor will not discriminate against any employee or applicant for employment because of physical or mental handicap.*

Section 2012 of the Vietnam Era Veterans Readjustment Act of 1973 requires Affirmative Action on behalf of disabled veterans and veterans of the Vietnam Era by contractors having Federal contracts.

Section 206(A) of Executive Order 12086, Consolidation of Contract Compliance Functions for Equal Employment Opportunity, states:

*The Secretary of Labor may investigate the employment practices of any Government contractor or sub-contractor to determine whether or not the contractual provisions specified in Section 202 of this order have been violated.*

\*\*\*\*\*

The Lexington-Fayette Urban County Government practices Equal Opportunity in recruiting, hiring and promoting. It is the Government's intent to affirmatively provide employment opportunities for those individuals who have previously not been allowed to enter into the mainstream of society. Because of its importance to the local Government, this policy carries the full endorsement of the Mayor, Commissioners, Directors and all supervisory personnel. In following this commitment to Equal Employment Opportunity and because the Government is the benefactor of the Federal funds, it is both against the Urban County Government policy and illegal for the Government to let contracts to companies which knowingly or unknowingly practice discrimination in their employment practices. Violation of the above mentioned ordinances may cause a contract to be canceled and the contractors may be declared ineligible for future consideration.

Please sign this statement in the appropriate space acknowledging that you have read and understand the provisions contained herein. Return this document as part of your application packet.

### Bidders

*I/We agree to comply with the Civil Rights Laws listed above that govern employment rights of minorities, women, Vietnam veterans, handicapped and aged persons.*

Signature

Name of Business

## MATERIAL SAFETY DATA SHEET

MANUFACTURER: TAYLOR TECHNOLOGIES, INC  
31 LOVETON CIRCLE  
SPARKS, MD 21152  
TELEPHONE: 410-472-4340

## 1. PRODUCT IDENTIFICATION

CATALOG NO.: R-0001  
PRODUCT NAME: DPD Reagent #1  
CHEMICAL FAMILY: Inorganic salt solution

## 2. INGREDIENTS

INGREDIENT	CAS NO.	%	NATURE OF HAZARD
Potassium phosphate	7778-77-0	<10	Irritant
Sodium phosphate	7558-79-4	<10	Irritant
Nonhazardous ingredients	NA	<1	None
Deionized water	7732-18-5	to 100	None

## 3. PHYSICAL/CHEMICAL CHARACTERISTICS

STATE: Liquid APPEARANCE: Clear, colorless ODOR: None  
BOILING PT (F): 212 pH: 10 SPECIFIC GRAVITY: 1.24  
VAPOR PRESSURE (mm Hg): 17 VAPOR DENSITY (AIR=1): .64  
PERCENT VOLATILE BY VOLUME: 68 SOLUBILITY IN WATER: Soluble

## 4. FIRE, EXPLOSION HAZARD AND REACTIVITY DATA

FLASH PT: NA METHOD: NA  
FLAMMABLE LIMITS: LEL: NA UEL: NA  
EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, water spray or foam  
SPECIAL PROCEDURES: Wear self-contained (positive pressure if available)  
breathing apparatus and full-protective clothing  
FIRE/EXPLOSION HAZARDS AND HAZARDOUS DECOMPOSITION PRODUCTS: May emit  
toxic fumes of phosphorus oxides  
NFPA CODE: Health: 0 Flammability: 0 Reactivity: 0 Specific: NA  
CONDITIONS TO AVOID: Extreme heat, temperatures.

## 5. HEALTH HAZARD DATA

INGREDIENT: NA  
TOXICITY: NA  
PEL: NA TLV: NA  
STEL: NA

ROUTE(S) OF ENTRY: Inhalation Ingestion X Skin X

TARGET ORGAN(S): Eyes, skin

CARCINOGENICITY: NTP No IARC No OSHA No

HEALTH HAZARDS AND SYMPTOMS OF EXPOSURE:

EYES: Irritant.

SKIN: Contact may cause irritation.

INGESTION: Irritant. Large quantities may cause gastrointestinal  
irritation, nausea, and diarrhea.

INHALATION: NA

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Eye and skin conditions

## 6. PRECAUTIONARY MEASURES

PROTECTIVE EQUIPMENT: General purpose gloves, safety glasses, lab coat

HANDLING: Avoid contact with eyes, skin, and clothing. Avoid breathing chemical. Wash thoroughly after handling.

STORAGE: Cool, dry area. Avoid direct sunlight.

## 7. EMERGENCY AND FIRST AID PROCEDURES

EYE AND SKIN CONTACT: Immediately flush eyes with water for 20 minutes or until chemical is removed. Call physician. Wash skin thoroughly with soap and water.

INGESTION: Give large amounts of water. Call physician. Treat symptoms as needed. DO NOT give anything by mouth to a person who is unconscious, rapidly losing consciousness, or convulsing.

INHALATION: NA

## 8. SPILL AND DISPOSAL PROCEDURES

SPILL OR RELEASE: Absorb with vermiculite or other inert material.

Containerize for later disposal.

DISPOSAL: Incineration or other method to comply with all local, state, and federal regulations.

NA = Not applicable

ND = Not determined

NE = Not established

This Material Safety Data Sheet has been prepared in accordance with 29 CFR Part 1910.1200 and contains information believed to be accurate and complete at the date of preparation. However, no warranty is expressed or implied. Advice given under "Spill and Disposal Procedures" assumes compliance with federal, state, and local regulations regarding the disposal of hazardous waste.

DATE PREPARED: March 2006

## MATERIAL SAFETY DATA SHEET

MANUFACTURER: TAYLOR TECHNOLOGIES, INC  
31 LOVETON CIRCLE  
SPARKS, MD 21152  
TELEPHONE: 410-472-4340

## 1. PRODUCT IDENTIFICATION

CATALOG NO.: R-0002  
PRODUCT NAME: DPD Reagent #2  
CHEMICAL FAMILY: Acidic organic amine solution

## 2. INGREDIENTS

INGREDIENT	CAS NO.	%	NATURE OF HAZARD
N,N-Diethyl-p-phenylene-diamine sulfate	6283-63-2	<1	Irritant, toxic
Organic acid (trade secret)	Confidential	<10	Irritant acid
Nonhazardous ingredients	NA	<1	None
Deionized water	7732-18-5	to 100	None

## 3. PHYSICAL/CHEMICAL CHARACTERISTICS

STATE: Liquid APPEARANCE: Clear, colorless ODOR: None  
BOILING PT (F): 212 pH: 1.3 SPECIFIC GRAVITY: 1.01  
VAPOR PRESSURE (mm Hg): 17 VAPOR DENSITY (AIR=1): .65  
PERCENT VOLATILE BY VOLUME: 99 SOLUBILITY IN WATER: Soluble

## 4. FIRE, EXPLOSION HAZARD AND REACTIVITY DATA

FLASH PT: NA METHOD: NA  
FLAMMABLE LIMITS: LEL: NA UEL: NA  
EXTINGUISHING MEDIA: NA  
SPECIAL PROCEDURES: Wear self-contained (positive pressure if available) breathing apparatus and special protective clothing  
FIRE/EXPLOSION HAZARDS AND HAZARDOUS DECOMPOSITION PRODUCTS: May emit toxic fumes of carbon dioxide, carbon monoxide, nitrogen oxides, phosphine, phosphorus oxides, sulfur oxides. Contact with metals may produce hydrogen gas.  
NFPA CODE: Health: 1 Flammability: 0 Reactivity: 0 Specific: NA  
CONDITIONS TO AVOID: Extreme heat, temperatures. Contact with metals, oxidizers, strong caustic.

## 5. HEALTH HAZARD DATA

INGREDIENT: Organic acid  
TOXICITY: LD50(orl-rat): 2400 mg/kg LD50(skn-rbt): >7940 mg/kg  
PEL: NE TLV: NE  
STEL: NE

INGREDIENT: N,N-Diethyl-p-phenylenediamine sulfate  
TOXICITY: LD50(unr-rat): 450 mg/kg  
PEL: NE TLV: NE  
STEL: NE

## 5. HEALTH HAZARD DATA - continued

ROUTE(S) OF ENTRY: Inhalation    Ingestion X    Skin X

TARGET ORGAN(S): Eyes, skin, gastrointestinal tract

CARCINOGENICITY: NTP No IARC No    OSHA No

HEALTH HAZARDS AND SYMPTOMS OF EXPOSURE:

EYES: Irritant

SKIN: Irritant. Contact may cause dermatitis.

INGESTION: Irritant, toxic. May cause gastrointestinal irritation, nausea, cramps, diarrhea.

INHALATION: NA

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Eye and skin conditions

## 6. PRECAUTIONARY MEASURES

PROTECTIVE EQUIPMENT: General purpose gloves, safety glasses, lab coat

HANDLING: Avoid contact with eyes, skin, and clothing. Avoid breathing chemical. Wash thoroughly after handling.

STORAGE: Cool, dry area. Avoid direct sunlight.

## 7. EMERGENCY AND FIRST AID PROCEDURES

EYE AND SKIN CONTACT: Immediately flush eyes with water for 20 minutes or until chemical is removed. Call physician. Wash skin thoroughly with soap and water.

INGESTION: Give large amounts of water or large amounts of water with milk of magnesia. Call physician. DO NOT INDUCE VOMITING. DO NOT give anything by mouth to a person who is unconscious, rapidly losing consciousness, or convulsing.

INHALATION: NA

## 8. SPILL AND DISPOSAL PROCEDURES

SPILL OR RELEASE: Neutralize with soda ash. Absorb with vermiculite or other inert material. Containerize for later disposal.

DISPOSAL: Incineration or other method to comply with all local, state, and federal regulations.

NA = Not applicable

ND = Not determined

NE = Not established

This Material Safety Data Sheet has been prepared in accordance with 29 CFR Part 1910.1200 and contains information believed to be accurate and complete at the date of preparation. However, no warranty is expressed or implied. Advice given under "Spill and Disposal Procedures" assumes compliance with federal, state, and local regulations regarding the disposal of hazardous waste.

DATE PREPARED: July 2005

## MATERIAL SAFETY DATA SHEET

MANUFACTURER: TAYLOR TECHNOLOGIES, INC  
31 LOVETON CIRCLE  
SPARKS, MD 21152  
TELEPHONE: 410-472-4340

## 1. PRODUCT IDENTIFICATION

CATALOG NO.: R-0003  
PRODUCT NAME: DPD Reagent #3  
CHEMICAL FAMILY: Inorganic salt solution

## 2. INGREDIENTS

INGREDIENT	CAS NO.	%	NATURE OF HAZARD
Potassium iodide	7681-11-0	<20	Irritant
Nonhazardous ingredients	NA	<1	None
Deionized water	7732-18-5	to 100	None

## 3. PHYSICAL/CHEMICAL CHARACTERISTICS

STATE: Liquid APPEARANCE: Clear, colorless ODOR: None  
BOILING PT (F): 212 pH: 7.6 SPECIFIC GRAVITY: 1.07  
VAPOR PRESSURE (mm Hg): 17 VAPOR DENSITY (AIR=1): .6  
PERCENT VOLATILE BY VOLUME: 80 SOLUBILITY IN WATER: Soluble

## 4. FIRE, EXPLOSION HAZARD AND REACTIVITY DATA

FLASH PT: NA METHOD: NA  
FLAMMABLE LIMITS: LEL: NA UEL: NA  
EXTINGUISHING MEDIA: NA  
SPECIAL PROCEDURES: Wear self-contained (positive pressure if available)  
breathing apparatus and full-protective clothing  
FIRE/EXPLOSION HAZARDS AND HAZARDOUS DECOMPOSITION PRODUCTS: May emit  
toxic fumes of iodine.  
NFPA CODE: Health: 0 Flammability: 0 Reactivity: 0 Specific: NA  
CONDITIONS TO AVOID: Extreme heat, temperatures. Contact with oxidizers,  
acids.

## 5. HEALTH HAZARD DATA

INGREDIENT: Potassium iodide  
TOXICITY: LD50 (orl-mus): 1862 mg/kg  
PEL: NE TLV: NE  
STEL: NE

ROUTE(S) OF ENTRY: Inhalation Ingestion X Skin X

TARGET ORGAN(S): Eyes, skin

CARCINOGENICITY: NTP No IARC No OSHA No

HEALTH HAZARDS AND SYMPTOMS OF EXPOSURE:

EYES: Contact may cause irritation.

SKIN: Contact may cause irritation.

INGESTION: Irritant. May cause gastrointestinal irritation.

INHALATION: NA

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Eye and skin conditions

#### 6. PRECAUTIONARY MEASURES

PROTECTIVE EQUIPMENT: General purpose gloves, safety glasses, lab coat

HANDLING: Avoid contact with eyes, skin, and clothing. Avoid breathing chemical. Wash thoroughly after handling.

STORAGE: Cool, dry area. Avoid direct sunlight.

#### 7. EMERGENCY AND FIRST AID PROCEDURES

EYE AND SKIN CONTACT: Immediately flush eyes with water for 20 minutes or until chemical is removed. Call physician. Wash skin thoroughly with soap and water.

INGESTION: Give large amounts of water. Call physician. Treat symptoms as needed. DO NOT give anything by mouth to a person who is unconscious, rapidly losing consciousness, or convulsing.

INHALATION: NA

#### 8. SPILL AND DISPOSAL PROCEDURES

SPILL OR RELEASE: Absorb with vermiculite or other inert material.

Containerize for later disposal.

DISPOSAL: Incineration or other method to comply with all local, state, and federal regulations.

NA = Not applicable

ND = Not determined

NE = Not established

This Material Safety Data Sheet has been prepared in accordance with 29 CFR Part 1910.1200 and contains information believed to be accurate and complete at the date of preparation. However, no warranty is expressed or implied. Advice given under "Spill and Disposal Procedures" assumes compliance with federal, state, and local regulations regarding the disposal of hazardous waste.

DATE PREPARED: February 2007

## MATERIAL SAFETY DATA SHEET

MANUFACTURER: TAYLOR TECHNOLOGIES, INC  
31 LOVETON CIRCLE  
SPARKS, MD 21152  
TELEPHONE: 410-472-4340

## 1. PRODUCT IDENTIFICATION

CATALOG NO.: R-0004  
PRODUCT NAME: pH Indicator Solution (Phenol Red)  
CHEMICAL FAMILY: Sulfonphthalein dye solution

## 2. INGREDIENTS

INGREDIENT	CAS NO.	%	NATURE OF HAZARD
Nonhazardous ingredients, NA each		<1	None
Deionized water	7732-18-5	to 100	None

## 3. PHYSICAL/CHEMICAL CHARACTERISTICS

STATE: Liquid      APPEARANCE: Clear, red      ODOR: Phenolic  
BOILING PT (F): 212      pH: 7.7      SPECIFIC GRAVITY: 1  
VAPOR PRESSURE (mm Hg): 17      VAPOR DENSITY (AIR=1): .6  
PERCENT VOLATILE BY VOLUME: 98      SOLUBILITY IN WATER: Soluble

## 4. FIRE, EXPLOSION HAZARD AND REACTIVITY DATA

FLASH PT: NA      METHOD: NA  
FLAMMABLE LIMITS: LEL: NA      UEL: NA  
EXTINGUISHING MEDIA: NA  
SPECIAL PROCEDURES: Wear self-contained (positive pressure if available) breathing apparatus and full-protective clothing  
FIRE/EXPLOSION HAZARDS AND HAZARDOUS DECOMPOSITION PRODUCTS: May emit toxic fumes of carbon oxides, nitrogen oxides, ammonia.  
NFPA CODE: Health: 0      Flammability: 0      Reactivity: 0      Specific: NA  
CONDITIONS TO AVOID: Extreme heat, temperatures.

## 5. HEALTH HAZARD DATA

INGREDIENT: NA  
TOXICITY: NA  
PEL: NA      TLV: NA  
STEL: NA

ROUTE(S) OF ENTRY: Inhalation      Ingestion X      Skin X

TARGET ORGAN(S): Eyes, skin

CARCINOGENICITY: NTP No      IARC No      OSHA No

HEALTH HAZARDS AND SYMPTOMS OF EXPOSURE:

EYES: Contact may cause irritation.

SKIN: Contact may cause staining.

INGESTION: Large quantities may cause gastrointestinal irritation.

INHALATION: NA

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Eye and skin conditions



#### 6. PRECAUTIONARY MEASURES

PROTECTIVE EQUIPMENT: General purpose gloves, safety glasses, lab coat

HANDLING: Avoid contact with eyes, skin, and clothing. Avoid breathing chemical. Wash thoroughly after handling.

STORAGE: Cool, dry area. Avoid direct sunlight.

#### 7. EMERGENCY AND FIRST AID PROCEDURES

EYE AND SKIN CONTACT: Immediately flush eyes with water for 20 minutes or until chemical is removed. Call physician. Wash skin thoroughly with soap and water.

INGESTION: Give large amounts of water. Call physician. Treat symptoms as needed. DO NOT give anything by mouth to a person who is unconscious, rapidly losing consciousness, or convulsing.

INHALATION: NA

#### 8. SPILL AND DISPOSAL PROCEDURES

SPILL OR RELEASE: Absorb with vermiculite or other inert material.

Containerize for later disposal.

DISPOSAL: Incineration or other method to comply with all local, state, and federal regulations.

NA = Not applicable

ND = Not determined

NE = Not established

This Material Safety Data Sheet has been prepared in accordance with 29 CFR Part 1910.1200 and contains information believed to be accurate and complete at the date of preparation. However, no warranty is expressed or implied. Advice given under "Spill and Disposal Procedures" assumes compliance with federal, state, and local regulations regarding the disposal of hazardous waste.

DATE PREPARED: February 2007

2011-2012 Swimming Pool Supply Bid

1. 8 each Standard Leaf Rake  
20" x 6" 12" deep plastic edge with Fiberglass  
screen bay

Recreonics #10-115

CC820F50                      Each 30<sup>50</sup>      Total 244<sup>48</sup>  
Equal \_\_\_\_\_      Each \_\_\_\_\_      Total \_\_\_\_\_

2. 40 each Panel Umbrella -2 part pole  
with lower section, straight  
edge valance. Blue & White panels

Recreonics #12-344

HHUB91650                      Each 84<sup>65</sup>      Total 3386<sup>00</sup>  
Equal \_\_\_\_\_      Each \_\_\_\_\_      Total \_\_\_\_\_

3. 36 each DPD Reagent #1  
2 oz. size; replacements

Recreonics # 56-332

Equal \_\_\_\_\_      Each \_\_\_\_\_      Total \_\_\_\_\_  
Equal TAYLOR R-0001C      Each 5.19      Total 186.84

4. 48 each DPD Reagent #2  
2 oz. size; replacements

Recreonics # 56-334

Equal \_\_\_\_\_      Each \_\_\_\_\_      Total \_\_\_\_\_  
Equal TAYLOR-R-0002C      Each 5.33      Total 255.84

5. 36 each DPD Reagent #3  
2 oz. size; replacements

Recreonics # 56-336

Equal \_\_\_\_\_      Each \_\_\_\_\_      Total \_\_\_\_\_  
Equal TAYLOR R-0003C      Each 5.57      Total 200.52

6. 36 each Phenol Red R-0004  
4 oz. size, replacements

Recreonics # 56-346

Equal \_\_\_\_\_      Each \_\_\_\_\_      Total \_\_\_\_\_  
Equal TAYLOR R-0004D      Each 5.00      Total 180<sup>00</sup>

7. 2 each Heavy Duty Vacuum Hose  
1 1/2" x 50

Recreation Supply # CC-11715-15

Each \_\_\_\_\_ Total \_\_\_\_\_  
Equal CC 11715-15 Each 65.95 Total 131.90

8. 30 each Rescue Tubes  
Aquamark Model RT-1

51" x 6 1/2 x 3 1/2

Recreonics 12-303

DD-372-50

Each 36.44 Total 1093.20  
Equal \_\_\_\_\_ Each \_\_\_\_\_ Total \_\_\_\_\_

9. 10 each Basic 2000 Test Kits

Recreation Supply #BB-2000-01

Each \_\_\_\_\_ Total \_\_\_\_\_  
Equal BB-2000-01 Each 27.19 Total 271.90

10. 100 ft. 3/8" Polypropylene, floating Rope  
Blue/White Rope

Recreonics # 14-432 BW

DD-90038-50

Each .15/ft. Total 15.00  
Equal \_\_\_\_\_ Each \_\_\_\_\_ Total \_\_\_\_\_

11. 2 each 1.5 hp Economy Vacuum Pump  
2" suction, 1 1/2 discharge

Recreonics #10-832

CC 15VC50

Each 980.32 Total 1961.34  
Equal \_\_\_\_\_ Each \_\_\_\_\_ Total \_\_\_\_\_

12. 12 each Aqua Lube - <sup>5</sup>/<sub>8</sub> oz Tube

Recreonics #10-563

MAGIC LUBE GP63107

Each 6.00 Total 72.00  
Equal \_\_\_\_\_ Each \_\_\_\_\_ Total \_\_\_\_\_

13. 1 each L.M.I. Metering Pump  
48 GPD 55 P.S.I.  
with four function valve

Recreonics  
#52-028.C

Equal \_\_\_\_\_ Each \_\_\_\_\_ Each \_\_\_\_\_ Total NB  
Each \_\_\_\_\_ Total \_\_\_\_\_

14. 2 each Universal Foot Valve  
and strainer for use  
with 1/2" o.d. tubing completed unit

Recreonics #25204

Equal \_\_\_\_\_ Each \_\_\_\_\_ Total NB  
Each \_\_\_\_\_ Total \_\_\_\_\_

15. 8 each Aluminum Telescoping Handles  
8 x 16 foot pole

Recreation Supply CC-P2516-50 ~~NLA~~

CC6008-50 Each 59<sup>82</sup> Total 478<sup>50</sup>  
Equal \_\_\_\_\_ Each \_\_\_\_\_ Total \_\_\_\_\_

16. 1 each L.M.I. Metering Pump Model #C141-36S  
with Four Function Valve  
480 G.P.D. 25 P.S.I.

Recreonics 52-035.C

Equal \_\_\_\_\_ Each \_\_\_\_\_ Total NB  
Each \_\_\_\_\_ Total \_\_\_\_\_

17. 2 each L.M.I. Injection Fitting Complete Unit  
(For 1/2" o.d. tubing)



Recreonics 53056

Equal \_\_\_\_\_ Each \_\_\_\_\_ Total NB  
Each \_\_\_\_\_ Total \_\_\_\_\_

18. 4 each Aluminum vacuum handle  
1 1/4" Aluminum 12' long

Recreonics 10-305

Equal \_\_\_\_\_ Each \_\_\_\_\_ Total NB  
Each \_\_\_\_\_ Total \_\_\_\_\_


*the most trusted name in water testing*[HOME](#)[CONTACT US](#)[PRODUCT INFO](#)[SHOPPING](#)[SERVICES](#)[CORPORATE](#)[LEARN MORE](#)[SITEMAP](#)**REVIEW**[TEST KITS  
\(including STRIPS\)](#)[REAGENTS](#)[REPLACEMENT  
PARTS](#)**Pool / Spa Market****KIT NUMBER:** K-2000[Components](#)[Instructions](#)[Potential Interferences](#)[Shelf Life Concerns](#)**Pricing** \$39.30 [Add to shopping cart](#)[Click Here to Enlarge Image](#)**Description of Tests**

Test	Code	Method/ Chemistry	Standard/Equivalence or Description	Comparator	Cell
Bromine, Total	2	DPD	1, 2, 3, 4, 6, 10 ppm bromine (as Br <sub>2</sub> )	9056	NA
Chlorine, Free, Combined, Total	2	DPD	.5, 1, 1.5, 2, 3, 5 ppm chlorine (as Cl <sub>2</sub> )	9056	NA
pH w/ acid/base demand	2	Phenol red	7.0, 7.2, 7.4, 7.6, 7.8, 8.0	9056	NA

**Components for Kit Number: K-2000**

Component	Description	Quantity
2004B	BOOKLET,P&S WATER CH	1
5136	INS,K-2005 SERIES	1
6035	FOIL SEAL STARBURST,	1
7047	CASE,2000,TOP/BOTTOM	1
7049	CASE,2000,HANDLE,(71	1
7294	LABEL,BLANK,K-2000 S	1
8026	KIMPAC, 4 X 7.75 WHI	1
9056	2000 CL/BR DP HI/PH	1
R-0001-A	DPD RGT #1; .75 OZ D	1
R-0002-A	DPD RGT #2; .75 OZ D	1
R-0003-A	DPD RGT #3; .75 OZ D	1
R-0004-A	PH IND SOL (PR);.75O	1
R-0005-A	ACID DEMAND RGT (ADR	1
R-0006-A	BASE DEMAND RGT (BDR	1

Print



## COMMERCIAL VACUUM HOSE

Item Number	Size	Ship Weight
CC-11714-15	1-1/2" x 40'	12 lbs.
CC-11715-15	1-1/2" x 50'	15 lbs.
CC-11815-15	2" x 50'	24 lbs.
CC-11875-15	2" x 75'	39 lbs.

The Commercial Vacuum Hose is flexible, abrasion resistant and resistant to UV radiation. The point of flex is protected from punctures and cuts by an abrasion-resistant outer shell 30 times harder than conventional hose, without sacrificing flexibility. The smooth exterior assures maximum external resistance to abrasion and eliminates hang-ups as well, making for long life and easy maneuverability. The Commercial Vacuum Hose is backed by a five year manufacturer's warranty.



**Recreation Supply Company, Inc.**  
P.O. Box 2757 Bismarck, ND 58502 [www.RecSupply.com](http://www.RecSupply.com)  
Ph: 1-800-437-8072 Fax: 1-800-850-0262

Submittal Item No: Qty. Required:

Section: Maintenance Equipment

Document Title: M025

RSC Product No: See Document

19. 2 each KDI Replacement  
Fiberglass Seat (turquoise)

Recreonics 42-631

Equal	<u>HP 3070110</u>	Each	<u>106.99</u>	Total	<u>213.98</u>
		Each		Total	

20. 2 each Universal Foot Valve  
and Strainer for use  
with 3/8" o.d. Tubing (complete unit)

Recreation Supply: IP-27603-30

Equal	<u>                    </u>	Each	<u>                    </u>	Total	<u>NB</u>
		Each	<u>                    </u>	Total	<u>                    </u>

21. 2 each L.M.I. Injection Fitting  
Complete Unit  
For 3/8" o.d. Tubing

Recreonics 53-054

Equal	<u>                    </u>	Each	<u>                    </u>	Total	<u>NB</u>
		Each	<u>                    </u>	Total	<u>                    </u>

22. 1 each Heavy Duty Stainless Steel  
Pump Cart

Recreonics 10-880

Equal	<u>                    </u>	Each	<u>                    </u>	Total	<u>NB</u>
		Each	<u>                    </u>	Total	<u>                    </u>

23. 6 each Straight Clamp Rope Hook  
Single Entry 3/8" rope  
Recreonics #14-461

DD-6637-46

Equal	<u>                    </u>	Each	<u>12.38</u>	Total	<u>74.28</u>
		Each	<u>                    </u>	Total	<u>                    </u>

24. 6 each Straight Clamp Rope Hook  
Single Entry 3/4" rope

Recreonics #14-463

DD5350

Equal	<u>                    </u>	Each	<u>10.87</u>	Total	<u>65.22</u>
		Each	<u>                    </u>	Total	<u>                    </u>


25. 1 each Duraflex 14' Diving Board



# Guard Chairs and Accessories

## Lookout Lifeguard Chair


The Lookout Lifeguard Chair is designed for pools that do not require a full height chair. The Lookout Chair offers an elevated station with plentiful room for two lifeguards during shift change. Two- and three-step models are furnished with 19" cycloc tread(s) and four-inch wheels for increased portability. The frame is 1.90" O.D. x .065" wall type 304 polished stainless steel. All structural components are stainless steel. The seat is capable of a 360° swivel and has a stainless steel sloping support mounted on a fiberglass platform.



Item Number	Seat Height	Platform Height	Ship Weight	Price
HH-20350-10	30"	12" 1-step	115 lbs.	\$ 2442.80
HH-20360-10	42"	24" 2-step	135 lbs.	\$ 2878.20
HH-20365-10	54"	36" 3-step	140 lbs.	\$ 3509.20
HH-20377-10	Optional wheel kit for 1-step			\$ 154.25

## Lookout Dual Side Mount Chair


This guard chair features easy access onto and off of the chair from both sides. This model is ideal for pool decks with limited space or if lifeguard shifts require simultaneous change. The seat is 54" above the pool deck and features full 360° rotation with a stainless steel sloping support pedestal. The 4' square platform is 36" above the deck surface. Wheels are provided for easy mobility to various locations on the pool deck. Includes life ring holder.




Item Number	Ship Weight	Price
HH-20380-10	200 lbs.	\$ 3865.65

## Lookout Platform Chair


The Lookout Platform Chair is an important addition to lifeguard station optionally allowing two guards on the platform at the same time to maintain uninterrupted guard changes. Stainless steel construction with 360° swivel seat, 36" x 60" nonskid platform, dual entrances and umbrella/rescue tube holder.




Item Number	Ship Weight	Price
HH-20370-10	300 lbs.	\$ 6383.70



Step Station  
with Sun Shade  
Option



Flat Station



Full Height Station

Item Number	Description	Price
HH-20385-10	Flat Station	\$ 5029.45
HH-20386-10	Step Station	\$ 5610.90
HH-20387-10	Full Height Station	\$ 5368.35

## Sun Shade for Griff's Guard Stations

Item Number	Sun Shade Option	Price
HH-20395-10	For Flat Station	\$ 1697.90
HH-20396-10	For Step Station	\$ 1697.90
HH-20397-10	For Full Height Station	\$ 1733.55

## Griff's Guard Station™

The Griff's Guard Station™ features easy access onto and off of the station from the front of the platform. These models are ideal for use with the 5 Minute Scan Strategy method of lifeguarding. They provide multiple observation stations on one chair that can be moved to any location of the pool using the wheels provided. Umbrella ring guide and holder base are provided with the Station. Three distinct models are available.

Griff's Guard Stations are developed in conjunction with Tom Griffiths, a leading researcher in lifeguard science in the United States. Since 1994, he has surveyed 10,000 working lifeguards, leading to the development of Griff's Guard Station.

### Advantages of the Griff's Guard Station

- Proven to decrease boredom while increasing attention and concentration, necessary for the safety of both swimmers and lifeguards.
- Allows quicker, safer responses to emergencies.
- Promotes alertness without diverting attention from water.
- Reduces chance of shoulder strap harness on the rescue tube "hanging" the lifeguard from a height.
- Increases patrolling and communication with guests.
- Encourages standing to add height to surveillance angle.

## The Complete Swimming Pool Reference - Second Edition

by Tom Griffiths

Designed as a single, definitive reference on swimming pool safety and management, this book includes important chapters on first aid, lifeguarding, and pool maintenance, as well as a unique hot tub and spa section. The comprehensive book is a valuable resource for swimming pool managers and technicians, university and college instructors, municipal/semi-public pool operators, lifeguards, swim coaches and private pool owners. Paperback.




Item Number	Price
LL-523-X-50	472 pp. \$ 56.95

## Portable Guard Station

H2O Innovations Portable Guard Station is the most convenient portable chair available. Transport wheels allow any guard to relocate the chair with ease. The unique chair is designed and intended to supplement larger permanent guard stations and helps promote the "5 Minute Scanning Strategy". Comes with standard red upholstery with embroidered "Guard" emblem and Guard Symbol in the chair back. The "standing" option on the H2O Innovations Portable Guard Station is a feature found only on much higher priced and bulkier alternatives.

Fluted PVC/aluminum reinforced frame is extremely durable, yet light. Standard wheel kit ensures that any guard can relocate the unit easily. All exposed surfaces are corrosion resistant. Exposed PVC surfaces are manufactured with UV protection for outdoor use. Canvas upholstery and 1" thick high density foam seat cushion keep guards comfortable, yet in an alert position. Nonskid surfaces on foot stool area. One year warranty.

### Portable Guard Station




Item Number	Description	Dimensions H x W x D	Ship Via	Price
HH-GS100-50	Portable Guard Station	53" x 23" x 29"	UPS	\$ 493.50
HH-GS101-50	Storage Box Option		UPS	\$ 43.50

## Parts and Accessories for Paragon Lifeguard Chairs

Item Number	Color	Price
HP-20701-10	Replacement Seat-Paragon, Turquoise	\$ 142.65
HP-20702-10	Replacement Chair Swivel & Pedestal	\$ 340.15
HP-20712-10	#20712 Umbrella Ring Guide	\$ 55.80
HP-20717-10	#20717 Umbrella Base/Life Ring Holder	\$ 42.40

HP-20712-10




HP-20717-10



HP-20702-10



HP-20701-10



Bolt Pattern for  
Replacement Seats

We accept Visa, Master Card, Discover and American Express for your convenience

Recreonics # 40-324

Equal_____	Each_____	Total_____
	Each_____	Total_____

Instructions - Special note to bidders.

If you are bidding an equal, please provide a spec sheet to for evaluation purposes.

1. Need 24 hour notice before delivery.
2. Any questions, contact Brian Rogers at 859) 288-2913.

Ship to South Base Maintenance  
600 Larmie Drive  
Lexington, KY 40503  
ATTN: Pool Maintenance



Recreation Supply Company  
PO Box 2757  
Bismarck, ND 58502  
P:(800) 437-8072  
F:(701) 255-7895

**QUOTE****QUOTE # QTE017227**

Page 1/1

**BILL TO:**

Lexington-Fayette Urban County Government

Accts Payabke  
200 E Main St - 3rd Flr Rm 338  
Lexington, KY 40507  
P:(606) 258-3310  
F:(606) 258-3385

**SHIP TO:**

Lexington-Fayette Urban County Government

Accts Payabke  
200 E Main St - 3rd Flr Rm 338  
Lexington, KY 40507  
P:(606) 258-3310  
F:(606) 258-3385

Customer ID	Ship Via	Sales Rep	Terms	Document Date	Expires
R12025	FOB DESTINATION	JANN	NET 30	11/9/2011	12/09/2011

Quantity	UOM	Item Number	Description	Unit Price	Extended Price
8	EA	CC820F50	COMMERCIAL LEAF RAKE 20"	30.56	244.48
40	EA	HHUB91650	6.5' VINYL UMBRELLA BLUE/WHITE ALTERNATING	84.65	3,386.00
36	EA	BB0001C01	DPD REAGENT #1 2 oz.	5.19	186.84
48	EA	BB0002C01	DPD REAGENT #2 2 oz.	5.33	255.84
36	EA	BB0003C01	DPD REAGENT #3 2 oz.	5.57	200.52
36	EA	BB0004D01	pH INDICATOR SOLUTION 4 OZ	5.00	180.00
2	EA	CC1171515	COMMERCIAL VACUUM HOSE 1-1/2" X 50'	65.95	131.90
30	EA	DD37250	50" RESCUE TUBE W/GUARD LOGO & RSC LOGO	36.44	1,093.20
10	EA	BB200001	TAYLOR K-2000 STARTER TEST KIT, HIGH RANGE	27.19	271.90
100	FT	DD9003850	POLYPROPYLENE POOL ROPE 3/8"	0.15	15.00
2	EA	CC15VC50	PORTABLE VACUUM CART 1.5HP	980.67	1,961.34
12	EA	GP63107	MAGIC LUBE - TEFLON (5 oz TUBE)	6.00	72.00
8	EA	CC500850	8'-16' ALUMINUM TELESCOPING POLE	59.82	478.56
2	EA	HP2070110	REPLACEMENT LIFEGUARD CHAIR SEAT, TURQUOISE	106.99	213.98
6	EA	DD663746	ROPE HOOK 3/8"	12.38	74.28
6	EA	DD5350	ROPE HOOK STANDARD 3/4"	10.87	65.22

Subtotal	8,831.06
Misc	0.00
Tax	0.00
Freight	0.00
Trade Discount	0.00
Total	\$8,831.06