

Lexington-Fayette Urban County Government

Lexington, Kentucky Horse Capital of the World

Division of Central Purchasing

Date of Issue: January 23, 2017

INVITATION TO BID #16-2017 Reflective Vehicle Decals

N/A N/A	Pre Bid Time:	N/A
•	Pre Bid Time:	N/A
	office of the Division of Central Purchasing, 200 East Main Street, Lexing Bids must be <u>received</u> by the above-mentioned date and time. Mailed b	
	Division of Central Purchasing 200 East Main Street, Room 338 Lexington, KY 40507, (859) 258-3320	
e not deliver	ed to the Division of Central Purchasing by the stated time and	date will be rejected. All blds
shipping costs	to the point of delivery located at: See Specifications	
Y	es _X_No Cashier Check, Certified Check, Bid Bond (Personal checks and co	mpany checks will not be acceptable).
quired:Y	es <u>X</u> No	
ations Met	Check One: Exceptions to Bld Specifications. Exceptions shall be itemized and attached to bid proposal submitted.	Proposed Delivery: 30_days after acceptance of bid. (as requested
		t Cards to purchase goods No
omitted by:	Zipie Advertising + Print Firm Name 900 Beasley St. Suite 250	
	Address Lexington, Ky 40509 City, State & Exp Signature of Authorized Company Representative - Title Natalic A. Shepal Representative's Name (Typed or printed) 859-244-4270	nt Director
	e not delivernave the compassions shipping costs:	Lexington, KY 40507, (859) 258-3320 e Urban County Government assumes no responsibility for bids that are not address and the proposition of Central Purchasing by the stated time and average the company name and address, bid invitation number, and the name of the bid or shipping costs to the point of delivery located at: See Specifications Yes X No Cashier Check, Certified Check, Bid Bond (Personal checks and conquired:Yes X No Check One: Exceptions to Bid Specifications. Exceptions shall be itemized and attached to bid proposal submitted. Lusage—The Lexington-Fayette Urban County Government may be using Procurement to to make payments. Will you accept Procurement Cards? Lusage—The Lexington-Fayette Urban County Government may be using Procurement to to make payments. Will you accept Procurement Cards? Lusage—The Lexington-Fayette Urban County Government may be using Procurement to to make payments. Will you accept Procurement Cards? Lusage—The Lexington-Fayette Urban County Government may be using Procurement to to make payments. Will you accept Procurement Cards? Lusage—The Lexington-Fayette Urban County Government may be using Procurement to to make payments. Will you accept Procurement Cards? Lusage—The Lexington-Fayette Urban County Government may be using Procurement to to make payments. Will you accept Procurement Cards? Lusage—The Lexington-Fayette Urban County Government may be using Procurement to to make payments. Will you accept Procurement Cards? Lusage—The Lexington-Fayette Urban County Government may be using Procurement Cards? Lusage—The Lexington-Fayette Urban County Government may be using Procurement Cards? Lusage—The Lexington-Fayette Urban County Government may be using Procurement Cards? Lusage—The Lexington-Fayette Urban County Government may be using Procurement Cards? Lusage—The Lexington-Fayette Urban County Government may be using Procurement Cards? Lusage—The Lexington Fayette Urban County Government may be using Procurement Cards? Lusage—The Lexington Fayette U

The Affidavit in this bid must be completed before your firm can be considered for award of this contract.

AFFIDAVIT	
Comes the Affiant, Natalie Shepard, and after being first duly sworn under penality perjury as follows:	ty of
1. His/her name is Natalic Shepara and he/she is the individual submitting the bid or is the	В
authorized representative of Zipie Advertising & Print	_
the entity submitting the bid (hereinafter referred to as "Bidder")	
Bidder will pay all taxes and fees, which are owed to the Lexington-Fayette Urban County Government at the time bid is submitted, prior to award of the contract and will maintain a "current" status in regard to those taxes and during the life of the contract.	the fees
Bidder will obtain a Lexington-Fayette Urban County Government business license, if applicable, prior to award of contract.	f the
4. Bidder has authorized the Division of Central Purchasing to verify the above-mentioned information with the Division Revenue and to disclose to the Urban County Council that taxes and/or fees are delinquent or that a business license not been obtained.	on of has
5. Bidder has not knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky w the past five (5) years and the award of a contract to the Bidder will not violate any provision of the campaign fin- laws of the Commonwealth.	
 Bidder has not knowingly violated any provision of Chapter 25 of the Lexington-Fayette Urban County Government of Ordinances, known as "Ethics Act." 	Code
7. Bidder acknowledges that "knowingly" for purposes of this Affidavit means, with respect to conduct or to circumsta described by a statute or ordinance defining an offense, that a person is aware or should have been aware that conduct is of that nature or that the circumstance exists.	
Further, Affiant sayeth naught. // Wtalli a. Duepard	
STATE OF Kentucky	
COUNTY OF Fayette	
The foregoing instrument was subscribed, sworn to and acknowledged before me by Natalie Arm Shapawa on this the Lath day	
of February 2017.	
My Commission expires: March 26,2019	
37 m Qn 530836	

Please refer to Section II. Bid Conditions, Item "U" prior to completing this form.

NOTARY PUBLIC, STATE AT LARGE

I. GREEN PROCUREMENT

A. ENERGY

The Lexington-Fayette Urban County Government is committed to protecting our environment and being fiscally responsible to our citizens.

The Lexington-Fayette Urban County Government mandates the use of Energy Star compliant products if they are available in the marketplace (go to www.Energystar.gov). If these products are available, but not submitted in your pricing, your bid will be rejected as non-compliant.

ENERGY STAR is a government program that offers businesses and consumers energy-efficient solutions, making it easy to save money while protecting the environment for future generations.

Key Benefits

These products use 25 to 50% less energy
Reduced energy costs without compromising quality or performance
Reduced air pollution because fewer fossil fuels are burned
Significant return on investment
Extended product life and decreased maintenance

B. GREEN SEAL CERTIFIED PRODUCTS

The Lexington-Fayette Urban County Government is also committed to using other environmentally friendly products that do not negatively impact our environment. Green Seal is a non-profit organization devoted to environmental standard setting, product certification, and public education.

Go to www.Greenseal.org to find available certified products. These products will have a reduced impact on the environment and on human health. The products to be used must be pre-approved by the LFUCG prior to commencement of any work in any LFUCG facility. If a Green Seal product is not available, the LFUCG must provide a signed waiver to use an alternate product. Please provide information on the Green Seal products being used with your bid response.

C. GREEN COMMUNITY

The Lexington-Fayette Urban County Government (LFUCG) serves as a principal, along with the University of Kentucky and Fayette County Public Schools, in the Bluegrass Partnership for a Green Community. The Purchasing Team component of the Partnership collaborates on economy of scale purchasing that promotes and enhances environmental initiatives. Specifically, when applicable, each principal is interested in obtaining best value products and/or services which promote environment initiatives via solicitations and awards from the other principals.

If your company is the successful bidder on this Invitation For Bid, do you agree to extend the same product/service pricing to the other principals of the Bluegrass Partnership for a Green Community (i.e. University of Kentucky and Fayette County Schools) if requested?

Yes	<u>V</u>	No

II. Bid Conditions

- A. No bid may be withdrawn for a period of sixty (60) days after the date and time set for opening.
- B. No bid may be altered after the date and time set for opening. In the case of obvious errors, the Division of Central Purchasing may permit the withdrawal of a bid. The decision as to whether a bid may be withdrawn shall be that of the Division of Central Purchasing.
- Acceptance of this proposal shall be enactment of an Ordinance by the Urban County Council.
- D. The bidder agrees that the Urban County Government reserves the right to reject <u>any</u> and <u>all</u> bids for either fiscal or technical reasons, and to award each part of the bid separately or all parts to one vendor.
- E. Minor exceptions may not eliminate the bidder. The decision as to whether any exception is minor shall be entirely that of the head of the requisitioning Department or Division and the Director of the Division of Central Purchasing. The Urban County Government may walve technicalities and informalities where such waiver would best serve the Interests of the Urban County Government.
- F. Manufacturer's catalogue numbers, trade names, etc., where shown herein are for descriptive purposes and are to guide the bidder in interpreting the standard of quality, design, and performance desired, and shall not be construed to exclude proposals based on furnishing other types of materials and/or services. However, any substitution or departure proposed by the bidder must be clearly noted and described; otherwise, it will be assumed that the bidder intends to supply items specifically mentioned in this Invitation for Bids.
- G. The Urban County Government may require demonstrations of the materials proposed herein prior to acceptance of this proposal.
- H. Blds must be submitted on this form and must be signed by the bidder or his authorized representative. Unsigned bids will not be considered.
- I. Blds must be submitted prior to the date and time indicated for opening. Bids submitted after this time will not be considered.
- J. All bids mailed must be marked on the face of the envelope:

"Bid on #16-2017 Reflective Vehicle Decals"

and addressed to: Division of Central Purchasing

200 East Main Street, Room 338 Lexington, Kentucky 40507

The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.

- K. Bidder is requested to show both unit prices and lot prices. In the event of error, the unit price shall prevail.
- L. A certified check or Bid Bond In the amount of <u>XX</u> percent of the bid price must be attached hereto. This check must be made payable to the Lexington-Fayette Urban County Government, and will be returned when the material and/or services specified herein have been delivered in accordance with specifications. In the event of failure to perform within the time period set forth in this bid, it is agreed the certified check may be cashed and the funds retained by the Lexington-Fayette Urban County Government as liquidated damages. Checks of unsuccessful bidders will be returned when the bld has been awarded.
- M. The delivery dates specified by bidder may be a factor in the determination of the successful bidder.
- N. Tabulations of bids received may be mailed to bidders. Bidders requesting tabulations must enclose a stamped, self-addressed envelope with the bid.
- O. The Lexington-Fayette Urban County Government is exempt from Kentucky Sales Tax and Federal Excise Tax on materials purchased from this bid invitation. Materials purchased by the bidder for construction projects are not tax exempt and are the sole responsibility of the bidder.
- P. All material furnished hereunder must be in full compliance with OSHA regulations.

- Q. If more than one bid is offered by one party, or by any person or persons representing a party, all such bids shall be rejected.
- R. Signature on the face of this bid by the Bidder or his authorized representative shall be construed as acceptance of and compliance with all terms and conditions contained herein.
- S. The Entity (regardless of whether construction contractor, non-construction contractor or supplier) agrees to provide equal opportunity in employment for all qualified persons, to prohibit discrimination in employment because of race, color, creed, national origin, sex or age, and to promote equal employment through a positive, continuing program from itself and each of its sub-contracting agents. This program of equal employment opportunity shall apply to every aspect of its employment policies and practices.
- T. The Kentucky Equal Employment Opportunity Act of 1978 (KRS 45.560-45.640) requires that any county, city, town, school district, water district, hospital district, or other political subdivision of the state shall include in directly or indirectly publicly funded contracts for supplies, materials, services, or equipment hereinafter entered into the following provisions:

During the performance of this contract, the contractor agrees as follows:

- (1) The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, age or national origin;
- (2) The contractor will state in all solicitations or advertisements for employees placed by or on behalf of the contractors that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, age or national origin;
- (3) The contractor will post notices in conspicuous places, available to employees and applicants for employment, setting forth the provisions of the non-discrimination clauses required by this section; and
- (4) The contractor will send a notice to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding advising the labor union or workers' representative of the contractor's commitments under the nondiscrimination clauses.

The Act further provides:

KRS 45.610. Hiring minorities - Information required

- (1) For the length of the contract, each contractor shall hire minorities from other sources within the drawing area, should the union with which he has collective bargaining agreements be unwilling to supply sufficient minorities to satisfy the agreed upon goals and timetable.
- (2) Each contractor shall, for the length of the contract, furnish such information as required by KRS 45.560 to KRS 45.640 and by such rules, regulations and orders issued pursuant thereto and will permit access to all books and records pertaining to his employment practices and work sites by the contracting agency and the department for purposes of investigation to ascertain compliance with KRS 45.560 to 45.640 and such rules, regulations and orders issued pursuant thereto.

KRS 45.620. Action against contractor - Hiring of minority contractor or subcontractor

- (1) If any contractor is found by the department to have engaged in an unlawful practice under this chapter during the course of performing under a contract or subcontract covered under KRS 45.560 to 45.640, the department shall so certify to the contracting agency and such certification shall be binding upon the contracting agency unless it is reversed in the course of judicial review.
- (2) If the contractor is found to have committed an unlawful practice under KRS 45.560 to 45.640, the contracting agency may cancel or terminate the contract, conditioned upon a program for future compliance approved by the contracting agency and the department. The contracting agency may declare such a contractor ineligible to bid on further contracts with that agency until such time as the contractor complies in full with the requirements of KRS 45.560 to 45.640.

(3) The equal employment provisions of KRS 45.560 to 45.640 may be met in part by a contractor by subcontracting to a minority contractor or subcontractor. For the provisions of KRS 45.560 to 45.640, a minority contractor or subcontractor shall mean a business that is owned and controlled by one or more persons disadvantaged by racial or ethnic circumstances.

KRS 45.630 Termination of existing employee not required, when

Any provision of KRS 45.560 to 45.640 notwithstanding, no contractor shall be required to terminate an existing employee upon proof that that employee was employed prior to the date of the contract.

KRS 45.640 Minimum skills

Nothing in KRS 45.560 to 45.640 shall require a contractor to hire anyone who fails to demonstrate the minimum skills required to perform a particular job.

It is recommended that all of the provisions above quoted to be included as <u>special conditions</u> in each contract. In the case of a contract exceeding \$250,000, the contractor is required to furnish evidence that his work-force in Kentucky is representative of the available work-force in the area from which he draws employees, or to supply an Affirmative Action plan which will achieve such representation during the life of the contract.

U. Any party, firm or Individual submitting a proposal pursuant to this invitation must be in compliance with the requirements of the Lexington-Fayette Urban County Government regarding taxes and fees before they can be considered for award of this invitation and must maintain a "current" status with regard to those taxes and fees throughout the term of the contract. The contractor must be in compliance with Chapter 13 from the Code of Ordinances of the Lexington-Fayette Urban County Government. The contractor must be in compliance with Ordinance 35-2000 pursuant to contractor registration with the Division of Building Inspection. If applicable, said business must have a Fayette County business license.

Pursuant to KRS 45A.343 and KRS 45A.345, the contractor shall

- (1) Reveal any final determination of a violation by the contractor within the previous five year period pursuant to KRS Chapters 136 (corporation and utility taxes), 139 (sales and use taxes), 141 (income taxes), 337 (wages and hours), 338 (occupational safety and health of employees), 341 (unemployment and compensation) and 342 (labor and human rights) that apply to the contractor; and
- (2) Be In continuous compliance with the above-mentioned KRS provisions that apply to the contractor for the duration of the contract,

A contractor's failure to reveal the above or to comply with such provisions for the duration of the contract shall be grounds for cancellation of the contract and disqualification of the contractor from eligibility for future contracts for a period of two (2) years.

V. Vendors who respond to this invitation have the right to file a notice of contention associated with the bid process or to file a notice of appeal of the recommendation made by the Director of Central Purchasing resulting from this invitation.

Notice of contention with the bid process must be filed within 3 business days of the bid/proposal opening by (1) sending a written notice, including sufficient documentation to support contention, to the Director of the Division of Central Purchasing or (2) submitting a written request for a meeting with the Director of Central Purchasing to explain his/her contention with the bid process. After consulting with the Commissioner of Finance the Chief Administrative Officer and reviewing the documentation and/or hearing the vendor, the Director of Central Purchasing shall promptly respond in writing findings as to the compliance with bid processes. If, based on this review, a bid process irregularity is deemed to have occurred the Director of Central Purchasing will consult with the Commissioner of Finance, the Chief Administrative Officer and the Department of Law as to the appropriate remedy.

Notice of appeal of a bid recommendation must be filed within 3 business days of the bid recommendation by (1) sending a written notice, including sufficient documentation to support appeal, to the Director, Division of Central Purchasing or (2) submitting a written request for a meeting with the Director of Central

Purchasing to explain his appeal. After reviewing the documentation and/or hearing the vendor and consulting with the Commissioner of Finance and the Chief Administrative Officer, the Director of Central Purchasing shall in writing, affirm or withdraw the recommendation.

III. Procurement Contract Bid Conditions

- A. The terms of this agreement shall be for <u>1</u> year(s) from the date of acceptance of this contract by the Lexington-Fayette Urban County Government. This agreement may be automatically extended for an additional <u>1</u> year(s) renewal. This contract may be canceled by either party thirty (30) days after delivery by canceling party of written notice of intent to cancel to the other contracting party.
- B. Price Changes (Space Checked Applies)
- (XXX) 1. Prices quoted in response to the Invitation shall be firm prices for the first 90 days of the Procurement Contract. After 90 days, prices may be subject to revision and such changes shall be based on general industry changes. Revision may be either increases or decreases and may be requested by either party. There will be no more than one (1) price adjustment per quarter. Requests for price changes shall be received in writing at least twenty (20) days prior to the effective date and are subject to written acceptance before becoming effective. Proof of the validity of a request for revision shall be responsibility of the requesting party. The Lexington-Fayette Urban County Government shall receive the benefit of any decline that the seller shall offer his other accounts.
 - () 2. No provision for price change is made herein. Prices are to be firm for the term of this contract.
 - () 3. Procurement Level Contract
- C. If any contract item is not available from the vendor, the Lexington-Fayette Urban County Government, at its option, may permit the item to be back-ordered or may procure the item on the open market.
- D. All invoices must bear reference to the Lexington-Fayette Urban County Government Purchasing document numbers which are being billed.
- E. This contract may be canceled by the Lexington-Fayette Urban County Government if it is determined that the Bidder has failed to perform under the terms of this agreement, such cancellation to be effective upon receipt of written notice of cancellation by the Bidder.
- F. No substitutions for articles specified herein may be made without prior approval of the Division of Central Purchasing.

The Law

- Title VII of the Civil Rights Act of 1964 (amended 1972) states that it is unlawful for an employer to discriminate in employment because of race, color, religion, sex, age (40-70 years) or national origin.
- Executive Order No. 11246 on Nondiscrimination under Federal contract prohibits employment discrimination by contractor and sub-contractor doing business with the Federal Government or recipients of Federal funds. This order was later amended by Executive Order No. 11375 to prohibit discrimination on the basis of sex.
- Section 503 of the Rehabilitation Act of 1973 states:

The Contractor will not discriminate against any employee or applicant for employment because of physical or mental disability.

- Section 2012 of the Vietnam Era Veterans Readjustment Act of 1973 requires Affirmative Action on behalf of disabled veterans and veterans of the Vietnam Era by contractors having Federal contracts.
- Section 206(A) of Executive Order 12086, Consolidation of Contract Compliance Functions for Equal Employment Opportunity, states:

The Secretary of Labor may investigate the employment practices of any Government contractor or sub-contractor to determine whether or not the contractual provisions specified in Section 202 of this order have been violated.

The Lexington-Fayette Urban County Government practices Equal Opportunity in recruiting, hiring and promoting. It is the Government's intent to affirmatively provide employment opportunities for those individuals who have previously not been allowed to enter into the mainstream of society. Because of its importance to the local Government, this policy carries the full endorsement of the Mayor, Commissioners, Directors and all supervisory personnel. In following this commitment to Equal Employment Opportunity and because the Government is the benefactor of the Federal funds, it is both against the Urban County Government policy and illegal for the Government to let contracts to companies which knowingly or unknowingly practice discrimination in their employment practices. Violation of the above mentioned ordinances may cause a contract to be canceled and the contractors may be declared ineligible for future consideration.

Please sign this statement in the appropriate space acknowledging that you have read and understand the provisions contained herein. Return this document as part of your application packet.

<u>Bidders</u>

I/We agree to comply with the Civil Rights Laws listed above that govern employment rights of minorities, women, veteran status, disability and age.

Matalei a. Supard

Tipie Advertising + Print

GENERAL PROVISIONS OF BID CONTRACT

By signing the below, bidder acknowledges that it understands and agrees with the following provisions related to its bid response and the provision of any goods or services to LFUCG upon selection by LFUCG pursuant to the bid request:

- Bidder shall comply with all Federal, State & Local regulations concerning this type of service or good.
- 2. Failure to submit ALL forms and information required by LFUCG may be grounds for disqualification.
- 3. Addenda: All addenda, if any, must be considered by the bidder in making its response, and such addenda shall be made a part of the requirements of the bid contract. Before submitting a bid response, it is incumbent upon bidder to be informed as to whether any addenda have been issued, and the fallure of the bidder to cover any such addenda may result in disqualification of that response.
- Bid Reservations: LFUCG reserves the right to reject any or all bid responses, to award in whole or part, and to
 waive minor immaterial defects in proposals. LFUCG may consider any alternative proposal that meets its basic
 needs.
- 5. Liability: LFUCG is not responsible for any cost incurred by bidder in the preparation of its response.
- 6. Changes/Alterations: Bidder may change or withdraw a proposal at any time prior to the opening; however, no oral modifications will be allowed. Only letters, or other formal written requests for modifications or corrections of a previously submitted proposal which is addressed in the same manner as the bid response, and received by LFUCG prior to the scheduled closing time for receipt of bids, will be accepted. The bid response when opened, will then be corrected in accordance with such written request(s), provided that the written request is contained in a sealed envelope which is plainly marked "modifications of bid response".
- 7. Clarification of Submittal: LFUCG reserves the right to obtain clarification of any point in a bid or to obtain additional information from any bidder.
- Bribery Clause: By his/her signature on its response, bidder certifies that no employee of his/hers, any affillate or subcontractor, has bribed or attempted to bribe an officer or employee of the LFUCG.
- 9. Additional Information: While not necessary, the bidder may include any product brochures, software documentation, sample reports, or other documentation that may assist LFUCG in better understanding and evaluating the bid response. Additional documentation shall not serve as a substitute for other documentation which is required by the LFUCG to be submitted with the bid response.
- 10. Ambiguity, Conflict or other Errors: If a bidder discovers any ambiguity, conflict, discrepancy, omission or other error in the bid request of LFUCG, it shall immediately notify LFUCG of such error in writing and request modification or clarification of the document if allowable by the LFUCG.
- Agreement to Bid Terms: In submitting its bid response, the bidder agrees that it has carefully examined the specifications and all provisions relating to LFUCG's bid request, including but not limited to the bid contract. By submission of its bid response, bidder states that it understands the meaning, intent and requirements of LFUCG's bid request and agrees to the same. The successful bidder shall warrant that it is familiar with and understands all provisions herein and shall warrant that it can comply with them. No additional compensation to bidder shall be authorized for services, expenses, or goods reasonably covered under these provisions that the bidder omits from its bid response.
- 12. Cancellation: LFUCG may unilaterally terminate the bid contract with the selected bidder(s) at any time, with or without cause, by providing at least thirty (30) days advance written notice unless a different advance written notice period is negotiated prior to contract approval. Payment for services or goods received prior to termination shall be made by the LFUCG provided these goods or services were provided in a manner acceptable to the LFUCG. Payment for those goods and services shall not be unreasonably withheld.

- 13. Assignment of Contract: The selected bidder(s) shall not assign or subcontract any portion of the bid contract with LFUCG without the express written consent of LFUCG. Any purported assignment or subcontract in violation hereof shall be void. It is expressly acknowledged that LFUCG shall never be required or obligated to consent to any request for assignment or subcontract; and further that such refusal to consent can be for any or no reason, fully within the sole discretion of LFUCG.
- 14. No Waiver: No failure or delay by LFUCG in exercising any right, remedy, power or privilege hereunder, nor any single or partial exercise thereof, nor the exercise of any other right, remedy, power or privilege shall operate as a waiver hereof or thereof. No failure or delay by LFUCG in exercising any right, remedy, power or privilege under or in respect of this bid proposal or bid contract shall affect the rights, remedies, powers or privileges of LFUCG hereunder or shall operate as a waiver thereof.
- 15. Authority to do Business: Each bidder must be authorized to do business under the laws of the Commonwealth of Kentucky and must be in good standing and have full legal capacity to provide the goods or services specified in the bid proposal. Each bidder must have all necessary right and lawful authority to submit the bid response and enter into the bid contract for the full term hereof including any necessary corporate or other action authorizing the bidder to submit the bid response and enter into this bid contract. If requested, the bidder will provide LFUCG with a copy of a corporate resolution authorizing this action and/or a letter from an attorney confirming that the proposer is authorized to do business in the Commonwealth of Kentucky. All bid responses must be signed by a duly authorized officer, agent or employee of the bidder.
- 16. Governing Law: This bid request and bid contract shall be governed by and construed in accordance with the laws of the Commonwealth of Kentucky. In the event of any proceedings regarding this matter, the bidder agrees that the venue shall be the Fayette County Circuit Court or the U.S. District Court for the Eastern District of Kentucky, Lexington Division and that the bidder expressly consents to personal jurisdiction and venue in such Court for the limited and sole purpose of proceedings relating to these matters or any rights or obligations arising thereunder.
- 17. Ability to Meet Obligations: Bidder affirmatively states that there are no actions, suits or proceedings of any kind pending against bidder or, to the knowledge of the bidder, threatened against the bidder before or by any court, governmental body or agency or other tribunal or authority which would, if adversely determined, have a materially adverse effect on the authority or ability of bidder to perform its obligations under this bid response or bid contract, or which question the legality, validity or enforceability hereof or thereof.
- 18. Bidder understands and agrees that its employees, agents, or subcontractors are not employees of LFUCG for any purpose whatsoever. Bidder is an independent contractor at all times related to the bid response or bid contract.
- 19. If any term or provision of this bid contract shall be found to be illegal or unenforceable, the remainder of the contract shall remain in full force and such term or provision shall be deemed stricken.

Nataler a. Supond

2/5/17

SCOPE: This specification outlines the minimum requirements for a reflective automotive graphic kit designed to fit a variety of Police vehicles including patrol cars, SUV's, motorcycles, boats, etc.

PRINTED GRAPHIC MATERIAL REQUIREMENTS: The base sheeting shall be 3M 680 CR series film, a highly flexible, self-adhesive retro-reflective cast PVC film specially designed for high quality fleet vehicle graphic applications that has a positional, pressure-activated adhesive, premium laminate overcast and a total thickness of .01 to .02 inches.

Color Matching:

Blue – PMS 286C ("Lexington Blue") Black – 3M 9705 with halftone Red – to match 3M 680-72 White – unprinted 3M IJ680-10 white

PATROL CAR GRAPHIC DESIGN AND ENGINEERING REQUIREMENTS: All graphic panels are to be engineered and produced so that each panel fits within a specific body panel (i.e. Front Door) and does not require cutting of the graphic during the installation. These cuts should allow for tolerance from vehicle to vehicle. Excess premask is to be included to act as a positioning aid and it is to conform to the body features of the vehicle. All decals shall be kiss cut, pre-spaced, and premasked. All decal segments must be in one (1) piece, splicing is NOT acceptable.

The vendor will provide graphic design artwork or adapt original design artwork, including any setup required. Any fee associated with this requirement should be included in the bid cost. Graphic design artwork, related products and files are copyrighted property of the Lexington Division of Police. This includes but is not limited to reproduction, derivative, distribution, and display rights without written consent from the Lexington Division of Police.

WARRANTY: All items provided under this contract shall be warranted for 5 years against fading, cracking or peeling. Written proof of the 3M Matched Component System warranty shall be submitted with bid proposal. In the case of warranty, the vendor will be responsible for providing replacement graphics and any required removal/installation at no charge to the Division of Police.

ADDITIONAL QUALIFICATIONS OF BIDDERS: Bids will be accepted only from vendors with a minimum of I year experience selling or manufacturing fleet graphics. Vendor production capabilities must ensure that the successful bidder be able to modify the decal design in support of Division of Police needs and accommodate changes in the make and body style of selected police vehicles. Successful vendor must also demonstrate capability to provide graphics for additional vehicle types not specifically listed, including specialty units, trucks, boats, aircraft, etc. Successful vendor agrees to submit a complete set of sample decals to Division of Police for approval, prior to beginning a production run.

Successful vendor agrees to provide on-site application instructions, assistance, or training to LFUCG employees performing decal application. All costs related to such training shall be at vendor's expense.

PATROL CAR DESIGN: 2017 Ford Police Interceptor

The kit is to be designed and printed so that any panel for a 2014 Ford Police Interceptor will fit any other 2014 Ford Police Interceptor taking into consideration any tolerances from vehicle to vehicle. This will allow mixing of parts (within a particular vehicle model) as necessary during installation or when vehicles require repair. All lettering is to be all capital letters and in the Eurobold typeface. Each panel must be printed as one piece with no seam. This stripe is to be printed in sections to fit the fenders, front door and rear door. Applied within the stripping is the Division of Police shield. ALL SECTIONS MUST BE CONSISTENT SO AS TO ENSURE WHEN ANY ONE ELEMENT/SECTION IS APPLIED TO A VEHICLE THE STRIPES WILL MATCH UP WITHOUT A DISCERNABLE VARIANCE OR DIFFERENCE IN WIDTH, ALIGNMENT OR COLOR BETWEEN THE TWO ELEMENTS/SECTIONS.

ITEM A - Front Bumper/Corners (Left and Right)

The reflective stripe panel is approximately 10.5 inches in height at its tallest point and approximately 44.5 inches long. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design from the front grill of vehicle to front fender.

ITEM B —Unit Numbers (Left and Right Front Bumper and Rear Bumper) Panel of four, 3 inch blue unit numbers is to be provided for the lower left and right side of the front bumper and one set of numbers for right side of rear bumper.

ITEM C - Front Fender (Left and Right)

The reflective stripe panel is approximately 11.5 inches in height at its tallest point. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom.

ITEM D – Front Door (Left and Right)

The reflective stripe panel is approximately 11.5 inches in height at its tallest point and approximately 44.5 inches long. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "POL" on the driver side and "ICE" on the passenger side showing in white base material.

ITEM E - Rear Door (Left and Right)

The reflective stripe panel is approximately 11.5 inches in height at its tallest point and approximately 45 inches long. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "ICE" on the driver side and "POL" on the passenger side in white base material showing.

ITEM F - Quarter Panel (Left and Right)

The reflective stripe panel is approximately 14.75 inches in height at its tallest point and approximately 52 inches long. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom. At the rear of the panel near the tail-light assembly shall be the numbers "911" that extend over the top of the stripe by approximately 1 inch in white base material showing. The word "EMERGENCY" in red is below the 911.

ITEM G – Rear Bumper Corners (Left and Right)

The reflective stripe panel is approximately 7.5 inches in height at its tallest point and approximately 21.25 inches long. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid.

ITEM H - Trunk Lid

The trunk lid panel is approximately 18 inches in height and 55.75 inches long. The lettering is to be in the style and colors for the front door lettering. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approximately 2.5 inch lettering "LEXINGTON" centered on the top half (above chrome manufacturer logo) and 4" lettering "POLICE" centered on lower half showing in white base material.

ITEM I - LEXINGTON POLICE DEPARTMENT Shield

This shield is to be installed on the front fender and is a High-Resolution photographic quality reproduction of the LFUCG Division of Police breast badge. This decal is digitally printed and measuring approximately 10.75 inches tall by 9.25 inches wide maintaining proportion to the actual badge. Successful Vendor will be responsible for successfully reproducing the shield graphic from a digital photograph to be provided by LFUCG Division of Police. This photograph will be furnished to the apparent low bidder and must be returned, along with proof sample, within fifteen (15) working days after notification prior to award of contract. To ensure conformity, a full-size sample must be presented to the LFUCG Division of Police prior to award. An artist rendering or drawing is not acceptable. Note: Item I shall be incorporated in Item D

ITEM J - Windshield Graphic

Pre-spaced lettering is to read POLICE (reversed) in white, approximately 3 inches in height by 29 inches in width.

ITEM K - LEXINGTON Panel

A separate panel to read LEXINGTON measures approximately 61.25 inches in length by 5 inches in height and shall be provided for each side. Lettering is blue with black drop shadow.

ITEM L – Unit Numbers for Roof

Each graphic kit shall include the Roof Number panel consisting of four digits, each measuring 16 inches tall and proportionally sized for legibility by Police air units, is to be standard 3M 680-85 black. All panels are to be shipped loose and separate from the graphics kit.

PACKAGING SPECIFICATIONS - 2017 Ford Police Interceptor:

Each graphic kit is to consist of Front Bumper/Corners (DS & PS), Front Fender (DS & PS), Front Door (DS & PS), Rear Door (DS & PS), Rear Fender (DS & PS), Rear Bumper Corners (DS & PS), (2) Division of Police shields, "Lexington" Lettering (DS & PS), (3) sets of Unit Numbers, and (1) set of Roof Numbers. The kit is to be thermal sealed in a polybag and packaged in such a way to ensure no folding, wrinkling and/or Premask/Liner pop off the graphic. Due to the size, roof number panels for each kit are to be packaged separately

PART LABELING: Each Graphic Panel is to be labeled as to vehicle side and position as applicable (i.e. Driver Side Front Fender)

"SPARE PARTS" are to be packaged separately, such as all right front fenders packaged together.

INSTALLATION INSTRUCTIONS: Detailed installation instructions are to be provided showing step by step procedures, including pictorial views to aid in proper installation techniques.

DELIVERY: Not more than 30 Days after receipt of order

GENERAL INFORMATION: Photographs of current decal kit are available. Bidders may inspect a patrol car to verify color and sizes by contacting the LFUCG Division of Police - Fleet Liaison. IT WILL BE THE RESPONSIBILITY OF THE VENDOR TO VIEW THE DECAL ON THE VEHICLE, SAMPLE PACKAGES WILL NOT BE MAILED OUT.

PRICING SHEET

Complete Kit for 2017 Ford Police Interceptor, current year or newer	\$ 655
Front Bumper/Corners (DS or PS) For any quantity	s 50
Front Fender (DS or PS) For any quantity	<u>\$ 50</u>
Front Door (DS or PS) For any quantity	\$ <u>50</u>
Rear Door (DS or PS) For any quantity	s <u>50</u>
Rear Fender (DS or PS) For any quantity	s 65
Rear Bumper Comers (DS or PS) For any quantity	s 15
Trunk Lid For any quantity	s <u>75</u>
Police Shield For any quantity	s 10
Police Shield Emblem with Magnetic Backing For any quantity	s <u>55</u>
Windshield Graphic For any quantity	\$ 10
LEXINGTON Panel For any quantity	s <u>25</u>
Unit Number Panels (4-digit, pre-spaced) For any quantity	s_10
Unit Number (Single digits) For any quantity	s <u>4</u>
Roof Number Panels (4-digit, pre-spaced) For any quantity	s <u>75</u>
Roof Numbers (Single-digit) For any quantity	s <u>25</u>

DELIVERY:	5 day delivery
	Days ARO

Installation Option Ford Police Interceptor: As needed, the successful vendor will be requested to install graphics kits on specific Patrol Vehicles. Vendor is required to complete installations within 5 calendar days after orders are placed.

Installation only: \$\frac{280}{550}\$ per vehicle

Complete Re-marking: \$\frac{550}{55}\$ per vehicle

Other Installation: \$\frac{65}{5}\$ per hour

RISK MANAGEMENT PROVISIONS INSURANCE AND INDEMNIFICATION Bid #14-2017 Breathing Apparatus

INDEMNIFICATION AND HOLD HARMLESS PROVISION

- (1) It is understood and agreed by the parties that Vendor hereby assumes the entire responsibility and liability for any and all damages to persons or property caused by or resulting from or arising out of any act or omission on the part of Vendor or its employees, agents, servants, owners, principals, licensees, assigns or subcontractors of any tier (hereinafter "Vendor") under or in connection with this agreement and/or the provision of goods or services and the performance or failure to perform any work required thereby.
- (2) Vendor shall indemnify, save, hold harmless and defend the Lexington-Fayette Urban County Government and its elected and appointed officials, employees, agents, volunteers, and successors in interest (hereinafter "LFUCG") from and against all liability, damages, and losses, including but not limited to, demands, claims, obligations, causes of action, judgments, penalties, fines, liens, costs, expenses, interest, defense costs and reasonable attorney's fees that are in any way incidental to or connected with, or that arise or are alleged to have arisen, directly or indirectly, from or by Vendor's performance or breach of the agreement and/or the provision of goods or services provided that: (a) it is attributable to personal injury, bodily injury, sickness, or death, or to injury to or destruction of property (including the loss of use resulting therefrom), or to or from the negligent acts, errors or omissions or willful misconduct of the Vendor; and (b) not caused solely by the active negligence or willful misconduct of LFUCG.
- (3) In the event LFUCG is alleged to be liable based upon the above, Vendor shall defend such allegations and shall bear all costs, fees and expenses of such defense, including but not limited to, all reasonable attorneys' fees and expenses, court costs, and expert witness fees and expenses, using attorneys approved in writing by LFUCG, which approval shall not be unreasonably withheld.
- (4) These provisions shall in no way be limited by any financial responsibility or insurance requirements, and shall survive the termination of this agreement.
- (5) LFUCG is a political subdivision of the Commonwealth of Kentucky. Vendor acknowledges and agrees that LFUCG is unable to provide indemnity or otherwise save, hold harmless, or defend the Vendor in any manner.

FINANCIAL RESPONSIBILITY

Vendor understands and agrees that it shall demonstrate the ability to assure compliance with these provisions prior to final acceptance of its bid and the commencement of any work or the provision of any goods.

INSURANCE REQUIREMENTS

YOUR ATTENTION IS DIRECTED TO THE INSURANCE REQUIREMENTS BELOW. YOU MAY NEED TO CONFER WITH YOUR INSURANCE AGENTS, BROKERS, OR CARRIERS TO DETERMINE IN ADVANCE OF SUBMISSION OF A RESPONSE THE AVAILABILITY OF THE INSURANCE COVERAGES AND ENDORSEMENTS REQUIRED HEREIN. IF YOU FAIL TO

COMPLY WITH THE INSURANCE REQUIREMENTS BELOW OR THE INDEMNITY REQUIREMENTS, YOU MAY BE DISQUALIFIED FROM AWARD OF THE CONTRACT.

Required Insurance Coverage

Vendor shall procure and maintain for the duration of this contract the following or equivalent insurance policies at no less than the limits shown below and cause its subcontractors to maintain similar insurance with limits acceptable to LFUCG in order to protect LFUCG against claims for injuries to persons or damages to property which may arise from or in connection with the performance of the work or provision of goods hereunder by Vendor. The cost of such insurance shall be included in any bid:

<u>Coverage</u> <u>Limits</u>

General Liability \$1 million per occurrence, \$2 million aggregate

(Insurance Services Office Form CG 00 01) or \$2 million combined single limit

Worker's Compensation Statutory

Employer's Liability \$500,000

The policies above shall contain the following conditions:

a. All Certificates of Insurance forms used by the insurance carrier shall be properly filed and approved by the Department of Insurance for the Commonwealth of Kentucky. LFUCG shall be named as an additional insured in the General Liability Policy and any required Commercial Automobile Liability Policy using the Kentucky DOI approved forms.

- b. The General Liability Policy shall be primary to any insurance or self-insurance retained by LFUCG.
- c. The General Liability Policy shall include Products Liability coverage.
- d. LFUCG shall be provided at least 30 days advance written notice via certified mail, return receipt requested, in the event any of the required policies are canceled or non-renewed.
- e. Said coverage shall be written by insurers acceptable to LFUCG and shall be in a form acceptable to LFUCG. Insurance placed with insurers with a rating classification of no less than Excellent (A or A-) and a financial size category of no less than VIII, as defined by the most current Best's Key Rating Guide shall be deemed automatically acceptable.

Renewals

After insurance has been approved by LFUCG, evidence of renewal of an expiring policy must be submitted to LFUCG, and may be submitted on a manually signed renewal endorsement form. If the policy or carrier has changed, however, new evidence of coverage must be submitted in accordance with these Insurance Requirements.

Deductibles and Self-Insured Programs

IF YOU INTEND TO SUBMIT A SELF-INSURANCE PLAN IT MUST BE FORWARDED TO LEXINGTON-FAYETTE URBAN COUNTY GOVERNMENT, DIVISION OF RISK MANAGEMENT, 200 EAST MAIN STREET, LEXINGTON, KENTUCKY 40507 NO LATER THAN A MINIMUM OF FIVE (5) WORKING DAYS PRIOR TO THE RESPONSE DATE. Self-insurance

programs, deductibles, and self-insured retentions in insurance policies are subject to separate approval by Lexington-Fayette Urban County Government's Division of Risk Management, upon review of evidence of Vendor's financial capacity to respond to claims. Any such programs or retentions must provide LFUCG with at least the same protection from liability and defense of suits as would be afforded by first-dollar insurance coverage.

Safety and Loss Control

Vendor shall comply with all applicable federal, state, and local safety standards related to the performance of its works or services under this Agreement and take necessary action to protect the life, health and safety and property of all of its personnel on the job site, the public, and LFUCG.

Verification of Coverage

Vendor agrees to furnish LFUCG with all applicable Certificates of Insurance signed by a person authorized by the insurer to bind coverage on its behalf prior to final award, and if requested, shall provide LFUCG copies of all insurance policies, including all endorsements.

Right to Review, Audit and Inspect

Vendor understands and agrees that LFUCG may review, audit and inspect any and all of its records and operations to insure compliance with these Insurance Requirements.

DEFAULT

Vendor understands and agrees that the failure to comply with any of these risk management provisions shall constitute a default and that LFUCG may elect at its option any single remedy or penalty or any combination of remedies and penalties, as available, including but not limited to purchasing insurance and charging Vendor for any such insurance premiums purchased, or suspending or terminating the contract or work.

00537945



Exceptions

As stated in the attached current documents from 3M Company, the requested graphic material, 3M 680 CR, is not warranted for non-vertical applications (90° \pm 10°). While the warranty period for vertical graphics on 680 series reflective vinyl is not covered by 3M, Zipie Advertising & Print extends warranty against graphic defects, excessive shrinkage or fading, and installation failure for two (2) years on all 3M vehicle graphics produced and installed by our graphics team, a collaboration between Zipie Advertising & Print and AdColor, Inc. We look forward to hearing from you regarding this bid proposal.

Sincerely,


Natalie Shepard
Print Director
Zipie Advertising & Print
859.244.4270
natalie@zipie.com

4		



Supporting Documents


Frankfort Police








• Oak Grove Police




	,		



• Fayette Co. Sheriff







2/6/2017

To whom it may concern:

On behalf of Zipie Advertising & Print, thank you for the opportunity to bid on the new Lexington Police reflective vehicle graphics contract (Bid #16-2017). As a previous contract provider of graphics for Crown Victoria cruisers and developer and installer of the prototype graphics for the 2013 Ford Police Interceptor for the Lexington Police (under our former name, Beasley), we have a history of providing great products and services to the Lexington Police Department.

We hope to continue to provide high-quality vehicle markings for the department and the Lexington Fayette Urban County Government.

Sincerely,

Natalie Shepard
Print Director
Zipie Advertising & Print
859.244.4270
natalie@zipie.com

Katie O'Malley CEO Zipie Advertising & Print 859.244.4270 katie@zipie.com

J.P. Miller
Founder
Zipie Advertising & Print
Paul Miller Motor Company
jp@zipie.com

Bild #16-2017 Reflective Vehicle Decals Prom top to board metaspes tales, fading to solid blue in the center and from the floor, gill of from the floor, gill gill gill gill gill gill gill gil	ZIPIE				
Interception) Description Description Description Out Size (in) From top to bottom the stripe is black, fading to solid blue in the center and challes between the stripe to black at the bottom and wraps the design from the front grill of fading back to black at the bottom. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "POL" on the driver side and "PLE" on the passenger side howing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "PCL" on the driver side and "PCL" on the passenger side howing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "PCL" on the driver side and "PDL" on the passenger side howing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and stripe the passenger side to bottom and wraps the design at least the stripe the passenger side to bottom and wraps the design at least the stripe the passenger side to bottom and wraps the design at least the stripe the passenger side to be stripe the passenger side to bottom and wraps the design at least the stripe the passenger side to be stripe the stripe t	Bid #16-2017 Reflective Vehicle Decals				
Interception) Description Description From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design from the front gift of whicher to from the fading. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters. "PQL" on the driver side and "ICE" on the passenger side showing in white base malerial. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters. "PQL" on the driver side and "ICE" on the passenger side showing in white base malerial. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters. "ICE" on the driver side and "ICE" on the passenger side showing in white base malerial. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters. "ICE" on the driver side and "IDD 11.5 h x 45.1 From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with stripe is black, fading to solid blue in the center and fading back to black at the bottom with stripe is black, fading to solid blue in the center and fading back to black at the bottom with stripe is black, fading to solid blue in the center and fading back to black at the bottom with stripe is black, fading to solid blue in the center and fading back to black at the bottom with stripe is black, fading to solid blue in the center and fading back to black at the bottom with stripe is black, fading to solid blue in the center and fading back to black at the bottom with stripe is black, fading to solid blue in the center and fading back to black at the bottom with stripe is black, fading to solid blue in the center and fading back to black at the bottom with stripe is black black and is black to solid blue in the center and fading back to bl	Zipie Job #170128				
Interceptor) Description Interceptor) Description From top bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and vraps the design from the from gill of design from the from gill of fading back to black at the bottom with the letters, "POL" on the passenger and showing, in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters, "POL" on the passenger and showing, in white base material. From top to bottom the stripe is black, fading to solid blue in the center and "POL" on the passenger and showing, in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters, "CF" on the passenger side showing in white the senter and fading back to black at the bottom with the letters, "CF" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters, "CF" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and variety to be a panel near the stripe by the str					
From top to bottom the stripe is black, fading to solid blue in the center and delicity of the pastern of the p	Item Title (on 2017 Ford Police Interceptor)	Description	Qtγ	Size (in)	Price
JATEM A violete to front fender. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "POL" on the driver side and "ICE" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "POL" on the driver side and "ICE" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "POL" on the driver side and "ICE" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brack light assembly shall be the numbers "911" that extend over the up of the stripe by approx. 1 inch in white base material showing. The world "EMERCENC" need that the bottom has stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake light standard to be brack at the bottom with approx. 1.5 inch lettering. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 3.5 inch lettering. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 3.5 inch lettering. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 3.5 inch lettering. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 3.5 inch lettering. From top to bottom the stripe is black, fading to solid blue in the		From top to bottom the stripe is black, fading to solid blue in the center and			
From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters."POL" on the driver side and "POL" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters. "POL" on the driver side and "POL" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom. At the east of the panel heart he stall-light, assembly shall be the names and stall the papers. I not in white base material showing. The word "ENERGENCY" in red is below the \$11." From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear heart he light marching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with app	sent humber/respect (DS & DS) ITEM A	fading back to black at the bottom and wraps the design from the front grill of vehicle to front fender	TRIN	10 S h x 44 S I	\$50.0
From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters."PQL" on the driver side and "ICE" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters."ICE" on the driver side and "PQL" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom. At the rear of the panel hear the fading the solid blue in the center and fading back to black at the bottom with the letters."ICE" on the driver side and "IBD "LIS h x 45 I with "911" approx. I not in white base material showing. The word "EMERGENC" in red is black at the bottom with approx. 2.5 in the letters in the center and fading back to black at the bottom with approx. 2.5 in the letters in the center and fading back to black at the bottom with approx. 2.5 in the letters in the center and fading back to black at the bottom with approx. 2.5 in the letters in the center and fading back to black at the bottom with approx. 2.5 in the letters in the center and fading back to black at the bottom with approx. 2.5 in the letters in the center and fading back to be installed on the front femder and is a high-res photographic graphic from a digital photo provided by LPUCG. Photo will provided and must be returned, along with proof sample, within 12 working days after notification prior to award of contract. A full size sample must be presented for LPUCG prior to award of contract. A full size sample must be presented for LPUCG prior to award of contract. A full size sample must be presented for LPUCG prior to award of contract. A full size sample must be presented for LPUCG prior to read POLICE (reversed) in white. Sheld with magnet back.	Control (Control (Con	From top to bottom the stripe is black, fading to solid blue in the center and	6	3	4000
From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters." POL" on the driver side and "ICF" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to bottom the stripe is black, fading to solid blue in the center and fading back to bottom the stripe is black, fading to solid blue in the center and fading back to bettern the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters." In the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 3. Sinch lettering. "LEXINGTON" centered on the tom and wraps the design around the rear brake lights matching up with the trunk lid. "EXINGTON" centered on the tom that showing in white base material. This shield is to be installed on the front femder and is a high-res photographic quality reproduction of the LPUCG back. This detail signally printed. Successful vender will be responsible for successfully reproducing the shield graphic from a digital photo provided by LPUCG. Photo will provided and must be returned, along with proof sample, within 13 working days after notification prior to award of contract. A full size sample must be presented for the PUCG back of the provided by LPUCG. Photo will provided and the provided and the provided by LPUCG. Photo will provided and the provided and the provided by LPUCG. Photo will be provided by LPUCG. Photo will provided and the provided by LPUCG. Photo will be provided by LPUCG. Photo	Front fender (DS & PS)ITEM C	fading back to black at the bottom.	TBD	11.5 h	1055
From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "PCD" on the driver side and "ICE" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "ICE" on the driver side and "PDD" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom. At the rear of the panel near the tail-light assembly shall be the numbers "911" that extend over the top of the stripe by approx. I mich in white base material showing. The word "EMERGENCY" in red fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "PDLICE" centered on the top half (above chrome manufacture logo) and "IEMINGTON" centered on the top half (above chrome manufacture logo) and "IEMINGTON" (2.5 in) & 4.5 lettering "POLICE" centered on lower half showing in white base material. This sheld is to be installed on the front fender and is a high-res phottographic quality reproduction of the LFUCG badge. This detail is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 1.5 working days after notification prior to award of contract. A full size sample must be presented by LFUCG prior to award to read POLICE (reversed) in white. Pre-spaced lettering is to read POLICE (reversed) in white.					
and "ICE" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "ICE" on the driver side and "POU." on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "ICE" on the driver side and "POU." on the passenger side showing in white base material showing in white base material showing the stripe by approx. I inch in white base material showing. The word "DREGEVEC" in red is below the 911. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear bake lights mariching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "POULCE" centered on the top half labove chrome manufacturer logo) and "IEXINGTON" centered on the bottom with approx. 2.5 inch lettering "POULCE" centered on lower half showing in white base material. This shield is to be installed on the front fender and is a high-res photographic guality reproduction of the LFUGG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUGG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented by AFUGG. Photo will provided and the provided will be approxed by LFUGG. Photo will provided and the provided will be approxed by LFUGG. Photo will provided and the provided will be approxed by LFUGG. Photo will provided and the provided will be approxed by LFUGG. Photo will provided and the provided will be approxed by LFUGG. Photo will provided and the provided will be approxed by LFU		From top to bottom the stripe is black, fading to solid blue in the center and			
and "ICE" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with the letters "ICE" on the driver side and fading back to black at the bottom, at the rear of the ganel near the lail-light assembly shall be the numbers "911" approx. 1 inch in white base material showing. The word "EMERGENC" in red fading back to black at the bottom. At the rear of the ganel near the lail-light assembly shall be the numbers "911" that extend over the top of the stripe by approx. 1 inch in white base material showing. The word "EMERGENC" in red fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and lights with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and light with "EMERGENC?" Table trunk lid. Table trunk		fading back to black at the bottom with the letters "POL" on the driver side			
From top to bottom the stripe is black, fading to solid blue in the center and "PDQ" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom. At the rear of the panel near the tail-light assembly shall be the numbers "931" that extend over the top of the stripe by approx. Inch in white base material showing. The word "EMERGENCY" in red is below the 931. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "LEXINGTON" centered on the top hall (above chrome manufacturer logo) and 4" lettering "POLICE" centered on lower half showing in white base material. This shield is to be installed on the IFUCG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducting the shield graphic from a digital photo provided by LFUCG. Photo will provided and musts be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented to LFUCG bardel ettering is to read POLICE (reversed) in white. Table 18D 10.75 h x 9.25 Separate panel to read LEXINGTON, Lettering is blue with black drop shadow. Table 18D 25 h x 63.25 in whith the center and fading back in the center and the stripe back in the center and table to the center and table. Table 18D 10.75 h x 9.25 Separate panel to read LEXINGTON, Lettering is blue with black drop shadow. Table 18D 25 h x 63.25 in the center and table to the center and table table to the center and table table to the center and table table table table to the center and table tab	Front door (DS & PS)ITEM D	and "ICE" on the passenger side showing in white base material.	TBD	11.5 h 44.5 l	\$50.
fading back to black at the bottom with the letters "ICE" on the driver side and "POL" on the passenger side showing in white base material. From top to bottom the stripe is black, fading to solid blue in the rear the tailight assembly shall be the numbers "911" that extend over the top of the stripe by approx. I inch in white base material showing. The word "EMERGENC" in red is below the 911. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "LEXINGTON" centered on the top half (above chrome manufacturer logo) and 4" lettering "POLICE" centered on lower half showing in white base material. This shield is to be installed on the Font fender and is a high-res photographic quality reproduction of the LFUCG badge. This decal is digitally printed. Sincessful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after to LFUCG prior to award of contract. A full size sample must be presented to LFUCG prior to award of contract. A full size sample must be presented to LFUCG prior to award of contract. A full size sample must be presented to LFUCG prior to award of contract. A full size sample must be presented to LFUCG prior to award of contract. A full size sample must be presented to LFUCG prior to award of contract. A full size sample must be presented to LFUCG prior to save and to LFUCG prior to save an		From top to bottom the stripe is black, fading to solid blue in the center and			
From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom. At the rear of the panel near the tail-light assembly shall be the numbers "911" that extend over the top of the stripe by approx. I inch in white base material showing. The word "EMERGENCY" in red is below the 911. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "BDD" (under 911) From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "BDD" (under 911) From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "BDD" (under 911) From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "BDD" (under 911) From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering back black is to be installed on the front fender and is a high-res photographic quality reproducing the shield graphic from a digital photo provided by FUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award. Shield with magnet back Pre-spaced lettering is to read POLICE (reversed) in white. TBD 3 h x 291 TBD 3 h x 291 TBD 3 h x 291		fading back to black at the bottom with the letters "ICE" on the driver side and			
From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom. At the rear of the panel near the tail-light assembly shall be the numbers "311" that extend over the tup of the stripe by approx. 1 inch in white base material showing. The word "EMERGENCY" in red fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "EXINGTON" centered on the top half (above chrome manufacturer logo) and 4" lettering "POLICE" centered on lower half showing in white base material. This shield is to be installed on the Front fender and is a high-res photographic quality reproduction of the LFUCG badge. This decail sigilally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented to LFUCG prior to award of contract. A full size sample must be presented to LFUCG prior to award. A separate panel to read FOLICE (reversed) in white. From top to bottom the stripe is black from shadow. TBD The stripe is black formation of the stripe is black from shadow. TBD The stripe is black formation of the stripe is black from shadow. TBD The stripe is black formation of the stripe is black from shadow. TBD The stripe is all stripe is all stripe in the stripe is all stripe. The stripe is all stripe is all stripe. The stripe is all stripe in the stripe is black from shadow. TBD The stripe is all stripe is all stripe. The stripe is all stripe is all stripe. The stripe is all stripe is all stripe. The stripe is all stripe is all	Rear door (DS & PS)ITEM E	"POL" on the passenger side showing in white base material.	TBO	11.5 h x 45 l	\$50.
fading back to black at the bottom. At the rear of the panel near the tail-light assembly shall be the numbers "911" that extend ower the top of the stripe by approx. I inch in white base material showing. The word "EMERGENCY" in red so bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "POLICE" centered on the top half (above chrome manufacturer logo) and 4" lettering "POLICE" centered on tower half showing in white base material. This sheld is to be installed on the front fender and is a high-res photographic quality reproduction of the LFUCG badge. This decal is digitally printed. Successful vender will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award. A separate panel to read LEXINGTON, Lettering is blue with black drop shadow. TBD 5 h x 51.25 i		From top to bottom the stripe is black, fading to solid blue in the center and			
assembly shall be the numbers "911" that extend over the top of the stripe by approx. 1 inch in white base material showing. The word "EMERGENCY" in red is below the 911. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "LEXINGTON" centered on the top half (above chrome manufacturer logo) and 4" lettering "POLICE" centered on lower half showing in white base material. This shield is to be installed on the front fender and is a high-res photographic quality reproduction of the LFUCG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award. Shield with magnet back A separate panel to read LEXINGTON, Lettering is blue with black drop shadow. TBD A separate panel to read EXINGTON, Lettering is blue with black drop shadow. TBD 18. 27.5 h x 21.25 l (Jia) with "EMERGENCY" TBD 7.5 h x 21.25 l (Jia) with "EMERGENCY" TBD 7.5 h x 21.25 l (Jia) with "EMERGENCY" TBD 7.5 h x 21.25 l (Jia) with "EMERGENCY" TBD 7.5 h x 21.25 l		fading back to black at the bottom. At the rear of the panel near the tail-light			
s below the 91.1. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "LEXINGTON" centered on the top half (above chrome manufacturer logo) and 4" lettering "POLICE" centered on lower half showing in white base material. Successful vendor will be responsible for successfully reproduction of the LFUGG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUGG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented TBD 7.5 h x 21.25 I TBD 7.5		assembly shall be the numbers "911" that extend over the top of the stripe by		14.75 h x 52 l with "911"	
From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "Police" centered on the top half (above chrome manufacturer logo) and 4" lettering "Police" centered on lower half showing in white base material. This shield is to be installed on the front fender and is a high-res photographic quality reproduction of the LFUCG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented to LFUCG prior to award. Shield with magnet back A separate panel to read LEXINGTON, Lettering is blue with black drop shadow. TBD A separate panel to read LEXINGTON, Lettering is blue with black drop shadow. TBD This shad at the bottom and prior to award of contract. A full size sample must be presented to shadow. TBD This shad at the bottom and prior to award of contract. A full size sample must be presented to shadow. TBD This shad at the stripe is black, fading to solid blue in the center and the		approx. 1 inch in white base material showing. The word "EMERGENCY" in red		(1in) with "EMERGENCY"	
from top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom and wraps the design around the rear brake lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and lading back to black at the bottom with approx. 2.5 inch lettering "EXINGTON" centered on the top half fabove chrome manufacturer logo) and "EXINGTON" (2.5 in) & "EXINGTON" (2.5 in) & "EXINGTON" (2.5 in) & "POLICE" centered on lower half showing in white base material. This shield is to be installed on the front fender and is a high-res photographic quality reproduction of the LFUCG badge. This decal is digitally printed. Successful vender and graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award. Shield with magnet back Pre-spaced lettering is to read POLICE (reversed) in white. A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD TBD TBD TBD TBD TBD TBD TBD	Rear tender (DS & PS) Quarter PanelITEM F	is below the SLL.	OBI	(under 911)	\$65.
lights matching up with the trunk lid. From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "LEXINGTON" centered on the top half (above chrome manufacturer logo) and 4" lettering "POLICE" centered on lower half showing in white base material. This shield is to be installed on the front fender and is a high-res photographic quality reproduction of the LEUCG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award. Since sample must be presented to LFUCG prior to award. A separate panel to read POLICE (reversed) in white. TBD 7.5 h x 21.25 l 18 h x 55.75 l with "POLICE" (4 in) "POLICE" (5 in) & 10 in the center and a policy in white be presented to LFUCG prior to award. TBD 18 h x 55.75 l with "POLICE" (4 in) "PO		From top to bottom the stripe is black, fading to solid blue in the center and			
From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "LEXINGTON" centered on the top half (above chrome manufacturer logo) and 4" lettering "POLICE" centered on lower half showing in white base material. T8D "POLICE" (4 in) This shield is to be installed on the front fender and is a high-res photographic quality reproduction of the LFUCG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented to LFUCG prior to award. Shield with magnet back Pre-spaced lettering is to read POLICE (reversed) in white. A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD 5 h x 63.25		land a section of the post of the many sections and sections and the section of t			
From top to bottom the stripe is black, fading to solid blue in the center and fading back to black at the bottom with approx. 2.5 inch lettering "LEXINGTON" centered on the top half (above chrome manufacturer logo) and 4" lettering "POLICE" centered on lower half showing in white base material. This shield is to be installed on the front fender and is a high-res photographic quality reproduction of the LFUCG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award. MI spendic backing Shield with magnetic backing Pre-spaced lettering is to read POLICE (reversed) in white. A separate panel to read LEXINGTON, Lettering is blue with black drop shadow. TBD TBD TBD TBD TBD TBD TBD TBD	Rear bumper corners (US & PS)ITEM G	lights matching up with the trunk lid.	BB	7.5 h x 21.25 l	
"LEXINGTON" centered on the top half (above chrome manufacturer logo) and 4" lettering "POLICE" centered on the top half (above chrome manufacturer logo) and 4" lettering "POLICE" centered on lower half showing in white base material. T8D "POLICE" (4 in) 8. This shield is to be installed on the front fender and is a high-res photographic quality reproduction of the LFUCG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award. WI Shield with magnetic backing Shield with magnet back TBD 10.75 h x 9.25 l TBD 3 h x 29 l A separate panel to read LEXINGTON, Lettering is blue with black drop shadow. TBD 5 h x 63.25 l		From top to bottom the stripe is black, fading to solid blue in the center and			
"LEXINGTON" centered on the top half (above chrome manufacturer logo) and 4" lettering "POLICE" centered on lower half showing in white base material. This shield is to be installed on the front fender and is a high-res photographic quality reproduction of the LFUCG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented to LFUCG prior to award of contract. A full size sample must be presented to LFUCG prior to award of contract. A full size sample must be presented TBD 10.75 h x 9.25 l Shield with magnetic back TBD 3 h x 29 l Pre-spaced lettering is to read POLICE (reversed) in white. TBD 3 h x 29 l				18 h x 55.75 I with	
4" lettering "POLICE" centered on lower half showing in white base material. This shield is to be installed on the front fender and is a high-res photographic quality reproduction of the LFUCG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented to LFUCG prior to award. Shield with magnetic backing Shield with magnetic back free panel to read POLICE (reversed) in white. TBD 10.75 h x 9.25 i TBD 3 h x 29 i TEM X A separate panel to read LEXINGTON, Lettering is blue with black drop shadow. TBD		"LEXINGTON" centered on the top half (above chrome manufacturer logo) and		"LEXINGTON" (2.5 in) &	
This shield is to be installed on the front fender and is a high-res photographic quality reproduction of the LFUCG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented to LFUCG prior to award. Shield with magnet back Fre-spaced lettering is to read POLICE (reversed) in white. A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD This shield is to be installed on the front fender and is a high-res photographic quality printed. Shield with magnet back TBD TBD TBD TBD TBD TBD TBD TB	Trunk lid ITEM H	4" lettering "POLICE" centered on lower half showing in white base material.	T8D	"POLICE" (4 in)	\$75.
quality reproduction of the LFUCG badge. This decal is digitally printed. Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented to LFUCG prior to award. Shield with magnet back Pre-spaced lettering is to read POLICE (reversed) in white. A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD TBD TBD TBD TBD TBD TBD TBD		This shield is to be installed on the front fender and is a high-res photographic			
Successful vendor will be responsible for successfully reproducing the shield graphic from a digital photo provided by LEUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented to LFUCG prior to award. Shield with magnet back Pre-spaced lettering is to read POLICE (reversed) in white. A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD 5 h x 61.25		quality reproduction of the LFUCG badge. This decal is digitally printed.			
graphic from a digital photo provided by LFUCG. Photo will provided and must be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented to LFUCG prior to award. Shield with magnet back Pre-spaced lettering is to read POLICE (reversed) in white. A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD The shadow of the sample and the sample must be presented to 10.75 h x 9.25 l TBD TBD TBD TBD TBD TBD TBD TB		Successful vendor will be responsible for successfully reproducing the shield		_	
must be returned, along with proof sample, within 15 working days after notification prior to award of contract. A full size sample must be presented to LFUCG prior to award. Shield with magnet back TBD 10.75 h x 9.25 Pre-spaced lettering is to read POLICE (reversed) in white. TBD 3 h x 29 A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD 5 h x 61.25		graphic from a digital photo provided by LFUCG. Photo will provided and		_	
notification prior to award of contract. A full size sample must be presented to LFUCG prior to award. Shield with magnet back TBD 10.75 h x 9.25 l Pre-spaced lettering is to read POLICE (reversed) in white. TBD 3 h x 29 l A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD 5 h x 61.25 l		must be returned, along with proof sample, within 15 working days after			
Shield with magnet back Pre-spaced lettering is to read POLICE (reversed) in white. A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD TBD 10.75 h x 9.25 l		notification prior to award of contract. A full size sample must be presented			
Shield with magnet back Pre-spaced lettering is to read POLICE (reversed) in white. A separate panel to read LEXINGTON, Lettering is blue with black drop shadow. TBD 5 h x 61.25	Police shieldITEM I	to LFUCG prior to award.	TBD	10.75 h x 9.25	510.
A separate panel to read LEXINGTON. Lettering is blue with bluck drop shadow. TBD 3 h x 61.25	Police shield emblem with magnetic backing	Shield with magnet back	TBD		\$55.
A separate panel to read LEXINGTON. Lettering is blue with black drop shadow. TBD 5 h x 61.25	Windshield graphicITEM J	Pre-spaced lettering is to read POLICE (reversed) in white.	TBD	3 h x 29 l	\$10.
The state of the s	IFYINGTON DOOR ITEM K	A separate panel to read I FXINGTON. Lettering is blue with black drop shadow	TRO	5 h x 61 05 l	575

!*

		-		
	right side of the front bumper and one set of numbers for right side of rear			
Unit number panelsITEM 8	bumper.	TBD	3 (4-digit, pre-spaced)	\$10.00
Unit numberITEM B	individual number	TBD	(single digits)	\$4.00
	Each graphic kit shall include the roof number panel consisting of 4 digits,	-		
	proportionally sized for legibility by police air units. All panels are to be		16 h (4-digit, pre-	
Roof number panelsITEM L	shipped loose and separate from the graphics kit.	TBD	spaced)	\$75.00
Roof number-ITEM L	Individual number	TBO	(single digits)	\$25.00
PRODUCTION TOTAL PER KIT				\$655.00
INSTALLATION TOTAL PER KIT (per vehicle)				\$280,00
			removal of existing and	
COMPLETE RE-MARKING (per vehicle)			installing new(labor	5550 00
OTHER INSTALLATION (hourly rate)				\$65,00

1*

with Comply™ Adhesive Series 680CR

Quick Links

3M Graphics Warranties 3M Product Bulletin 680CR Technical Information Selector Safety Data Sheets (SDS) Flammability (ASTM E84 Reports) **Videos**

Some of these links lead to web-based resources that are not product-specific.

3M™ MCS™ Warranty

Finished graphics constructed with the materials specified and the exposure specified in the table(s) below, are eligible for the 3MTM MCSTM Warranty.



(i) IMPORTANT NOTE

Warranty information including limitations and exceptions for this product can be found in the 3M Graphics Warranties Bulletin at 3Moraphics.com/warranties.

Warranty Period Matrices - Unprinted Film

Table A. Unprinted Film Warranty Period (in years) for Finished Graphics with no Graphic Protection in a Standard U.S. Vertical Exposure (see 3M Graphics Warranties Bulletin for Graphic Type Definitions).

	Ink and Graphic Protection	VEH	RAIL	OUT
3M™ MCS™ Warranty	None	7	5	7
*Expected Performance Life (Unwarranted period of time)	None	9	7	9

^{*}Expected Performance Life is a good faith estimate of how long unprinted product may perform satisfactorily based on 3M testing. There is no warranty for performance or dura-

Warranty Period Matrices - Screen Printed Film

Table B. Warranty Period for Finished Graphics in a Standard U.S. Vertical Exposure.

	SOLVENT 3M Ink Series 2900			SOLVENT 3M Ink Series 1900			UV Ink Series 9800						
		Line Colo	r.	4-0	olor	1	Line Colo	r		Line Colo	r	4-C	olor
Graphic Protection	VEH	RAIL	OUT	VEH	OUT	VEH	RAIL	OUT	VEH	RAIL	OUT	VEH	001
1920DR	7	5	5	5	5	7	7	7	_			1 - 1	_
9740i	7	5	5	5	5	7	5	5	7	5	5	5	5
9800CL	_	-	_	_	-	-	_	_	5	5	5	5	5



3M "Scotchlite" Removable Reflective Graphic Film

Reduced Warranty Period for Other Graphic Exposures

For other graphic exposures, determine the applicable reduced warranty period by multiplying the standard warranty period (in years) for your graphic construction as shown in the applicable warranty period tables by the percentage shown for the intended graphic exposure. See "Exposure Types" on page 3 of the 3M Graphics Warranties Bulletin for graphic exposure definitions.

Table C. Reduced Warranty Period for Other Graphic Exposures

If the Graphic Exposure is:	Use this Percentage of Vertical Exposure, Warranty Period	Calculation Examples		
Desert Southwest Vertical	70%	0.7 x 7 years = 4.9 years		
U.S. Horizontal	0%	0 x 4 years = 0 years		

Additional Limitations

See the 3M Graphics Warranties Bulletin at <u>3MGraphics.com/warranties</u>, for terms, additional limitations of your warranty, if any, information on reduced warranties for different exposures, and limitations of liability.

Warranty Table Change Summary

November 2015:

 Converted Warranty Table to new format. For product and application specific details please refer to the applicable 3M Product and Instruction Bulletins at 3Mgraphics.com/TechInfo.

3M Commercial Solutions
3M Center

3M Center Building 220-12E-04 St. Paul, MN 55144-1000 1-800-328-3908 Fax 651-736-4233 3M.com/GRAPHICS 3M Canada PO Box 5757 London, ON N6A 4T1 1-800-265-1840 Fax 519-452-6245 3M México S.A. de C.V. Av. Sanla Fe No. 55 Col. Sanla Fe, Del. Alvaro Obregón México D.F. 01210 General 5255-5270-0400 Fax 5255-5270-2277 3M Puerto Rico, Inc. 350 Chardon Avenue Suite 1100 San Juan. PR 00918 General 787-620-3000 Fax 787-620-3018

3M, Comply, MCS, Scotchcal and Scotchille are trademarks of 3M. All other trademarks are the property of their respective owners.

