

Project:

Bid Date:

Contractor: _____

#	Spec Sec.
1	3
2	5
3	6
4	6
5	6
6	6
7	6
8	6
9	6
10	6
11	7
12	7
13	7
14	7
15	8
16	9
17	9
18	9
19	10
20	11
21	11
22	11
23	11
24	11
25	12
26	12
27	13
28	14
29	15, 70
30	15
31	15
32	16
33	17

34	18
35	18
36	18
37	18
38	19
39	20
40	20
41	21
42	21
43	21
44	21
45	21
46	21
47	21
48	22
49	22
50	22
51	22
52	22
53	22
54	23
55	24
56	25
57	25
58	25
59	25
60	25
61	25
62	25
63	25
64	25
65	25
66	25
67	25
68	25
69	25
70	25
71	25
72	25

73	25
74	25
75	25
76	25
77	25
78	25
79	25
80	26
81	27
82	27
83	27
84	27
85	27
86	27
87	27
88	27
89	27
90	27
91	27
92	27
93	27
94	27
95	28
96	28
97	28
98	28
99	28
100	28
101	29
102	30
103	31
104	32
105	33
106	34
107	34
108	35
109	35
110	35
111	35

112	35
113	35
114	35
115	35
116	35
117	35
118	35
119	35
120	36
121	37
122	37
123	22
124	22
125	22
126	22
127	22
128	22
129	22
130	38
131	38
132	38
133	38
134	38
135	38
136	39
137	40
138	40
139	39
140	39
141	41
142	41
143	41
144	41
145	41
146	41
147	41
148	41
149	41
150	42

151	42
152	42
153	42
154	43
155	44
156	44
157	45
158	46
159	47
160	48
161	48
162	50
163	51
164	52
165	53
166	54
167	54
168	54
169	54
170	55
171	55
172	56
173	57
174	57
175	57
176	57
177	57
178	58
179	60
180	59
181	71
182	61
183	62
184	62
185	63
186	63
187	64
188	64
189	65

190	67
191	67
192	67
193	B
194	B
195	B
196	B
197	70
198	70

Max. Allowable P/P b

Line for testing allowa

Unspecified incidenta

Unspecified incidenta

Minimum project tota

Construction Unit Price Contract Bid# 10-2025

Item	Unit
Excavation and Placement	CY
Rock Excavation (Mechanical)	CY
Remove Portland Cement Concrete Pavement	SY
Remove Curb and Gutter	LF
Remove Sidewalk, Entrance Pavement	SY
Remove Bituminous Concrete Pavement	SY
Remove Pipes less than 24" - up to 8' deep	LF
Remove Pipes 30"- 48" - up to 8' deep	LF
Remove Fence	LF
Remove Headwalls and Inlet Structures	EA
Remove Tree (5" dia. to 12" dia.)	EA
Remove Tree (>12" dia. to 24" dia.)	EA
Remove Tree (>24" dia. to 36" dia.)	EA
Remove Tree (>36" dia. and up)	EA
Dense Graded Aggregate	TN
No. 2 Stone	TN
No. 9 Stone	TN
No. 57 Stone	TN
Steel Reinforcement for Concrete	LB
Unfinished Concrete less than 10 CY	CY
Unfinished Concrete more than 10 CY	CY
Formed Class A Concrete less than 10 CY	CY
Formed Class A Concrete more than 10 CY	CY
Form Liner for Retaining Walls	SF
4-1/2" Concrete Sidewalk	SY
6" Concrete Sidewalk	SY
6" Concrete Entrance Pavement	SY
Sidewalk Ramp	SY
Header Curb	LF
Curb and Gutter, Type 1	LF
Curb and Gutter, Type 4	LF
Bituminous Pavement Milling and Texturing	TN
Bituminous Base	TN

Class 3, Bituminous Surface PG 64-22, less than 50 tons	TN
Class 3, Bituminous Surface PG 64-22, greater than 50 tons	TN
Class 3, Bituminous Surface PG 76-22, less than 50 tons	TN
Class 3, Bituminous Surface PG 76-22, greater than 50 tons	TN
Polymer Fibers for Bituminous Pavement	LB
Type A Surface Inlet	EA
Type B Surface Inlet	EA
Curb Box Inlet Type A (LFUCG)	EA
Curb Box Inlet Type B (LFUCG)	EA
Curb Box Inlet Type C (LFUCG)	EA
Curb Box Inlet Type D (LFUCG)	EA
Curb Box Inlet Type B (KDOH)	EA
Drop Box Inlet Type 13 (KDOH)	EA
Drop Box Inlet Type 16 (KDOH)	EA
Sewer Manhole (4' dia.) (0-8' No rock)	EA
Sewer Manhole (5' dia.) (0-8' No rock)	EA
Sewer Manhole (6' dia.) (0-8' No rock)	EA
Sewer Manhole - Additional Vertical Depth (4' dia.)	VF
Sewer Manhole - Additional Vertical Depth (5' dia.)	VF
Sewer Manhole - Additional Vertical Depth (6' dia.)	VF
Adjusting Manhole Frames & Cover to Grade	EA
Pipe Tie-in into Manhole or Curb Box Inlet	EA
15" RCP Storm Sewer (0-8' No rock)	LF
18" RCP Storm Sewer (0-8' No rock)	LF
24" RCP Storm Sewer (0-8' No rock)	LF
30" RCP Storm Sewer (0-8' No rock)	LF
36" RCP Storm Sewer (0-8' No rock)	LF
42" RCP Storm Sewer (0-8' No rock)	LF
48" RCP Storm Sewer (0-8' No rock)	LF
15" HDPE Storm Sewer (0-8' No rock)	LF
18" HDPE Storm Sewer (0-8' No rock)	LF
24" HDPE Storm Sewer (0-8' No rock)	LF
30" HDPE Storm Sewer (0-8' No rock)	LF
36" HDPE Storm Sewer (0-8' No rock)	LF
15" PP Storm Sewer (0-8' No rock)	LF
18" PP Storm Sewer (0-8' No rock)	LF
24" PP Storm Sewer (0-8' No rock)	LF
30" PP Storm Sewer (0-8' No rock)	LF
36" PP Storm Sewer (0-8' No rock)	LF

15" Elliptical RCP Storm Sewer	LF
18" Elliptical RCP Storm Sewer	LF
24" Elliptical RCP Storm Sewer	LF
30" Elliptical RCP Storm Sewer	LF
36" Elliptical RCP Storm Sewer	LF
42" Elliptical RCP Storm Sewer	LF
48" Elliptical RCP Storm Sewer	LF
Internal Inspection of Sewer Pipe: CCTV	LF
15" Straight Headwall - Standard or Raised	EA
18" Straight Headwall - Standard or Raised	EA
24" Straight Headwall - Standard or Raised	EA
15" Pipe Culvert Headwall	EA
18" Pipe Culvert Headwall	EA
24" Pipe Culvert Headwall	EA
30" Pipe Culvert Headwall	EA
36" Pipe Culvert Headwall	EA
42" Pipe Culvert Headwall	EA
48" Pipe Culvert Headwall	EA
18" Sloped and Flared Box Inlet-Outlet	EA
24" Sloped and Flared Box Inlet-Outlet	EA
30" Sloped and Flared Box Inlet-Outlet	EA
36" Sloped and Flared Box Inlet-Outlet	EA
15" Impact Stilling Basin	EA
18" Impact Stilling Basin	EA
24" Impact Stilling Basin	EA
30" Impact Stilling Basin	EA
36" Impact Stilling Basin	EA
48" Impact Stilling Basin	EA
Bottom Paved Ditch	SY
Aggregate Channel Lining for Slope Protection	TN
Seeding and Protection	SY
Sodding	SY
Gabion Mattress Channel Lining and Gabion Basket Retaining Walls	CY
4" HDPE Perforated Pipe	LF
6" HDPE Perforated Pipe	LF
4" PVC Pipe	LF
6" PVC Pipe	LF
8" PVC Sanitary Sewer (0-8' No Rock)	LF
10" PVC Sanitary Sewer (0-8' No Rock)	LF

12" PVC Sanitary Sewer (0-8' No Rock)	LF
15" PVC Sanitary Sewer (0-8' No Rock)	LF
18" PVC Sanitary Sewer (0-8' No Rock)	LF
8" Ductile Iron Sewer Pipe (0-8' No Rock)	LF
10" Ductile Iron Sewer Pipe (0-8' No Rock)	LF
12" Ductile Iron Sewer Pipe (0-8' No Rock)	LF
14" Ductile Iron Sewer Pipe (0-8' No Rock)	LF
Sanitary Sewer By-Pass Pumping	DAY
Two Way Sewer Service Cleanout	EA
4"x 8" Sanitary Sewer Tee & up to 6' of lateral pipe	EA
6"x 8" Sanitary Sewer Tee & up to 6' of lateral pipe	EA
Lex Sanitary Sewer Manhole (4' dia.) (0-8' No rock)	EA
Lex Sanitary Sewer Manhole (5' dia.) (0-8' No rock)	EA
Lex Sanitary Sewer Manhole (6' dia.) (0-8' No rock)	EA
Manhole-Additional vertical depth > 8' (4' dia.)	VF
Manhole-Additional vertical depth > 8' (5' dia.)	VF
Manhole-Additional vertical depth > 8' (6' dia.)	VF
Manhole-Additional for adjustable frame and cover	EA
Woven Wire Fence 4' height	LF
Woven Wire Gate 4' height	LF
Chain Link Fence 4' height	LF
Chain Link Fence 6' height	LF
Split Rail Fence 5' height	LF
Privacy Fence (installation)	LF
Backhoe (small) with Operator	HR
Dump Truck (single axle) with driver	HR
Dump Truck (tri-axle) with driver	HR
Jackhammer with Operator	HR
Skid Loader with Operator	HR
Check Dam	TN
Sediment Trap	CY
Sediment Pond	CY
Silt Fence	LF
Storm Drain Inlet Protection	EA
Filter Strip	SY
Stream Crossing	EA
Pump-Around Flow Diversion	DAY
Construction Dewatering	DAY
Geotextile Construction Type I	SY

Geotextile Construction Type II	SY
Geotextile Construction Type III	SY
Geotextile Construction Type IV	SY
Edge Key	LF
Pipe Plugging for Pipes less than or equal to 24"	EA
Pipe Plugging for Pipes 30"- 48"	EA
Flowable Fill	CY
Fiber Reinforced PCC Pavement	CY
Single Block Masonry Retaining Wall	SF
Degradable Erosion Control Mat	SY
Turf Reinforcement Mat	SY
Steel W Beam Guardrail and End Treatments	LF
Articulating Concrete Block	SY
Reinf Conc Pipe Crack Repairs and Manhole Rehab	LF
Sawcutting	LF
Precast Reinforced Concrete Box Culvert 3' X 2'	LF
Precast Reinforced Concrete Box Culvert 3' X 3'	LF
Precast Reinforced Concrete Box Culvert 4' X 2'	LF
Precast Reinforced Concrete Box Culvert 4' X 3'	LF
Detectable Warning Surface Tile-Overlay	SF
Detectable Warning Surface Tile-Imbedded	SF
Colorized Pavement Demarcation	SF
Thermoplastic Pavement Markings - Stop Bar 24"	LF
Thermoplastic Pavement Markings - Crosswalk Bar 12"	LF
Thermoplastic Pavement Markings - Arrow	EA
Thermoplastic Pavement Markings - Combo Arrow	EA
Thermoplastic Pavement Markings - Bike Lane	EA
Thermoplastic Pavement Striping - White or Yellow	LF
Removal of Existing Pavement Striping	LF
Pavement Striping - Temp Paint 4"	LF
Grader with Operator	HR
Roller/Compactor with Operator	HR
Furnish and Place Topsoil	CY
Spreading Stockpiled Topsoil	CY
2" PVC Conduit Under Non-traffic Surface	LF
2" PVC Conduit Under Roadway or Driveway	LF
Junction Box, KYTC Type A	EA
Junction Box, KYTC Type C	EA
Pedestal Base for Pedestrian Pole	EA

Ornamental Tree, 1-3/4" Caliper	EA
Shade Tree, 1-3/4" Caliper	EA
Mulch	CY
Barricade-Type III	EA
Portable Changeable Message Sign	EA
Flagger	DAY
Temporary Signs	SF
Bulb-out: Gutter Cover	LF
Bulb-out: Asphalt Repair	SF

ond % for projects >\$50,000	
ance	
al materials at cost plus 15% (Check if interested.)	
al labor at cost plus 15% (Check if interested.)	
I for consideration	

Unit Price	
------------	--

\$	29.00
	275.00
	42.00
	11.25
	34.00
	24.00
	34.00
	38.00
	9.25
	825.00
	625.00
	1,250.00
	2,475.00
	3,490.00
	46.00
	48.00
	48.00
	47.00
	3.09
	300.00
	250.00
	1,800.00
	1,600.00
	119.00
	124.00
	124.00
	144.00
	36.00
	39.00
	39.00

4,490.00
4,490.00
5,975.00
6,475.00
6,975.00
4,490.00
6,975.00
4,490.00
4,390.00
6,490.00
7,270.00
8,990.00
480.00
680.00
980.00
1,250.00
1,850.00
139.00
144.00
189.00
249.00
309.00
369.00
419.00
99.00
109.00
129.00
144.00
179.00
104.00
118.00
144.00
169.00
209.00

139.00
144.00
189.00
249.00
309.00
388.00
499.00
7.00
2,499.00
2,999.00
3,499.00
2,300.00
2,700.00
2,900.00
3,400.00
3,800.00
4,000.00
4,000.00
3,900.00
4,800.00
5,600.00
6,300.00
3,400.00
3,900.00
4,600.00
5,400.00
6,300.00
6,900.00
224.00
64.00
5.49
16.00
269.00
29.00
34.00
34.00
39.00
64.00
74.00

3.75

3.75

3.75

975.00

1,150.00

209.00

899.00

9.00

6.00

599.00

639.00

639.00

679.00

59.00

59.00

59.00

17.00

800.00
269.00
199.00

5.00%
5.00%
yes
yes
\$ 15,000