

INVITATION TO BID

Bid Invitation Number: #61-2012

Date of Issue: 04/26/2012

Sealed bids will be received in the office of the Division of Central Purchasing, 200 East Main Street, Lexington, Kentucky, until **2:00 PM**, prevailing local time on **05/14/2012**. Bids must be received by the above-mentioned date and time. Mailed bids should be sent to:

**Division of Central Purchasing**  
200 East Main Street, Rm 338  
Lexington, KY 40507, (859) 258-3320

**The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.**

All bids must have the company name and address, bid invitation number, and the commodity/service on the outside of the envelope.

Bids are to include all shipping costs to the point of delivery located at bidder's location. See Specifications.

Bid Security Required:  Yes  No      Performance Bond Required:  Yes  No  
*Cashier Check, Certified Check, Bid Bond (Personal checks and company checks will not be acceptable).*

<b>Commodity/Service</b>
<b>Web-Based Quartermaster Program – Public Safety Uniforms</b>
See specifications

<p style="text-align: center;"><b>Check One:</b></p> <p><input type="checkbox"/> Bid Specifications Met</p> <p><input checked="" type="checkbox"/> Exceptions to Bid Specifications. <i>Exceptions shall be itemized and attached to bid proposal submitted.</i></p>	<p style="text-align: center;"><b>Proposed Delivery:</b></p> <p><u>41</u> days after acceptance of bid.</p>
<p style="text-align: center;"><b>Procurement Card Usage</b></p> <p><input checked="" type="checkbox"/> Yes    The Lexington-Fayette Urban County Government will be using Procurement Cards to purchase goods and services and also to make payments. Will you accept Procurement Cards?</p> <p><input type="checkbox"/> No</p>	

Submitted by: Galls, Inc.  
Firm  
1340 Russell Cave Rd  
Address  
Lexington, KY 40505  
City, State & Zip

**Bid must be signed:**  SALES DIRECTOR  
**(original signature)** Signature of Authorized Company Representative – Title  
Tom Blanton  
Representative's Name (Typed or printed)  
859-266-7227      877-914-2557  
Area Code - Phone – Extension      Fax #  
blanton-tom@galls.com  
E-Mail Address

**The Affidavit in this bid must be completed before your firm can be considered for award of this contract.**

**AFFIDAVIT**

Comes the Affiant, Jessica Ross, and after being first duly sworn under penalty of perjury as follows:

1. His/her name is Jessica Ross and he/she is the individual submitting the bid or is the authorized representative of Galls, Inc.

the entity submitting the bid (hereinafter referred to as "Bidder").

2. Bidder will pay all taxes and fees, which are owed to the Lexington-Fayette Urban County Government at the time the bid is submitted, prior to award of the contract and will maintain a "current" status in regard to those taxes and fees during the life of the contract.

3. Bidder will obtain a Lexington-Fayette Urban County Government business license, if applicable, prior to award of the contract.

4. Bidder has authorized the Division of Central Purchasing to verify the above-mentioned information with the Division of Revenue and to disclose to the Urban County Council that taxes and/or fees are delinquent or that a business license has not been obtained.

5. Bidder has not knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky within the past five (5) years and the award of a contract to the Bidder will not violate any provision of the campaign finance laws of the Commonwealth.

6. Bidder has not knowingly violated any provision of Chapter 25 of the Lexington-Fayette Urban County Government Code of Ordinances, known as "Ethics Act."

7. Bidder acknowledges that "knowingly" for purposes of this Affidavit means, with respect to conduct or to circumstances described by a statute or ordinance defining an offense, that a person is aware or should have been aware that his conduct is of that nature or that the circumstance exists.

Further, Affiant sayeth naught.

Jessica Ross

STATE OF Kentucky

COUNTY OF Fayette

The foregoing instrument was subscribed, sworn to and acknowledged before me

by Jessica Ross on this the 11<sup>th</sup> day

of May, 2012.

My Commission expires: 6/15/15

[Signature]  
NOTARY PUBLIC, STATE AT LARGE

***Please refer to Section II. Bid Conditions, Item "U" prior to completing this form.***

# **I. GREEN PROCUREMENT**

## **A. ENERGY**

The Lexington-Fayette Urban County Government is committed to protecting our environment and being fiscally responsible to our citizens.

The Lexington-Fayette Urban County Government mandates the use of Energy Star compliant products if they are available in the marketplace (go to [www.Energystar.gov](http://www.Energystar.gov)). If these products are available, but not submitted in your pricing, your bid will be rejected as non-compliant.

ENERGY STAR is a government program that offers businesses and consumers energy-efficient solutions, making it easy to save money while protecting the environment for future generations.

### Key Benefits

- These products use 25 to 50% less energy
- Reduced energy costs without compromising quality or performance
- Reduced air pollution because fewer fossil fuels are burned
- Significant return on investment
- Extended product life and decreased maintenance

## **B. GREEN SEAL CERTIFIED PRODUCTS**

The Lexington-Fayette Urban County Government is also committed to using other environmentally friendly products that do not negatively impact our environment. Green Seal is a non-profit organization devoted to environmental standard setting, product certification, and public education.

Go to [www.Greenseal.org](http://www.Greenseal.org) to find available certified products. These products will have a reduced impact on the environment and on human health. The products to be used must be pre-approved by the LFUCG prior to commencement of any work in any LFUCG facility. If a Green Seal product is not available, the LFUCG must provide a signed waiver to use an alternate product. Please provide information on the Green Seal products being used with your bid response.

## **C. GREEN COMMUNITY**

The Lexington-Fayette Urban County Government (LFUCG) serves as a principal, along with the University of Kentucky and Fayette County Public Schools, in the Bluegrass Partnership for a Green Community. The Purchasing Team component of the Partnership collaborates on economy of scale purchasing that promotes and enhances environmental initiatives. Specifically, when applicable, each principal is interested in obtaining best value products and/or services which promote environment initiatives via solicitations and awards from the other principals.

If your company is the successful bidder on this Invitation For Bid, do you agree to extend the same product/service pricing to the other principals of the Bluegrass Partnership for a Green Community (i.e. University of Kentucky and Fayette County Schools) if requested?

Yes  No

## II. Bid Conditions

- A. No bid may be withdrawn for a period of sixty (60) days after the date and time set for opening.
- B. No bid may be altered after the date and time set for opening. In the case of obvious errors, the Division of Central Purchasing may permit the withdrawal of a bid. The decision as to whether a bid may be withdrawn shall be that of the Division of Central Purchasing.
- C. Acceptance of this proposal shall be enactment of an Ordinance by the Urban County Council.
- D. The bidder agrees that the Urban County Government reserves the right to reject any and all bids for either fiscal or technical reasons, and to award each part of the bid separately or all parts to one vendor.
- E. Minor exceptions may not eliminate the bidder. The decision as to whether any exception is minor shall be entirely that of the head of the requisitioning Department or Division and the Director of the Division of Central Purchasing. The Urban County Government may waive technicalities and informalities where such waiver would best serve the interests of the Urban County Government.
- F. Manufacturer's catalogue numbers, trade names, etc., where shown herein are for descriptive purposes and are to guide the bidder in interpreting the standard of quality, design, and performance desired, and shall not be construed to exclude proposals based on furnishing other types of materials and/or services. However, any substitution or departure proposed by the bidder must be clearly noted and described; otherwise, it will be assumed that the bidder intends to supply items specifically mentioned in this Invitation for Bids.
- G. The Urban County Government may require demonstrations of the materials proposed herein prior to acceptance of this proposal.
- H. Bids must be submitted on this form and must be signed by the bidder or his authorized representative. Unsigned bids will not be considered.
- I. Bids must be submitted prior to the date and time indicated for opening. Bids submitted after this time will not be considered.
- J. All bids mailed must be marked on the face of the envelope:

**"Bid on #61-2012 Web-Based Quartermaster Program – Public Safety Uniforms"**

and addressed to:        Division of Central Purchasing  
   200 East Main Street, Room 338  
   Lexington, Kentucky 40507

**The Lexington-Fayette Urban County Government assumes no responsibility for bids that are not addressed and delivered as indicated above. Bids that are not delivered to the Division of Central Purchasing by the stated time and date will be rejected.**

- K. Bidder is requested to show both unit prices and lot prices. In the event of error, the unit price shall prevail.
- L. A certified check or Bid Bond in the amount of XX percent of the bid price must be attached hereto. This check must be made payable to the Lexington-Fayette Urban County Government, and will be returned when the material and/or services specified herein have been delivered in accordance with specifications. In the event of failure to perform within the time period set forth

in this bid, it is agreed the certified check may be cashed and the funds retained by the Lexington-Fayette Urban County Government as liquidated damages. Checks of unsuccessful bidders will be returned when the bid has been awarded.

- M. The delivery dates specified by bidder may be a factor in the determination of the successful bidder.
- N. Tabulations of bids received may be mailed to bidders. Bidders requesting tabulations must enclose a stamped, self-addressed envelope with the bid.
- O. The Lexington-Fayette Urban County Government is exempt from Kentucky Sales Tax and Federal Excise Tax on materials purchased from this bid invitation. Materials purchased by the bidder for construction projects are not tax exempt and are the sole responsibility of the bidder.
- P. All material furnished hereunder must be in full compliance with OSHA regulations.
- Q. If more than one bid is offered by one party, or by any person or persons representing a party, all such bids shall be rejected.
- R. Signature on the face of this bid by the Bidder or his authorized representative shall be construed as acceptance of and compliance with all terms and conditions contained herein.
- S. The Entity (regardless of whether construction contractor, non-construction contractor or supplier) agrees to provide equal opportunity in employment for all qualified persons, to prohibit discrimination in employment because of race, color, creed, national origin, sex or age, and to promote equal employment through a positive, continuing program from itself and each of its sub-contracting agents. This program of equal employment opportunity shall apply to every aspect of its employment policies and practices.
- T. The Kentucky Equal Employment Opportunity Act of 1978 (KRS 45.560-45.640) requires that any county, city, town, school district, water district, hospital district, or other political subdivision of the state shall include in directly or indirectly publicly funded contracts for supplies, materials, services, or equipment hereinafter entered into the following provisions:

During the performance of this contract, the contractor agrees as follows:

- (1) *The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, age or national origin;*
- (2) *The contractor will state in all solicitations or advertisements for employees placed by or on behalf of the contractors that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, age or national origin;*
- (3) *The contractor will post notices in conspicuous places, available to employees and applicants for employment, setting forth the provisions of the non-discrimination clauses required by this section; and*
- (4) *The contractor will send a notice to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding advising the labor union or workers' representative of the contractor's commitments under the nondiscrimination clauses.*

The Act further provides:

KRS 45.610. Hiring minorities - Information required

- (1) *For the length of the contract, each contractor shall hire minorities from other sources*

*within the drawing area, should the union with which he has collective bargaining agreements be unwilling to supply sufficient minorities to satisfy the agreed upon goals and timetable.*

- (2) Each contractor shall, for the length of the contract, furnish such information as required by KRS 45.560 to KRS 45.640 and by such rules, regulations and orders issued pursuant thereto and will permit access to all books and records pertaining to his employment practices and work sites by the contracting agency and the department for purposes of investigation to ascertain compliance with KRS 45.560 to 45.640 and such rules, regulations and orders issued pursuant thereto.*

**KRS 45.620. Action against contractor - Hiring of minority contractor or subcontractor**

- (1) If any contractor is found by the department to have engaged in an unlawful practice under this chapter during the course of performing under a contract or subcontract covered under KRS 45.560 to 45.640, the department shall so certify to the contracting agency and such certification shall be binding upon the contracting agency unless it is reversed in the course of judicial review.*
- (2) If the contractor is found to have committed an unlawful practice under KRS 45.560 to 45.640, the contracting agency may cancel or terminate the contract, conditioned upon a program for future compliance approved by the contracting agency and the department. The contracting agency may declare such a contractor ineligible to bid on further contracts with that agency until such time as the contractor complies in full with the requirements of KRS 45.560 to 45.640.*
- (3) The equal employment provisions of KRS 45.560 to 45.640 may be met in part by a contractor by subcontracting to a minority contractor or subcontractor. For the provisions of KRS 45.560 to 45.640, a minority contractor or subcontractor shall mean a business that is owned and controlled by one or more persons disadvantaged by racial or ethnic circumstances.*

**KRS 45.630 Termination of existing employee not required, when**

*Any provision of KRS 45.560 to 45.640 notwithstanding, no contractor shall be required to terminate an existing employee upon proof that that employee was employed prior to the date of the contract.*

**KRS 45.640 Minimum skills**

*Nothing in KRS 45.560 to 45.640 shall require a contractor to hire anyone who fails to demonstrate the minimum skills required to perform a particular job.*

It is recommended that all of the provisions above quoted to be included as special conditions in each contract. In the case of a contract exceeding \$250,000, the contractor is required to furnish evidence that his work-force in Kentucky is representative of the available work-force in the area from which he draws employees, or to supply an Affirmative Action plan which will achieve such representation during the life of the contract.

U. Any party, firm or individual submitting a proposal pursuant to this invitation must be in compliance with the requirements of the Lexington-Fayette Urban County Government regarding taxes and fees before they can be considered for award of this invitation and must maintain a "current" status with regard to those taxes and fees throughout the term of the

contract. The contractor must be in compliance with Chapter 13 from the Code of Ordinances of the Lexington-Fayette Urban County Government. The contractor must be in compliance with Ordinance 35-2000 pursuant to contractor registration with the Division of Building Inspection. If applicable, said business must have a Fayette County business license.

Pursuant to KRS 45A.343 and KRS 45A.345, the contractor shall

- (1) *Reveal any final determination of a violation by the contractor within the previous five year period pursuant to KRS Chapters 136 (corporation and utility taxes), 139 (sales and use taxes), 141 (income taxes), 337 (wages and hours), 338 (occupational safety and health of employees), 341 (unemployment and compensation) and 342 (labor and human rights) that apply to the contractor; and*
- (2) *Be in continuous compliance with the above-mentioned KRS provisions that apply to the contractor for the duration of the contract.*

A contractor's failure to reveal the above or to comply with such provisions for the duration of the contract shall be grounds for cancellation of the contract and disqualification of the contractor from eligibility for future contracts for a period of two (2) years.

- V. Vendors who respond to this invitation have the right to file a notice of contention associated with the bid process or to file a notice of appeal of the recommendation made by the Director of Central Purchasing resulting from this invitation.

Notice of contention with the bid process must be filed within 3 business days of the bid/proposal opening by (1) sending a written notice, including sufficient documentation to support contention, to the Director of the Division of Central Purchasing or (2) submitting a written request for a meeting with the Director of Central Purchasing to explain his/her contention with the bid process. After consulting with the Commissioner of Finance the Chief Administrative Officer and reviewing the documentation and/or hearing the vendor, the Director of Central Purchasing shall promptly respond in writing findings as to the compliance with bid processes. If, based on this review, a bid process irregularity is deemed to have occurred the Director of Central Purchasing will consult with the Commissioner of Finance, the Chief Administrative Officer and the Department of Law as to the appropriate remedy.

Notice of appeal of a bid recommendation must be filed within 3 business days of the bid recommendation by (1) sending a written notice, including sufficient documentation to support appeal, to the Director, Division of Central Purchasing or (2) submitting a written request for a meeting with the Director of Central Purchasing to explain his appeal. After reviewing the documentation and/or hearing the vendor and consulting with the Commissioner of Finance and the Chief Administrative Officer, the Director of Central Purchasing shall in writing, affirm or withdraw the recommendation.

### III. Procurement Contract Bid Conditions

- A. The terms of this agreement shall be for 2 years from the date of acceptance of this contract by the Lexington-Fayette Urban County Government. This agreement may be extended for an additional (3) - 1 year renewal upon the written agreement of the bidder and the Lexington-Fayette Urban County Government. Said agreement must be in writing and must be executed prior to the expiration of the current agreement.
- B. Price Changes (**Space Checked Applies**)
1. Prices quoted in response to the Invitation shall be firm prices for the first 90 days of the Procurement Contract. After 90 days, prices may be subject to revision and such changes shall be based on general industry changes. Revision may be either increases or decreases and may be requested by either party. There will be no more than one (1) price adjustment per quarter. Requests for price changes shall be received in writing at least twenty (20) days prior to the effective date and are subject to written acceptance before becoming effective. Proof of the validity of a request for revision shall be responsibility of the requesting party. The Lexington-Fayette Urban County Government shall receive the benefit of any decline that the seller shall offer his other accounts.
2. No provision for price change is made herein. Prices are to be firm for the term of this contract.
3. Procurement Level Contract
- (XXX) 4. Prices quoted in response to the Invitation shall be firm prices for the first (1) year of the Procurement Contract. After first (1) year, please see specifications for subsequent years, Section 2.20.2.
- C. If any contract item is not available from the vendor, the Lexington-Fayette Urban County Government, at its option, may permit the item to be back-ordered or may procure the item on the open market.
- D. All invoices must bear reference to the Lexington-Fayette Urban County Government Purchasing document numbers which are being billed.
- E. This contract may be canceled by either party thirty (30) days after delivery by canceling party of written notice of intent to cancel to the other contracting party.
- F. This contract may be canceled by the Lexington-Fayette Urban County Government if it is determined that the Bidder has failed to perform under the terms of this agreement, such cancellation to be effective upon receipt of written notice of cancellation by the Bidder.
- G. No substitutions for articles specified herein may be made without prior approval of the Division of Central Purchasing.



## EQUAL OPPORTUNITY AGREEMENT

---

### The Law

- Title VII of the Civil Rights Act of 1964 (amended 1972) states that it is unlawful for an employer to discriminate in employment because of race, color, religion, sex, age (40-70 years) or national origin.
- Executive Order No. 11246 on Nondiscrimination under Federal contract prohibits employment discrimination by contractor and sub-contractor doing business with the Federal Government or recipients of Federal funds. This order was later amended by Executive Order No. 11375 to prohibit discrimination on the basis of sex.
- Section 503 of the Rehabilitation Act of 1973 states:  

*The Contractor will not discriminate against any employee or applicant for employment because of physical or mental handicap.*
- Section 2012 of the Vietnam Era Veterans Readjustment Act of 1973 requires Affirmative Action on behalf of disabled veterans and veterans of the Vietnam Era by contractors having Federal contracts.
- Section 206(A) of Executive Order 12086, Consolidation of Contract Compliance Functions for Equal Employment Opportunity, states:

*The Secretary of Labor may investigate the employment practices of any Government contractor or sub-contractor to determine whether or not the contractual provisions specified in Section 202 of this order have been violated.*

\*\*\*\*\*

The Lexington-Fayette Urban County Government practices Equal Opportunity in recruiting, hiring and promoting. It is the Government's intent to affirmatively provide employment opportunities for those individuals who have previously not been allowed to enter into the mainstream of society. Because of its importance to the local Government, this policy carries the full endorsement of the Mayor, Commissioners, Directors and all supervisory personnel. In following this commitment to Equal Employment Opportunity and because the Government is the benefactor of the Federal funds, it is both against the Urban County Government policy and illegal for the Government to let contracts to companies which knowingly or unknowingly practice discrimination in their employment practices. Violation of the above mentioned ordinances may cause a contract to be canceled and the contractors may be declared ineligible for future consideration.

Please sign this statement in the appropriate space acknowledging that you have read and understand the provisions contained herein. Return this document as part of your application packet.

### Bidders

*I/We agree to comply with the Civil Rights Laws listed above that govern employment rights of minorities, women, Vietnam veterans, handicapped and aged persons.*



Signature



Name of Business

Handwritten text, possibly a signature or name.

Handwritten text, possibly a signature or name.

Handwritten text, possibly a signature or name.

Handwritten text, possibly a signature or name.

Handwritten text, possibly a signature or name.

Handwritten text, possibly a signature or name.

## Notes to Bidders:

- All pricing sheets shall be submitted with bid in Excel 2003 format (.xls) on either disc or flash drive. Failure to provide media with the bid will deem the bid as non-responsive, and will result in the rejection of the bid.
  - *The Pricing Sheets to be completed and submitted with the bid on the disc or flash drive media are also in a separate Excel Workbook titled "#61-2012\_Quartermaster\_Program\_Pricing\_Sheets.xls."*
  - *There are four separate worksheets in the workbook, for each Attachment of Items. (I—Community Corrections, II—Fire & Emergency Services, III—Police, and IV—Flat Rate Shipping and Alterations.)*
  - *All four worksheets in the workbook must be completed and submitted with the bid on the disc or flash drive media.*
- Where noted in the item specifications that samples shall be provided with bid, failure to provide said samples will deem the bid as non-responsive, and will result in the rejection of the bid. *(Items requiring samples are marked in red in the specification attachments.)*
- Items marked "No Substitutions" may not have an "or Equal" bid submitted. Only the item specified may be bid.
- Include brand names and/or model numbers with bids as appropriate if bidding an "or Equal."
- If bidding an "or Equal," vendor may be required to produce a sample for evaluation purposes. Brands and model numbers are given to establish specifications for material, quality, and workmanship. Failure to comply with this request may result in rejection of the bid.
- All fitting and alteration of new items shall be included in the unit pricing. The Alterations unit pricing (see Pricing, worksheet Attachment IV, Shipping & Alterations Pricing List) shall be applied to items previously purchased by the employee(s).
- All shipping costs to be included in the unit pricing for pickup at vendor facility. Flat rate shipping rate shall apply only when unit is shipped directly to employee, and shall be billed as a separate unit (not included in unit price of other item[s]). (See Pricing, worksheet Attachment IV, Shipping & Alterations Pricing List.)
- All patches are to be supplied by vendor and sewn on uniforms when delivered.
- Attachments V, VI, & VII Licensed Marks will be issued as an addendum before May 3, 2012.
- For questions concerning these specifications, contact Gina Dulin at Community Corrections at 859-425-2711, Battalion Chief Kristin Chilton at Fire and Emergency Services at 859-258-5628, or Commander Lawrence Weathers at Police at 859-423-2320. For bidding questions, please contact Theresa Maynard, Division of Central Purchasing, at 859-258-3320 or at [theresam@lexingtonky.gov](mailto:theresam@lexingtonky.gov).

**Lexington-Fayette Urban County Government  
Department of Public Safety**

Specifications for a Web-Based Quartermaster Program to provide Uniforms  
for the LFUCG Department of Public Safety, LFUCG DPS

**I. DEFINITIONS**

- 1.1 *“Apparel”* means all Uniforms, other clothing, and accessories as defined herein in Attachments I, II, III, and IV and their pricing sheets Uniform Cost Sheets, to outfit certain LFUCG DPS employees.
- 1.2 *“Actual Cost”* means actual amount paid by **VENDOR** as proven by original invoice and any applicable shipping costs.
- 1.3 *“LFUCG”* means the Lexington-Fayette Urban County Government.
- 1.4 *“Quartermaster Program”* means a purchasing program designed for the distribution of Apparel to certain LFUCG DPS personnel.
- 1.5 *“Cure Period”* means the period of time during which **VENDOR** must remedy certain defaults.
- 1.6 *“Initial term”* means July 1, 2012, through June 30, 2014.
- 1.7 *“Licensed Goods”* means Apparel manufactured by **VENDOR** and authorized and licensed by **LFUCG**.
- 1.8 *“Licensed Marks”* means those marks listed and shown in Attachment V, VI, & VII Licensed Marks, including, but not limited to, common-law rights, as well as any applications for registrations which may be filed by **LFUCG**, or registrations which may be issued to **LFUCG** covering such marks, whether state or federal.
- 1.9 *“Quartermaster Analyst”* means the LFUCG DPS representatives designated to monitor and administer this **CONTRACT** and act as a liaison with **VENDOR**.
- 1.10 *“Personnel”* means any sworn full time, permanent, paid employee who is approved to utilize the quartermaster program.
- 1.11 *“Quality”* means an acceptable level of quality to **LFUCG** and which is at least equal to comparable products manufactured and/or marketed by **VENDOR** and in conformity with the samples given to **LFUCG**, upon which the **LFUCG** will rely in executing a **CONTRACT** with **VENDOR** which incorporates this provision, and the specimens of the Licensed Marks, attached hereto and incorporated herein as Attachment V, VI, & VII, Licensed Marks.

- 1.12 “*LFUCG DPS*” means the Lexington-Fayette Urban County Government Department of Public Safety.
- 1.13 “*Service Facility*” means **VENDOR’S** local facility approved by **LFUCG** for the Customer Service of the Quartermaster Program.
- 1.14 “*Uniform Item*” means all items as listed in Attachments I, II, III, IV and their pricing Uniforms Cost Sheets, attached hereto and incorporated herein.
- 1.15 “*Vendor*” means the company that is awarded the Quartermaster Program contract.
- 1.16 “*Non-embellished goods*” are defined as items that do not require any alteration, enhancement, or modification of any kind prior to pickup at the Service Facility or shipment to the LFUCG’s personnel.
- 1.17 “*Embellished goods*” are defined as items that require alteration, enhancement or modification prior to pickup at the Service Facility or shipment to the LFUCG’s personnel.
- 1.18 “*Out-sized garments*” are defined as sizes that are not part of the manufacturer’s normal size range and therefore are not kept in stock by the manufacturer or **VENDOR**. Outsized garment sizes are any sizes that are **NOT** included in the **CONTRACT** product list.
- 1.19 “*Special Order & Drop Ship items*” are defined as items that are stocked by the manufacturer but not stocked by **VENDOR**. These items may be shipped directly to the employees by the manufacturer instead of **VENDOR** or may be brought into **VENDOR** for embellishment prior to shipment to the employees.

## II. SCOPE OF SERVICES

2.1 **VENDOR** will operate a uniform purchase program as described in this Article.

2.1.1 **VENDOR** will be responsible for all aspects of providing a successful program to include but not limited to the following:

- Maintain an inventory based on all requirements as set forth herein of the Uniform Items;
- Receive, process and ship individual orders;
- Perform alterations and repairs to uniform items;
- Provide embroidery, screen printing, and heat pressing services;
- Maintain transaction records by individual customer to include credit balance tracking;
- Utilize and maintain its existing web based program and other existing internal resources to create specifically for LFUCG DPS an ordering and tracking platform as set forth in Section 2.5 (the "Platform"), which includes **CONTRACT** products, account balances & individual sizing information;
- Provide and operate a customer service facility to include sample items, trained staff and onsite custom tailoring and embroidery services;
- Assume responsibility for loss and damage of all items from time of shipment to customer receipt.

### 2.2 Customer Service Facility

#### 2.2.1 Facility Requirements

**VENDOR** will provide a customer service facility within Lexington, Kentucky that meets or exceeds all the specifications below.

### 2.3 Facility Operation

2.3.1 **VENDOR'S** customer service facility will be operational on July 1, 2012. In addition, samples to be kept at the customer service facility will be limited to one complete run of sizing samples per brand for **CONTRACT** items with LFUCG DPS having final approval. The customer service facility will facilitate the return of any items for LFUCG DPS personnel. If approved by the designated LFUCG DPS representative, additional items may be displayed in the customer service facility. The sample uniform selections, any other uniform items added to this **CONTRACT** pursuant to the terms hereof, and any items approved by the designated LFUCG DPS representative, shall be utilized for viewing only.

- 2.3.2 The customer service facility must be open for service and staffed for a minimum of five (5) days per week (Monday thru Saturday) excluding ten (10) **LFUCG** holidays which are approved annually by the LFUCG Council. Standard daily operating hours shall be from 9:00 a.m. to 6:00 p.m. The selected **VENDOR'S** staff shall be properly trained in order to provide all LFUCG DPS personnel who are customers of the location with prompt and courteous service. The customer service facility will provide a separate area dedicated to LFUCG DPS personnel.
- 2.3.3 The facility must maintain separate and distinct areas for the servicing of the LFUCG DPS uniformed personnel. No other individuals may be provided service in this area. **LFUCG** reserves the right to change this requirement in consultation with **VENDOR**.
- 2.3.4 On an emergency basis, as requested by the Public Safety Commissioner or designated representative, the customer service facility shall be opened for additional hours. **VENDOR** must provide a means such as a cell phone by which its representative may be contacted to facilitate operations in the event of an emergency.

## 2.4 Account Manager

**VENDOR** must employ an Account Manager dedicated to the LFUCG DPS account. The assigned Account Manager must have an in-depth knowledge of the **LFUCG'S CONTRACT** to include provisions, list of approved items as well as have access to all manufacturers providing the product. Upon request, the Account Manager or designee must be available to attend meetings to discuss **CONTRACT** or uniform issues as well as have the ability and authority to make decisions on behalf of **VENDOR**.

Additionally, the Account Manager or designee shall be responsible for all initial activities to include measurement and sizing of all authorized LFUCG DPS uniformed personnel as well as provide direct customer service regarding returns and/or alterations.

## 2.5 Inventory System and Tracking Requirements

### 2.5.1 System Requirements

**VENDOR** must provide a uniform tracking process. **VENDOR** must use a process that has proven successful by already being utilized with **VENDOR'S** current customer accounts. The process must have the capability to accurately track the following:

- Distribution of items;
- Maintain inventory control;
- Uniform repairs;
- Uniform replacements;
- Employee credit balances;
- Invoicing of items and services; and
- Shipping of uniform and/or accessory items.

**2.5.2** The ordering website must be compatible with Internet Explorer 8.0.

**2.5.3** In accordance with the time frames set forth below, **VENDOR** must provide the **LFUCG** with a secure Uniform Resource Locator (URL) for application transactions. All transactions completed using the application (whether stand alone or web-based) must initially be regularly updated on a daily basis to provide accurate updates of inventory availability, credit balance, etc., for each **LFUCG** DPS/employee user. The **LFUCG** reserves the right to access and audit the system at any time throughout the **CONTRACT** term.

**2.5.3.1** On or before July 1, 2012, **VENDOR** will supply the following to the **LFUCG**:

- Electronic and hard copy of sizing form – online access to the form (part numbers and pricing);
- E-mail address and account management contact information;
- Balance verification will be via e-mail or phone;
- Sizing information will be captured and maintained in Excel;
- Phone ordering – **VENDOR** will verify identity of personnel ordering items by verifying ship to address and PIN Number.



**2.5.3.2** On or before July 1, 2012, **VENDOR** will have a custom website exclusive to the LFUCG DPS with all of the following capabilities:

- Password protected - Pin numbers for each employee;
- Sizing and balance information in customer profile with balance updated daily;
- Picture and description of each **CONTRACT** item;
- Order process in place;
- Ability for personnel to view account history and inventory;
- System will have ability to produce reports by Employees, item and date range;
- System will generate shipping confirmation;
- Account Manager and support in Lexington to accommodate phone, fax and/or email orders;
- Service Center in Lexington;
- Reporting will be produced from various systems and some processes will be manual;
- Phone ordering with identity of personnel ordering items established by verifying ship to address and PIN Number.

**2.5.3.3** Where any of the above deadlines are affected by a change in the **LFUCG'S** requirements for the product list, website features or embellishments, no liquidated damages will be incurred. Additionally, the deadlines set out above will be adjusted if the **LFUCG** fails to approve any embellishment sample with two business days after receipt from the **VENDOR**.

#### **2.5.4 Tracking Requirements**

**2.5.4.1** **VENDOR** must track LFUCG DPS employee credit balances and provide shipment confirmation to LFUCG DPS personnel making purchases under the agreement. **VENDOR** must assume responsibility for loss and damage of all uniform items from time of shipment to customer's receipt.

**2.5.4.2** The **LFUCG** will not be obligated to pay for any uniform item purchases that exceed the LFUCG DPS employee credit allowance. **VENDOR** will provide passwords for each LFUCG DPS employee to ensure that only eligible LFUCG DPS personnel order uniform items. It shall be the employee's responsibility to protect all passwords or other security information provided to him or her and the employee shall be responsible for any misuse or failure to adequately protect his or her password. The **VENDOR** will be responsible if there is a breach of security in **VENDOR'S** computer system and passwords are illegally obtained. **LFUCG** may disallow uniform purchases for personnel who have failed to adequately protect the security of their passwords. **LFUCG** shall inform **VENDOR** immediately upon the termination of an employee's right to purchase uniform items under this **CONTRACT**.

**2.5.4.3** The **VENDOR'S** tracking process must maintain information on each authorized LFUCG DPS employee including, but not limited to:

- Available credit balance;
- PIN number;
- Assigned location;
- Rank; as well as
- Initial and subsequent changes in uniform size and measurement information;
- All information must be made accessible only to the specified individual ordering and the designated LFUCG DPS administrator.

**2.5.4.4** All information set forth in this Section 2.5 pertaining to LFUCG DPS employee transactions shall be tracked and maintained by **VENDOR** throughout the **CONTRACT** term.

## **2.6 Platform Use Requirements and Limitation of Warranties**

### **2.6.1.1 Platform Use**

**LFUCG'S** and its employee's right to access the web based portion of the Platform shall be subject to the following terms of use:

Without limiting the foregoing, in no event may **LFUCG** and its employees directly or indirectly:

1. Republish, post, upload, frame, retransmit, redistribute, or otherwise reproduce the Site or any Materials in any format to anyone in any way (other than the download to a personal computer that is inherent in viewing a web page);
2. access, attempt to access, or obtain any information regarding other users;
3. allow anyone else to use or access an account or password;
4. link to the Site without **VENDOR'S** prior written permission;
5. deep-link to any page or portion of the Site;
6. use any robot, spider or other data mining or other automatic device, program, or similar process or means to access, acquire, copy or monitor the Site, the Materials or any portion thereof, or in any way circumvent the navigational structure or presentation of the Site or any Materials;
7. breach or attempt to breach the security or authentication measures on the Site or any network or database connected to the Site;
8. collect any information related to any **VENDOR** products, pricing or other Material from the Site for the benefit of any other entity or person or share this information with any other person or entity;
9. decompile, reverse engineer, disassemble or otherwise reduce any software code for the Site to a human-readable form; or code for the

10. make any automated high-volume or other use of the Site for re-mailing, spamming or other purposes;
11. use the Site or Material in violation of any applicable law, rule or regulation;
12. use the Site to offer to sell or advertise any products or services;
13. submit any data, content or other material that contains a virus or other harmful component, or otherwise tampers with, impairs or damages the Site, the Materials or any connected network or database, or otherwise interferes with any person or entity's use or enjoyment of the Site.

**2.6.1.2** **LFUCG** cannot and does not assure that other users are or will be complying with the foregoing rules or any other provisions of the terms of use and disclaims any liability for harm or injury resulting from any such lack of compliance.

**2.6.2** **LFUCG'S** and its employees' rights to access and use the Platform and the **VENDOR'S** right to conduct any sales under this **CONTRACT** shall cease upon the expiration or termination of this **CONTRACT**.

**2.6.3** The terms of use set forth in section 2.6.1 shall not infer liability upon the **LFUCG** for any unauthorized use of the website.

**2.6.4** Each **LFUCG** employee shall be responsible to take the appropriate measures to protect his or her own password and private data. Each employee shall be responsible for all purchases made by the employee or person authorized by the employee in excess of its allowance. In the event **VENDOR** fails to maintain security over its websites, **VENDOR** assumes liability for any breaches of security that would not have occurred but for **VENDOR'S** failure to maintain security of its websites.

**2.6.5** In the event of any alleged violation(s) by **LFUCG**, or its employees, of the terms of use set forth in section 2.6.1, **VENDOR** shall immediately notify **LFUCG** in writing of the alleged violation(s) and provide all evidence in support of the alleged violation to the **LFUCG** to enable the **LFUCG** an opportunity to conduct an investigation regarding the alleged violation(s).

## 2.7 Reporting Requirements

- 2.7.1 Within thirty (30) days after a request, **VENDOR** must provide the LFUCG DPS Division Representative a report detailing at a minimum:
- List of all returned items
  - Individual LFUCG DPS employee credit balances;
  - Statistics showing usage of uniform items and services; to include sizing, quantity, and style information
  - Provide information on order entry, shipping and receiving of customer orders to include employee name and address
  - Provide information on backorders and incomplete orders
  - Inventory levels;
  - Item prices;
  - Repairs and alterations performed for each employee
  - Up to date billing and monthly invoice summary
  - All information must be made accessible only to the specified individual ordering and the designated LFUCG DPS administrator
- 2.7.2 All reports as described in the agreement will be provided to the **LFUCG** at no additional charge.

## 2.8 Customer Support Requirements

- 2.8.1 **VENDOR** must establish a local or toll-free telephone inquiry line in addition to an e-mail address throughout the life of the agreement to handle program inquiries and requests for supplies during emergencies. In case of emergency, a designated employee of **VENDOR** must be available to open and operate the Customer Service Facility and must be available at all times by either cell phone or other means designated in the agreement.
- 2.8.2 **VENDOR** will, with assistance from LFUCG DPS, develop a standard operating manual setting out a general design and standard operating procedure that is mutually agreeable to both parties. The manual shall serve as a point of reference and guide for the LFUCG DPS and **VENDOR'S** personnel to review operations requirements and functional relationships. An electronic version of the manual will also be posted online for use by LFUCG DPS employees. Standard operating manual is due to the LFUCG DPS Quartermaster Analyst by July 1, 2012.

## 2.9 Warranty

**2.9.1** **VENDOR** warrants that for a period of one (1) year after acceptance and delivery of each uniform item, the uniform item and its component parts shall be free from defects in material and workmanship and shall perform to standard or exceed specifications set out in the agreement. If the manufacturer's warranty for any uniform item is in excess of one (1) year, then that specified warranty period shall apply to that covered uniform item. Delivery will commence upon receipt by an employee of an authorized uniform item. Warranty will be null and void if the end user neglects, abuses or alters the item(s), or does not follow care instructions.

**VENDOR** must repair, or at the **LFUCG'S** option, replace any defective uniform item at no additional charge. If a disagreement exists between the **LFUCG** and **VENDOR** as to whether a uniform item is defective, the **LFUCG** **DPS** Administrators will designate a third party to determine whether the uniform item is defective. **VENDOR** shall provide and bear all costs required to meet its obligations under this warranty.

**VENDOR** warrants that for a period of one year after acceptance of repairs, embroidery and tailoring, that the repair, embroidery and tailoring to the uniform item or its component parts will be free from defects in material and workmanship, and that the uniform item will perform in its intended use.

## 2.10 Order Processing and Delivery Requirements

**2.10.1** **VENDOR** must process and deliver orders within the time frames below:

Type of Item	Days to Leave Facility	Days to Receive Order
-Non-Embellished Goods	2 business days	5 business days
-Embellished Goods	7 business days	10 business days
-Out-sized garments	case by case basis	case by case basis
-Special order & drop ship items	42 business days	

The order processing and delivery time frame should be expressed as the time between the online submittal of an order and the time the uniform item is delivered to the employee who placed the order. The timeframes noted above will not be in effect should the **LFUCG** become late on payables of a correct invoice to **VENDOR**.

## 2.11 Inventory Changes

2.11.1 Subject to the requirements of this Section 2.12.1, the **LFUCG** may add, modify, substitute or delete uniform items from the list of items available for purchase as set out in this **CONTRACT**, upon thirty (30) days written notice to **VENDOR**. Additional uniform items may be added to the pricing schedule with price not to exceed the average of three published retail price lists for each added uniform item, as determined by the **LFUCG**. With respect to items that contain an **LFUCG** DPS logo, if the **LFUCG** chooses to change specifications on any such item or to substitute/delete any such item, the **LFUCG** agrees to purchase **VENDOR'S** remaining inventory and work in process (once completed) of the items so changed, substituted and/or deleted at the **CONTRACT** price currently in effect under this **CONTRACT**.

## 2.12 Quality Control

2.12.1 **VENDOR** shall establish a Quality Control Program as set forth below to ensure quality of embellishment performed on uniform items by **VENDOR** hereunder. The program shall include:

1. Outbound audit of goods that **VENDOR** has embellished
2. A checklist for use in reviewing embellishment quality.
3. Inspection Reports regarding embellishment quality must be signed and include details regarding results of each inspection. Each report shall be made available to the **LFUCG** upon twenty-four (24) hours written request.
4. **VENDOR** shall be responsible for the quality of all embellishment work performed to ensure compliance with the quality requirements of this agreement. **VENDOR** shall be responsible for correcting all deficiencies in its embellishment operations within four business (4) days after written notification from the **LFUCG** that a quality issue has arisen. In advance of the written notice, the **LFUCG** should make every attempt possible to contact the **VENDOR** and verbally describe any non-compliance issues.

## 2.13 Balance of Inventory

2.13.1 **VENDOR** must purchase all remaining marked uniform items in inventory that are new, unused and free of defects in workmanship from the **LFUCG'S** current **VENDOR** at such current **VENDOR'S** purchase price not to exceed \$200,000 as verified by invoice. **LFUCG DPS** will provide **VENDOR** with current **CONTRACT** price for each item and agrees to purchase all such goods at **CONTRACT** prices on a FIFO (first in, first out) basis. Marked uniform items are defined as uniform items held in inventory by the current **VENDOR** to which there is an **LFUCG DPS** logo affixed, including any item that is embroidered, printed, or bearing an **LFUCG DPS** mark. **VENDOR** may sell them at full **CONTRACT** price or discount them, on either a cash basis outside the program or through the credit balance program. **VENDOR** will receive detailed information (line item list, qty, costs, etc.) regarding the incumbent's inventory prior to the purchase of this inventory. **VENDOR** will be allowed to conduct a quality audit on the goods prior to purchase or shipment to ensure that the goods shipped will be of first quality, re-saleable condition.

## 2.14 Price Schedule

- 2.14.1 Attachment I II III and IV attached hereto contains the initial unit cost for each Uniform Item, type of repair, shipping, and alterations. Embroidery, Screen Print and Heat Press applications are included in the price of each applicable item.
- 2.14.2 The **LFUCG** or its personnel will not be required to order any quantity of items or repairs and alterations, but **VENDOR** will be required to provide all such items, repairs or alterations as requested.
- 2.14.3 **LFUCG DPS** personnel will be charged the unit price for each uniform item or service set out in the agreement. The unit price shall include the item's cost to **VENDOR**, profit, insurance liability, performance bond, and all other costs associated with complying with the terms of the agreement.
- 2.14.4 Standard shipping costs will be available per published rate by the Quartermaster program and the individual employee will be responsible for paying the difference for expedited shipping costs at their own expense.
- 2.14.5 Any item to be returned can be dropped off at **VENDOR'S** local facility.
- 2.14.6 If the **VENDOR** has a published price or special offer for the general public lower than the price listed in this **CONTRACT**, **VENDOR** will offer that same price or special offer for the same time period as published.

## 2.15 Invoicing and Payment

2.15.1 **VENDOR** must invoice the **LFUCG** on a monthly basis. Invoices must be submitted by the 10<sup>th</sup> of the following month. Invoices indicating a price higher than the approved **CONTRACT** price will be corrected by the **LFUCG** and paid at the approved **CONTRACT** price as set forth in the agreement. **VENDOR** will be required to resubmit a corrected invoice. **VENDOR** will provide three documents/spreadsheets every month in order for the **LFUCG** to process payment. The first document is an invoice with the monthly grand total split out by **LFUCG** Division within **LFUCG** DPS. This invoice will be submitted to Finance for payment. The second spreadsheet required will have an itemized list of all orders processed for the month. This monthly invoice will contain the following information: PIN, First and Last name of employee, Description of item, unique item number, unit cost for each item, quantity, order total, address shipped to, and the courier's tracking number if applicable. The last required spreadsheet will have all items purchased by individual, with unit cost only. This spreadsheet requires all previous listed information without order totals, addresses or employee numbers. This spreadsheet is used to verify all **CONTRACT** prices through an Access database.

2.15.2 The **LFUCG** will make payments to **VENDOR** within thirty (30) days following receipt of a properly prepared invoice and verification that items were delivered to the **LFUCG** DPS employee/employee and submitted to the **LFUCG** DPS Division Representative. Payment is deemed to be made on the date a payment check is mailed.

## 2.16 Termination

2.16.1 Any remaining inventory (or work in process, once completed) of items marked with an **LFUCG** DPS logo that are new, unused and free of defects in workmanship shall be purchased by the **LFUCG** at **VENDOR'S** actual cost at the end of the term of this **CONTRACT**, unless prior to the expiration of the agreement, the **LFUCG** terminates the agreement. If the **LFUCG** terminates the agreement for, any reason it will purchase from **VENDOR**, at actual cost, any remaining inventory (or work in process, if completed within 30 days after **CONTRACT** expiration) of items marked with the **LFUCG** DPS logo that are new, unused and free from defects in workmanship. All product cost information provided to **LFUCG** by **VENDOR** shall be considered confidential information of **VENDOR** and may not be disclosed to any third party without **VENDOR'S** written permission.



## **2.18 Initial Department Wide Sizing.**

**2.18.1** Sizing of LFUCG DPS personnel must be 95% completed by June 22, 2012 provided that **LFUCG** takes responsibility for scheduling and makes all personnel available for the sizing exercise. Sizing must be done at a location approved by **LFUCG**. Sizing will be completed prior to July 1, 2012.

**2.18.2** **VENDOR** shall furnish a variety of Apparel in industry standard sizes which includes, but is not limited to: even and odd waist size pants with finished lengths fit, shirt neck half sizes with even and odd sized sleeve lengths, hats in one-eighth sized increments, half and full shoe sizes in all widths, even and odd sized jackets and coats, and even sized belts. If special requests are made for sizes outside the manufacturer's normal size range and the manufacturer agrees to produce the item(s) requested, longer lead times and/or additional charges may apply. **VENDOR** must submit documentation that reflects any longer lead time and/or additional charges. **VENDOR** shall make the standard manufacturing sizes, including, but not limited to, Outsizes, of the Apparel to meet the needs of the LFUCG DPS,. **VENDOR** shall provide female sizes when available.

## **2.19 Minimum Inventory Requirements.**

**2.19.1** Effective July 1, 2012, **VENDOR** shall provide inventory of each item of Apparel in industry standard sizes to meet the agreed upon time stated in Section 2.10.1 for all items including, but not limited to, items to be replaced at employee's expense. **VENDOR** will provide inventory balances at any given time to **LFUCG** for all **CONTRACT** items with one week notification.

**2.19.2** The turn-around time for outsized special order Uniform items, shall be handled on a case by case basis.

**2.19.3** Failure to maintain the inventory requirements or failure to provide the Apparel within the established turn-around times will be considered a default subject to the provisions of section 2.10. **LFUCG** further reserves the right to obtain items of Apparel from other sources if **VENDOR** does not provide the minimum inventory level requirements or established turn-around times set forth in this section.

## 2.20 TERM OF CONTRACT

- 2.20.1 After LFUCG Council approval of the **CONTRACT**, the agreement shall become effective beginning July 1, 2012, and terminate June 30, 2014. **LFUCG** may renew the agreement at its sole discretion for up to three (3) additional one-year terms. An election by **LFUCG** not to renew the agreement shall require 60 day notification by the **LFUCG** to **VENDOR**.
- 2.20.2 Second and subsequent years **CONTRACT** prices for all apparel items, repairs, embroidery and alterations shall be reviewed and any individual price changes mutually agreed upon by both parties with proven documentation evidencing the price change; provided that **VENDOR** shall be entitled to increase prices to an amount not to exceed the average percentage increase in the total Consumer Price Index for all Urban Consumers (all items less energy and food) for the twelve month period most recently ended. **LFUCG** agrees that in the event **VENDOR** experiences a cost increases in excess of 5% for any item(s) that the **LFUCG** will accept a corresponding price increase(s) only if **VENDOR** can provide proof of said increase(s). Notwithstanding the foregoing, any cost increase in excess of 5% for any item resulting in a new price, must be mutually agreed upon by both parties

## 2.21 Liquidated Damages

- 2.21.1 If **VENDOR** fails in any given month to meet the delivery performance requirements 15% of the time (85% fill rate) as outlined in Section 2.10, then **VENDOR** may be subject to fixed and liquidated damages for such month only in the amount of \$3000.
- 2.21.2 If **VENDOR** fails to complete alterations and repair services within the established time frames, **VENDOR** will be subject to fixed and liquidated damages of fifty dollars (\$50.00) per calendar day that the **VENDOR** fails to complete the required work.
- 2.21.3 If **VENDOR** fails to meet the established time frames for the website ordering system required by the agreement as stated in Section 2.5.3.1, **VENDOR** will be subject to fixed and liquidated damages of one thousand dollars (\$1,000.00) per day, for each calendar day late provided that LFUCG DPS does not make additional changes to products, product embellishments, web requirements, or delay the embellished sample approval process.
- 2.21.4 **VENDOR** will be subject to fixed and liquidated damages of two hundred and fifty dollars (\$250.00) per hour after the web ordering system fails in the aggregate to maintain uptime reliability rate of ninety-five percent (95%) in a given month.
- 2.21.5 **VENDOR** will be subject to fixed and liquidated damages of one thousand five hundred dollars (\$1,500.00) per day, for each day it fails to maintain the operating

hours and the personnel at the customer service facility as required by the agreement.

- 2.21.6 Notwithstanding the foregoing, **VENDOR** shall not be required to pay any liquidated damages for failing to meet the requirements above should the reason for **VENDOR'S** failure be due to circumstances beyond **VENDOR'S** reasonable control, including acts of God, acts of government, flood, fire, earthquakes, civil unrest, acts of terror, strikes or other labor problems (excluding those involving **VENDOR'S** employees), or service disruptions involving hardware, software or power systems not within **VENDOR'S** possession or reasonable control.

### **III. GENERAL ASSURANCES**

- 3.1 **VENDOR** agrees to submit a minimum of three (3) references from current Public Safety Departments of 500 employees or more where the **VENDOR** services a Quartermaster Program.
- 3.2 **VENDOR** covenants and agrees to perform all services described in this **CONTRACT** in a good and workmanlike manner to ensure accuracy and timeliness.
- 3.3 **VENDOR** agrees to have in its employ, at all times and at its own expense, a sufficient number of capable and qualified personnel to maintain and service the Quartermaster System. Personnel employed by **VENDOR** shall neither be employees of nor have any contractual relationship with **LFUCG**. **VENDOR** warrants and certifies that **VENDOR** and any other person designated to provide service hereunder has the requisite training, license and/or certification to provide said services.
- 3.4 **VENDOR** agrees to assign an Account Manager that is responsible for the task administration and work performance for this **CONTRACT**.
- 3.5 **VENDOR** shall pay, on or before their respective due dates, to the appropriate collecting authority, all Federal, State, and local taxes and fees, that are now or may hereafter be levied upon its property, or upon **VENDOR**, or upon the business conducted on its property, or upon any of **VENDOR'S** property used in connection therewith; and shall maintain in current status all Federal, State, and local licenses and permits, required for the operation of the business conducted by **VENDOR**.

X:\Cases\FIRE\12-MS0002\CONT\00341646.DOC

# Attachment I

## Community Corrections Items Specifications

### Class B Trousers

Items #1, #2, & #3

COLOR: NAVY; Length and waist altered to fit.

STYLE E620RN

#### MALE TEK2 CARGO POCKET TROUSER

1. Men's regular length; even waist sizes 28-56; even only above 38.
  2. Men short length 28-40 even only
  3. Non-Standard (items available in these sizes but not always on a stock basis) Men's Regular length; even waist sizes 56-72
- Elbeco Tek2™ 65% Polyester/35% Combed Cotton two ply vat dyed twill weave, weighing 7oz. per square yard with 6-8% engineered filling stretch. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability
  - Shall be made on an ActiveCut pattern, with a Covert waistband, plain front with quarter top front pockets, two back pockets, two rear SAP pockets, and two double entry cargo pockets positioned on each leg outseam.
  - All pocketing shall be NAVY 65% Polyester/35% Cotton with a minimum thread count of 70 x 48, weight is 4.3oz./sq. yd.
  - The front pocket opening will be a minimum 6½" and be 6" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1-1/4" wide. The front pockets shall each have a straight bartack and each back pocket shall be bartacked with a triangular bartack.
  - The back pockets will have a minimum opening of 6" and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. Both pockets shall have a tab and button.
  - There shall be two SAP pockets, located 5¼" below each hip pocket. The pockets shall be 2" from the side seam with a minimum opening of 3½" and a minimum depth of 8". Pocketing material to be the same as side and hip pockets. Pockets shall be constructed using the double welt method on a Reece PW machine.
  - There shall be two double entry side pockets sewn to each outside leg seam so that the pocket flap is centered 10½" inches below the bottom of the waistband. The pocket shall be constructed of shell fabric with the top edge bound with a poly/ cotton black binding. The pocket shall measure 7" wide and 8½" long and feature an inverted center pleat measuring one inch in width and edge stitched for stability.
  - There shall be a knife/PDA pocket sewn on the outside of the cargo pocket from the pleat towards the rear of the trouser. This pocket has a lined hem and Velcro closure.
  - An two-compartment internal utility pocket and tunnel will be set in the back of each cargo pocket. One compartment measures 3½" x 4½" with a finished bottom. The other compartment measures 2-3/8" x 6" deep and is open at the bottom to accommodate flashlights of different lengths.
  - A PDA/utility pocket measuring 4½" x 4½" is set inside the front of each cargo pocket.
  - The pocket flap measures 7" wide x 2-3/4" deep and is made of two plies of shell fabric and one ply of interlining. The top edge of the flap shall be sewn across the top of the outer pocket with its sides secured to the pocket with two hard velcro strips sewn to the inner ply of flap to align with the soft Velcro strips sewn to the pocket. There shall be a zipper sewn behind the inner pocket and to the trouser leg, positioned one inch below the top of the flap to create a concealed pocket.
  - The right fly and front crotch linings shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining sewn to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper and continue centered on the join seam across the inseam and end 1 inch onto the backseam. A separate French fly made of the outer fabric shall be sewn to the inside right fly.

- There shall be a triple strength crotch reinforcement to prevent seam failure in the crotch and inseam area. The crotch shall be secured with two rows of stitching. One row is to be on the inside of the trouser, then turned and an additional row to be sewn on the outside of trouser
- The Covert waistband contains a hidden elastic extension, providing up to three inches of additional stretch. The front of the outer waistband tapers through the covert opening at the top of the front pocket opening. The 1¼" wide elastic extends from the end of the taper through the waistband behind the side seam. All stress points will be bartacked.
- The inner waistband shall be a Duty Fit waistband, which provides additional stretch to the wearer's exact size while providing permanent recovery memory. The Duty Fit waistband will be continuous on the inside of the waistband so as to provide additional support and recovery to the waistband extension. There are no split openings in the inside curtain. The inside waistband shall be made with black wrapped woven elastine and have two tracks of 1/8" wide silicone for shirt retention. It measures 2½" and is attached with a rocap machine. Woven elastic banrol stiffener measuring 1" shall be sewn into the entire waistband to provide additional support.
- The waistband is to be constructed using the closed method and shall measure 2" wide when finished. The waistband closure shall be accomplished with a double crush proof hook and eye, bartacked for stability. The hooks and eyes shall be reinforced with stays made of a non-woven fabric that are anchored by the top-stitching for the fly facing and curtain. This topstitching must be to the top of the waistband. The waistband must have a crack stitch for added strength. No alternative waistband will be acceptable.
- There should be a minimum of 5 lined belt loops on waist sizes 28, 29, 30 and a minimum of 7 lined loops on all sizes over 30. Each loop is to be 7/8" wide of double thickness, with stitching on a face side 3/8" from each edge. Except for the back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1½" belt.
- The front and back crease in both trouser legs must be applied via a pneumatically controlled application of Creaset™ silicone sealant, specially formulated for technologically enhanced fabrics, so as to give permanency to the creases for the life of the garment.

---

**Items #4, #5, & #6**

**COLOR: LAPD NAVY -- Length and waist altered to fit**

**STYLE E620RN**

**FEMALE TEK2 CARGO POCKET TROUSER**

4. Women's regular length; even dress sizes 6-24;
  5. Women's short length; even dress sizes 4-14
  6. Non-Standard: (items available in these sizes but not always on a stock basis) Women's regular length; even dress sizes 26-32
- Elbeco Tek2™ 65% Polyester/35% Combed Cotton two ply vat dyed twill weave, weighing 7oz. per square yard with 6-8% engineered filling stretch. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability
  - Shall be made with the Ladies Choice pattern, featuring a contour waistband with elastic side panels, shortened rise, and reshaped hip and seat. Trousers have a plain front with quarter top front pockets, two back pockets, two rear SAP pockets and two double entry cargo pockets positioned on each leg outseam.
  - All pocketing shall be NAVY 65% Polyester/35% Cotton with a minimum thread count of 70 x 48, weight is 4.3oz./sq. yd.
  - The front pocket opening will be a minimum 6½" and be 6" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1-1/4" wide. The front pockets shall each have a straight bartack and each back pocket shall be bartacked with a triangular bartack.
  - The back pockets will have a minimum opening of 6" and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. Both pockets shall have a tab and button.
  - There shall be two SAP pockets, located 5¼" below each hip pocket. The pockets shall be 2" from the side seam with a minimum opening of 3½" and a minimum depth of 8". Pocketing material to be the

same as side and hip pockets. Pockets shall be constructed using the double welt method on a Reece PW machine.

- There shall be two double entry side pockets sewn to each outside leg seam so that the pocket flap is centered 10½" inches below the bottom of the waistband. The pocket shall be constructed of shell fabric with the top edge bound with a poly/ cotton black binding. The pocket shall measure 7" wide and 8½" long and feature an inverted center pleat measuring one inch in width and edge stitched for stability.
- There shall be a knife/PDA pocket sewn on the outside of the cargo pocket from the pleat towards the rear of the trouser. This pocket has a lined hem and Velcro closure.
- An two-compartment internal utility pocket and tunnel will be set in the back of each cargo pocket. One compartment measures 3½" x 4½" with a finished bottom. The other compartment measures 2-3/8" x 6" deep and is open at the bottom to accommodate flashlights of different lengths.
- A PDA/utility pocket measuring 4½" x 4½" is set inside the front of each cargo pocket.
- The pocket flap measures 7" wide x 2-3/4" deep and is made of two plies of shell fabric and one ply of interlining. The top edge of the flap shall be sewn across the top of the outer pocket with its sides secured to the pocket with two hard velcro strips sewn to the inner ply of flap to align with the soft Velcro strips sewn to the pocket. There shall be a zipper sewn behind the inner pocket and to the trouser leg, positioned one inch below the top of the flap to create a concealed pocket.
- Must be Ladies Choice construction for superior comfort and performance. The curtain, attached with a rocap machine, shall be made of black, bias-cut, cotton blended twill and shall have two continuous parallel 1/16" wide silicone bands for shirt retention. Inside the waistband shall be two pieces of breathable non-woven stretch canvas for support. Waistband will also be fused for additional support. The finished waistband shall be 2" wide and shall be closed with a crush-proof hook and eye, the eye being bartacked for stability. There shall be 4" elastic sewn into each side of the waistband for superior fit. The finished waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain. No alternative waistband will be acceptable.
- The waistband is to be constructed using the closed method and shall measure 2" wide when finished. The waistband closure shall be accomplished with a double crush proof hook and eye, bartacked for stability. The hooks and eyes shall be reinforced with stays made of a non-woven fabric that are anchored by the top-stitching for the fly facing and curtain. This topstitching must be to the top of the waistband. The waistband must have a crack stitch for added strength. No alternative waistband will be acceptable.
- There should be a minimum of 5 lined belt loops on waist sizes 28, 29, 30 and a minimum of 7 lined loops on all sizes over 30. Each loop is to be 7/8" wide of double thickness, with stitching on a face side 3/8" from each edge. Except for the back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1½" belt.
- The front and back crease in both trouser legs must be applied via a pneumatically controlled application of Creaset™ silicone sealant, specially formulated for technologically enhanced fabrics, so as to give permanency to the creases for the life of the garment.

---

## Class B LS Shirt

### Items #7 through #14

**COLOR: NAVY - TO MATCH TROUSERS**

**Elbeco TEK2**

### Long Sleeve Shirt

7. Body Length: Regular Sleeve Length; Short 30/31 sizes S-XL;
8. Body Length: Regular Sleeve Length 32/33 S-3XL;
9. Body Length: Regular Sleeve Length 34/35 M-3XL;
10. Body Length: Tall Sleeve Length 36/37 L-3XL
11. Standard Oversize Garment 4XL sleeve length 34/35 and 4XL (36/37) sleeve
12. Non-Standard (items available in these sizes but not always on a stock basis) Body length regular sleeve length as required 5X-7X
13. Non-Standard (items available in these sizes but not always on a stock basis) Body length Tall sleeve length as required 5X-7X
14. Women's Regular length XS-2XL

- Elbeco Tek2™ 65% Polyester/35% Combed Cotton two ply vat dyed twill weave, weighing 7oz. per square yard with 6-8% engineered filling stretch. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability
- Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.
- It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.
- Pockets and pocket flaps to be die creased to give uniform shape and size
- Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of Dacron lining. The collar is to be single stitched 1/4" from edge. On the edge stitching will be cause for rejection.
- The collar shall be made with permanent collar stays. Collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide and be attached to the bottom ply of the collar.
- To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two button adjustable cuff. There is to be a single stitch 7/16" from top of cuff.
- The continuous sleeve opening shall measure 4-7/8" from top of cuff. The facing for this opening is to be 1-1/4" wide. Button is to be placed on sleeve opening with corresponding buttonhole.
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
- Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 3.25" wide x 10.25" long is set into the sleeve and body panes at the underarm to allow for body heat ventilation and increased mobility and comfort.
- The front shall have a facing 3" in width extending from neckline to the bottom of shirt provided by a turn under of material. The left front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges
- The center front shall contain seven vertical buttonholes placed 3/4" from edge and 3-1/2" apart
- There is to be a yoke composed of a double ply of the same material as the basic shirt properly secured for strength. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
- To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.
- To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.
- The pockets and flaps shall be single stitched on the edge. Off the edge stitching will be cause for rejection.
- The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
- The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam
- Shoulder straps must be top stitched on the edge. Off the edge stitching will be cause for rejection.
- Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
- 20-ligne melamine buttons on epaulets, pockets, cuffs, and shirtfront.
- All buttons shall be made from Melamine material for durability and must match fabric.
- Embroidered subdued shoulder patch attached to each shoulder approximately 1/2 inch from seam.
- Embroidered subdued badge patch attached on left breast above pocket
- Embroidered namestrip to be attached above right pocket of shirt. Namestrip to be 1" wide and of same material as shirt.

**Class B SS Shirt**

**Items #15 through #19**

**COLOR: NAVY - TO MATCH TROUSERS**

**Elbeco Duty Maxx**

**Short Sleeve Shirt**

- 15. Men's Regular Length sleeve length S-XL
- 16. Men's Regular Length sleeve length 2X-3X
- 17. Non-Standard (items available in these sizes but not always on a stock basis) Men's 4X-7X
- 18. Women's Regular length XS-2X
- 19. Non Standard (items available in these sizes but not always on a stock basis) Women's 3X-5X

- Elbeco Tek2™ 65% Polyester/35% Combed Cotton two ply vat dyed twill weave, weighing 7oz. per square yard with 6-8% engineered filling stretch. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability
- Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.
- It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.
- Pockets and pocket flaps to be die creased to give uniform shape and size
- Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of Dacron lining. The collar is to be single stitched 1/4" from edge. On the edge stitching will be cause for rejection.
- The collar shall be made with permanent collar stays. Collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide and be attached to the bottom ply of the collar.
- Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

<u>Size:</u>	<u>Finished Length:</u>
14 & 14.5	9.5"
15,15.5,16	10"
16.5-18.5	10.5"
19 and up	11"

- Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 3.25" wide x 10.25" long is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
- The front shall have a facing 3" in width extending from neckline to the bottom of shirt provided by a turn under of material. The left front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges
- The center front shall contain seven vertical buttonholes placed 3/4" from edge and 3-1/2" apart
- There is to be a yoke composed of a double ply of the same material as the basic shirt properly secured for strength. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
- To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.
- To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.
- The pockets and flaps shall be single stitched on the edge. Off the edge stitching will be cause for rejection.



- The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
- The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam
- Shoulder straps must be top stitched on the edge. Off the edge stitching will be cause for rejection.
- Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
- 20-ligne melamine buttons on epaulets, pockets, cuffs, and shirtfront.
- All buttons shall be made from Melamine material for durability and must match fabric.
- Embroidered subdued shoulder patch attached to each shoulder approximately 1/2 inch from seam.
- Embroidered subdued badge patch attached on left breast above pocket.
- Embroidered namestrip to be attached above right pocket of shirt. Namestrip to be 1" wide and of same material as shirt.

## Class A Pant

Items #20, #21, #22

**TROUSER**

**COLOR: LAPD NAVY Length and waist altered to fit**

**STYLE E254RN**

**MALE DUTY MAXX FOUR POCKET TROUSER**

20. Men's regular length; even waist sizes 28-56; even only above 38;
21. Men's short length 28-40 even only
22. Non-standard (items available in these sizes but not always on a stock basis) Men's regular length even waist sizes 58-72

- Burlington style U8140, 80% Fiber Stretch Polyester/20% Rayon with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 7.5 oz. per square yard or 12 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability.
- Shall be made on a Duty Fit uniform pattern, having a plain front with quarter top front pockets, two back pockets and permanent pressed front and back leg creases.
- The front pocket opening will be a minimum 6½" and be 6" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide. The back pockets will have a minimum opening of 5½" and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The front pockets shall each have straight bartacks and each back pocket shall be bartacked with a triangular bartack. Straight bartacks on back pockets will not be acceptable.
- All pocketing shall be black 65% Polyester/35% Cotton with a minimum thread count of 68 x 54; the weight shall be 2.60 yards/lb.
- The waistband shall be the Duty Fit waistband, which provides an exact fit by stretching to the wearer's exact size. The inside waistband shall be made with charcoal wrapped woven elastine and have two tracks of 1/8" wide silicone for shirt retention. It measures 2½" and is attached with a rocap machine. Woven elastic banrol stiffener measuring 1" shall be sewn into the entire waistband to provide additional support.
- The waistband is to be constructed using the closed method and shall measure 2" wide when finished. The waistband closure shall be accomplished with a double crush proof hook and eye, bartacked for stability. The hooks and eyes shall be reinforced with stays made of a non-woven fabric that are anchored by the top-stitching for the fly facing and curtain. This topstitching must be to the top of the waistband. The waistband must have a crack stitch for added strength. No alternative waistband will be acceptable.

- The right fly and front crotch linings shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining sewn to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper and continue centered on the join seam across the inseam and end 1" onto the backseam. A separate French fly made of the outer fabric shall be sewn to the inside right fly.
- There shall be a triple strength crotch reinforcement to prevent seam failure in the crotch and inseam area. The crotch shall be secured with two rows of stitching. One row is to be on the inside of the trouser, then turned and an additional row to be sewn on the outside of trouser.
- The trousers shall be closed with a brass memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.
- There should be a minimum of 5 lined belt loops on waist sizes 28, 29, 30, and a minimum of 7 lined loops on all sizes over 30. Each loop is to be 7/8" wide of double thickness, with stitching on the face side 3/8" from each edge. Except for the back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1 5/8" belt.
- The front and back crease in both trouser legs must be applied via a pneumatically controlled application of Creaset silicone sealant, specially formulated for techno-logically enhanced fabrics, so as to give permanency to the creases for the life of the garment.
- The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine.

---

**Items #23, #24, & #25**

**Trouser**

**COLOR: LAPD NAVY Length and waist altered to fit**

**STYLE E254RN**

**FEMALE DUTY MAXX FOUR POCKET TROUSER**

23. Women's regular length; even dress sizes 6-24;

24. Women's short length even dress sizes 4-14

25. Non-Standard(items available in these sizes but not always on a stock basis) Women's regular length even dress sizes 26-32

- Burlington style U8140, 80% Fiber Stretch Polyester/20% Rayon with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 7.5 oz. per square yard or 12 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability.
- Shall be made with the Ladies Choice pattern, featuring a contour waistband with elastic side panels, shortened rise, and reshaped hip and seat. Trousers have a plain front with quarter top front pockets, 7/8" belt loops, and two back pockets
- The front pocket opening will be a minimum 6 1/2" and be 6" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1 1/4" wide. The back pockets will have a minimum opening of 5 1/2" and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The front pockets shall each have straight bartacks and each back pocket shall be bartacked with a triangular bartack. Straight bartacks on back pockets will not be acceptable.
- All pocketing shall be black 65% Polyester/35% Cotton with a minimum thread count of 68 x 54; the weight shall be 2.60 yards/lb.
- Must be Ladies Choice construction for superior comfort and performance. The curtain, attached with a rocap machine, shall be made of black, bias-cut, cotton blended twill and shall have two continuous parallel 1/16" wide silicone bands for shirt retention. Inside the waistband shall be two pieces of breathable non-woven stretch canvas for support. Waistband will also be fused for additional support. The finished waistband shall be 2" wide and shall be closed with a crush-proof hook and eye, the eye being bartacked for stability. There shall be 4" elastic sewn into each side of the waistband for superior fit. The

finished waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain. No alternative waistband will be acceptable.

- The waistband is to be constructed using the closed method and shall measure 2" wide when finished. The waistband closure shall be accomplished with a double crush proof hook and eye, bartacked for stability. The hooks and eyes shall be reinforced with stays made of a non-woven fabric that are anchored by the top-stitching for the fly facing and curtain. This topstitching must be to the top of the waistband. The waistband must have a crack stitch for added strength. No alternative waistband will be acceptable.
- The trousers shall be closed with a brass memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.
- There should be a minimum of 5 lined belt loops on waist sizes 28, 29, 30, and a minimum of 7 lined loops on all sizes over 30. Each loop is to be 7/8" wide of double thickness, with stitching on the face side 3/8" from each edge. Except for the back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1 5/8" belt.
- The front and back crease in both trouser legs must be applied via a pneumatically controlled application of Creaset silicone sealant, specially formulated for techno-logically enhanced fabrics, so as to give permanency to the creases for the life of the garment.
- The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine.

---

## Class A LS Shirt

### Items #26 through #32

**COLOR: NAVY - TO MATCH TROUSERS**

**Elbeco Duty Maxx**

**Male Long Sleeve Shirt**

26. Body Length: Regular Sleeve Length; Short 30/31 sizes S-XL;

27. Body Length: Regular Sleeve length 32/33 S-3XL;

28. Body Length: Regular Sleeve Length 34/35 M-3XL;

29. Body Length: Tall Sleeve Length 36/37 L-3XL

30. Standard Oversize Garment 4XL sleeve length 34/35 and 4XL (36/37) sleeve

31. Non-Standard (items available in these sizes but not always on a stock basis) Body length regular sleeve length as required 5X-7X

32. Non-Standard (items available in these sizes but not always on a stock basis) Body length Tall sleeve length as required 5X-7X

- Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.
- Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.
- It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.
- Pockets and pocket flaps to be die creased to give uniform shape and size
- The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".
- The leaf shall be made of three pieces; two pieces of self-cloth and one whole lining, which is to be fused to the top collar.

- Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button and one horizontal buttonhole.
- Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.
- To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two button adjustable cuff. There is to be a single stitch 7/16" from top of cuff.
- The continuous sleeve opening shall measure 4-7/8" from top of cuff. The facing for this opening is to be 1-1/4" wide. Button is to be placed on sleeve opening with corresponding buttonhole.
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
- The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The right front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.
- The button stand, 7/8" wide, shall be self-lined and placed on left side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing
- There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
- To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.
- To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.
- The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
- To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.
- The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam
- Shoulder straps must be top stitched on the edge. Off the edge stitching will be cause for rejection.
- Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
- 20-ligne melamine buttons on cuffs and collar. Eyelets for METAL KY buttons on epaulets, pockets, and shirtfront. METAL KY buttons to be included.
- Embroidered full color shoulder patch attached to each shoulder approximately 1/2 inch from seam.

---

**ItemS #33 through #37**

**COLOR: NAVY - TO MATCH TROUSERS**

**Elbeco Duty Maxx**

**Female Long Sleeve Shirt**

33. Women's Regular length XS-2XL

34. Body Length Regular Sleeve length 32/33 S-3XL

35. Standard Oversize Garment 4XL sleeve length 34/35 and 4XL (36/37) sleeve

36. Non-Standard (items available in these sizes but not always on a stock basis) Body length regular sleeve length as required 5X-7X

37. Non-Standard (items available in these sizes but not always on a stock basis) Body length Tall sleeve length as required 5X-7X

- Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.
- Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit.
- It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.
- Pockets and pocket flaps to be die creased to give uniform shape and size
- Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of Dacron lining. The collar is to be single stitched 1/4" from edge. On the edge stitching will be cause for rejection.
- The collar shall be made with permanent collar stays. Collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide and be attached to the bottom ply of the collar.
- To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two button adjustable cuff. There is to be a single stitch 7/16" from top of cuff.
- The continuous sleeve opening shall measure 4-7/8" from top of cuff. The facing for this opening is to be 1-1/4" wide. Button is to be placed on sleeve opening with corresponding buttonhole.
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
- The front shall have a facing 3" in width extending from neckline to the bottom of shirt provided by a turn under of material. The left front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges
- The center front shall contain seven vertical buttonholes placed 3/4" from edge and 3-1/2" apart
- There is to be a yoke composed of a double ply of the same material as the basic shirt properly secured for strength. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
- To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.
- To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.
- The pockets and flaps shall be single stitched on the edge. Off the edge stitching will be cause for rejection.
- The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
- The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam
- Shoulder straps must be top stitched on the edge. Off the edge stitching will be cause for rejection.
- Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
- 20-ligne melamine buttons on cuffs and collar. Eyelets for METAL KY buttons on epaulets, pockets, and shirtfront. METAL KY buttons to be included.
- Embroidered full color shoulder patch attached to each shoulder approximately 1/2 inch from seam.

**Class A SS Shirt**

**Items #38 through #44**

**COLOR: NAVY - TO MATCH TROUSERS**

**Elbeco Duty Maxx**

**Male Long Sleeve Shirt**

- 38. Body Length: Regular sleeve Length; Short 30/31 sizes S-XL;
- 39. Body Length: Regular Sleeve length 32/33 S-3XL;
- 40. Body Length: Regular Sleeve Length 34/35 M-3XL;
- 41. Body Length: Tall Sleeve Length 36/37 L-3XL
- 42. Standard Oversize Garment 4XL sleeve length 34/35 and 4XL (36/37) sleeve
- 43. Non-Standard (items available in these sizes but not always on a stock basis) Body length regular sleeve length as required 5X-7X
- 44. Non-Standard (items available in these sizes but not always on a stock basis) Body length Tall sleeve length as required 5X-7X

- Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.
- Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.
- It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.
- Pockets and pocket flaps to be die creased to give uniform shape and size
- The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".
- The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.
- Permanent collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button and one horizontal buttonhole.
- Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.
- Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

<u>Size:</u>	<u>Finished Length:</u>
14 & 14.5	9.5"
15,15.5,16	10"
16.5-18.5	10.5"
19 and up	11"

- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
- The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The right front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.
- The button stand, 7/8" wide, shall be self-lined and placed on left side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing
- There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

- To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.
- To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.
- The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
- To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.
- The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam
- Shoulder straps must be top stitched on the edge. Off the edge stitching will be cause for rejection.
- Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
- 20-ligne melamine buttons on cuffs and collar. Eyelets for METAL KY buttons on epaulets, pockets, and shirtfront. METAL KY buttons to be included.
- Embroidered full color shoulder patch attached to each shoulder approximately 1/2 inch from seam.

#### Items #45 through #49

**COLOR: NAVY - TO MATCH TROUSERS**

**Elbeco Duty Maxx**

**Female Long Sleeve Shirt**

45. Women's Regular length XS-2XL

46. Body Length Regular Sleeve length 32/33 S-3XL

47. Standard Oversize Garment 4XL sleeve length 34/35 and 4XL (36/37) sleeve

48. Non-Standard (items available in these sizes but not always on a stock basis) Body length regular sleeve length as required 5X-7X

49. Non-Standard (items available in these sizes but not always on a stock basis) Body length Tall sleeve length as required 5X-7X

- Burlington style U8141, 80% Fiber Stretch Polyester/20% Rayon tropical weave with 14% fiber stretch for increased comfort and range of movement. With fiber stretch, the fabric will maintain its stretch and recovery over time. Weight is 6.0 oz. per square yard or 10.25 oz. per linear yard. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, UV 40+ protection, fabric appearance and durability, while maintaining original fabric breathability.
- Shirts will be cut in the Ladies Choice pattern with expanded chest, waist and hip dimensions for a more flattering fit.
- It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.
- Pockets and pocket flaps to be die creased to give uniform shape and size
- Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of Dacron lining. The collar is to be single stitched 1/4" from edge. On the edge stitching will be cause for rejection.
- The collar shall be made with permanent collar stays. Collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide and be attached to the bottom ply of the collar.
- Sleeves are to be straight and whole and have a 1" hem. The finish shall be 9-1/2" long from shoulder seam. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety

stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

- The front shall have a facing 3" in width extending from neckline to the bottom of shirt provided by a turn under of material. The left front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges
- The center front shall contain seven vertical buttonholes placed 3/4" from edge and 3-1/2" apart
- There is to be a yoke composed of a double ply of the same material as the basic shirt properly secured for strength. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
- To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.
- To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.
- The pockets and flaps shall be single stitched on the edge. Off the edge stitching will be cause for rejection.
- The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
- The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam
- Shoulder straps must be top stitched on the edge. Off the edge stitching will be cause for rejection.
- Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
- 20-ligne melamine buttons on cuffs and collar. Eyelets for METAL KY buttons on epaulets, pockets, and shirtfront. METAL KY buttons to be included.
- Embroidered full color shoulder patch attached to each shoulder approximately 1/2 inch from seam.

---

#### #50. Tie

Men's Clip-on. Navy Blue, Samuel Broome or approved equal

---

#### #51. Badge

- Metal Badge with safety catch. Blackington B546 or approved equal color. Gold Plate
  - Must have full color state (KY) seal. The badge may be ordered with a pin style safety clasp or wallet clip
  - Wording on each badge shall be:
    - Top of Badge : RANK (Ofc, Sgt, etc, and RETIRED)
  - Lettering around the inner star shall be
    - Top of SemiCircle: Lexington-Fayette Urban Co.
    - Bottom of SemiCircle: Community Corrections
- 

#### #52. Name Tag - Blackington J2 Gold Plate

- Polished metal clutch back with blue letters
- 

#### #53. "Serving Since" Pin - Blackington J6 Gold Plate

- Polished metal with blue letters; matches polished metal clutch back nameplate
- 

#### #54. Collar Insignia of Rank - Metal 1 inch

- Standard US Army Insignia
-



**#55. Dress Belt - Safariland Trouser Belt #99**

S-2X

- 1.5" basketweave, Velcro closure without buckle. Reversible with Velcro on the inside to facilitate attachment of service belt.
- 

**#56. Elbecco Tek Twill 6 Panel Ball Cap**

- 65% poly/35% cotton twill
  - Nano Tex technology
  - Plain front and subdued
  - Adjustable Back Strap
  - Embroidered w/ approved Logo
- 

**#57. Waist Belt - Uncle Mike's Nylon Inner Trouser Belt**

S-2X

- Nylon web construction. Velcro length adjustment; Outer belt can be worn over. 1.5" wide. Black
- 

**#58. Duty Belt - Uncle Mike's Ultra Duty Belt**

S-2X

- 4 Layer 2" nylon webbing; four layer laminate construction; 2" wide; Triple retention buckle; Wear resistant and abrasion resistant
- 

**#59. Duty Belt - Safariland Buckleless Duty Belt #94**

S-2X

- Lined with hook and loop on inner side; 2.25" wide; Black; basketweave
- 

**#60. Safariland Glove Pouch #33**

- Basketweave; fits up to 2.25" belt; measure 3" H x 4" W
- 

**#61. Safariland MKIII Holder #38**

- Basketweave; fits up to 2.25" belt
- 

**#62. Safariland Double Magazine Holder**

- Basketweave; fits up to 2.25" belt
- 

**#63. Safariland Standard Cuff Case #90**

- Basketweave; fits up to 2.25" belt
- 

**#64. Safariland Mini Flashlight Holder**

- Basketweave; fits up to 2.25" belt; 5.5" high
- 

**#65. Safariland Key Keeper #168**

- Basketweave; fits up to 2.25" belt
- 

**#66. Uncle Mike's Single Cuff Case**

- Nylon
-

**#67. Uncle Mike's Divided Magazine Case**

- Nylon
- 

**#68. Uncle Mike's Mark 3 Defense Spray Case**

- Nylon
- 

**#69. Uncle Mike's Double Latex Glove Carrier**

- Nylon
- 

**#70. Uncle Mike's Mini Flashlight Holder**

- Nylon
- 

**#71. Uncle Mike's Key Ring Holder w/ Flap**

- Nylon
- 

**#72. Uncle Mike's Nylon Web Belt Keepers (set of 4)**

---

**#73. Collar Insignia of Rank - Cloth**

- Standard US Army insignia
  - 1 in square
- 

**#74. Namestrip**

- Subdued embroidered name (First Initial, Last Name) on 1" wide on 7oz per square yard two ply twill weave in a 65% poly/35% cotton fiber blend (same material as Class B shirt)
- 

**#75. Epaulets**

- Standard US Army insignia
  - Navy w/ silver thread
  - Ground fabric backed with 100% cotton sheeting for added body
  - 4.5" H x 1 7/8" W x 2.25" D
- 

**#76 & #77. Rocky High Gloss Chukka 005008**

Both Men and Women's Sizing

- Durable Goodyear Welt Construction; Full Grain Water Resistant Leather
  - Non-Metallic Stabilizer; Po-Cell Blown Rubber Outsole; Pro-Cell Polyurethane Perforated Air Flow insert
- 

**#78 & #79. 5.11 Tactical 6" Shield Boot**

Both Men and Women's Sizing

- Waterproof leather/nylon; 6" upper; polishable toe; side zipper; antimicrobial lining;
- 

**#80 & #81. Bates 5" Ultra Lite Quarter Boot**

Both Men and Women's Sizing

- 5" quarter boot; Leather/1680 denier ballistic nylon uppers; fiberglass shank; Oil and slip-resistant rubber outsole; Non-metallic components
-

**#82. Danner Striker II GTX 8" Duty Boot**

- Only Officers who require a Men's size 16 or above may request this boot
  - 8" Waterproof boot ; Full-grain waterproof leather and 1000 Denier nylon upper;Fiberglass shank; Waterproof GORE-TEX® liner
- 

**T-SHIRTS**

**#83 & #84. 5.11 TACTICAL SERIES UTILI-T SHIRT - BLACK**  
S-2X; 3X

---

**#85. TRU SPEC CORDURA SHORT SLEEVE T-SHIRT**

- can be embroidered with approved logo/subdued
  - Color: **BLACK** and/or **NAVY**
- 

**SOCKS**

**#86 & #87. Under Armour Coldgear Lite Boot Socks**

Mens - L and XL  
Womens -L and XL

---

**#88. Pro Feet cushioned boot sock – 3008**

- M and L
- 88% hi-bulk acrylic/8% stretch nylon/4% elastic
  - Wicks moisture to keep feet dry
  - Welt top
  - Knit-in heel & toe
- 

**SWEATER**

**#88. Galls Commando V Neck Acrylic Sweater – SW667**

- 100% Acrylic
  - Color-matched fabric shoulder and elbow patches
  - Badge tab
  - Shoulder epaulets
  - Turn-back cuffs
  - Long sleeves
  - Machine wash and dry
  - All jackets to include Department subdued shoulder patch, department chest patch and 1" polyester black cloth namestrip with subdued thread embroidery.
- 

**Shipping and Alterations:** (see Pricing, Attachment IV, Shipping Alterations Pricing List)

**Shipping:** Price of Flat Rate Shipping for orders shipped to employees' home address.

**Alterations:**

- Taper shirts/ Jackets
- Add tails to shirts
- Hemming
- Take in/let out waist
- Take up stride

- Rank change
  - Apply/replace namestrip
  - Add/change patch
  - Shorten sleeves
  - Lengthen sleeves
- 



## Attachment II Fire and Emergency Services Items Specifications

### Shirts

#### Item #201

##### 5.11 S/S Tactical Professional Polo Male and Female – 41060/61166 No Substitutions

- 6.8 oz, 100% cotton pique fabric
  - Fade, shrink and wrinkle-resistant
  - Permanent no-curl collar
  - Short Sleeve
  - Handy pen/pencil pocket on left sleeve
  - Customizable with emblems, embroidery or heat press.
  - Machine wash and dry
- 

#### Item #202

##### 5.11 L/S Tactical Professional Polo Male – 42056 No Substitutions

- 6.8 oz, 100% cotton pique fabric
  - Fade, shrink and wrinkle-resistant
  - Permanent no-curl collar
  - Long Sleeve
  - Handy pen/pencil pocket on left sleeve
  - Machine wash and dry
- 

#### Item #203

##### 5.11 S/S Tactical Polo Male and Female – 71182/61164 No Substitutions

- 6 oz 100% cotton jersey
  - Fade, shrink and wrinkle-resistant
  - Smooth fabric surface is perfect for heat press and embroidery
  - No-roll collar keeps you looking crisp
  - Three-button placket, rib trim on cuffs
  - Durable melamine buttons won't melt, burn or crack
  - Pen/pencil pocket on left sleeve
  - Mic loops on shoulders and center of placket
  - Machine wash and dry
- 

#### Item #204

##### 5.11 L/S Tactical Polo Male – 72360 No Substitutions

- 6 oz of 100% cotton jersey
  - Fade, shrink and wrinkle-resistant
  - Smooth fabric great for heat press and embroidery
  - No-roll collar keeps you looking crisp
  - Three-button placket, rib trim on cuffs
  - Pen/pencil pocket on left sleeve
  - Durable melamine buttons won't melt, burn or crack
  - Mic loops on shoulders and center of placket
  - Machine wash and dry
-

Item #205

Short Sleeve 100% Cotton Polo –Private Label Specifications (provide sample with bid)

- **FABRIC:** 7.3oz 100% combed pique cotton
- **FABRIC FINISH:** low shrink, low fade, low pill, Bio-Wash
- **STITCHES PER INCH (SPI):** 10-12
- **COLLAR: FLAT RIB KNIT COLLAR**
- Overlock knit collar to neck line. 3/8" self tape covers neck line seam.
- (Special NO-CURL design with plastic stay knitted into collar edges)
- **SINGLE PLY SWEAT PATCH:**
- Over lock bottom curve.
- Double needle edgestitch outside edge of sweat patch
- Place heat transfer logo print centered on patch (1" down from finished neck seam). Top edge of patch caught in collar seam.
- **ATTACH PANELS:**
- Attach shoulders with 1/4" Merrow stitch using 1/4" clear polyurethane tape to reinforce seams.
- Attach side seams with Merrow stitch operation.
- Place label showing PO# and care instructions in the wearer's left side seam per instruction on label page.
- Attach sleeve to armhole with 1/4" merrow stitch. Double needle topstitch armhole on body.
- **MIC WELT POCKETS AT SHOULDER SEAMS:**
- \*\*\*POCKET BAG WILL FALL TOWARD THE FRONT OF THE GARMENT
- Inside of garment pocket bag:
- 2 3/4" Wide
- 2 1/4" Depth
- 1 3/4" Opening
- 1/2" bartack at the end of each opening (note tack will cover the shoulder seam)
- **BOTTOM HEM:**
- 2-needle, 1/4" gauge, 1" cover stitch bottom hem.
- **SIDE SEAM VENTS:**
- 1/4" Double fold side vents creating a clean finish edge.
- Place 5/8" bartack at the beginning of the "v" opening.
- Vent opening should be 4" with 2" for the drop tail back.
- **SLEEVE WELT:**
- Attach sleeve welt to opening with merrow stitch operation.
- Double needle topstitch with 1/4" gauge above rib welt/cuff.
- **FRONT PLACKET: (interlined)**
- \*\*Top edge of placket must be even on both sides\*\* Left overlaps right
- Single needle vertical top stitch 1 1/4" on left placket.
- Placket is edge stitched along left placket edge, 1/16" margin.
- Single needle vertical top stitch on outside edge of right side placket.
- Boxstitch at bottom of placket finishing 3/8" deep x 1 1/4" wide.
- Attach mic loop over boxstitch (caught in placket at center, turned under, and bartack set on wearer's left side - see illustration)
- Placket total length: 7" long x 1 1/4" wide.
- **THREE BUTTONHOLE/BUTTON PLACEMENT:** (make sure buttonholes are trimmed and clean)

- Set horizontal buttonhole 1/2" from finished top edge on left placket, (measured center to center) and 5/8" in from front edge.
- The second of 3 buttonholes is set vertically 2 1/4" down (measured center to center) and 5/8" in from front edge.
- The last buttonhole is 2 1/4" down from the second and 5/8" in from the front edge.
- Set 3 18L DTM Melamine buttons, centered on the right side placket to match buttonholes.
- CROSS STITCH ALL BUTTONS.
- **SLEEVE PENCIL POCKET:**
- 1 3/4 x 5 1/2" pencil pocket on wearer's left sleeve.
- Double welt opening at top with internal bag of self fabric.
- Pocket bottom caught at sleeve cuff attach and in
- . Welt opening which is topstitched all around.
- Bag outline not seen on outside of sleeve
- Center stitch sewn through pocket and welt.
- **SIZE RANGE:** XS-4X
- **COLORS:** Black, Navy

**Item #206**

**Lion S/S Men's Station Polo - 0420NV-10 No Substitutions**

- Available in 6.0 oz/yd<sup>2</sup> 100% cotton interlock
- Certified to meet NFPA 1975
- Rugged two-button placket for durability and comfort. Easy to don and doff
- Roomy pocket on left chest
- Rib knit fashion collar
- Hemmed sleeve cuffs. Short sleeve
- Full cut and available in extra long body in talls
- Optional personalization

**Item #207**

**Short Sleeve 100% Polyester Polo – Private Label specifications (provide sample with bid)**

- **FABRIC:** 7.2oz 100% double pique polyester
- **FABRIC FINISH:** Aegis Microbe Shield, 3M Scotch Guard
- **STITCHES PER INCH (SPI):** 10-12
- **COLLAR:** FLAT RIB KNIT COLLAR
- Overlock knit collar to neck line. 3/8" self tape covers neck line seam.
- (Special NO-CURL design with plastic stay knitted into collar edges)
- **SINGLE PLY SWEAT PATCH:**
- Over lock bottom curve.
- Double needle edgestitch outside edge of sweat patch
- Place heat transfer logo print centered on patch (1" down from finished neck seam). Top edge of patch caught in collar seam.
- **ATTACH PANELS:**
- Attach shoulders with 1/4" Merrow stitch using 1/4" clear polyurethane tape to reinforce seams.
- Attach side seams with Merrow stitch operation.
- Place label showing PO# and care instructions in the wearer's left side seam per instruction on label page.

- Attach sleeve to armhole with 1/4" merrow stitch. Double needle topstitch armhole on body.
- **MIC WELT POCKETS AT SHOULDER SEAMS:**
- \*\*\*POCKET BAG WILL FALL TOWARD THE FRONT OF THE GARMENT
- Inside of garment pocket bag:
  - 2 3/4" Wide
  - 2 1/4" Depth
  - 1 3/4" Opening
  - 1/2" bartack at the end of each opening (note tack will cover the shoulder seam)
- **BOTTOM HEM:**
- 2-needle, 1/4" gauge, 1" cover stitch bottom hem.
- **SIDE SEAM VENTS:**
- 1/4" Double fold side vents creating a clean finish edge.
- Place 5/8" bartack at the beginning of the "v" opening.
- Vent opening should be 4" with 2" for the drop tail back.
- **SLEEVE WELT:**
- Attach sleeve welt to opening with merrow stitch operation.
- Double needle topstitch with 1/4" gauge above rib welt/cuff.
- **FRONT PLACKET:** (interlined)
- \*\*Top edge of placket must be even on both sides\*\* Left overlaps right
- Single needle vertical top stitch 1 1/4" on left placket.
- Placket is edge stitched along left placket edge, 1/16" margin.
- Single needle vertical top stitch on outside edge of right side placket.
- Boxstitch at bottom of placket finishing 3/8" deep x 1 1/4" wide.
- Attach mic loop over boxstitch (caught in placket at center, turned under and bartack set on wearer's left side - see illustration)
- Placket total length: 7" long x 1 1/4" wide.
- **THREE BUTTONHOLE/BUTTON PLACEMENT:** (make sure buttonholes are trimmed and clean)
- Set horizontal buttonhole 1/2" from finished top edge on left placket, (measured center to center) and 5/8" in from front edge.
- The second of 3 buttonholes is set vertically 2 1/4" down (measured center to center) and 5/8" in from front edge.
- The last buttonhole is 2 1/4" down from the second and 5/8" in from the front edge.
- Set 3 18L DTM Melamine buttons, centered on the right side placket to match buttonholes.
- CROSS STITCH ALL BUTTONS.
- **SLEEVE PENCIL POCKET:**
- 1 3/4 x 5 1/2" pencil pocket on wearer's left sleeve.
- Double welt opening at top with internal bag of self fabric.
- Pocket bottom caught at sleeve cuff attach and in
- . Welt opening which is topstitched all around.
- Bag outline not seen on outside of sleeve
- Center stitch sewn through pocket and welt.
- **SIZE RANGE:** XS-4X
- **COLORS:** Black

---

**Item #208** Short Sleeve Male Military Shirt 65/35 Poly/Cotton – Private Label Specifications (provide sample with bid)

- **STITCHING:** (SPI = 10 +/-1)



- Safety Stitch, 3/8" margin, side, armhole, and underarm seams. Single needle all other sewing operations.
- **BUTTONS:**
  - \*\* Use 4 Hole 20 ligne Melamine throughout garment, to match; Cross Stitch all buttons.
- **COLLAR:** 2-pc. convertible collar (interlined)
  - Collar: sewn-in Mylar stays; top stitched 1/4" margin; interlined with stabilized Mello Press.
  - Top stitched, 1/4" margin.
- **FRONT & BACK:**
  - Right side, 2 1/2" fold-back placket (not fused), inside edge is clean finished and edge stitched 1/4" margin.
  - Left side (interlined with Mello press) 2 3/4" fold back under placket, inside edge is clean finished and top stitched 1/4" margin. Create 1 1/2" tailored top of placket construction; top stitch inside edge. 1/4" (1" gauge between stitches)
  - [6] vertical buttonholes on left front; spacing between each will be 4" except the spacing between the top button on the placket [1] horizontal buttonhole and the first button on the placket will be 3 1/4". Total [7] button closure.
  - Single needle, joined bk-yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, then all three layers; top stitch across yoke seam, 1/16" margin. Top stitch shoulder, 1/16" margin.
  - 1/4" single needle folder bottom hem
- **SHOULDER STRAPS:** (epaulets)
  - Single needle [2] pc. asymmetrical shape, turn. Top stitch, 1/16" margin.
  - Cross stitched approximately 2" from sleeve cap, forming a square, (review measurement page for sizing)
  - Place [1] horizontal B/H 1/2" from center point of epaulet to edge of buttonhole. [1] 20-Ligne Melamine button on yoke @shld. point.
- **BADGE REINFORCEMENT:** (set on wearers left chest)
  - Inside sewn-in badge sling reinforcement measuring 1" wide and extending 1" past the top of the left pocket flap to the left shoulder seam to be sewn in a way to be centered on the left front crease.
  - Place two 1/2" uncut buttonholes 1 1/4" apart and the first B/H set 1 1/2" above the left pkt-flap thru & thru the left chest and inside badge sling.
- **POCKETS:** (Mitered corner 1 1/4" box pleated breast pockets)
  - Left breast pocket has S/N stitch from top to bottom creating pencil slot 1 1/2" from C/F edge of pocket.
  - Hook tape 1" x 1" square positioned on both edges of pocket to correspond with outer Mitered corners of flap.
- **SCALLOPED FLAPS:** (Both flaps to be interlined with Mello Press)
  - [2] pc. interlined w/Mello Press, top edge stitched 1/8" of the top edge and secured to shirt front approximately 3/8"
  - above pocket. Sides & bottom are T/S, 1/16" margin.
  - Left flap pencil opening 1 1/4", from C/F edge, to correspond precisely with pencil slot on pocket. Actual pencil slot opening is 1".
  - Creased and edge stitched. Under side of the flap to have Loop tape 1" x 1" square positioned on outer points of flaps.
  - Non-functional 5/8" vertical [uncut] buttonhole is centered on flaps and [1] 20-Ligne Melamine button is set in the center of this B/H.
- **SLEEVES:**
  - Set short sleeve to armhole w/safety stitch operation.
  - Sleeve Hem: 1" single needle folder hem
- **MILITARY CREASES:**

- Five sewn-in military creases on all shirts
- One crease on each front to be centered vertically
- The three creases on shirt back are to be proportionate to the size of the shirt.
- **SIZE RANGE:** SM-5X
- **COLORS:** White, Navy

**Item #209**

**Long Sleeve Male Military Shirt 65/35 Poly/Cotton – Private Label Specifications**

- **STITCHING:** (SPI = 10 +/-1)
- Safety Stitch, 3/8" margin, side, armhole, and underarm seams. Single needle all other sewing operations.
- **BUTTONS:**
- \*\* Use 4 Hole 20 ligne Melamine throughout garment, to match; Cross Stitch all buttons.
- **COLLAR & BAND:**
- Collar: sewn-in Mylar stays; top stitched 1/4" margin; Collar and collar-band interlined with stabilized Mello Press.
- Collar-band gets [1] horizontal buttonhole on wearers left, button to match on right.
- **FRONT & BACK:**
- Right side, 2 1/2" fold-back placket (not fused), inside edge is clean finished and edge stitched 1/4" margin.
- Left side (interlined with Mello press) 2 3/4" fold back under placket, inside edge is clean finished and top stitched 1/4" margin. Create 1 1/2" tailored top of placket construction; top stitch inside edge. 1/4" (1" gauge between stitches)
- [6] vertical buttonholes on left front; spacing between each will be 4" except the spacing between the top button on the placket [1] horizontal buttonhole and the first button on the placket will be 3 1/4". Total [7] button closure.
- Single needle, joined bk-yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, then all three layers; top stitch across yoke seam, 1/16" margin. Top stitch shoulder, 1/16" margin.
- 1/4" single needle folder bottom hem
- **SHOULDER STRAPS:** (epaulets)
- Single needle [2] pc. asymmetrical shape, turn. Top stitch, 1/16" margin.
- Cross stitched approximately 2" from sleeve cap, forming a square, (review measurement page for sizing)
- Place [1] horizontal B/H 1/2" from center point of epaulet to edge of buttonhole. [1] 20-Ligne Melamine button on yoke @shld. point.
- **BADGE REINFORCEMENT:** (set on wearers left chest)
- Inside sewn-in badge sling reinforcement measuring 1" wide and extending 1" past the top of the left pocket flap to the left shoulder seam to be sewn in a way to be centered on the left front crease.
- Place two 1/2" uncut buttonholes 1 1/4" apart and the first B/H set 1 1/2" above the left pkt-flap thru & thru the left chest and inside badge sling.
- **POCKETS:** (Mitered corner 1 1/4" box pleated breast pockets)
- Left breast pocket has S/N stitch from top to bottom creating pencil slot 1 1/2" from C/F edge of pocket.
- Hook tape 1" x 1" square positioned on both edges of pocket to correspond with outer Mitered corners of flap.
- **SCALLOPED FLAPS:** (Both flaps to be interlined with Mello Press)
- [2] pc. interlined w/Mello Press, top edge stitched 1/8" of the top edge and secured to shirt front approximately 3/8"
- above pocket. Sides & bottom are T/S, 1/16" margin.

- Left flap pencil opening 1 1/4", from C/F edge, to correspond precisely with pencil slot on pocket. Actual pencil slot opening is 1".
- Creased and edge stitched. Under side of the flap to have Loop tape 1" x 1" square positioned on outer points of flaps.
- Non-functional 5/8" vertical [uncut] buttonhole is centered on flaps and [1] 20-Ligne Melamine button is set in the center of this B/H.
- **SLEEVES:**
- [1] pc. sleeve set to armhole w/safety stitch operation.
- One sleeve pleat set 1" from placket edge on buttonhole side of cuff.
- Dog-house placket finishes 1" wide.
- Set buttonhole 1 3/4" from cuff seam; set 20-Ligne Melamine button to 1/2" wide back sleeve placket edge.
- [2] pc. cuff, [interlined], S/N set to sleeve opening
- **MILITARY CREASES:**
- Five sewn-in military creases on all shirts
- One crease on each front to be centered vertically
- The three creases on shirt back are to be proportionate to the size of the shirt.
- **SIZE RANGE:** SM-2X REG SM-6X LNG MD-6X XLN
- **COLOR:** White, Navy

#### Item #210

#### Short Sleeve Female Military Shirt 65/35 Poly/Cotton – Private Label

- **STITCHING:** (SPI = 10 +/-1)
- Safety Stitch, 3/8" margin, side, armhole, and underarm seams. Single needle all other sewing operations.
- **BUTTONS:**
- \*\* Use 4 hole 20 ligne Melamine Pearl throughout the garment, to match. Cross stitch all buttons.
- **COLLAR:** 2-pc. convertible collar (interlined)
- Collar: sewn-in Mylar stays; top stitched 1/4" margin; interlined with stabilized Mello Press.
- Top stitched, 1/4" margin.
- **FRONT & BACK:**
- Right side, 2.5" fold back placket-interlined w/Mello Press-inside edge is serged 1/4" Margin; Left side (not lined) 2.75" fold back under placket, inside edge is serged 1/4" margin. Create 1.5" tailored top of placket construction; top stitch inside edge 1/4" (1" gauge between stitches)
- (1) Horizontal buttonhole (at top of placket) and [6] vertical buttonholes on right front; spacing between each will be 3 1/4" except the spacing between the top of the placket buttonhole and the first vertical button hole on the placket will be 2 1/4".
- Single needle, joined 2-ply yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, then all three layers; top stitch across yoke seam 1/16" Margin. Top stitch shoulder, 1/16" margin.
- 1/4" single needle folder bottom hem
- **SHOULDER STRAPS:** (Functional Epaulets Match Body)
- 2" wide at shoulder seam and 1 1/2" wide at narrowest point - (See measurement page for additional sizing details)
- Single needle [2] pc. asymmetrical shape, turn. Top stitch, 1/16" margin.
- Cross stitched 2" from sleeve cap, forming a square.
- Place [1] horizontal B/H 1/2" from center point of epaulet to edge of buttonhole. [1] 20-Ligne Melamine button on yoke @shoulder point.

- **BADGE REINFORCEMENT:** Made from Self fabric-set on Wearer's left side
- Inside sewn in badge sling reinforcement measuring 1 1/2" wide and running from the top of the left pocket flap to
- the left shoulder seam to be sewn in a way to be centered on the left front crease and the badge button holes are sewn through the sling.
- Two 1/2" [uncut] buttonholes spaced 1 1/4" apart and the first B/H set 1" above the left pkt flap thru & thru the left chest and inside badge sling.
- **POCKETS:** (Mitered bottom corners 1 1/4" box pleated breast pockets)
- Left breast pocket has S/N stitch from top to bottom creating pencil slot 1 1/4" from C/F edge of pocket.
- Hook tape 1" x 1" square positioned on both edges of pocket to correspond with outer scalloped flaps.
- **SCALLOPED FLAPS:** (Both flaps to be interlined with Mello Press)
- [2] pc. interlined w/Mello Press, top edge stitched 1/8" of the top edge and secured to shirt front approximately 3/8"
- above pocket. Sides & bottom are T/S, 1/16" margin.
- Left flap pencil opening 1 1/4", from C/F edge, to correspond precisely with pencil slot on pocket. Actual pencil slot opening is 1".
- Creased and edge stitched. Under side of the flap to have Loop tape 1" x 1" square positioned on outer points of flaps.
- Non-functional 5/8" vertical [uncut] buttonhole is centered on flaps and [1] 20-Ligne Melamine button is set in the center of this B/H.
- **SHORT SLEEVES:**
- [1] pc. sleeve set to armhole w/safety stitch operation.
- Sleeve hem: single needle folder hem to finish at 1"
- **MILITARY CREASES:**
- Five sewn-in military creases on all Shirts.
- One crease on each front to be centered vertically.
- The three creases on the shirt back to be proportionate to the size of the shirt. Note that the middle crease is centered and the other 2 creases are centered from the middle crease.
- **SIZE RANGE:** 28-52 Even

- **Item #211**
- **Long Sleeve Female Military Shirt 65/35 Poly/Cotton – Private Label Specifications**
- **STITCHING:** (SPI = 10 +/- 1)
- Safety Stitch, 3/8" margin, side, armhole, and underarm seams. Single needle all other sewing operations.
- **BUTTONS:**
- \*\* Use DTM 4-hole 20 ligne Melamine Pearl throughout garment. Cross stitch all buttons.
- **COLLAR:** 2-pc. convertible collar (interlined)
- Collar: sewn-in Mylar stays; top stitched 1/4" margin; interlined with stabilized Mello Press.
- Top stitched, 1/4" margin.
- **FRONT & BACK:**
- Right side, 2.5" fold back placket-interlined w/Mello Press-inside edge is serged 1/4" Margin; Left side (not lined) 2.75" fold back under placket, inside edge is serged 1/4" margin. Create 1.5" tailored top of placket construction; top stitch-inside edge 1/4" (1" gauge between stitches)
- (1) Horizontal buttonhole (at top of placket) and [6] vertical buttonholes on right front, spacing between each will be 3 1/4" except the spacing between the top of the placket buttonhole and the first vertical button hole on the placket will be 2 1/4".

- Single needle, joined 2-ply yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, then all three layers; top stitch across yoke seam 1/16" Margin. Top stitch shoulder, 1/16" margin.
- 1/4" single needle folder bottom hem
- **SHOULDER STRAPS:** (Functional Epaulets match body)
- 2" wide at shoulder seam and 1 1/2" wide at narrowest point - (See measurement page for additional sizing details)
- Single needle [2] pc. asymmetrical shape, turn. Top stitch, 1/16" margin.
- Cross stitched 2" from sleeve cap, forming a square.
- Place [1] horizontal B/H 1/2" from center point of epaulet to edge of buttonhole. [1] 20-Ligne Melamine button on yoke @shoulder point.
- **BADGE REINFORCEMENT:** Made from Self fabric-set on Wearer's left side
- Inside sewn in badge sling reinforcement measuring 1 1/2" wide and running from the top of the left pocket flap to the left shoulder seam to be sewn in a way to be centered on the left front crease and the badge button holes are sewn through the sling.
- Two 1/2" [uncut] buttonholes spaced 1 1/4" apart and the first B/H set 1" above the left pkt flap thru & thru the left chest and inside badge
- sling.
- **POCKETS:** (Mitered bottom corners 1 1/4" box pleated breast pockets)
- Left breast pocket has S/N stitch from top to bottom creating pencil slot 1 1/4" from C/F edge of pocket.
- Hook tape 1" x 1" square positioned on both edges of pocket to correspond with outer scalloped flaps.
- **SCALLOPED FLAPS:** (Both flaps to be interlined with Mello Press)
- [2] pc. interlined w/Mello Press, top edge stitched 1/8" of the top edge and secured to shirt front approximately 3/8" above pocket. Sides & bottom are T/S, 1/16" margin.
- Left flap pencil opening 1 1/4", from C/F edge, to correspond precisely with pencil slot on pocket. Finished pencil slot opening 1".
- Creased and edge stitched. Under side of the flap to have Loop tape 1" x 1" square positioned on outer points of flaps.
- Non-functional 5/8" vertical [uncut] buttonhole is centered on flaps and [1] 20-Ligne Melamine button is set in the center of this B/H.
- **SLEEVES & CUFFS:**
- [1] pc. sleeve set to armhole w/safety stitch operation.
- One sleeve pleat set 1" from placket edge on button-hole side of cuff .
- Dog-House Placket (review measurement page for dimensions)
- Set buttonhole 1/2" from cuff seam; set 20-Ligne button to 1/2" wide back sleeve placket edge.
- [2] pc. cuff, set interlining to top cuff
- S/N set to sleeve opening, 1/16" margin
- **MILITARY CREASES:**
- Five sewn-in military creases on all Shirts.
- One crease on each front to be centered vertically.
- The three creases on the shirt back to be proportionate to the size of the shirt. Note that the middle crease is centered on the back and the other 2 creases are centered from the middle one.
- **SIZE RANGE:** 28-52 Even

---

**Item #212**

**Lion S/S Bravo Series Shirt – 0527NV-10 No Substitutions**

- 6.25 oz. 100% cotton twill
- NFPA 1975 compliant

- Seven-button dress placket has professional appearance and provides stability after multiple washings
  - Five sewn-in military creases
  - Box-pleated breast pockets with scalloped three-point flaps
  - Flaps have hook & loop closures with decorative buttons
  - Left pocket flap has slot for pen/pencil
  - Short sleeve
  - Interior sling badge holder reinforced from shoulder seam to reduce badge rip or sag
  - Functional Shoulder Epaulets
  - Fuse banded dress collar stays straight and smooth
  - Machine wash and dry
- 

**Item #213**

**Lion L/S Bravo Series Shirt – 0227NV-10 No Substitutions**

- 6.25 oz. 100% cotton twill
  - NFPA 1975 compliant
  - Seven-button dress placket has professional appearance and provides stability after multiple washings
  - Five sewn-in military creases
  - Box-pleated breast pockets with scalloped three-point flaps
  - Flaps have hook & loop closures with decorative buttons
  - Left pocket flap has slot for pen/pencil
  - Long sleeve has two button closure
  - Interior sling badge holder reinforced from shoulder seam to reduce badge rip or sag
  - Functional shoulder epaulets
  - Fuse banded dress collar and cuffs stay straight and smooth
  - Machine wash and dry
- 

**Item #214**

**Elbeco Station Wear Polo with Chest Pocket – K6902 No Substitutions**

- Premium pre-shrunk 100% ring spun combed cotton pique
  - Elbeco's N-Zyme® wash prior to being jet dyed allows for maximum color retention
  - Tagless neck for no-scratch comfort
  - Rib collar and cuffs
  - Built in collar stays for no-curl collar
  - Center loop tab for easy access to mic, pen, or glasses
  - Short sleeve
  - Hidden pen pocket inside chest pocket
  - Generous cut for ease of movement
  - Extended shirt tail so shirts stay tucked in
  - Bar tacked side vents for extra strength
  - Machine wash and dry
- 

**Item #215**

**Elbeco Station Wear Polo with Sleeve Pocket – K6905 No Substitutions**

- Premium pre-shrunk 100% ring spun combed cotton pique
- Elbeco's N-Zyme® wash prior to being jet dyed allows for maximum color retention
- Tagless neck for no-scratch comfort
- Rib collar and cuffs
- Built in collar stays for no-curl collar
- Center loop tab for easy access to mic, pen, or glasses
- Hidden pen pocket on sleeve

- Short sleeve
  - Generous cut for ease of movement
  - Extended shirt tail so shirts stay tucked in
  - Bar tacked side vents for extra strength
  - Machine wash and dry
- 

**Item #216**

**Elbeco Men's and Women's Paragon Plus S/S Shirt – P867/P811LC No Substitutions**

- 65%polyester/35% cotton is fade and shrink resistant
  - Nano-Tex™ moisture-wicking Coolest Comfort technology for permanent moisture management
  - Built-in sunscreen, up to UV 40+
  - Vat-dying process for superior color retention
  - Permanent military creases and collar stay
  - Badge eyelets with internal support straps
  - Pleated pockets with pencil/pen slot
  - Customizable with emblems, embroidery or heat press.
  - Machine wash and dry
- 

**Item #217**

**Tru Spec Men's 2 Pocket S/S BDU Shirt – 100600**

- 7 oz 65% poly/35% cotton ripstop
  - Stain-resistant
  - Double stitched seams
  - 2 large chest bellowed pockets with hidden buttons
  - Short Sleeve
  - Hidden buttons on placket
  - Pen/pencil pocket
  - Customizable with emblems, embroidery or heat press.
  - Machine wash and dry
- 

**Item #218**

**Atlenco ripstop 2 pocket BDU Shirt – 9719007 No Substitutions**

Tear-resistant Poly/Cotton Ripstop combines the comfort of the Poly/Cotton Twill with the durability of Ripstop construction.

- 2 large chest pockets with hidden buttons
  - Pen/pencil pocket
  - Double stitched seams
  - Hidden button front
  - Reinforced elbows
  - Adjustable cuff tabs
  - Machine wash and dry
- 

**Item #219**

**5.11 Tactical Men's S/S and L/S PDU Shirt – 71177/72345 No Substitutions**

- 65% polyester/35% cotton twill
- 5.75 oz. twill
- Teflon®-treated finish for stain and soil resistance

- Manufactured with superior fade-resistant and color-consistent technology
- YKK zipper front
- Armpit vents
- Hidden document pockets
- Bi-swing shoulders
- Mic cord pass through
- Machine wash and dry

**Item #220**

**5.11 Tactical Men's Snag-Free Performance Polo – 71049 No Substitutions**

- 6.5 oz 100% polyester
- Wicks away moisture to keep you dry
- Fade, shrink and wrinkle-resistant
- Anti-microbial effect prevents odor-causing bacteria
- Surface has a slight sheen that doesn't pull so it stays smooth, day after day
- Gusseted sleeves for greater range of motion
- Short sleeve
- Mic clips on shoulders and a mic clip on the bottom of placket
- Machine wash and dry

**Item #221**

**Fechheimer Double Breasted Dress Blouse – 38804 No Substitutions**

- 11-11.5 oz 100% VISA System 3 polyester serge
- Fully lined with 6-button front and peak lapels
- Gilt FD buttons unless otherwise specified
- Shoulder pads and coat front tailoring to enhance the shape of the coat
- Two lower simulated pockets with plain flaps
- Inside breast pocket
- Badge tab

**Pants**

**Item #222**

**5.11 Tactical Men's and Women's Station Pant – 74302/64302 No Substitutions**

- 9 oz. 100% cotton twill that is fade, shrink, and wrinkle resistant
- Treated with 5.11's stain resistance treatment
- Extra deep front pockets feature coin-keeper construction plus reinforced bottom edges to protect from wear
- Traditional welted back pockets plus deep welted pockets with internal Velcro® break-through dividers that allow you to carry long or short items
- Prym snap and YKK zipper for proven durability
- Self adjusting tunnel waistband moves with you; inside waistband features gripper material to help keep your shirt tucked in
- "Double-Time" belt loops feature an extra-wide 1-1/2" belt loop with a thinner 3/8" loop on top to allow for attachment of radio strap or other accessory
- Double thick "tough cuff" hem
- Gusseted crotch allows freedom of movement and virtually eliminates seam failure

**Item #223**

**5.11 Tactical Men's and Women's Station Cargo Pants – 74311/64303 No Substitutions**

- 9 oz. 100% cotton twill that is fade, shrink, and wrinkle resistant



- Treated with 5.11's stain resistance treatment
- Full-size cargo pockets with internal dividers
- Extra deep front pockets feature coin-keeper construction plus reinforced bottom edges to protect from wear
- Traditional welted back pockets plus deep welted pockets with internal Velcro® break-through dividers that allow you to carry long or short items
- Prym snap and YKK® zipper for proven durability
- Self adjusting tunnel waistband moves with you; inside waistband features gripper material to help keep your shirt tucked in
- "Double-Time" belt loops feature an extra-wide 1-1/2" belt loop with a thinner 3/8" loop on top to allow for attachment of radio strap or other accessory
- Double thick "tough cuff" hem
- Gusseted crotch allows freedom of movement and virtually eliminates seam failure
- Waistband features gripper material to help keep your shirt tucked in

---

**Item #224**

**Lion Men's and Women's Traditional Trouser – 0150NV-00/7141NV-00 No Substitutions**

- 7.75 oz. 100% cotton twill
- Stain release finish
- 1/8 top pockets with Lion LongWear™ pocketing
- Two welt-style hip pockets, button closure on left
- Steel hook and bar waist closure
- Heavy ratcheting brass zipper
- No-roll waistband with shirt grip keeps shirt tucked in

---

**Item #225**

**Elbeco TEK2 Men's 4 Pocket Trouser – E814RN No Substitutions**

- 7 oz 65% polyester/35% combed cotton
- Covert waistband provides up to three inches of additional room for comfort
- Double hook and eye waist closure for extra support prevents roll over
- Traditional lined belt loops
- French Fly for additional support
- Triple stitched crotch constructions prevents blowouts
- Double-piled crotch lining for comfort and durability
- Bar tacks at key stress points for durability
- Extra-deep quarter top front pockets
- Two rear pockets with button tabs
- Creaset front and back permanent military creases
- Melamine high impact buttons
- Pressed-open, tailored seam construction for a professional appearance

---

**Item #226**

**Elbeco Reponse Ladies Choice Tek Twill Pant – E9814LC No Substitutions**

- 65% polyester/35% cotton
- Permanent nano-fluid repellency technology helps in water resistance and allows fabric to naturally "breathe"
- UV 40+ protection shields skin from the sun
- Premium vat-dyed process for superior color retention
- Comfort Stretch 2000™ waistband keeps shirt tucked in
- French Fly for additional support

- Extra deep quarter top front pockets and 2 back pockets with left button tab
- Exclusive triple-stitched crotch prevents blowouts
- Bar tacks at key stress points for durability
- Machine wash and dry

**Item #227**

**Elbeco Tek2 Men's and Women's Cargo Trouser – E614RN/E9614LCN No Substitutions**

- 7 oz 65% polyester/35% combed cotton
- Hidden zipper behind, inverted pleat pocket underneath flap with a hook and loop closure
- Covert waistband provides up to three inches of additional room for comfort
- Double hook and eye waist closure for extra support prevents roll over
- Traditional lined belt loops
- French Fly for additional support
- Triple stitched crotch constructions prevents blowouts
- Double-piled crotch lining for comfort and durability
- Bar tacks at key stress points for durability
- Extra-deep quarter top front pockets
- Two rear pockets with button tabs
- Creaset front and back permanent military creases
- Melamine high impact buttons
- Pressed-open, tailored seam construction for a professional appearance

**Item #228**

**5.11 Tactical Men's and Women's EMS Pant – 74301/64301 No Substitutions**

- 7.25 oz fade-resistant poly/cotton twill
- Teflon treated for stain, soil and fluid-resistance
- 8 pockets: 2 front, 2 rear, 2 leg and 2 cargo pockets with internal dividers and external EMS specific pockets
- Cordura nylon lined scissor/shears pocket
- Extra deep front pockets feature coin-keeper construction plus reinforced bottom edges to protect from wear
- Rear pockets have 5.11's trademark slash pockets and utility straps plus welted wallet pockets
- Prym snap and YKK zipper for proven durability
- Self-adjusting tunnel waistband for maximum comfort
- Gripper waistband keeps shirt tucked in
- 5.11 Double-Time belt loops feature extra wide belt loop with a thinner 3/8" loop on top to attach radio strap or other accessory
- Gusseted crotch allows freedom of movement and virtually eliminates seam failure
- 2 fabric layers in seat and knees for greater durability
- Double thick "tough cuff" hem
- Utility strap on rear
- Machine wash and dry

**Item #229**

**Elbeco Tek2 Men's and Women's EMT Trouser – E7550RN/E7551LCN No Substitutions**

- Covert waistband provides up to three inches of additional room for comfort
- Double hook and eye waist closure for extra support prevents roll over
- Traditional lined belt loops
- French Fly for additional support
- Triple stitched crotch constructions prevents blowouts

- Double-piled crotch lining for comfort and durability
- Bar tacks at key stress points for durability
- Extra-deep quarter top front pockets
- Two rear pockets with button tabs
- Creaset front and back permanent military creases
- Melamine high impact buttons
- Pressed-open, tailored seam construction for a professional appearance

**Item #230**

**Atlanco Ripstop 6 Pocket BDU Pant – 9717007 No Substitutions**

- Made to mil-spec MIL-T-44047E standards
- Durable 65/35% Poly/Cotton Ripstop fabric
- 6 pockets hold lots of gear
- Button fly
- Adjustable waist tabs
- 1-3/4" wide belt loops
- Reinforced knees and seat for durability
- Hidden buttons on back pockets secure items
- Roomy thighs offer comfortable wear
- Drawstring bottom

**Item #231**

**Men's Uniform Pant 65/35 Poly/Cotton – Private Label Specification (provide sample with bid)**

- Four pocket style with two quarter top front pockets and two back welt pockets with security tab and button; Zippered closure with a French fly, hook and eye.
- **Buttons:**
- 22 ligne Melamine to match trouser color; Cross stitch all buttons.
- **Zippers:**
- Use YKK #4 brass zipper and have a brass bottom stop at the base.
- Place a horizontal bar tack at the bottom of the zipper stop thru & thru.
- **Belt loops:**
- A minimum of 5 belt loops on waist sizes 28, 29, 30, and a minimum of 7 on all sizes over 30. Each loop is to be 3/4 inch wide, double folded with a 1/4 inch centered cover stitch.
- All loops except the center back loop will be sewn into bottom of the waistband and into the Rocap.
- The center back loop will be bar tacked on the top inside & bottom outside.
- **Waistband:** (2" finished width Rocap set)
- Closure with two Elite crush-proof hook and eyes.
- The waistband curtain must be attached with a Rocap machine and must have three rows of Snugtex and Banrol canvas.
- The trousers are to be made with a continuous closed waistband. The waistband shall be set on and shall be stitched below the lower edge through the outer fabric and waistband curtain.
- Each side of the waistband has an adjustable elastic insert that allows the waist to stretch a minimum of 2 inches, place above the top of the quarter top pockets.
- **Pocketing:**
- All pockets must be made with black 65% polyester and 35% cotton 2.6 Oz. twill.
- **Stitching:**
- All seams must be sewn with at least 10 stitches per inch +/- 1.

- The seat seam shall be stitched with a tandem needle seat seaming machine. 1 1/8" seam allowance must be allowed for each side of the seat seam.
- **Front and Back Rise:**
- Front rise--Overlock edges with SN Join (Two Passes) (Double Stitched) to reinforce bartack where front /back rises intersect.
- Back rise--Overlock tandem chain stitched (Two Passes) ( Double Stitched); press open.
- **Bar tacks:**
- All stress points must be reinforced by bar tacks, including: belt loops, zippers, the sides of all pocket openings.
- The back welt pockets have triangle bar tacks at each end.
- **Front pockets:**
- The front quarter top pockets with the inside front pocket facing that is separate piece of self material finishing no less than 1 ¼ inch wide.
- **Back Pockets:** (Two back welt pockets with security tab and button)
- Set pockets 3" below WB seam, (from WB seam to top of finished welt pocket top stitching)
- Pockets are double welt pockets with triangle bar tack reinforcement at each end.
- **SIZE RANGE:** 28-60 OB
- **COLOR:** Navy

**Item #232**

**5.11 Men's Tactical Pant – 74251 No Substitutions**

- 8.5 oz 100% cotton canvas construction stands up to rigors of daily work and becomes increasingly more comfortable over time
- Seven pockets and tool strap
- Convenient D-ring holds your keys, or ID
- Velcro cargo pockets
- YKK zippers, Prym snaps
- Self-adjusting comfort waistband that helps you bend and stretch for maximum mobility
- Double reinforced seat and knees provide enhanced abrasion protection
- 59 heavy duty bartacks
- Pre-washed, fade-resistant
- Machine wash and dry

**Item #233**

**5.11 Tactical TacLite Pro Men's Ripstop Pant – 74273 No Substitutions**

- 6.14 oz ripstop 65% polyester/35% cotton fabric
- Fade and wrinkle-resistant
- Teflon finish repels moisture, stains and dirt
- Patented straps and trademark slash pockets
- Welded pocket added to right side, parallel to magazine pocket
- YKK zipper & Prym snaps
- Diamond gusset added to the crotch for outstanding durability and flexibility.
- Double thick seat and knees

**Item #234**

**Fechheimer 100% VISA System 3 Polyester Trouser – 38200 No Substitutions**

- 100% VISA® System 3™ Polyester
  - Tab left hip pocket
  - Quarter top pocket
  - French fly
  - Snug-Tex™ waistband
  - 3/4" wide belt loops
  - Bar tacked at all stress points
- 

**Item #235**

**Fechheimer 100% VISA System Polyester Skirt – 38033 No Substitutions**

- 100% VISA System 3 Polyester
  - 11-11.5 oz serge weave
  - 4-panel skirt with pockets each side
  - 3/4" wide belt loops
  - Zipper closure in back
  - Front and back darts
- 

**Item #236**

**EMS Male Pant 65/35 Poly/Cotton – Private Label Specification**

- **FABRIC:** 6.5oz 65/35 poly/cotton twill
- **BUTTONS:**
  - \*22 ligne melamine to match trouser color for the inside loop closure
- **STITCHING:**
  - All seams must be sewn with at least 10 +/- stitches per inch
- **FRONT AND BACK RISE:**
  - Front rise – Overlock edges with SN Join (Two Passes) (Double Stitched) to reinforce bartack where front/back rises intersect.
  - Back rise – Overlock tandem chain stitched (Two Passes) (Double Stitched); pressed open
- **ZIPPERS:**
  - YKK #4 brass ratcheting zipper and have a brass stop at the base of the zipper chain
  - Straight bar tack at the bottom of the zipper J-stitch thru & thru
- **BELT LOOPS:**
  - There shall be a minimum of 5 belt loops on waist sizes 28, 29, 30, and a minimum of 7 on all sizes over 30.
  - Each loop is to be 3/4" wide, double folded with a 1/4" centered cover stitch.
  - All loops except the center back loop will be sewn into bottom of the waistband and into the Rokap.
  - The center back loop ends must be serged (since they are not tucked in the waist band) and will be bar tacked on the top inside and bottom outside.
- **WASITBAND:** (2" finished width)
  - Closure with two Elite crush-proof hook and eyes.
  - The waistband curtain must be attached with a Rocap machine and must have three rows of Snugtex and Banrol canvas.
  - The trousers are to be made with a continuous closed waistband.
  - The waistband shall be set on and shall be stitched below the lower edge through the outer fabric and waistband curtain

- At each side of the waistband there shall be adjustable elastic insert that allows the waist to stretch a minimum of 2 inches. This opening shall be placed above the top of the quarter top pockets.
- **KNEE PATCH:**
- a patch made of self material, 10" long centered at each knee shall be sewn from the side seam to the inseam.
- **FRONT POCKETS:**
- the front quarter top pockets with the inside front pocket facing that is separate piece of self material finishing no less than 1 ¼" wide.
- The right front pocket shall have a coin pocket under its opening.
- **BACK POCKETS:**
- Two back patch pockets with flaps and hook and loop closure.
- Pockets to be placed at the bottom of the waistband. These pockets and flaps shall have bar tack reinforcement at each end.
- **EMS POCKET:** (wearers right side with flat snap closure on straps) (snap is Pewter color)
- Centered of the right side seam below the quarter top pocket.
- Inverted pleats on both sides of the pocket with a scissor/equipment pocket (divided into three even sections) in between these pleats.
- The outer compartments must have 5" straps ½" above the compartment.
- The straps must measure ¾" wide and the flat-snap-prong placed ½" on center from the bottom of the strap.
- The flat-snap-post is placed ¼" from the finished top edge of the compartment.
- This EMS pocket shall be closed with a flap with hook and loop closures. The flap shall have 1" x 1" hook sewn on the inside, ¼" from each corner. The pocket shall have 1" x 1" loop sewn on the top edge, ¼" from each corner.
- **CARGO POCKET:** (wearers left side)
- Centered on the left seam below the quarter top pocket.
- Inverted pleat and 1 ½" bellows.
- Flap with hook and loop closures placed ½" above this pocket.
- Flap shall have 1" x 1" sewn in the corners ¼" from the side.
- Pocket shall have 1" x 1" sewn in the corners ¼" from the side.
- **SIZE RANGE:** 30-36 OB ALL; 38-54 OB EVEN
- **COLOR:** NAVY

**Item #237**

**EMS Female Pant 65/35 Poly/Cotton – Private Label Specifications**

- **FABRIC:** 6.5oz 65/35 poly/cotton twill
- **BUTTONS:**
- \*22 ligne melamine to match trouser color for the inside loop closure
- **STITCHING:**
- All seams must be sewn with at least 10 +/- stitches per inch
- **FRONT AND BACK RISE:**
- Front rise – Overlock edges with SN Join (Two Passes) (Double Stitched) to reinforce bartack where front/back rises intersect.
- Back rise – Overlock tandem chain stitched (Two Passes) (Double Stitched); pressed open

- **ZIPPERS:**
- YKK #4 brass ratching zipper and have a brass stop at the base of the zipper chain
- Straight bar tack at the bottom of the zipper J-stitch thru & thru
  
- **BELT LOOPS:**
- There shall be a minimum of 5 belt loops on waist sizes 04-08 and a minimum of 7 on all sizes over 10.
- Each loop is to be ¾" wide, double folded with a ¼" centered cover stitch.
- All loops except the center back loop will be sewn into bottom of the waistband and into the Rokap.
- The center back loop ends must be serged (since they are not tucked in the waist band) and will be bar tacked on the top inside and bottom outside.
  
- **WASITBAND: (2" finished width)**
- Closure with two Elite crush-proof hook and eyes.
- The waistband curtain must be attached with a Rocap machine and must have three rows of Snugtex and Banrol canvas.
- The trousers are to be made with a continuous closed waistband.
- The waistband shall be set on and shall be stitched below the lower edge through the outer fabric and waistband curtain
- At each side of the waistband there shall be adjustable elastic insert that allows the waist to stretch a minimum of 2 inches. This opening shall be placed above the top of the quarter top pockets.
  
- **KNEE PATCH:**
- a patch made of self material, 10" long centered at each knee shall be sewn from the side seam to the inseam.
  
- **FRONT POCKETS:**
- the front quarter top pockets with the inside front pocket facing that is separate piece of self material finishing no less than 1 ¼" wide.
- The right front pocket shall have a coin pocket under its opening.
  
- **BACK POCKETS:**
- Two back patch pockets with flaps and hook and loop closure.
- Pockets to be placed at the bottom of the waistband. These pockets and flaps shall have bar tack reinforcement at each end.
  
- **EMS POCKET: (wearers right side with flat snap closure on straps) (snap is Pewter color)**
- Centered of the right side seam below the quarter top pocket.
- Inverted pleats on both sides of the pocket with a scissor/equipment pocket (divided into three even sections) in between these pleats.
- The outer compartments must have 5" straps ½" above the compartment.
- The straps must measure ¾" wide and the flat-snap-prong placed ½" on center from the bottom of the strap.
- The flat-snap-post is placed ¼" from the finished to p edge of the compartment.
- This EMS pocket shall be closed with a flap with hook and loop closures. The flap shall have 1" x 1" hook sewn on the inside, ¼" from each corner. The pocket shall have 1" x 1" loop sewn on the top edge, ¼" from each corner.
  
- **CARGO POCKET: (wearers left side)**
- Centered on the left seam below the quarter top pocket.
- Inverted pleat and 1 ½" bellows.
- Flap with hook and loop closures placed ½" above this pocket.
- Flap shall have 1" x 1" sewn in the corners ¼" from the side.
- Pocket shall have 1" x 1" sewn in the corners ¼" from the side.
- **SIZE RANGE: 04-24 OB EVEN**
- **COLOR: NAVY**

## Outerwear

### Item #238

#### 5.11 Tactical 3-in-1 ANSI Class 3 Reversible Parka – 48033 No Substitutions

- ANSI/ISEA 107-2004 Class 3 compliant
  - 100% nylon shell
  - Waterproof and breathable laminate
  - Sealed seams to keep you dry
  - 100% polyester lining
  - Zip front with snap closures
  - Removable liner black fleece liner
  - 6 pockets: 2 chest, 2 hand warmer and 2 inside chest pockets
  - Adjustable cuffs
  - 3M™ Scotchlite™ reflective tape
  - Built-in hood with snap closure
  - Mic loops, badge tab and side zips
  - Machine wash, hang dry
- 

### Item # 239

#### 5.11 Tactical Covert Fleece – 48111 No Substitutions

- 100% polyester, nylon lining
  - 5.11's Hidden Document Pockets, compatible with 5.11 Back-Up Belt System™
  - Inside storage pocket, zippered handwarmer pockets
  - Zips into a 3-in-1 parka for extra warmth
  - Machine wash and dry
- 

### Item #240

#### 5.11 Tactical Fleece Jacket – 48038 No Substitutions

- Fleece
  - Wind-resistant
  - 2 zippered outside pockets and 2 zippered interior pockets and Back-up Belt System™ pockets
  - Side zippers for access to duty belt
  - Machine wash and dry
- 

### Item #241

#### 5.11 Tactical Signature Duty Jacket – 48103 No Substitutions

- 100% nylon exterior shell
  - Waterproof and blood-borne pathogen-resistant
  - Breathable material and zip-out liner for adjustable warmth and comfort
  - Removable hood for easy stow away
  - Back-Up Belt System chest pockets
  - Bi-swing back for ease of movement
  - Back pull-down panel
  - Machine wash
- 

### Item #242

#### 5.11 Tactical Station Jacket – 48300 No Substitutions



- Fade resistant 7.25 oz. poly-cotton twill is Teflon® treated to resist stains, soils, and liquids
- Hidden document pockets and sleeve pockets for added functionality and storage
- 5 inside pockets
- YKK® zippers and Prym snaps for durability
- Suitable for embroidery, heat press, screen print

**Item #243**

**5.11 Tactical Firefighter Quarter-Zip Job Shirt – 72314 No Substitutions**

- 11.6 oz poly/cotton fleece
- Fade and stain-resistant
- Multiple pockets allow for storage of various gear and equipment for added functionality
- Chest Breakthrough™ pocket with Velcro® divider allows you to carry smaller objects without dropping to the bottom
- Hand-warmer pockets on both sides
- Long sleeve
- Mic pockets at both shoulders and pen pockets on the left sleeve
- Machine wash and dry

**Item #244**

**Lion Fleece Job Shirt – LMJB01-10 No Substitutions**

- 9.3 oz/yd2 80% cotton/20% polyester fleece knit
- 1/4 zip opening
- Zip through collar keeps penetrating wind out
- Convenient hand warmer pockets
- Chest pocket with hook & loop closure and opening for pen/pencil
- Long sleeve
- 100% cotton ripstop reinforced elbows for extended wear life
- D-ring for key attachment
- Machine wash and dry

**Item #245**

**Tru Spec M-65 Field Jacket with Liner – 2441 No Substitutions**

- Shell: 9 oz 50% Nylon/50% cotton sateen
- Water-resistant cloth
- Quilted liner: 4.4 oz polyester batting
- Zipper front with storm flap
- Two chest bellowed pockets and two lower waist pockets
- Adjustable hook and loop cuffs
- Pull-out hood, drawstring waist
- Machine wash and dry

**Item #246**

**5.11 Tactical Sabre 2.0 Jacket – 48112 No Substitutions**

- 100% polyester bonded softshell
- Waterproof chest zippers
- Seam sealed chest pockets
- Detachable hood stored in collar or in back vertical zip pocket
- Quixip™ quick access sidearm access

---

**Item #247**

**Men's 1/4 Zip Job Shirt – Private Label Specifications (provide sample with bid)**

- **FABRIC:** 9.5oz 80/20 Cotton/Polyester Fleece
- **SPI= +/-10**
- **SEAM CONSTRUCTION DETAILS:**
  - Armhole, side and shoulder seams are sewn with Merrow stitch operations: Single needle top stitch 1/4" margin
- **SELF FABRIC COLLAR:**
  - Two piece collar, single needle, sew ends and turn
  - Single needle top stitch collar 1/4" margin
  - On wearer's right side of collar, create zipper garage to cover top of zipper
- **ZIPPER:**
  - Two needle 1/4" gauge set zipper onto top front panel. Set right zipper extension when setting zipper
  - Base of zipper out of shell fabric 3/4" high cover zipper base
- **CHEST POCKET ASSEMBLY:** (with inside Twill coin pocket)
  - Single needle 3/8" folder hem twill coin pocket. Outside & bottom edges are over locked.
  - Single Needle attach coin pocket to self fabric chest pocket bag
  - Bag is attached to top & bottom front panels
  - Define chest pocket opening: 1/4" long vertical bartack each side of chest pocket opening
  - 2 1/8" W x 3/4" H Hook & Loop closure on left side of pocket
  - See measurement sheet for pocket dimensions
- **FRONT PANELS:**
  - Attach top & bottom front panels with Merrow Stitch operation
  - Single needle top stitch across front (below seam) 1/4" margin
- **ANTIQUE BRASS KEY RING HOLDER:** (on wearer's right side)
  - Create 3/4" W x 2" L D ring holder (self fabric)
  - Holder will be double folded with 1/4" centered coverstitch
  - Sandwich D ring to holder and fold in half (finished dimensions 3/4" W x 1" L). Place single needle tack over the entire width of the folded holder.
  - Insert 1/4" into wearer's right side seam (8" from armhole seam)
- **SLEEVES & RIBBED KNIT CUFF:**
  - Attach sleeves to armhole with Merrow stitch operation. Single needle top stitch armholes 1/4" margin
  - Barrel set ribbed knit cuff to sleeve opening
- **RIBBED KNIT WAIST:**
  - Set ribbed knit waist with Merrow stitch operation; single needle topstitch with 1/4" margin
- **SIZE RANGE:** MD – 5X
- **COLORS:** Navy

---

**Item #248**

**Fleece Jacket – Private Label Specifications (provide sample with bid)**

- **SHELL:** 100% micro fleece, 350 gm/2
- **SHELL LINING:** 100% nylon (Front & back yokes/sleeves)

- **CONSTRUCTION/THREAD COUNT:** Stitches per inch: 10-12
- **Seams:** Shoulder seams, Side seams, Armholes, Underarm seams, Front chest seams: Safety Stitch seams.
- **Neckline:**
  - \*3/8" Clean finish binding for front and back neckline and C. Front zipper,
  - \*1/4" single needle topstitch: Front chest seam, Front and back armholes, Front & Back vertical seams.
  - \*1/4" W x 2 1/2"L hanger loop at center back neck
- **Collar:**
  - \*Clean finish collar to self fabric collar facing. 1/4" single needle topstitch outer edge of collar
  - Front opening: Exposed REVERSIBLE CF zipper.
  - \*Clean finish inside of zipper with binding / 1/4" single needle topstitch each side of zipper.
- **Hem: Body:**
  - \*1" wide nylon fabric hem casing. 1/4" dbl needle topstitched.
- **Hem draw cord:**
  - \*(4 grommets) 2 at each side on the inside of front hem for looped draw cord with cord locks/small bead at ends.
  - \*Draw cord is looped thru 2 grommets at each side of hem (4 grommets total).
  - Grommets are spaced 1 1/2" apart from each other and placed approx. 3/4" away from front side seam, evenly centered on hem casing.
  - \*Draw cord is secured thru grosgrain ribbon trim which forms a loop. Loop is centered in between grommets at each side of hem.
  - Single needle attach ribbon loop trim to hem to secure to fabric. (See sketch for details).
- **Sleeve Cuff:**
  - \*Clean finish sleeve opening with 1/4" elasticized binding.
  - \*1/4" wide x 1" long shell loop inserted into each sleeve underarm seam. Place loop approx. 1 1/4" up from sleeve opening edge.
- **Front on seam pockets with zippers.** (Zips from bottom to top).
  - \*On seam pockets with hidden zippers at each side seam. 1/4" single needle topstitch openings. Bartack at top and bottom of opening.
  - \*Pocket bags are brushed tricot .
  - \*Extend pocket bags to CF edges and lock into bottom hem casing.
  - \*Clean finish top pocket bag seam allowance.
- **SIZE RANGE:** SM-5X
- **COLOR:** Black

**Item #249**

**Lion Apparel Action Line Jacket – 3432-20**

- Multi-seasonal jacket.
- Available in 65% polyester/35% cotton blend (midnight blue).
- Unisex sizing.
- Hidden front pockets.
- Hook and loop cuff adjusters for a snug, warm fit.
- Optional personalization.
- Optional zip in liner 0794-20

## Hats

### Item #250

#### 5.11 Tactical Fleece Watch Cap – 89250 No Substitutions

- Polyester fleece is warm when wet, won't absorb water and doesn't pill up
  - Can be reversed to show or hide the 5.11 logo
- 

### Item #251

#### Under Armour HeatGear Tactica Stretch Fit Ball cap – 1219734 No Substitutions

- HeatGear® fabric sweatband wicks away moisture
  - Four-way stretch for snug fitting 6-panel cap
  - Plain front
  - Tone-on-tone Under Armour® logo on left side
  - One size fits most
- 

### Item #252

#### Tru Spec Boonie Hat – 320500 No Substitutions

- 65%polyester/35% cotton ripstop
  - Mil-spec
  - Brass screen vents
  - Adjustable chin strap
- 

### Item #253

#### Midway 4 star Cap – No substitutions

- Popular Military Style Cap. Front height is 3/8" shorter than the 5 Star.
  - Midway 2 row felt Admiral Visor for Asst. Chief and Chief
  - Midway 1 row felt Admiral Visor for Captain through Battalion Chief
  - Midway GML40 lite strap in gold and silver
  - Midway gold and silver FD buttons
- 

### Item #254

#### 5.11 Self Adjusting Uniform Hat – 89259

- 65% Polyester 35% Cotton TDU Twill
  - This hat has a self-adjusting fit (elastic set at bottom opening)
  - This hat is constructed with 6 panels. There are embroidered eyelets at the crown for ventilation & a sweatband at inside edge for comfort. The bill has a self fabric layer set between top and bottom. 6 rows of stitching are set 1/2" from bill edge. Self covered fabric button is set at top of crown. Inside seams are bound with 5.11 logo taping for extra strength and comfort.
  - Inside edges are 3 thread overlocked. Main body is lockstitched at 7 spi.
- 

### Item #255

#### Classic Style Watch Cap with Thinsulate – Private Label Specifications

- Soft, acrylic caps feature Thinsulate® for added warmth
- One size fits most
- Machine wash and dry
- Imported

- **SIZE RANGE:** One Size
- **COLORS:** Black, Navy

**Item #256**

**Fleece Watch Cap – Galls Brand or approved equal**

- 100% Polyester Anti-pill Fleece
- Subdued "G Shield" embroidered logo
- One size fits most
- Machine wash and dry
- Imported
- **SIZE RANGE:** One Size
- **COLORS:** Black

**Accessories**

**Badges (7 items):** The approved LFD style badge (Blackinton) with the following rank designations:

- **Item #257** Firefighters – silver fire service "scramble" logo
- **Item #258** Lieutenants – gold single trumpet
- **Item #259** Captains – gold two parallel trumpets
- **Item #260** Majors – gold two crossed trumpets
- **Item #261** Battalion Chiefs – gold three crossed trumpets
- **Item #262** Assistant Chiefs – gold four crossed trumpets
- **Item #263** Chief – gold five crossed trumpets

**Hat Badges:** A round metallic hat badge shall be affixed to the front of the service cap with the rank designations as described under badge. Firefighters shall wear a Maltese cross shaped hat badge with the FD scramble center.

Blackinton Badge Numbers and Center Numbers, all with black lettering

Rank	Finish	Hat Badge screw back	Shirt Badge Pin back	Shirt Badge Center
<b>Item #264</b> Firefighter	Rhodium	B484 A2886 Center	B544	A2886
<b>Item #265</b> Lieutenant	Gold Plate	A2912 plain	B545	A2876
<b>Item #266</b> Captain	Gold Plate	A175 plain	B546	A2875
<b>Item #267</b> Major	Gold Plate	A2911 plain	B547	A2874
<b>Item #268</b> Battalion Chief	Gold Plate	A2910 plain	B548	A2873
<b>Item #269</b> Assistant Chief	Gold Plate	A1962 plain	B549	A4280
<b>Item #270</b> Chief	Gold Plate	A2811 plain	B550	A2871

**Collar Brass:** The approved style collar brass shall be the cutout style emblem with the rank designations as described under the badge section stated above. There is no collar brass for Firefighters.

Rank	Finish	Insignia number
Item #271 Lieutenant	Gold Plate	J50
Item #272 Captain	Gold Plate	J51
Item #273 Major	Gold Plate	J52
Item #274 Battalion Chief	Gold Plate	J53
Item #275 Assistant Chief	Gold Plate	J54
Item #276 Chief	Gold Plate	J55

**Item #277**

**Nameplates:**

- A 5/8" X 2 1/2" clutch back, polished gold or silver, appropriate for rank, nameplate with the wearers name or initials and last name in black lettering. A serving since pin signifying the year the individual was hired with the LFD shall be attached to the nameplate.

**Item #278**

**Belt:** Blackhawk CQB/Emergency Rescue Rigger Belt – 41CQ00BK  
NTOA-tested and recommended

- 1.75" webbing (7,000 lb tensile strength)
- MIL-STD-858 with parachute grade buckles and adapters
- Hook and loop secures running end

**Item #279**

**Belt:** 5.11 Tactical Operator Belt – 59405

- Double-thick 1- 3/4" wide webbing
- Black stainless steel buckle
- Permastiff nylon insert to support holster wear
- 6000-lb rating

**Item #280**

**Belt:** Gould & Goodrich leather trouser belt – G4157

- Black leather
- 1-3/4"W
- Sizes: Even 28"-46"
- Finish: Plain (PL), Basketweave (BW) or High Gloss (HG)
- Nickel hardware
- Water-resistant

**Item #281**

**Namestrip:** 1" polyester cloth namestrip to be black in color with silver or gold color thread embroidery. No fade, no shrink, no pucker material.

**Item #282**

**Tie:** A black four-in-hand tie with no design is the approved style.

---

**Item #283**

**Socks:** Pro Feet cushioned boot socks – 3008 or equivalent

- 88% hi-bulk acrylic/8% stretch nylon/4% elastic
  - Wicks moisture to keep feet dry
  - Welt top
  - Knit-in heel & toe
  - Medium 10"H; Large 11"H
- 

**Item #284**

**T-Shirts:** 5.11 Tactical Series Utility-T shirt (3 pack) - 40016

- 4.5 oz 100% cotton jersey fabric
  - Moisture-wicking fabric
  - No-roll, one-inch, high-density collar; tapered fit with printed tag
  - Short sleeve
  - Comes three per pack
  - Machine wash and dry
- 

**Shipping and Alterations:** (see Pricing, Attachment IV, Shipping Alterations Pricing List)

**Shipping:** Price of Flat Rate Shipping for orders shipped to employees' home address.

**Alterations:**

- Taper shirts/ Jackets
  - Add tails to shirts
  - Hemming
  - Take in/let out waist
  - Take up stride
  - Rank change
  - Apply/replace namestrip
  - Add/change patch
  - Shorten sleeves
  - Lengthen sleeves
-

## Attachment III Police Items Specifications

### Uniform Items

- Item #301 Class A - Short Sleeve Shirt w/ patches**  
Men's Flying Cross by Fechheimer Model #687R9226, w/ patches on both sleeves - or equal.  
Women's Flying Cross by Fechheimer Model #287R9226, w/ patches on both sleeves - or equal.
- Item #302 Class A - Long Sleeve Shirt w/ patches and alterations**  
Men's Flying Cross by Fechheimer Model #334W9326, w/ patches on both sleeves - or equal.
- Item #303 Class A - Summer Pants. (Flechheimer #32247)**  
Men's Fechheimer Brothers Company Trouser Model #32247 - or equal  
Women's Fechheimer Brothers Company Trouser Model #32247WT - or equal.
- Item #304 Class A - Winter Pants. style #32217**  
Men's Fechheimer Brothers Company Trouser Model #32217 - or equal  
Fechheimer Brothers Company Trouser Model #32217WT - or equal.
- Item #305 Class A - Summer Hat (Stratton S-42) w/ 3pc. strap, etc.**  
Stratton Model S-42 w/ 3 piece strap, rain cover and silver acorns - or equal.
- Item #306 Class A - Winter Hat (Stratton S-42) w/ 3pc. Strap, etc.**  
Stratton Model F-42 - or equal.
- Item #307 Rain Cover to fit Stratton F-42 #130**
- Item #308 Tie - Navy Blue (Samuel Broome)**  
Samuel Broome, 900-61 Navy Blue, w/ button hole attachment feature - or equal.
- Item #309 Buttons: Chrome (not nickel) "P" buttons w/ keepers and washer**
- Item #310 Name Tag Plate: Clutchback Silver w/ blue Letters (1/2" x 2 3/8")**  
Reeves N800 Clutchback, Silver w/ blue letters (1/2" x 2 3/8") - or equal  
Shall have the officer's first initial and last name or first and second initials and last name. If an officer is a Jr., III, etc., he may indicate this on the nameplate. The nameplate shall have blue lettering.
- Item #311 Serving Since Plate: Silver w/ blue Letters (1/4" x 1 7/8")**  
Reeves YTSSP Clutchback, Silver w/ blue letters (1/4" x 1 7/8") - or equal.
- Item #312 P. D. Pins: Silver Blackington #A7365 (5/16" x 11/16")**  
Blackington, Model #A7365, Silver, (5/16" x 11/16") - or equal.
- Item #313 Class B - Short Sleeve Shirt (Blauer #8713)**  
Blauer StreetGear Style #8713 & 8713W, w/ round subdue patches on both sleeves, subdue badge on left chest, name strip - or equal.
- Item #314 Class B - Long Sleeve Shirt (Blauer #8703)**  
Blauer StreetGear Style #8703 & 8703W, w/ round subdue patches on both sleeves, subdue badge on left chest, name strip - or equal.
- Item #315 Class B - Long Pants (Blauer #8810)**  
Blauer StreetGear Style #8810 & 8810W - or equal
- Item #316 Class B - Uniform Name Tag Patch**



- Item #317 Baseball Cap – Fitted**  
 Shall be black in color and the lettering on the baseball cap will be ½ inch block letters, with the word, "LEXINGTON" in an arch configuration, and the word, "POLICE" centered in a straight line under the "LEXINGTON". The black Gore-Tex cap is also authorized. All caps shall have subdued stitching and lettering regardless of rank..
- Item #318 Goretex Ball Cap**  
 Blauer Style #8150 w/ subdue letters - or equal.  
 Shall be black in color and the lettering on the baseball cap will be ½ inch block letters, with the word, "LEXINGTON" in an arch configuration, and the word, "POLICE" centered in a straight line under the "LEXINGTON". The black Gore-Tex cap is also authorized. All caps shall have subdued stitching and lettering regardless of rank.
- Item #319 Trooper Hat - Blauer #911**  
 Model #9111, Goretex, Navy Color - or equal.
- Item #320 Jacket - Blauer Goretex #9905Z w/ Velcro**  
 Model #9905Z, Crosstech Public Safety Fabric, Navy Color, w/ velcro for both shoulders and badge patches, includes subdue and standard patches w/ hood and matching name strip - or equal
- Item #321 Hood: Gortex #9900 for Blauer Winter Coat**
- Item #322 Gloves: Blauer, Goretex Model #9100**
- Item #323 Boots: Danner Radical Striker Model 42900 & 42910**
- Item #324 Sweatsuit Top - Recruit PT Gear**
- Item #325 Sweatsuit Bottom - Recruit PT Gear**
- Item #326 Hooded Sweat Shirt - Recruit PT-Gear**
- Item #327 Blauer Gortex Rainsuit Jacket, Black, #9691**
- Item #328 Blauer Gortex Rainsuit Trousers, Black, #9134**
- Item #329 Uniform Patch: Shoulder, Standard w/ velcro**
- Item #330 Uniform Patch: Badge, Standard w/ velcro**
- Item #331 Uniform Patch: Shoulder, Subdue w/ velcro**
- Item #332 Uniform Patch: Badge, Subdue w/ velcro**
- Item #333 Uniform Patch: Badge, Subdue w/ velcro - Each Rank**
- Item #334 Uniform Patch: Badge, Standard w/ velcro - Each Rank**

---

**Duty Equipment**

- Item #335 Safariland Basketweave 2 1/4" Outer Duty Belt #94-4**
- Item #336 Safariland Basketweave Flashlight Holder #306-11-4**
- Item #337 Safariland Basketweave Glove Holder #33-4V**

- Item #338 Safariland Basketweave Handcuff Case #90-4HS
- Item #339 Safariland Basketweave Magazine Holder #77-83-4HS
- Item #340 Safariland Basketweave MKIII Mace Case #38-4-4HS
- Item #341 Safariland Basketweave ALS Mid-Ride Level II Holster
- Item #342 Safariland Basketweave Belt Keepers
- Item #343 Safariland Nylok Outer Duty Belt #4301-2
- Item #344 Safariland Nylok Inner Belt #4325-2
- Item #345 Safariland Nylok Flashlight Holder #7311
- Item #346 Safariland Nylok Glove Holder #7328
- Item #347 Safariland Nylok Magazine Holder #7302
- Item #348 Safariland Nylok O. C. Holder #7307
- Item #349 Safariland Nylok ALS Mid-Ride Level II Holster
- Item #350 Bianchi Nylon Belt Keeper #6406
- Item #351 Bianchi Nylon AccuMold Covered Cuff Case #7300
- Item #352 Bianchi Nylon AccuMold Double Magazine Pouch #7302
- Item #353 Bianchi Nylon AccuMold OC Spray Pouch #7307
- Item #354 Bianchi Nylon AccuMold Compact Light Pouch #7311
- Item #355 Bianchi Nylon AccuMold Flat Glove Pouch #7328
- Item #356 Taser Cartridge Pouch, Basketweave
- Item #357 Taser Cartridge Pouch, Nylok
- Item #358 O. C. First Defense Mark III
- Item #359 Inert O. C. First Defense Mark III
- Item #360 Monadnock Autolock 22" Baton
- Item #361 Monadnock Clip-on Baton Holder #3038
- Item #362 Monadnock 36" Polycarbonate Riot Baton
- Item #363 36 inch baton gromet
- Item #364 C size belt carrier for baton (basket weave and Nylok type)

---

Miscellaneous Equipment

- Item #365 Badge/ID Case w/ Lex Metro Cutout: Strong Brand
- Item #366 Riot Face Shield: Paulson #DK5-H
- Item #367 Ballistic Kevlar Helmet: #HELMPAS650
- Item #368 Book Bag: Black Gear, Galls Model #BG056
- Item #369 Flashlight: Polystinger 76514 -Streamlight Rechargeable
- Item #370 Gas Mask: Advantage 1000 #1487 (Sm) #1488 (Med) #1489 (Lg)
- Item #371 Gas Mask Carrier: #TE210
- Item #372 Glock 17, 9MM Semi-Auto Magazine (17 rd.) extra
- Item #373 Glock 17, 9MM Semi-Auto, Trijicon Sights w/ 2 L.E. Mags.
- Item #374 Glock 22, 40Cal. Semi-Auto Magazine (15 rd.) extra
- Item #375 Glock 22, 40Cal. Semi-Auto, Trijicon Sights w/ 2 L. E. Mags.
- Item #376 Handcuffs: Smith & Wesson, Model #300
- Item #377 Motorola Carrying Case, Nylon (NTN7247A)
- Item #378 Radio Holder for Belt (Leather holder) - Comm. Tech
- Item #379 RIPP Restraint Leg Hobble, Model #H-100 Hobble
- Item #380 Sony Digital Recorder Model #ICD-SX57
- Item #381 Traffic Cone: Polystinger Flashlight Orange
- Item #382 Traffic Safety Vest
- Item #383 Whistle: FOX 40 (UA026) with Lanyard #9600
- Item #384 Cross Pen w/ black Ink Gold / silver
- Item #385 New style (open collar) Class A uniform shirt Long Sleeve
- Item #386 Buttons: Gold "P" buttons w/ keepers and washer

- Item #387 Name Tag Plate: Clutchback Gold w/ blue Letters (1/2" x 2 3/8")
- Item #388 Serving Since Plate: Gold w/ blue Letters (1/4" x 1 7/8")
- Item #389 P. D. Pins: Gold Blackington #A7365 (5/16" x 11/16")
- Item #390 Gold Acorns for Class A Summer & Winter Hat
- Item #391 Chief, Assistant Chief, Commander, Lieutenant, Sergeant, Chaplain Ranks
- Item #392 White T-Shirt
- Item #393 Black T-Shirt
- Item #394 Socks

---

**Shipping and Alterations:** (see Pricing, Attachment IV, Shipping Alterations Pricing List)

**Shipping:** Price of Flat Rate Shipping for orders shipped to employees' home address.

**Alterations:**

- Taper shirts/ Jackets
  - Add tails to shirts
  - Hemming
  - Take in/let out waist
  - Take up stride
  - Rank change
  - Apply/replace namestrip
  - Add/change patch
  - Shorten sleeves
  - Lengthen sleeves
-

## Galls LLC Exceptions to LFUCG ITB#61-2012

- Section 2.5 WEBSITE- Bid states that website must be operational as of July 1, 2012. Galls respectfully requests that if awarded we be given 120 days from date of award for the website to be fully operational and meet all stated requirements.
- Section 2.21 LIQUIDATED DAMAGES Bid states the following amounts for failure to meet contract requirements. While Galls LLC has a proven record of meeting such requirements we respectfully request that the amounts listed for penalties be changed to...
  - Section 2.21.1 for delivery performance requirements 15% of the time (85% fill rate) section stating \$3000 request to be changed to \$300.
  - Section 2.21.2 failing to complete alterations request to be changed from \$50 a day to \$5 and max of \$40
  - Section 2.21.3 website launch date failure charge request to be changed from \$1000 to \$100
  - Section 2.21.4 web ordering system fails request to be changed from \$250 per hour to \$25
  - Section 2.21.5 failing to maintain operating hours request to be changed from \$1500 per day to \$150

### Exceptions to Item Specifications

- Based on Galls past experience with LFUCG we believe that all t-shirts and sweatshirts for PD have screen print designs that are not mentioned in the bid. It is our understanding that these are still required by the PD. We have included these costs as an additional line item to the existing line item number. If our assumption is incorrect please disregard screen print charges.
- Certain uniform shirts, pants, and duty gear will have an up charge for sizes outside the normal size range. If not specified already by LFUCG in the pricing attachments in the bid Galls will add additional line items below the original line to account for these charges. These additional line items will be annotated with an asterisk.
- Certain line items come with or require accessories that were not listed in the bid and Galls will include an additional line item to the existing line item. These additional line items will be annotated with an asterisk.
- All alterations will be listed as separate line items. The bid did not specify clearly what alterations apply to what garments. Since we are listing them separately it will give individuals the option to choose their specific alterations.
- Certain items are being discontinued by the manufacturer(s) and/or Galls is not able to provide the item(s). In these cases Galls will bid alternates. These alternates will be clearly annotated with asterisks.
- For items that Galls is unable to bid "NO BID" will be clearly stated as such for all line items.
- Certain emblems/patches included in the bid are ones that are seldom used (i.e. Chief patches). The bid requests pricing for certain emblems/patches that Galls has not previously supplied and there are no detailed specifications listed. For these reasons Galls cannot provide pricing for these items and will provide pricing on a case by case basis as needed and with samples or detailed specifications.
- Safariland holster bid for the PD on lines 341&349 - The bid states LVL II retention but after speaking with Commander Weathers who is over the PD section of this bid, he clearly wants the 6360 which we have already provided to the PD in the past. We have quoted this item on the bid which is a LVLIII. This needs to be noted because based on the bid specs other vendors will bid a LVL II at lower pricing.
- REFERENCES

San Antonio Fire Dept.  
Asst. Chief Carl Wedige  
210-355-8507

WV Juvenile Services  
Kellan Cordie  
304-766-2616

Orange County (FL) Sheriff Dept.  
Ken Lewis  
407-254-7060

Sheriff Dept.

**Pricing, Attachment I, Community Corrections Items**

Item #	Description	Sizing	Price	NOTES
1	Male TEK2 Cargo Pocket Trouser	reg 28-42	\$44	
2		short 28-40	\$44	
3		non standard 44-up	\$48	
4	Female TEK2 Cargo Pocket Trouser	reg 6-18	\$44	
5		short 6-18	\$44	
6		non standard 26-32	\$48	
7	Elbecco TEK2 Long Sleeve Shirt	Regular Sleeve Length, Short 30/31 sizes S-XL	\$38	14.5-17.5
8		Regular Sleeve Length 32/33 S-3XL	\$38	
9		Regular Sleeve Length 34/35 M-3XL	\$38	
10		Tall Sleeve Length 36/37 L-3XL	\$38	
11		Standard Oversize Garment 4XL sleeve length 34/35 and 4XL (36/37) sleeve	\$42	18.5-20
12		Non-Standard (items available in these sizes but not always on a stock basis) Body length regular sleeve length as required 5X-7X	\$63	
13		Non-Standard (items available in these sizes but not always on a stock basis) Body length Tall sleeve length as required 5X-7X	\$63	
14		Women's Regular length XS-2XL	SEE ABOVE	available. Women will be measured and converted to men's sizes as listed above
15	Elbecco Duty Maxx Short Sleeve Shirt TEK 2 MENS S/S	Men's Regular Length sleeve length S-XL	\$34	
16		Men's Regular Length sleeve length 2X-3X	\$38	18.5-20
17	Non-Standard (items available in these sizes but not always on a stock basis)	Men's 4X-7X	\$57	available. Women will be measured and converted to men's sizes as listed above
18		Women's Regular length XS-2X	SEE ABOVE	available. Women will be measured and converted to men's sizes as listed above
19		Non Standard (items available in these sizes but not always on a stock basis) Women's 3X-5X	\$57	
20	MALE DUTY MAXX FOUR POCKET TROUSER STYLE E254RN	Men's regular length; even waist sizes 28-56; even only above 38;	\$48	28-42
21		Men's short length 28-40 even only	\$52	44-50

**Pricing, Attachment I, Community Corrections Items**

Item #	Description	Sizing	Price	NOTES
22		Non-standard (items available in these sizes but not always on a stock basis) Men's regular length even waist sizes 58-72*	\$67	>50
23	FEMALE DUTY MAXX FOUR POCKET TROUSER STYLE E254RN	Women's regular length: even dress sizes 6-24; Women's short length even dress sizes 4-14	\$48	02-18 20-24
24			\$48	20-24
25		Non-Standard(items available in these sizes but not always on a stock basis) Women's regular length even dress sizes 26-32	\$52	20-24
26	Elbeco Duty Maxx Male Long Sleeve Shirt	Regular Sleeve Length; Short 30/31 sizes S-XL;	\$44	14.5-18 x 35
27		Regular Sleeve length 32/33 S-3XL;	\$44	14.5-18 x 35
28		Regular Sleeve Length 34/35 M-3XL	\$44	14.5-18 x 35
29		Tall Sleeve Length 36/37 L-3XL	\$48	18.5-20 x 36/37
30		Standard Oversize Garment 4XL sleeve length 34/35 and 4XL (36/37) sleeve	\$48	18.5-20 x 36/37
31		Non-Standard (items available in these sizes but not always on a stock basis) Body length regular sleeve length as required 5X-7X	\$72	
32		Non-Standard (items available in these sizes but not always on a stock basis) Body length Tall sleeve length as required 5X-7X	\$72	
33	Elbeco Duty Maxx Female Long Sleeve Shirt	Women's Regular length XS-2XL	\$44	28-46
34		Body Length Regular Sleeve length 32/33 S-3XL	\$44	28-46
35		Standard Oversize Garment 4XL sleeve length 34/35 and 4XL (36/37) sleeve	\$48	48
36		Non-Standard (items available in these sizes but not always on a stock basis) Body length regular sleeve length as required 5X-7X	\$67	
37		Non-Standard (items available in these sizes but not always on a stock basis) Body length Tall sleeve length as required 5X-7X	\$67	
38	Elbeco Duty Maxx Male Long Sleeve Shirt (DUTY MAXX MENS S/S )	Regular sleeve Length; Short 30/31 sizes S-XL;	\$42	14.5-18
39		Regular Sleeve length 32/33 S-3XL	\$42	
40		Regular Sleeve Length 34/35 M-3XL S/S	\$42	

**Pricing, Attachment I, Community Corrections Items**

Item #	Description	Sizing	Price	NOTES
41		Tall Sleeve Length 36/37 L-3XL	\$46	18.5-20
42		Standard Oversize Garment 4XL sleeve length 34/35 and 4XL (36/37) sleeve	\$64	>20
43		Non-Standard (items available in these sizes but not always on a stock basis) Body length regular sleeve length as required 5X-7X	\$69	
44		Non-Standard (items available in these sizes but not always on a stock basis) Body length Tall sleeve length as required 5X-7X	\$69	
45	Elbecco Duty Maxx-Female Long Sleeve Shirt (DUTY MAXX WOMENS S/S)	Women's Regular length XS-2XL	\$42	28-46
46		Body Length Regular Sleeve length 32/33 S-3XL	\$46	48
47		Standard Oversize Garment 4XL sleeve length 34/35 and 4XL (36/37) sleeve	64	
48		Non-Standard (items available in these sizes but not always on a stock basis) Body length regular sleeve length as required 5X-7X	69	
49		Non-Standard (items available in these sizes but not always on a stock basis) Body length Tall sleeve length as required 5X-7X	69	
50	Tie		\$4	
51	Badge		\$68	
52	Name Tag		\$4	
53	"Serving Since" Pin		\$9	
54	Collar Insignia of Rank		\$7	OFC-LT
55*	Dress Belt		\$28.50	SM-XL
			\$33.50	2X-3X
			\$35.50	4X-5X
56	Elbecco Tek Twill 5 Panel Ball Cap		\$7.50	
57	Waist Belt		\$10.50	
58	Duty Belt Uncle Mike's Ultra Duty Belt		\$24	SM-XL
59	Duty Belt Safariland Buckleless Duty Belt #94		\$54	28-46
60	Safariland Glove Pouch #33		\$14	
61	Safariland MKill Holder #38		\$22	
62	Safariland Double Magazine Holder		\$29.75	

**Pricing, Attachment I, Community Corrections Items**

Item #	Description	Sizing	Price	NOTES
63	Safariland Standard Cuff Case #90		\$20	
64	Safariland Mini Flashlight Holder		\$20	
65	Safariland Key Keeper #168		\$12.50	
66	Uncle Mike's Single Cuff Case		\$14.50	
67	Uncle Mike's Divided Magazine Case		\$24	
68	Uncle Mike's Mark 3 Defense Spray Case		\$14.50	
69	Uncle Mike's Double Latex Glove Carrier		\$11.50	
70	Uncle Mike's Mini Flashlight Holder		\$11.50	
71	Uncle Mike's Key Ring Holder w/ Flap		\$9.50	
72	Uncle Mike's Nylon Web Belt Keepers (set of 4)		\$10	
73	Collar Insignia of Rank - Cloth		\$2	
74	Namestrip		\$0.50	
75	Epaulets		\$11	
76	Rocky High Gloss Chukka 005008	men's sizing	\$60	
77	Rocky High Gloss Chukka 005008	women's sizing	\$60	unisex
78	5.11 Tactical 6" Shield Boot	men's sizing	\$95	
				womens. alt for like boot by 5.11. Not composite toe.
79*	5.11 Tactical 6" Shield Boot	women's sizing	\$70	
80	Bates 5" Ultra Lite Quarter Boot	men's sizing	\$55	
81	Bates 5" Ultra Lite Quarter Boot	women's sizing	\$55	
82	Danner Striker II GTX 8" Duty Boot	Only Men's size 16 or above	\$150	
83	5.11 TACTICAL SERIES UTILI-T SHIRT - BLACK	S-XL	\$28	SM-2X
84		2XL & 3XL	**\$32	3X
85	TRU SPEC CORDURA SHORT SLEEVE T-SHIRT		\$18	
86	Under Armour Coldgear Lite Boot Socks	men's sizing	\$8	
87		women's sizing	\$8	
88	Pro Feet cushioned boot sock - 3008		\$6	
89*	Galls Commando V Neck Acrylic Sweater - SW667		\$22	SM-XL
			***\$26	2X-5X
	<b>Alterations Pricing</b>			



**Pricing, Attachment I, Community Corrections Items**

Item #	Description	Sizing	Price	NOTES
*	DENOTES ALTERNATE ITEM BID			
**	DENOTES UP SIZE CHARGES APPLY			
***	DENOTES ACCESSORIES TYPICALLY APPLY			

**Pricing, Attachment II, Fire and Emergency Services Items**

<b>Item #</b>	<b>Description</b>	<b>Price</b>	<b>Notes</b>
201	5.11 S/S Tactical Professional Polo Male and Female – 41060/61166 No Substitutions	\$27	SM-2X
		**\$32	3X-5X
202	5.11 L/S Tactical Professional Polo Male – 42066 No Substitutions	\$32	SM-2X
		**\$37	3X-5X
203	5.11 S/S Tactical Polo Male and Female – 71182/61164 No Substitutions	\$27	SM-2X
		**\$32	3X-5X
204	5.11 L/S Tactical Polo Male – 72360 No Substitutions	\$34	SM-2X
		**\$38	3X
205	Short Sleeve 100% Cotton Polo –Private Label Specifications (provide sample with bid)	\$24	XS-5X
206	Lion S/S Men's Station Polo - 0420NV-10 No Substitutions	\$32	SM-2X
207	Short Sleeve 100% Polyester Polo – Private Label specifications (provide sample with bid)	\$24	XS-4X
208	Short Sleeve Male Military Shirt 65/35 Poly/Cotton – Private Label Specifications (provide sample with bid)	\$19	SM-6X
209	Long Sleeve Male Military Shirt 65/35 Poly/Cotton – Private Label Specifications	\$19	SM-6X
210	Short Sleeve Female Military Shirt 65/35 Poly/Cotton – Private Label	\$19	28-52
211	Long Sleeve Female Military Shirt 65/35 Poly/Cotton – Private Label Specifications	\$19	28-52
212	Lion S/S Bravo Series Shirt – 0527NV-10 No Substitutions	\$40	SM-3X
213	Lion L/S Bravo Series Shirt – 0227NV-10 No Substitutions	\$42	SM-3X
214	Elbeco Station Wear Polo with Chest Pocket – K6902 No Substitutions	\$28	SM-XL
		***\$32	2X-3X
		***\$40	4X-5X
215	Elbeco Station Wear Polo with Sleeve Pocket – K6905 No Substitutions	\$28	SM-XL
		***\$32	2X-3X
		***\$38	4X-5X
216	Elbeco Men's and Women's Paragon Plus S/S Shirt – P867/P811LC No Substitutions	\$26	SM-XL OR 28-46
		***\$30	2X-3X OR 48
217	Tru Spec Men's 2 Pocket S/S BDU Shirt – 100600	\$22	SM-XL
		***\$24	2X-3X
218	Tru Spec Men's 2 Pocket S/S BDU Shirt – 100600	\$26.50	
219	5.11 Tactical Men's S/S and L/S PDU Shirt – 71177/72345 No Substitutions	\$38	SM-2X
		**\$43	3X-6X
220	5.11 Tactical Men's Snag-Free Performance Polo – 71049 No Substitutions	\$32	SM-XL
		**\$36	2X-3X

Item #	Description	Price	Notes
221	Fechheimer Double Breasted Dress Blouse -- 38804 No Substitutions	\$125	
222	5.11 Tactical Men's and Women's Station Pant -- 74302/64302 No Substitutions	\$50	UP TO 44
		**\$55	46 AND UP
223	5.11 Tactical Men's and Women's Station Cargo Pants -- 74311/64303 No Substitutions	\$50	UP TO 44
		**\$55	46 AND UP
224	Lion Men's and Women's Traditional Trousers -- 0150NV-00/7141NV-00 No Substitutions	\$45	
225	Elbeco TEK2 Men's 4 Pocket Trousers -- E814RN No Substitutions	\$34	UP TO 42
		**\$36	44 AND UP
226	Elbeco Reponse Ladies Choice Tek Twill Pant -- E9814LC No Substitutions	\$32	UP TO 18
		**\$35	20 AND UP
227	Elbeco Tek2 Men's and Women's Cargo Trousers -- E614RN/E9614LCN No Substitutions	\$44	28-42 OR 6-18
		**\$48	44-50 OR 20-24
		**\$50	52-54
228	5.11 Tactical Men's and Women's EMS Pant -- 74301/64301 No Substitutions	\$50	UP TO 44
		**\$55	46 AND UP
229	Elbeco Tek2 Men's and Women's EMT Trousers -- E7550RN/E7551LCN No Substitutions	\$39	UP TO 42
		**\$42	44 AND UP
230	Atlenco Ripstop 6 Pocket BDU Pant -- 9717007 No Substitutions	\$27	SM-XL
		**\$30	2X-3X
231	Men's Uniform Pant 65/35 Poly/Cotton -- Private Label Specification (provide sample with bid)	\$19	28-38
		**\$22	60
232	5.11 Men's Tactical Pant -- 74251 No Substitutions	\$40	UP TO 44
		**\$46	46 AND UP
233	5.11 Tactical Taclite Pro Men's Ripstop Pant -- 74273 No Substitutions	\$40	UP TO 44
		**\$46	46 AND UP
234	Fechheimer 100% VISA System 3 Polyester Trousers -- 38200 No Substitutions	\$34	UP TO 44
		**\$38	46 AND UP
235	Fechheimer 100% VISA System Polyester Skirt -- 38033 No Substitutions	\$48	
		**\$52	20-24
236	EMS Male Pant 65/35 Poly/Cotton -- Private Label Specification	\$32	
237	EMS Female Pant 65/35 Poly/Cotton -- Private Label Specifications	\$32	
238	5.11 Tactical 3-in-1 ANSI Class 3 Reversible Parka -- 48033 No Substitutions	\$185	SM-2X
		**\$190	3X-4X
239	5.11 Tactical Covert Fleece -- 48111 No Substitutions	\$65	SM-4X

Item #	Description	Price	Notes
240	5.11 Tactical Fleece Jacket – 48038 No Substitutions	\$80	SM-4X
241	5.11 Tactical Signature Duty Jacket – 48103 No Substitutions	\$165	SM-4X
242	5.11 Tactical Station Jacket – 48300 No Substitutions	\$80	SM-3X
243	5.11 Tactical Firefighter Quarter-Zip Job Shirt – 72314 No Substitutions	\$48	SM-2X
		**\$52	3X-4X
244	Lion Fleece Job Shirt – LMJB01-10 No Substitutions	\$32	
245	Tru Spec M-65 Field Jacket with Liner – 2441 No Substitutions	NO BID	color discontinued by manufacturer
246	5.11 Tactical Sabre 2.0 Jacket – 48112 No Substitutions	\$195	SM-2X
		\$205	3X-4X
247	Men's 1/4 Zip Job Shirt – Private Label Specifications (provide sample with bid)	\$28	MD-5X
248	Fleece Jacket – Private Label Specifications (provide sample with bid)	\$26	SM-5X
249	Lion Apparel Action Line Jacket – 3432-20	\$45	
250	5.11 Tactical Fleece Watch Cap – 89250 No Substitutions	\$12	
251	Under Armour HeatGear Tactical Stretch Fit Ball cap – 1219734 No Substitutions	NO BID	discontinued by manufacturer
252	Tru Spec Boonie Hat – 320500 No Substitutions	\$12.50	
253	Midway 4 star Cap – No substitutions	\$45	
	Midway 4 star Cap – No substitutions-Specs for Command staff	\$82	
254	5.11 Self Adjusting Uniform Hat – 89259	NO BID	discontinued by manufacturer
255	Classic Style Watch Cap with Thinsulate – Private Label Specifications	\$10	
256	Fleece Watch Cap – Galls Brand or approved equal	\$10	
257	Badge Firefighters – silver fire service "scramble" logo	\$38.75	
258	Badge Lieutenants – gold single trumpet	\$44.75	
259	Badge Captains – gold two parallel trumpets	\$44.75	
260	Badge Majors – gold two crossed trumpets	\$44.75	
261	Badge Battalion Chiefs – gold three crossed trumpets	\$44.75	
262	Badge Assistant Chiefs – gold four crossed trumpets	\$44.75	
263	Badge Chief – gold five crossed trumpets	\$44.75	
264	Hat Badge Firefighter	\$32.75	
265	Hat Badge Lieutenant	\$38.75	
266	Hat Badge Captain	\$38.75	
267	Hat Badge Major	\$38.75	
268	Hat Badge Battalion Chief	\$38.75	

Item #	Description	Price	Notes
269	Hat Badge Assistant Chief	\$38.75	
270	Hat Badge Chief	\$38.75	
271	Collar Brass Lieutenant	\$7	
272	Collar Brass Captain	\$7	
273	Collar Brass Major	\$7	
274	Collar Brass Battalion Chief	\$7	
275	Collar Brass Assistant Chief	\$7	
276	Collar Brass Chief	\$7	
277	Nameplates	\$4	
278	Belt: Blackhawk COB/Emergency Rescue Rigger Belt - 41CQ00BK	\$28	
279	Belt: 5.11 Tactical Operator Belt - 59405	\$32	SM-XL
		**\$36	2X-3X
280	Belt: Gould & Goodrich leather trouser belt - G4157	\$17.50	
281	Namestrip	\$1	
282	Tie	\$3	
283	Socks: Pro Feet cushioned boot socks - 3008 or equivalent	\$6.00	
284	T-Shirts: 5.11 Tactical Series Utility-T shirt (3 pack) - 40016	\$28	SM-2X
		**\$32	3X
<b>See Attachment IV Pricing for Shipping and Alterations Pricing</b>			

\* DENOTES ALTERNATE ITEM BID  
 \*\* DENOTES UP SIZE CHARGES APPLY  
 \*\*\* DENOTES ACCESSORIES TYPICALLY APPLY

**Pricing, Attachment III, Police Items**

Item #	Description	Price	Notes
301	Class A - Short Sleeve Shirt w/ patches and alterations	\$65	14.5-18.5
302	Class A - Long Sleeve Shirt w/ patches and alterations	\$85	15.5 X 32-18.5 X 37
303	Class A - Summer Pants w/ alter. (Fleischer #32247)	\$80	28-42
		**\$85	44-50
	FEMALE	\$80	06-18
		**\$85	20-24
304	Class A - Winter Pants w/ alter. (Mens) style #32217	\$94	28-42
		***\$102	44-50
	FEMALE	\$94	06-18
		**\$102	20-24
305	Class A - Summer Hat (Stratton S-42) w/ 3pc. strap, etc. ***STRAP	\$70	
306	Class A - Winter Hat (Stratton S-42) w/ 3pc. Strap, etc.	\$75	
307	Rain Cover to fit Stratton F-42 #130	\$6.50	
308	Tie - Navy Blue (Samuel Broome)	\$4	
309	Buttons: Chrome (not nickel) "P" buttons w/ keepers and washer	\$7.50	
310	Name Tag Plate: Clutchback Silver w/ blue Letters (1/2" x 2 3/8")	\$4.00	
311	Serving Since Plate: Silver w/ blue Letters (1/4" x 1 7/8")	\$9.00	
312	P. D. Pins: Silver Blackington #A7365 (5/16" x 1 1/16")	\$7.50	
313*	Class B - Short Sleeve Shirt (Blauer #8713)	\$36	SM-2X- FECHHEIMER 85R5886
		**\$42	3X-4X
314*	Class B - Long Sleeve Shirt (Blauer #8703)	**\$39	SM-2X FECHHEIMER 35R5886
		\$45	3X-4X
315*	Class B - Long Pants (Blauer #8810)	\$46	UP TO 42 FECHHEIMER 47300
		**\$50	44 and up
316*	Class B - Uniform Name Tag Patch	\$1	
317	Baseball Cap - Fitted	\$7	
	***EMBROIDERY "LEXINGTON POLICE"	\$4	
318*	Goretex Ball Cap	\$7.50	
319*	Trooper Hat - Blauer #911	\$18.50	
320*	Jacket - Blauer Goretex #9905Z w/ velcro	\$170	SAMPLE PROVIDED
321*	Hood: Goretex #9900 for Blauer Winter Coat	INCLUDED	hood included with jacket

**Pricing, Attachment III, Police Items**

322*	Gloves: Blauer, Goretex Model #9100		<b>\$32</b>	
323	Boots: Danner Radical Striker Model 42900 & 42910		<b>\$130</b>	
324	Sweatsuit Top - Recruit PT Gear		<b>\$7</b>	SM-XL
			<b>**\$11</b>	2X-5X
	***SCREEN PRINT PD LOGO		<b>\$6</b>	
325	Sweatsuit Bottom - Recruit PT Gear		<b>\$12</b>	SM-XL
			<b>**\$14</b>	2X-5X
326	Hooded Sweat Shirt - Recruit PT-Gear		<b>\$16</b>	SM-XL
			<b>**\$20</b>	2X-5X
327*	Blauer Goretx Rainsuit Jacket, Black, #9691		<b>\$220.00</b>	
328*	Blauer Goretx Rainsuit Trousers, Black, #9134		<b>\$125</b>	
329	Uniform Patch: Shoulder, Standard w/ velcro		<b>\$3.00</b>	
330	Uniform Patch: Badge, Standard w/ velcro		<b>\$3.00</b>	
331	Uniform Patch: Shoulder, Subdue w/ velcro		<b>\$3.00</b>	
332	Uniform Patch: Badge, Subdue w/ velcro		<b>\$3.00</b>	
333*	Uniform Patch: Badge, Subdue w/ velcro - Each Rank			exceptions page
334*	Uniform Patch: Badge, Standard w/ velcro - Each Rank			Please see exceptions page
335	Safariland Basketweave 2 1/4" Outer Duty Belt #94-4		<b>\$54</b>	
336	Safariland Basketweave Flashlight Holder #306-11-4		<b>\$19</b>	
337	Safariland Basketweave Glove Holder #33-4V		<b>\$14</b>	
338	Safariland Basketweave Handcuff Case #90-4HS		<b>\$20</b>	
339	Safariland Basketweave Magazine Holder #77-83-4HS		<b>\$29.75</b>	
340	Safariland Basketweave MKIII Mace Case #38-4-4HS		<b>\$22</b>	
341	Safariland Basketweave ALS Mid-Ride Level II Holster		<b>\$110</b>	Safariland 6360 -83 -481. STX basketweave finish. No Hood. ALL per dept specs.
342	Safariland Basketweave Belt Keepers		<b>\$28.50</b>	
343	Safariland Nyllok Outer Duty Belt #4301-2		<b>\$38</b>	
344	Safariland Nyllok Inner Belt #4325-2		<b>\$20</b>	
345	Safariland Nyllok Flashlight Holder #7311		<b>\$19.50</b>	
346	Safariland Nyllok Glove Holder #7328		<b>\$12</b>	

**Pricing, Attachment III, Police Items**

347	Safariland Nyllok Magazine Holder #7302		\$15	
348	Safariland Nyllok O. C. Holder #7307		\$17.50	
349	Safariland Nyllok ALS Mid-Ride Level II Holster		\$110	Safariland 6360 -83 -481. STX basketweave finish. No Hood. ALL per dept specs.
350	Bianchi Nylon Belt Keeper #6406		\$9	
351	Bianchi Nylon Accumold Covered Cuff Case #7300		\$20	
352	Bianchi Nylon Accumold Double Magazine Pouch #7302		\$23	
353	Bianchi Nylon Accumold OC Spray Pouch #7307		\$14	
354	Bianchi Nylon Accumold Compact Light Pouch #7311		\$18	
355	Bianchi Nylon Accumold Flat Glove Pouch #7328		\$12	
356	Taser Cartridge Pouch, Basketweave		\$26	
357	Taser Cartridge Pouch, Nyllok		\$22	
358	O. C. First Defense Mark III		\$12.25	
359	Inert O. C. First Defense Mark III		\$10	
360	Monadnock Autolock 22" Baton		\$97	
361	Monadnock Clip-on Baton Holder #3038		\$20.50	
362	Monadnock 36" Polycarbonate Riot Baton		\$48	
363	36 inch baton gromet		\$3.25	
364	C size belt carrier for baton (basket weave and Nyllok type)		\$6	nylon
			\$9	basketweave
365	Badge/ID Case w/ Lex Metro Cutout: Strong Brand		\$28	#79610
366*	Riot Face Shield: Paulson #DK5-H		cluded with helmet	
367*	Ballistic Kevlar Helmet: #HELMPAS650		\$275	
368	Book Bag: Black Gear, Galls Model #BG056		\$22	
369	Flashlight: Polystinger 76514 -Streamlight Rechargeable		\$80	AD
370	Gas Mask: Advantage 1000 #1487 (Sm) #1488 (Med) #1489 (Lg)		\$249.99	
371	Gas Mask Carrier: #TE210		\$22	
372	Glock 17, 9MM Semi-Auto Magazine (17 rd.) extra		NO BID	
373	Glock 17, 9MM Semi-Auto, Trijicon Sights w/ 2 L.E. Mags.		NO BID	
374	Glock 22, 40Cal. Semi-Auto Magazine (15 rd.) extra		NO BID	
375	Glock 22, 40Cal. Semi-Auto, Trijicon Sights w/ 2 L. E. Mags.		NO BID	
376	Handcuffs: Smith & Wesson, Model #300		\$31.75	
377	Motorola Carrying Case, Nylon (NTN7247A)		\$28	



**Pricing, Attachment III, Police Items**


378	Radio Holder for Belt (Leather holder) - Comm. Tech	NO BID		
379*	RIPP Restraint Leg Hobbie, Model #H-100 Hobbie	\$15	item cancelled by manufacturer. Alternate bid	
380	Sony Digital Recorder Model #ICD-SX57	NO BID		
381	Traffic Cone: Polystynger Flashlight Orange	\$5		
382	Traffic Safety Vest	\$27.50		
383	Whistle: FOX 40 (UA026) with Lanyard #9600	\$5.00		
384	Cross Pen w/ black Ink Gold / silver	NO BID		
385	New style (open collar) Class A uniform shirt Long Sleeve	NO BID		
386	Buttons: Gold "P" buttons w/ keepers and washer	\$12.50	UA318 & UA319	
387	Name Tag Plate: Clutchback Gold w/ blue Letters (1/2" x 2 3/8")	SEE #310		
388	Serving Since Plate: Gold w/ blue Letters (1/4' x 1 7/8")	SEE #311		
389	P. D. Pins: Gold Blackington #A7365 (5/16" x 1 1/16")	SEE #312		
390	Gold Acorns for Class A Summer & Winter Hat	\$7.00		
391	Lieutenant, Sergeant, Chaplain Ranks Chief, Assistant Chief, Commander,	\$7 \$14		
392	White T-Shirt	\$6	SM-XL	
393	Black T-Shirt	\$6	SM-XL	
394	Socks	\$16	3 PACK	
See Attachment IV Pricing for Shipping and Alterations Pricing				

\* DENOTES ALTERNATE ITEM BID  
 \*\* DENOTES UP SIZE CHARGES APPLY  
 \*\*\* DENOTES ACCESSORIES TYPICALLY APPLY

**Pricing, Attachment IV, Shipping & Alterations**

Item #	Description	Price	Notes
SHP	Flat Rate Shipping for orders shipped to employees' home address	\$10	
ALT1	Taper shirts/ Jackets	\$7.50	
ALT2	Add tails to shirts	\$0	
ALT3	Hemming	\$0	
ALT4	Take in/let out waist	\$7	
ALT5	Take up stride	\$8.50	
ALT6	Rank change	\$15	FIRE 1 ROW
		\$18	2 ROW
		\$22	3 ROW
		\$26	4 ROW
		\$30	5 ROW
ALT7	Apply/replace namestrip	\$0	
ALT8	Add/change patch	\$0	
ALT9	Shorten sleeves	\$7	
ALT10	Lengthen sleeves	\$7	

\* DENOTES ALTERNATE ITEM BID  
 \*\* DENOTES UP SIZE CHARGES APPLY  
 \*\*\* DENOTES ACCESSORIES TYPICALLY APPLY



Lexington-Fayette Urban County Government  
DEPARTMENT OF FINANCE & ADMINISTRATION

Jim Gray  
Mayor

Jane C. Driskell  
Commissioner

**ADDENDUM #1**

Bid Number: **#61-2012**

Date: May 3, 2012

Subject: Web-based Quartermaster Program --  
Public Safety Uniforms

Address inquiries to:  
Theresa Maynard  
(859) 258-3320

**TO ALL PROSPECTIVE BIDDERS:**

Please be advised of the following three clarifications to the above referenced bid, starting on page two of this document.

Todd Slatin, Acting Director  
Division of Central Purchasing

All other terms and conditions of the Bid and specifications are unchanged.  
This letter should be signed, attached to and become a part of your Bid.

BID OF: Galls, Inc

ADDRESS: 1340 Russell Cave Rd Lexington, KY 40505

SIGNATURE OF BIDDER: [Handwritten Signature]

1. Attached are Licensed Marks, as referred in the specifications as Attachments IV (Community Corrections), V (Fire), and VI (Police). The contract may include all of the attached, some of the attached, or additional Licensed Marks.

2. For items #392, #393, & #394, the following clarifications are added:

Item #392	<b>White T-Shirt:</b>	100% preshrunk cotton
Item #393	<b>Black T-Shirt:</b>	100% preshrunk cotton
Item #394	<b>Socks:</b>	100% preshrunk cotton in either black or black with white bottoms

3. For items 15-19, Class B SS Shirt, the specification should read as follows:

**Items #15 through #19**  
**COLOR: NAVY - TO MATCH TROUSERS**  
**Elbeco TEK2**  
**Short Sleeve Shirt**

- 15. Men's Regular Length sleeve length S-XL
- 16. Men's Regular Length sleeve length 2X-3X
- 17. Non-Standard (items available in these sizes but not always on a stock basis) Men's 4X-7X
- 18. Women's Regular length XS-2X
- 19. Non Standard (items available in these sizes but not always on a stock basis) Women's 3X-5X

- Elbeco Tek2™ 65% Polyester/35% Combed Cotton two ply vat dyed twill weave, weighing 7oz. per square yard with 6-8% engineered filling stretch. Must be treated at the fiber level with Nano Fluid Repellency technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability
- Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.
- It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric.
- Pockets and pocket flaps to be die creased to give uniform shape and size
- Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of Dacron lining. The collar is to be single stitched 1/4" from edge. On the edge stitching will be cause for rejection.
- The collar shall be made with permanent collar stays. Collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide and be attached to the bottom ply of the collar.
- Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

<u>Size:</u>	<u>Finished Length:</u>
14 & 14.5	9.5"
15, 15.5, 16	10"
16.5-18.5	10.5"
19 and up	11"

- Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 3.25" wide x 10.25" long | set into the sleeve and body panes at the underarm to allow for body heat ventilation and increased mobility and comfort.
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
- The front shall have a facing 3" in width extending from neckline to the bottom of shirt provided by a turn under of material. The left front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges
- The center front shall contain seven vertical buttonholes placed 3/4" from edge and 3-1/2" apart
- There is to be a yoke composed of a double ply of the same material as the basic shirt properly secured for strength. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
- To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.
- To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/4" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.
- The pockets and flaps shall be single stitched on the edge. Off the edge stitching will be cause for rejection.
- The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
- The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam
- Shoulder straps must be top stitched on the edge. Off the edge stitching will be cause for rejection.
- Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
- 20-ligne melamine buttons on epaulets, pockets, cuffs, and shirtfront.
- All buttons shall be made from Melamine material for durability and must match fabric.
- Embroidered subdued shoulder patch attached to each shoulder approximately 1/2 inch from seam. Embroidered subdued badge patch attached on left breast above pocket.
- Embroidered namestrip to be attached above right pocket of shirt. Namestrip to be 1" wide and of same material as shirt.

Attachment IV: Community Corrections Logos, page 1




Attachment IV, Community Corrections Logos, page 2



Attachment IV, Community Corrections Logos, page 3

File	Setup
------	-------



- Printer -

Start
Cancel
Exit

[ Stitch count ]

5239
------

H/W (mm)

61.0	77.6
------	------

Last H/V

0.0	0.0
-----	-----

com-cor

File

\*\*\*

message : Now hard copying to printer ...





Attachment V, Fire logos, page 2




Attachment V, Fire logos, page 3



Attachment VI, Police logos, page 1

Sketch#: q42165 Type: stitched Emblem Date: 07-20-01



Size: 3.375 x 2.75

Thread (th) / Ink (in):

#16

#97

Fabric Color:

#114

Border Color:

#16

UA 523

Colors May Vary, See Company Thread & Fabric Chart For Actual Colors.  
Design May be Slightly Modified From Original Art For Enhancement Or Quality Purposes

Attachment VI, Police logos, page 2

Sketch#: q42934 Type: stitched Emblem Date: 07-30-01

*WA324*

Size: 3.5x2.75

Thread (th) / Ink (ln):

#25	[Color swatch]
#215	[Color swatch]
#05	[Color swatch]

Fabric Color:	#101
Border Color:	#16



★ thin red lines show change of thread direction and won't be stitched, the eagle is a double running stitch

Colors May Vary, See Company Thread & Fabric Chart For Actual Colors.  
Design May be Slightly Modified From Original Art For Enhancement Or Quality Purposes



Lexington-Fayette Urban County Government  
DEPARTMENT OF FINANCE & ADMINISTRATION

Jim Gray  
Mayor

Jane C. Driskell  
Commissioner

**ADDENDUM #2**

Bid Number: **#61-2012**

Date: May 11, 2012

Subject: Web-based Quartermaster Program --  
Public Safety Uniforms

Address inquiries to:  
Theresa Maynard  
(859) 258-3320

**TO ALL PROSPECTIVE BIDDERS:**

Please be advised of the following three clarifications to the above referenced Bid:

**Bid opening date has been changed to May 17, 2012 at 2:00 p.m.**

Todd Slatin, Acting Director  
Division of Central Purchasing

All other terms and conditions of the Bid and specifications are unchanged.  
This letter should be signed, attached to and become a part of your Bid.

BID OF: Galls, Inc  
ADDRESS: 1340 Russell Cave Rd Lexington, KY 40505  
SIGNATURE OF BIDDER: [Handwritten Signature]