

## Lexington-Fayette Urban County Government

200 E. Main St Lexington, KY 40507

## Legislation Details (With Text)

File #: 1250-22 Version: 1 Name: 22.0034 Water Quality - Create Position

Type: Ordinance Status: Approved

File created: 11/28/2022 In control: Urban County Council

 On agenda:
 12/6/2022
 Final action:
 12/6/2022

 Enactment date:
 12/6/2022
 Enactment #:
 0-149-2022

Title: An Ordinance amending the authorized strength by creating one (1) Classified Civil Service Position

of Chief Plant Operations Manager, Grade 527E, in the Div. of Water Quality, effective upon passage

of Council. [Div. of Human Resources, Walters]

Sponsors:

Indexes:

**Code sections:** 

Attachments: 1. Blue Sheet Memo 22.0034, 2. Fiscal Impact, 3. From To 22.0034, 4. 00770178.pdf, 5. O-149-2022

Date	Ver.	Action By	Action	Result
12/6/2022	1	Urban County Council	Received First Reading	
12/6/2022	1	Urban County Council	Suspended Rules for Second Reading	Pass
12/6/2022	1	Urban County Council	Approved	Pass
12/6/2022	1	Urban County Council Work Session		

An Ordinance amending the authorized strength by creating one (1) Classified Civil Service Position of Chief Plant Operations Manager, Grade 527E, in the Div. of Water Quality, effective upon passage of Council. [Div. of Human Resources, Walters]

Authorization to create one (1) classified position of Chief Plant Operations Manager (Grade 527E) in the Division of Water Quality, effective upon passage of Council. This has a 12-month future impact of a cost of \$116,611.78 and funds are Budgeted. (L1250-22) (Walters/Hamilton)

**Budgetary Implications: Yes** 

Advance Document Review:

Law: No

Risk Management: No

Fully Budgeted: Yes

Account Number: 4002-303401-3401-63111

This Fiscal Year Impact: \$

Annual Impact: \$

File #: 1250-22, Version: 1
Project:
Activity:
Budget Reference:
Current Balance:
BE IT ORDAINED BY THE COUNCIL OF THE LEXINGTON-FAYETTE URBAN COUNTY
GOVERNMENT:
Section 1 - That the following subsection line number in the Classified Civil Service authorized
strength be and hereby is created to read as follows:
340.020 1 755 527E Chief Plant Operations Manager
Section 2 - That this Ordinance shall be effective upon passage of Council.
PASSED URBAN COUNTY COUNCIL:
MAYOR
ATTEST:
CLERK OF URBAN COUNTY COUNCIL PUBLISHED: 1250-22:MSC:X:\Cases\HR\22-LE0003\LEG\00770178.DOCX